

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)		0.1	WHL		0.1						4	UNSHU Orange		0.1	WHL		0.1						4
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Lime											
Beans (dry) *												Other Citrus fruits											
Broad beans												Apple		0.1	WHL		0.1			0.2			3-1
Peanuts (dry)												Japanese pear		0.1	WHL		0.1			0.2			3-1
Other Legumes/pulses												Pear		0.1	WHL		0.1						4
Potato												Quince		0.1	WHL		0.1						4
Taro												Loquat		0.1	WHL		0.1						4
Sweet potato												Peach		0.1	WHL		0.1						4
Yam												Nectarine		0.1	WHL		0.1						4
Konjac												Apricot		0.1	WHL		0.1						4
Other Potatoes												Japanese plum (including Prunes)		0.1	WHL		0.1						4
Sugar beet												Mume plum		0.1	WHL		0.1						4
Sugarcane												Cherry		0.1	WHL		0.1						4
Japanese radish (including Radish) (root)												Strawberry		0.1	WHL		0.1						4
Japanese radish (including Radish) (leaf)	0.5	WHL		0.5						4	Cranberry		0.1	WHL		0.1							4
Turnip (including Rutabaga) (root)												Raspberry		0.1	WHL		0.1						4
Turnip (including Rutabaga) (leaf)	0.5	WHL		0.5						4	Blackberry		0.1	WHL		0.1							4
Horseradish												Blueberry		0.1	WHL		0.1						4
Watercress	0.5	WHL		0.5						4	Other berries		0.1	WHL		0.1							4
Chinese cabbage												Grape		0.1	WHL		0.1						4
Cabbage												Japanese persimon		0.1	WHL		0.1						4
Brussels sprouts	0.5	WHL		0.5						4	Banana		0.1	WHL		0.1							4
Kale	0.5	WHL		0.5						4	Kiwifruit		0.1	WHL		0.1							4
KONATSUDA	0.5	WHL		0.5						4	Papaya		0.1	WHL		0.1							4
KYONA	0.5	WHL		0.5						4</													

BENZYLADENINE(BENZYLAMINOPRIN)

[illegible]

[illegible]

BENZYL PENICILLIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	MRL	0.05									Catfish	0.05	FC							0.05		5-1
Pig, kidney	0.05	MRL	0.05									Other freshwater fish	0.05	FC							0.05		5-1
Sheep, kidney	0.06	FC					0.06		0.05		5-1	Salmon	0.05	FC							0.05		5-1
Horse, kidney	0.06	FC					0.06		0.05		5-1	Trout	0.05	FC							0.05		5-1
Deer, kidney	0.06	FC					0.06		0.05		5-1	Other salmonidae	0.05	FC							0.05		5-1
Goat, kidney	0.06	FC					0.06		0.05		5-1	Other diadromous fish	0.05	FC							0.05		5-1
Rabbit, kidney	0.06	FC					0.06		0.05		5-1	Other marine fish	0.05	FC							0.05		5-1
Reindeer, kidney	0.06	FC					0.06		0.05		5-1	order Perciformes	0.05	PAL		0.05							3-1
Other terrestrial mammals, kidney	0.06	FC					0.06		0.05		5-1	Other aquatic animals	0.05	FC							0.05		5-1
Cattle, edible offal excluding liver and kidney	0.06	FC					0.06		0.05		5-1	Shrimps or prawns	0.05	FC								0.05	5-1
Pig, edible offal excluding liver and kidney	0.06	FC					0.06		0.05		5-1	Lobster	0.05	FC								0.05	5-1
Sheep, edible offal excluding liver and kidney												Crayfish	0.05	FC								0.05	5-1
Horse, edible offal excluding liver and kidney												Other crustaceans	0.05	FC								0.05	5-1
Deer, edible offal excluding liver and kidney												Oyster	0.05	FC								0.05	5-1
Goat, edible offal excluding liver and kidney												Abalone	0.05	FC								0.05	5-1
Rabbit, edible offal excluding liver and kidney												Other aquatic animals	0.05	FC								0.05	5-1
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.004	MRL	0.004																				
Sheep, milk	0.004	MRL	0.004																				
Goat, milk	0.004	MRL	0.004																				
Other terrestrial mammals, milk	0.004							0.0015	0.004		6												
Chicken, muscle	0.05	MRL	0.05																				
Duck, muscle	0.05	FC																					
Turkey, muscle	0.05	FC						0.01	0.05		6												
Quail, muscle	0.05	FC							0.05		5-1												
Goose, muscle	0.05	FC							0.05		5-1												
Pheasant, muscle	0.05	FC							0.05		5-1												
Chukar partridge, muscle	0.05	FC							0.05		5-1												
Other poultry, muscle	0.05	FC							0.05		5-1												
Chicken, fat	0.05	FC							0.05		5-1												
Duck, fat	0.05	FC							0.05		5-1												
Turkey, fat	0.05	FC						0.01	0.05		6												
Quail, fat	0.05	FC							0.05		5-1												
Goose, fat	0.05	FC							0.05		5-1												
Pheasant, fat	0.05	FC							0.05		5-1												
Chukar partridge, fat	0.05	FC							0.05		5-1												
Other poultry, fat	0.05	FC							0.05		5-1												
Chicken, liver	0.05	MRL	0.05																				
Duck, liver	0.05	FC																					
Turkey, liver	0.05	FC						0.01	0.05		6												
Quail, liver	0.05	FC							0.05		5-1												
Goose, liver	0.05	FC							0.05		5-1												
Pheasant, liver	0.05	FC							0.05		5-1												
Chukar partridge, liver	0.05	FC							0.05		5-1												
Other poultry, liver	0.05	FC							0.05		5-1												
Chicken, kidney	0.05	MRL	0.05																				
Duck, kidney	0.05	FC							0.05		5-1												
Turkey, kidney	0.05	FC						0.01	0.05		6												
Quail, kidney	0.05	FC							0.05		5-1												
Goose, kidney	0.05	FC							0.05		5-1												
Pheasant, kidney	0.05	FC							0.05		5-1												
Chukar partridge, kidney	0.05	FC							0.05		5-1												
Other poultry, kidney	0.05	FC							0.05		5-1												
Chicken, edible offal excluding liver and kidney	0.01	PAL		0.01							4												
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney	0.01	FC						0.01			5-1												
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs	0.05	FC									5-1												
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

1. For terrestrial mammals milk, the PR-MRL was harmonized with the corresponding PR-MRLs for cattle and other animal species.
2. For turkeys (muscle, fat, livers, and kidneys), PR-MRLs were harmonized with the corresponding PR-MRLs for chickens.

[illegible]

BETAMETHASONE

[illegible]

64. BHC

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.2	MRL	0.2									UNSHU Orange	0.2	MRL	0.2									
Wheat	0.2	MRL	0.2									NATSUDAIDAI (flesh)	0.2	MRL	0.2									
Barley	0.2						0.5		0.01		6	NATSUDAIDAI (peel)	0.2	MRL	0.2									
Rye	0.2						0.5		0.02		6	NATSUDAIDAI (whole)	0.2						0.5		0.01			6
Corn (including Maize, Sweet corn)	0.2	MRL	0.2									Lemon	0.2						0.5		0.01			6
Buckwheat	0.2	MRL	0.2									Orange (including Navel)	0.2						0.5		0.01			6
Other cereal grains	0.2						0.5		0.02		6	Grapefruit	0.2						0.5		0.01			6
Soybeans (dry)	0.2	MRL	0.2									Other Citrus fruits	0.2						0.5		0.01			6
Beans (dry)	0.2	MRL	0.2									Apple	0.2	MRL	0.2									
Peas	0.2	MRL	0.2									Japanese pear	0.2	MRL	0.2									
Broad beans	0.2	MRL	0.2									Pear	0.2	MRL	0.2									
Peanuts (dry)	0.03	FC					0.05		0.01		5-1	Quince	0.2					1	0.5		3	0.01		6
Other Legumes/pulses	0.2						2		0.01		6	Loquat	0.2	MRL	0.2									
Potato	0.2	MRL	0.2									Peach	0.2	MRL	0.2									
Taro	0.2	MRL	0.2									Nectarine	0.2					1	0.5		3	0.01		6
Sweet potato	0.2	MRL	0.2									Apricot	0.2					1	0.5		3	0.01		6
Yam	0.2						2		0.01		6	Japanese plum (including Prunes)	0.2					1	0.5		3	0.01		6
Konjac	0.2						2		0.01		6	Mume plum	0.2						0.5		0.01			6
Other Potatoes	0.2						2		0.01		6	Cherry	0.2	MRL	0.2									
Sugar beet	0.1	Codex			0.1		2		0.01		2	Strawberry	0.2	MRL	0.2									
Sugarcane												Raspberry	0.2						0.5		0.01			6
Japanese radish (including Radish) (root)	0.2	MRL	0.2									Blackberry	0.2						0.5		0.01			6
Japanese radish (including Radish) (leaf)	0.2	MRL	0.2									Blueberry	0.2						0.5		0.01			6
Turnip (including Rutabaga) (root)	0.2	MRL	0.2									Cranberry	0.2						3		0.01			6
Turnip (including Rutabaga) (leaf)	0.2	MRL	0.2									Other berries	0.2						0.5		0.5			6
Horseradish	0.2						2		0.01		6	Grape	0.2	MRL	0.2									
Watercress	0.2						2		0.01		6	Japanese persimon	0.2	MRL	0.2									
Chinese cabbage	0.2	MRL	0.2									Banana	0.2						0.5		0.01			6
Cabbage	0.2	MRL	0.2									Other fruits	0.2						2		0.01			6
Brussels sprouts	0.2	MRL	0.2									Passion fruit	0.2						0.5		0.01			6
Kale	0.2						1	2	3	0.01	6	Date	0.2						0.5		0.01			6
KOMATSUNA	0.2	MRL	0.2									Other nuts												
KYONA	0.2	MRL	0.2									Tea (Green)	0.2	MRL	0.2									
Qing-geng-cai	0.2						2		0.01		6	Coffee beans												
Cauliflower	0.2	MRL	0.2									Cacao beans												
Broccoli	0.2	MRL	0.2									Hop									0.05			
Other cruciferous vegetables	0.2						1	2	3	0.01	6	Cattle, muscle	1	FC							2	0.3		5-1
Burdock	0.2	MRL	0.2									Pig, muscle	1	FC							2	0.3		5-1
Salsify	0.2						2		0.01		6	Sheep, muscle	1	FC							2	0.3		5-1
Artichoke	0.2						2		0.01		6	Horse, muscle	0.3	FC							2	0.3		5-1
Chicory	0.2						2		0.01		6	Deer, muscle	0.3	FC							2	0.3		5-1
Endive	0.2						2		0.01		6	Goat, muscle	1	FC							2	0.3		5-1
SHUNGKU	0.2						2		0.01		6	Reindeer, muscle	0.3	FC							2	0.3		5-1
Lettuce (Cos lettuce, Leaf lettuce)	0.2	MRL	0.2									Other terrestrial mammals, muscle	0.3	FC							2	0.3		5-1
Other Composite vegetables	0.2						2		0.01		6	Cattle, fat	3	FC					7	2	2	0.3		2 5-1
Onion	0.2						1	2	3	0.01	6	Pig, fat	3	FC					7	2	2	0.3		2 5-1
Welsh (including Leek)	0.2						2		0.01		6	Sheep, fat	3	FC					7	2	2	0.3		2 5-1
Garlic	0.2						2		0.01		6	Horse, fat	3	FC					7	2	2	0.3		2 5-1
NIRA	0.2											Deer, fat	1	FC							2	0.3		2 5-1
Asparagus	0.2	MRL	0.2									Goat, fat	3	FC					7	2	2	0.3		2 5-1
Pumpkin (including Squash)	0.2	MRL	0.2				2		0.01		6	Rabbit, fat	1	FC					2		0.3			5-1
Implying onion (including Shallot)	0.2						2		0.01		6	Reindeer, fat	1	FC					2		0.3			5-1
Other Liliaceous vegetables	0.2						2		0.01		6	Other terrestrial mammals, fat	1	FC					2		0.3			5-1
Carrot	0.2	Codex			0.2		2		0.01		2	Cattle, liver	1	FC						2		0.3		5-1
Parsnip	0.2						2		0.01		6	Pig, liver	1	FC						2		0.3		5-1
Parsley	0.2											Sheep, liver	1	FC						2		0.3		5-1
Celery	0.2	MRL	0.2									Horse, liver	1	FC						2		0.3		5-1
MITSUBA	0.2	MRL	0.2									Deer, liver	1	FC						2		0.3		5-1
Other Umbelliferous vegetables	0.2						2		0.01		6	Goat, liver	1	FC						2		0.3		5-1
Tomato	0.2	MRL	0.2									Rabbit, liver	1	FC						2		0.3		5-1
Pimento (Sweet pepper)	0.2	MRL	0.2									Other terrestrial mammals, liver	1	FC						2		0.3		5-1
Egg plant	0.2	MRL	0.2									Cattle, muscle	1	FC						2		0.3		5-1
Other Solanaceous vegetables	0.2						1	2	3	0.01	6	Pig, muscle	1	FC						2		0.3		5-1
Cucumber (including Gherkin)	0.2	MRL	0.2									Sheep, muscle	1	FC						2		0.3		5-1
Pumpkin (including Squash)	0.2	MRL	0.2									Horse, muscle	0.3	FC						2		0.3		5-1
Oriental pickling melon (vegetable)	0.2	MRL	0.2									Deer, muscle	0.3	FC						2		0.3		5-1
Water melon	0.2	MRL	0.2									Goat, muscle	1	FC						2		0.3		5-1
Melons	0.2						3	2	3	0.01	6	Reindeer, muscle	0.3	FC						2		0.3		5-1
MAKUWARI	0.2						3	2	3	0.01	6	Other terrestrial mammals, muscle	0.3	FC						2		0.3		5-1
Other cucurbitaceous vegetables	0.2						3	2	3	0.01	6	Cattle, fat	3	FC					7	2	2	0.3		2 5-1
Spinach	0.2	MRL	0.2									Pig, fat	3	FC					7	2	2	0.3		2 5-1
Bamboo shoots	0.2	FC							0.01		5-1	Sheep, fat	3	FC					7	2	2	0.3		2 5-1
Okra	0.2						1	2	3		6	Horse, fat	3	FC					7	2	2	0.3		2 5-1
Ginger	0.2								0.01		6	Deer, fat	1	FC							2	0.3		2 5-1
Peas (with pods, immature)	0.2	MRL	0.2									Goat, fat	3	FC					7	2	2	0.3		2 5-1
Kidney beans (with pods, immature)	0.2	MRL	0.2									Rabbit, fat	1	FC					2		0.3			5-1
Soybeans	0.2						2		0.01		6	Reindeer, fat	1	FC					2		0.3			5-1
Button mushrooms	0.2						3	2	3	0.01	6	Other terrestrial mammals, fat	1	FC					2		0.3			5-1
SHITAKE	0.2							2	0.01		6	Cattle, liver	1	FC						2		0.3		5-1
Other mushrooms	0.2							2	0.01		6	Pig, liver	1	FC						2		0.3		5-1
Other vegetables	0.2						1	2	3	0.01	6	Sheep, liver	1	FC						2		0.3		5-1
												Horse, liver	1	FC						2		0.3		5-1
												Deer, liver	1	FC						2		0.3		5-1
												Goat, liver	1	FC						2		0.3		5-1
												Rabbit, liver	1	FC						2		0.3		5-1
												Other terrestrial mammals, liver	1	FC						2		0.3		5-1

#1 Total of α-BHC, β-BHC, γ-BHC and δ-BHC.

#2 The MRLs of Barley,

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney	1	FC					2		0.3		5-1	Catfish	1	FC					1					5-1
Pig, kidney	1	FC					2		0.3		5-1	Other freshwater fish	1	FC					1					5-1
Sheep, kidney	1	FC					2		0.3		5-1		1	FC					1					5-1
Deer, kidney	1	FC					2		0.3		5-1	Salmon	1	FC					1					5-1
Goat, kidney	1	FC					2		0.3		5-1	Trout	1	FC					1					5-1
Rabbit, kidney	1	FC					2		0.3		5-1	Other salmonidae	1	FC					1					5-1
Reindeer, kidney	1	FC					2		0.3		5-1	Other diadromous fish	1	FC					1					5-1
Other terrestrial mammals, kidney	1	FC					2		0.3		5-1	Marine fish	1	FC					1					5-1
Cattle, edible offal excluding liver and kidney	1	FC					2		0.3		5-1	Shrimps or prawns	1	FC					1					5-1
Pig, edible offal excluding liver and kidney	1	FC					2		0.3		5-1	Lobster	1	FC					1					5-1
Sheep, edible offal excluding liver and kidney	1	FC					2		0.3		5-1	Crayfish	1	FC					1					5-1
Horse, edible offal excluding liver and kidney	1	FC					2		0.3		5-1	Other crustaceans	1	FC					1					5-1
Deer, edible offal excluding liver and kidney	1	FC					2		0.3		5-1													
Goat, edible offal excluding liver and kidney	1	FC					2		0.3		5-1	Oyster	1	FC					1					5-1
Rabbit, edible offal excluding liver and kidney	1	FC					2		0.3		5-1	Abalone	1	FC										5-1
Reindeer, edible offal excluding liver and kidney	1	FC					2		0.3		5-1	Other aquatic animals	1	FC					1					5-1
Other terrestrial mammals, edible offal excluding liver and kidney	1	FC					2		0.3		5-1	Other animals												
Cattle, milk	0.1	FC							0.2	0.007	5-1													
Sheep, milk	0.1	FC							0.2	0.007	5-1	Honey												
Goat, milk	0.1	FC							0.2	0.007	5-1													
Other terrestrial mammals, milk	0.1	FC							0.2	0.007	5-1													
Chicken, muscle	0.7	FC							0.7	0.7	5-1													
Duck, muscle	0.7	FC							0.7	0.7	5-1													
Turkey, muscle	0.7	FC							0.7	0.7	5-1													
Quail, muscle	0.7	FC							0.7	0.7	5-1													
Goose, muscle	0.7	FC							0.7															

[illegible]

BICOZAMYCIN

[illegible]

66. BIFENAZATE

[illegible]

BIFENAZATE

[illegible]

67. BIFENTHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	1FC						2		0.05		5-1	UNSHU Orange	0.1MRL	0.1									
Wheat	0.5FC				0.5		2		0.5		2	NATSUDAIDAI (flesh)											
Barley	0.05FC				0.05		2		0.5		2	NATSUDAIDAI (peel)											
Rye	1FC						2		0.05		5-1	Lemon	1MRL	1									
Corn (including Maize, Sweet corn)	0.05MRL	0.05										Orange (including Navel)	1MRL	1									
Buckwheat	1FC						2		0.05		5-1	Grapefruit	1MRL	1									
Other cereal grains	0.1MRL	0.1										Other Citrus fruits	1MRL	1									
Soybeans (dry)	0.1							0.02	0.1		6	Apple	0.5MRL	0.5									
Beans (dry)	0.1MRL	0.1										Japanese pear	0.5MRL	0.5									
Peas	0.1MRL		0.1								4	Pear	0.5MRL	0.5									
Broad beans	0.1MRL		0.1								4	Quince	0.1MRL	0.1									
Peanuts (dry)	0.1MRL		0.1						0.1		3-1	Loquat	0.1MRL	0.1									
Other Legumes/pulses	0.2MRL	0.2																					
Potato	0.05MRL	0.05										Peach	0.1MRL	0.1									
Taro	0.05MRL		0.05								4	Nectarine	0.5MRL		0.5			1		0.2			3-1
Sweet potato	0.05MRL		0.05								4	Apricot	2MRL		2			1		0.2			3-1
Yam	0.05MRL		0.05								4	Japanese plum (including Prunes)	0.1MRL	0.1									
Konjac	0.05MRL		0.05								4	Mume plum	2MRL		2			1		0.2			3-1
Other Potatoes	0.05MRL		0.05								4	Cherry	2MRL	2									
Sugar beet	0.2MRL	0.2										Strawberry	2MRL	2									
Sugarcane												Raspberry	2MRL		2			1			0.05		3-1
Japanese radish (including Radish) (root)	0.1MRL		0.1								4	Blackberry	2MRL		2			1		0.05			3-1
Japanese radish (including Radish) (leaf)	1MRL										4	Blueberry	2MRL		2								4
Turnip (including Rutabaga) (root)	1MRL										4	Cranberry	2MRL		2								4
Turnip (including Rutabaga) (leaf)	1MRL										4	Other berries	2MRL	2									4
Horseradish	0.1MRL		0.1								4												
Watercress	1MRL		1				10		2		3-1	Grape	2MRL	2									
Chinese cabbage	0.5MRL	0.5										Japanese persimmon	0.5MRL	0.5									
Cabbage	2MRL	2																					
Brussels sprouts	2MRL	2										Banana	0.1MRL	0.1									
Kale	1MRL		1								4	Apple	0.1MRL	0.1									4
KOMATSUNA	1MRL		1								4	Papaya	0.5MRL		0.5								4
KYONA	1MRL		1				10		0.05		3-1	Avocado	0.5MRL		0.5			0.1		0.05			3-1
Qing-geng-cai	1MRL		1								4	Pineapple	0.5MRL		0.5								4
Cauliflower	0.05MRL	0.05										Guava	0.5MRL		0.5								4
Broccoli	0.1MRL	0.1										Mango	0.5MRL		0.5								4
Other cruciferous vegetables	1MRL		1				0.6	10		2	3-1	Passion fruit	0.5MRL		0.5					0.5			3-1
Burdock	0.1MRL		0.1								4	Date	2MRL		2								
Salsify	0.1MRL		0.1								4	Other fruits	2MRL		2					0.2			3-1
Artichoke	0.2MRL	0.2																					
Chicory	1MRL		1								4	Sunflower seeds	0.1FC							0.1			5-1
Endive	1MRL		1						2		3-1	Sesam seed	0.1FC							0.1			5-1
SHUNGKU	1MRL		1								4	Safflower seeds	0.1FC							0.1			5-1
Lettuce (Cos lettuce, Leaf lettuce)						3			2		3-1	Sheep, muscle	0.3FC		0.5								
Other Composite vegetables	1MRL		1				10		0.2		3-1	Rape seeds	0.1MRL	0.1									
Onion												Other oil seeds	0.1FC							0.1			5-1
Welsh (including Leek)	0.5MRL	0.5										Ginkgo nut											
Garlic												Chestnut											
NIRA	1MRL		1				10		0.05		3-1	Pecan											
Asparagus	0.1MRL	0.1									4	Almond											
Spring onion (including Shallot)	1MRL		1								4	Walnut											
Other Liliaceous vegetables	1MRL		1				10		0.05		3-1	Other nuts	0.1FC							0.1			5-1
Carrot	0.1MRL		0.1								4	Tea (Green, Black, Oolong, Wulong tea)	25MRL	25									
Parsnip	0.1MRL		0.1								4	Coffee beans											
Parsley	1MRL		1				10		0.05		3-1	Cacao beans											
Celery	1MRL		1				10		0.05		3-1	Hop	10MRL	10									
MITSUBA	1MRL		1				10		0.05		3-1												
Other Umbelliferous vegetables	1MRL		1				10		0.05		3-1	Cattle, muscle	0.3FC							0.5		0.05	5-1
Tomato	0.5MRL	0.5										Pig, muscle	0.3FC							0.5		0.05	5-1
Pimento (Sweet pepper)	0.4FC					0.5	0.5		0.2		5-1	Sheep, muscle	0.3FC							0.5		0.05	5-1
Egg plant	0.5MRL	0.5										Horse, muscle	0.3FC							0.5		0.05	5-1
Other Solanaceous vegetables	0.5MRL	0.5		0.5			0.5	0.5		0.2	3-1	Deer, muscle											
Cucumber (including Gherkin)	0.5MRL	0.5										Goat, muscle	0.3FC							0.5		0.05	5-1
Pumpkin (including Squash)	0.5MRL		0.5				0.4	0.1		0.1	3-1	Reindeer, muscle											
Oriental pickling melon (vegetable)	0.5MRL		0.5				0.4	0.1		0.1	3-1	Other terrestrial mammals, muscle											
Water melon	0.2MRL	0.2										Cattle, fat	0.5FC				0.5	1	2		0.1		2
Melons	0.2MRL	0.2										Pig, fat	1FC					1	2		0.05		5-1
MAKUWARI	0.1MRL		0.1				0.4	0.1		0.1	3-1	Sheep, fat	1FC					1	2		0.05		5-1
Other cucurbitaceous vegetables	0.5MRL		0.5				0.4	0.1		0.1	3-1	Horse, fat	1FC					1	2		0.05		5-1
Spinach	1MRL		1								4	Deer, fat	1FC						1	2		0.05	5-1
Bamboo shoots	0.1MRL	0.1										Goat, fat	1FC					1	2		0.05		5-1
Okra	0.5FC							0.5			5-1	Rabbit, fat	1FC						2		0.05		5-1
Ginger	0.1MRL		0.1								4	Reindeer, fat	1FC						2		0.05		5-1
Peas (with pods, immature)	0.4FC					0.6			0.1		5-1	Other terrestrial mammals, fat	1FC						2		0.05		5-1
Kidney beans (with pods, immature)	0.6FC					0.6			0.5		5-1	Cattle, liver	0.05FC				0.05	0.1	0.5		0.05		2
Soybeans	0.3FC					0.6			0.05		5-1	Pig, liver	0.2FC						0.1	0.5		0.05	5-1
Button mushrooms												Sheep, liver	0.2FC						0.1	0.5		0.05	5-1
SHITAKE												Horse, liver	0.2FC						0.1	0.5		0.05	5-1
Other mushrooms												Deer, liver	0.3FC						0.5		0.05		5-1
Other vegetables	0.1MRL	0.1										Goat, liver	0.2FC					0.1	0.5		0.05		5-1
												Rabbit, liver	0.3FC						0.5		0.05		5-1
												Reindeer, liver	0.3FC						0.5		0.05		5-1
												Other terrestrial mammals, liver	0.3FC						0.5		0.05		5-1

The MRL of Soybeans (dry) is harmonized with the MRL of the similar products.

BIFENTHRIN

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	Codex			0.05	0.1	0.5		0.05		2	Catfish											
Pig, kidney	0.2	FC				0.1	0.5		0.05		5-1	Other freshwater fish											
Sheep, kidney	0.2	FC				0.1	0.5		0.05		5-1												
Horse, kidney	0.2	FC				0.1	0.5		0.05		5-1	Salmon											
Deer, kidney	0.3	FC					0.5		0.05		5-1	Trout											
Goat, kidney	0.2	FC				0.1	0.5		0.05		5-1	Other salmonidae											
Rabbit, kidney	0.3	FC					0.5		0.05		5-1	Other diadromous fish											
Reindeer, kidney	0.3	FC					0.5		0.05		5-1												
Other terrestrial mammals, kidney	0.3	FC					0.5		0.05		5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	0.2	FC				0.1	0.5		0.05		5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.2	FC				0.1	0.5		0.05		5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.2	FC				0.1	0.5		0.05		5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.2	FC				0.1	0.5		0.05		5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.3	FC					0.5		0.05		5-1												
Goat, edible offal excluding liver and kidney	0.2	FC				0.1	0.5		0.05		5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.3	FC					0.5		0.05		5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.3	FC					0.5		0.05		5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.3	FC					0.5		0.05		5-1												
												Other animals											
Cattle, milk	0.05	Codex			0.05	0.1	0.5		0.01		2												
Sheep, milk	0.2	FC				0.1	0.5		0.01		5-1	Honey											
Goat, milk	0.2	FC				0.1	0.5		0.01		5-1												
Other terrestrial mammals, milk	0.2	FC				0.1	0.5		0.01		5-1												
Chicken, muscle	0.05	FC				0.05			0.05		5-1												
Duck, muscle	0.05	FC				0.05			0.05		5-1												
Turkey, muscle	0.05	FC				0.05			0.05		5-1												
Quail, muscle	0.05	FC				0.05			0.05		5-1												
Goose, muscle	0.05	FC																					

68. BIOALLETHRIN

[illegible]

BIOALLETHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney																								
Horse, kidney												Salmon												
Deer, kidney												Trout												
Goat, kidney												Other salmonidae												
Rabbit, kidney												Other diadromous fish												
Reindeer, kidney																								
Other terrestrial mammals, kidney												Marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Goat, edible offal excluding liver and kidney												Oyster												
Rabbit, edible offal excluding liver and kidney												Abalone												
Reindeer, edible offal excluding liver and kidney												Other aquatic animals												
Other terrestrial mammals, edible offal excluding liver and kidney																								
												Other animals												
Cattle, milk																								
Sheep, milk												Honey												
Goat, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Quail, muscle																								
Goose, muscle																								
Pheasant, muscle			</																					

[illegible]

BIORESMETHRIN

[illegible]

70. BITERTANOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU Orange											
												NATSUDAIDAI (flesh)											
Wheat	0.1	MRL	0.1									NATSUDAIDAI (peel)											
Barley	0.05	MRL	0.05									NATSUDAIDAI (whole)											
Rye	0.1	MRL	0.1									Lemon											
Corn (including Maize, Sweet corn)	0.05	MRL	0.05									Orange (including Navel)											
Buckwheat	0.05	MRL	0.05									Grapefruit											
Other cereal grains	0.1	MRL	0.1									Other Citrus fruits											
Soybeans (dry)	0.2	MRL	0.2									Apple	0.6	MRL	0.6								
Beans (dry)	0.2	MRL	0.2									Japanese pear	0.6	MRL	0.6								
Peas	0.2	MRL	0.2									Pear	0.6	MRL	0.6								
Broad beans	0.2	MRL	0.2									Quince	0.6	MRL	0.6								
Peanuts (dry)	0.1	MRL	0.1									Loquat	0.6	MRL	0.6								
Other Legumes/pulses	0.2	MRL	0.2																				
Potato												Peach	1	MRL	1								
Taro												Nectarine	1	Code									2
Sweet potato												Apricot	2	MRL	2								
Yam												Japanese plum (including Prunes)	1	MRL	1								
Konjac												Mume plum	2	MRL	2								
Other Potatoes												Cherry	3	MRL	3								
Suger beet	0.5	MRL	0.5									Strawberry	1	MRL	1								
Sugercane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Other berries											
Turnip (including Rutabaga) (leaf)																							
Horseradish												Grape											
Watercress												Japanese persimon											
Chinese cabbage																							
Cabbage												Banana	0.5	MRL	0.5								
Brussels sprouts												Kiwifruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits	0.1	FC								0.1	5-1
Salsify												Sunflower seeds											
Artichoke												Sesam seed											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHUNGKU												Rape seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other Composite vegetables																							
Onion												Ginkgo nut											
Welsh (including Leek)												Chestnut											
Garlic												Pecan											
NIRA												Almond											
Asparagus												Walnut											
Pumpkin (including Squash)												Other nuts											
Multiplying onion (including Shallot)																							
Other Liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)	0.1	FC							0.1	5-1	
Carrot												Coffee beans											
Parsnip												Cacao beans											
Parsley												Hop	0.1	FC								0.1	5-1
Celery																							
MITSUBA												Cattle, muscle											
Other Umbelliferous vegetables												Pig, muscle											
Tomato	3	Code								3	2	Sheep, muscle											
Pimento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other Solanaceous vegetables												Goat, muscle											
Cucumber (including Gherkin)	0.5	MRL	0.5									Rabbit, muscle											
Pumpkin (including Squash)	0.5	FC								0.5	5-1	Reindeer, muscle											
Oriental pickling melon (vegetable)	0.5	FC								0.5	5-1	Other terrestrial mammals, muscle											
Water melon												Cattle, fat	0.05	Code			0.05		0.3		0.05		2
Melons	1	MRL	1									Pig, fat	0.05	Code			0.05		0.3		0.05		2
MAKUWAURI	0.5	FC								0.5	5-1	Sheep, fat	0.05	Code			0.05		0.3		0.05		2
Other cucurbitaceous vegetables	0.5	FC								0.5	5-1	Horse, fat	0.05	Code			0.05		0.3		0.05		2
Spinach												Deer, fat	0.05	Code			0.05		0.3		0.05		2
Bamboo shoots												Goat, fat	0.05	Code			0.05		0.3		0.05		2
Okra												Rabbit, fat	0.05	Code			0.05		0.3		0.05		2
Ginger												Reindeer, fat	0.05	Code			0.05		0.3		0.05		2
Peas (with pods, immature)												Other terrestrial mammals, fat	0.05	Code			0.05		0.3		0.05		2
Kidney beans (with pods, immature)	0.3	MRL	0.3									Cattle, liver	0.05	Code			0.05		3		0.05		2
Soybeans												Pig, liver	0.05	Code			0.05		3		0.05		2
Button mushrooms												Sheep, liver	0.05	Code			0.05		3		0.05		2
SHIITAKE												Horse, liver	0.05	Code			0.05		3		0.05		2
Other mushrooms												Deer, liver	0.05	Code			0.05		3		0.05		2
Other vegetables	0.3	FC								0.5	0.1	Goat, liver	0.05	Code			0.05		3		0.05		2
												Rabbit, liver	0.05	Code			0.05		3		0.05		2
												Reindeer, liver	0.05	Code			0.05		3		0.05		2
												Other terrestrial mammals, liver	0.05	Code			0.05		3		0.05		2

[illegible]

[illegible]

BITHIONOL

[illegible]

72. BROMACIL

[illegible]

BROMACIL

[illegible]

73. BROMIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	50	MRL	50								UNSHU Orange	30	MRL	30									
Wheat	50	MRL	50								NATSUDAIDAI (flesh)	30	MRL	30									
Barley	50	MRL	50								NATSUDAIDAI (peel)	30	MRL	30									
Rye	50	MRL	50								NATSUDAIDAI (whole)	30	MRL	30									
Corn (including Maize, Sweet corn)	80	MRL	80								Lemon	30	MRL	30									
Buckwheat	180	MRL	180								Orange (including Navel)	30	MRL	30									
Other cereal grains	50	MRL	50								Grapefruit	30	MRL	30									
Soybeans (dry)	60	FC				200	0.05		0.1	50	5-1	Other Citrus fruits	30	MRL	30								
Beans (dry)	30	FC				50	0.05		0.05	50	5-1	Apple	20	MRL	20								
Peas	30	FC				50	0.05		0.05	50	5-1	Japanese pear	20	MRL	20								
Broad beans	20	FC				50	0.05		0.05	50	5-1	Pear	20	MRL	20								
Peanuts (dry)	80	FC				200			0.1	50	5-1	Quince	20	MRL	20								
Other Legumes/pulses	30	FC				50	0.05		0.05	50	5-1	Loquat	20	MRL	20								
Potato	30	FC				75	0.05		0.05	50	5-1	Peach	20	MRL	20								
Taro	20	FC				50	0.05		0.05	50	5-1	Nectarine	20	MRL	20								
Sweet potato	30	FC				75	0.05		0.05	50	5-1	Apricot	20	MRL	20								
Yam	20	FC				50	0.05		0.05	50	5-1	Japanese plum (including Prunes)	20	MRL	20								
Konjac	20	FC				50	0.05		0.05	50	5-1	Mume plum	20	MRL	20								
Other Potatoes	20	FC				30	0.05		0.05	50	5-1	Cherry	20	MRL	20								
Suger beet	20	FC				30	0.05		0.05	50	5-1	Strawberry	30	MRL	30								
Sugercane	50	FC									5-1	Raspberry	20	MRL	20								
Japanese radish (including Radish) (root)	200	CodeX			200	30	0.05		0.05	50	2	Blackberry	20	MRL	20								
Japanese radish (including Radish) (leaf)	20	FC					0.05		0.05	50	5-1	Blueberry	20	MRL	20								
Turnip (including Rutabaga) (root)	200	CodeX			200	30	0.05		0.05	50	2	Cranberry	20	MRL	20								
Turnip (including Rutabaga) (leaf)	1000	CodeX			1000		0.05		0.05	50	2	Other berries	20	MRL	20								
Horseradish	20	FC				30	0.05		0.05	50	5-1												
Watercress	20	FC					0.05		0.05	50	5-1	Grape	20	MRL	20								
Chinese cabbage	20	FC					0.05		0.05	50	5-1	Japanese persimon	20	MRL	20								
Cabbage	100	CodeX			100	30	0.05		0.05	50	2												
Brussels sprouts	20	FC					0.05		0.05	50	5-1	Banana	20	MRL	20								
Kale	20	FC					0.05		0.05	50	5-1												
KOMATSUNA	20	FC					0.05		0.05	50	5-1	Papaya	20	MRL	20								
KYONA	20	FC					0.05		0.05	50	5-1	Avocado	75	MRL	75								
Qing-geng-cai	20	FC					0.05		0.05	50	5-1	Pineapple	20	MRL	20								
Cauliflower	20	FC					0.05		0.05	50	5-1	Guava	20	MRL	20								
Broccoli	30	CodeX			30		0.05		0.05	50	2	Mango	20	MRL	20								
Other cruciferous vegetables	20	FC					0.05		0.05	50	5-1	Passion fruit	20	MRL	20								
Burdock	20	FC					0.05		0.05	50	5-1	Date	20	MRL	20								
Salsify	20	FC				30	0.05		0.05	50	5-1	Other fruits	60	MRL	60								
Artichoke	20	FC					0.05		0.05	50	5-1												
Chicory	20	FC					0.05		0.05	50	5-1	Sunflower seeds	30	FC									
Endive	20	FC					0.05		0.05	50	5-1	Sesam seed	30	FC									
SHUNGIKU	20	FC					0.05		0.05	50	5-1	Safflower seeds	30	FC									
Lettuce (Cos lettuce, Leaf lettuce)	100	CodeX			100		0.05		0.05	50	2							200					
Other Composite vegetables	400	CodeX			400		0.05		0.05	400	2	Rape seeds	30	FC									
Onion	30	FC				50	0.05		0.05	50	5-1	Other oil seeds	400	CodeX			400	0.05		0.1	400	2	
Welsh (including Leek)	20	FC					0.05		0.05	50	5-1	Ginkgo nut	100	FC						0.05	200	5-1	
Garlic	30	FC				50	0.05		0.05	50	5-1	Chestnut	130	FC				200		0.05	200	5-1	
NIRA	20	FC					0.05		0.05	50	5-1	Pecan	130	FC				200		0.05	200	5-1	
Parasparagus	20	FC				100	0.05		0.05	50	5-1	Almond	130	FC						0.05	200	5-1	
Pumpkin (including Squash)	200	CodeX					0.05		0.05	50	5-1	Walnut	130	FC						0.05	200	5-1	
Multiplying onion (including Shallot)	20	FC					0.05		0.05	50	5-1	Other nuts	130	FC				200		0.1	200	5-1	
Other Liliaceous vegetables	20	FC					0.05		0.05	50	5-1												
Carrot	20	FC				30	0.05		0.05	50	5-1	Tea (Green, Black, Oolong, Wulong tea)	30	FC						0.05	50	5-1	
Parsnip	20	FC				30	0.05		0.05	50	5-1	Coffee beans	60	FC				75					
Parsley	30	FC					0.05		0.05	50	5-1	Cacao beans	50	FC				50					
Celery	300	CodeX			300		0.05		0.05	50	2	Hop	400	CodeX			400			0.05	50	2	
MITSUBA	20	FC					0.05		0.05	50	5-1												
Other Umbelliferous vegetables	20	FC					0.05		0.05	50	5-1	Cattle, muscle											
.....												Pig, muscle											
Tomato	75	CodeX			75	20	0.05		0.05	50	2	Sheep, muscle											
Pimiento (Sweet pepper)	20	CodeX			20	30	0.05		0.05	50	2	Horse, muscle											
Egg plant	20	FC				20	0.05		0.05	50	5-1	Deer, muscle											
Other Solanaceous vegetables	20	FC				30	0.05		0.05	50	5-1	Goat, muscle											
Cucumber (including Gherkin)	100	CodeX			100	30	0.05		0.05	50	2	Reindeer, muscle											
Pumpkin (including Squash)	200	CodeX			200	30	0.05		0.05	50	2	Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)	20	FC					0.05		0.05	50	5-1												
Water melon	20	FC				20	0.05		0.05	50	5-1	Cattle, fat											
Melons	20	FC				20	0.05		0.05	50	5-1	Pig, fat											
MAKUWAURI	20	FC					0.05		0.05	50	5-1	Sheep, fat											
Other cucurbitaceous vegetables	20	FC					0.05		0.05	50	5-1	Horse, fat											
Spinach	20	FC					0.05		0.05	50	5-1	Deer, fat											
Bamboo shoots	20	FC					0.05		0.05	50	5-1	Goat, fat											
Okra	200	CodeX			200	30																	

BROMIDE

[illegible]

[illegible]

BROMOBUTIDE

[illegible]

75. BROMOFENOFOS

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																							UNSHU orange
																							NATSUDAIDAI (flesh)
Wheat																							NATSUDAIDAI (peel)
Barley																							NATSUDAIDAI (whole)
Rye																							Lemon
Corn (including Maize Sweet corn)																							Orange (including Navel)
Buckwheat																							Grapefruit
Other cereal grains																							Other citrus fruits
Soybeans (dry)																							Apple
Beans (dry) *																							Japanese pear
Peas																							Pear
Broad beans																							Quince
Peanuts (dry)																							Loquat
Other legumes/pulses																							
Potato																							Peach
Taro																							Nectarine
Sweet potato																							Apicot
Yam																							Japanese plum (including Prunes)
Konjac																							Mume plum
Other potatoes																							Cherry
Sugar beet																							
Sugarcane																							Raspberry
																							Blackberry
Japanese radish (including Radish) (root)																							Blueberry
Japanese radish (including Radish) (leaf)																							Cranberry
Turnip (including Rutabaga) (root)																							Huckleberry
Turnip (including Rutabaga) (leaf)																							Other berries
Horseradish																							
Watercress																							
Chinese cabbage																							
Cabbage																							Japanese persimon
Brussels sprouts																							Banana
Kale																							Kiwifruit
KOMATSUNA																							Papaya
KYONA																							Avocado
Qing-jing-cal																							Pineapple
Qing-jing-cal																							Guava
Cauliflower																							Mango
Broccoli																							Passion fruit
Other cruciferous vegetables																							Date
Burdock																							
Salsify																							Other fruits
Artichoke																							
Chicory																							Sunflower seeds
Endive																							Sesam seeds
SHINGIKU																							Sunflower seeds
Lettuice (Cos lettuce, Leaf lettuce)																							Potato seeds
Other composite vegetables																							Rape seeds
																							Other oil seeds
Onion																							
Welsh (including Leek)																							Ginkgo nut
Garlic																							Chestnut
NIRA																							Pecan
Asparagus																							Almond
Multiplying onion (including Shalott)																							Walnut
Other liliaceous vegetables																							Other nuts
Carrot																							Tea (Green, Black, Oolong, Wulong tea)
Parsnip																							Coffee beans
Parsley																							Cacao beans
Celery																							Hop
MITSUBA																							
Other umbelliferous vegetables													0.01	PAL		0.01							Cattle, muscle
																							Pig, muscle
Tomato																							Sheep, muscle
Pimento (Sweet pepper)																							Horse, muscle
Egg plant																							Deer, muscle
Other solanaceous vegetables																							Goat, muscle
																							Rabbit, muscle
Cucumber (including Gherkin)																							Reindeer, muscle
Pumpkin (including Squash)																							Other terrestrial mammals, muscle
Oriental pickling melon (vegetable)																							
Water melon													0.01	PAL		0.01							Cattle, fat
Melons																							Pig, fat
MAKUWAURI																							Sheep, fat
Other cucurbitaceous vegetables																							Horse, fat
																							Deer, fat
Spinach																							Goat, fat
Bamboo shoots																							Rabbit, fat
Okra																							Reindeer, fat
Ginger																							Other terrestrial mammals, fat
Peas (with pods, immature)																							
Kidney beans (with pods, immature)													0.01	PAL		0.01							Cattle, liver
Soybeans																							Pig, liver
																							Sheep, liver
Button mushroom																							Horse, liver
SHITAKE																							Deer, liver
Other mushrooms																							Goat, liver
																							Rabbit, liver
Other vegetables																							Reindeer, liver
																							Other terrestrial mammals, liver

BROMOFENOFOS

[illegible]