

142. CLORANSULAM-METHYL

[illegible]

CLORANSULAM-METHYL

[illegible]

[illegible]

[illegible]

144. CLOSANTEL

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																							UNSHU orange
Wheat																							NATSUDAIDAI (flesh)
Barley																							NATSUDAIDAI (peel)
Rye																							NATSUDAIDAI (whole)
Corn (including Maize Sweet corn)																							Lemon
Buckwheat																							Orange (including Navel)
Other cereal grains																							Grapefruit
Soybeans (dry)																							Other citrus fruits
Beans (dry)																							Apple
Peas																							Japanese pear
Broad beans																							Pear
Peanuts (dry)																							Quince
Other legumes/pulses																							Loquat
Potato																							Peach
Taro																							Nectarine
Sweet potato																							Apricot
Yam																							Japanese plum (including Prunes)
Konjac																							Mume plum
Other potatoes																							Cherry
Sugar beet																							
Sugarcane																							Raspberry
Japanese radish (including Radish) (root)																							Blackberry
Japanese radish (including Radish) (leaf)																							Blueberry
Turnip (including Rutabaga) (root)																							Cranberry
Turnip (including Rutabaga) (leaf)																							Huckleberry
Horseradish																							Other berries
Watercress																							
Chinese cabbage																							Japanese persimon
Cabbage																							
Brussels sprouts																							Banana
Kale																							Kiwifruit
KOMATSUNO																							Papaya
KYONA																							Avocado
Jing-jing-cal																							Pineapple
Cauliflower																							Guava
Broccoli																							Mango
Other cruciferous vegetables																							Passion fruit
Burdock																							Date
Salsify																							Other fruits
Artichoke																							
Chicory																							Sunflower seeds
Endive																							Sesam seeds
SHINGIKU																							Sunflower seeds
Lettuce (Cos lettuce, Leaf lettuce)																							Other oil seeds
Other composite vegetables																							Rape seeds
Onion																							Other oil seeds
Welsh (including Leek)																							Ginkgo nut
Garlic																							Chestnut
NIRA																							Pecan
Asparagus																							Almond
Multiplying onion (including Shallot)																							Walnut
Other liliaceous vegetables																							Other nuts
Carrot																							Tea (Green, Black, Oolong, Wulong tea)
Parsnip																							Coffee beans
Parsley																							Cacao beans
Celery																							Hop
MITSUBA																							
Other umbelliferous vegetables																							Cattle, muscle
Tomato																							Pig, muscle
Pimento (Sweet pepper)																							Sheep, muscle
Egg plant																							1.5 MRL
Other solanaceous vegetables																							Horse, muscle
Cucumber (including Gherkin)																							Deer, muscle
Pumpkin (including Squash)																							Goat, muscle
Oriental pickling melon (vegetable)																							Rabbit, muscle
Water melon																							Other terrestrial mammals, muscle
Melons																							
MAKUWAURI																							Cattle, fat
Other cucurbitaceous vegetables																							3.0 MRL
Spinach																							Pig, fat
Bamboo shoots																							Sheep, fat
Okra																							2.0 MRL
Ginger																							Horse, fat
Peas (with pods, immature)																							Deer, fat
Kidney beans (with pods, immature)																							Goat, fat
Soybeans																							Rabbit, fat
Button mushroom																							Other terrestrial mammals, fat
SHITAKE																							Cattle, liver
Other mushrooms																							1.0 MRL
Other vegetables																							Pig, liver
																							Sheep, liver
																							1.5 MRL
																							Horse, liver
																							Deer, liver
																							Goat, liver
																							Rabbit, liver
																							Reindeer, liver
																							Other terrestrial mammals, liver

[illegible]

[illegible]

CLOXACILLIN

[illegible]

146. COLISTIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
												Time											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet																							
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress																							
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Jing-jing-cal												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
Burdock												Dale											
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHINGIKU												Sunflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds											
Other composite vegetables												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shalott)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.3	PAL		0.28					0.15		3-1
Tomato												Pig, muscle	0.3	PAL		0.28					0.15		3-1
Pimento (Sweet pepper)												Sheep, muscle	0.2	FC							0.15		5-1
Egg plant												Horse, muscle	0.2	FC							0.15		5-1
Other solanaceous vegetables												Deer, muscle	0.2	FC							0.15		5-1
Cucumber (including Gherkin)												Goat, muscle	0.2	FC							0.15		5-1
Pumpkin (including Squash)												Rabbit, muscle	0.2	FC							0.15		5-1
Oriental pickling melon (vegetable)												Reindeer, muscle	0.2	FC							0.15		5-1
Water melon												Other terrestrial mammals, muscle	0.2	FC							0.15		5-1
Melons												Cattle, fat	0.3	PAL		0.28					0.15		3-1
MAKUWAURI												Pig, fat	0.3	PAL		0.28					0.15		3-1
Other cucurbitaceous vegetables												Sheep, fat	0.2	FC							0.15		5-1
Spinach												Horse, fat	0.2	FC							0.15		5-1
Bamboo shoots												Deer, fat	0.2	FC							0.15		5-1
Okra												Goat, fat	0.2	FC							0.15		5-1
Ginger												Rabbit, fat	0.2	FC							0.15		5-1
Peas (with pods, immature)												Reindeer, fat	0.2	FC							0.15		5-1
Kidney beans (with pods, immature)												Other terrestrial mammals, fat	0.2	FC							0.15		5-1
Soybeans												Cattle, liver	0.3	PAL		0.28					0.15		3-1
Button mushroom												Pig, liver	0.3	PAL		0.28					0.15		3-1
SHITAKE												Sheep, liver	0.2	FC							0.15		5-1
Other mushrooms												Horse, liver	0.2	FC							0.15		5-1
Other vegetables												Deer, liver	0.2	FC							0.15		5-1
												Goat, liver	0.2	FC							0.15		5-1
												Rabbit, liver	0.2	FC							0.15		5-1
												Reindeer, liver	0.2	FC							0.15		5-1
												Other terrestrial mammals, liver	0.2	FC							0.15		5-1

COLISTIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.3	PAL		0.28					0.2		3-1	Catfish	0.2	FC								0.15	5-1
Pig, kidney	0.3	PAL		0.28					0.2		3-1	Other freshwater fish	0.2	FC								0.15	5-1
Sheep, kidney	0.2	FC							0.2		5-1												
Horse, kidney	0.2	FC							0.2		5-1	Salmon	0.2	FC								0.15	5-1
Deer, kidney	0.2	FC							0.2		5-1	Trout	0.2	FC								0.15	5-1
Goat, kidney	0.2	FC							0.2		5-1	Other salmonidae	0.2	FC								0.15	5-1
Rabbit, kidney	0.2	FC							0.2		5-1	Other diadromous fish	0.2	FC								0.15	5-1
Other terrestrial mammals, kidney	0.2	FC							0.2		5-1	Marine fish	0.2	FC								0.15	5-1
Cattle, edible offal excluding liver and kidney	0.3	PAL		0.28							4	Shrimps or prawns	0.2	FC								0.15	5-1
Pig, edible offal excluding liver and kidney	0.3	PAL		0.28							4	Lobster	0.2	FC								0.15	5-1
Sheep, edible offal excluding liver and kidney												Crayfish	0.2	FC								0.15	5-1
Horse, edible offal excluding liver and kidney												Other crustaceans	0.2	FC								0.15	5-1
Deer, edible offal excluding liver and kidney												Oyster	0.2	FC								0.15	5-1
Goat, edible offal excluding liver and kidney												Abalone	0.2	FC								0.15	5-1
Rabbit, edible offal excluding liver and kidney												Other aquatic animals	0.2	FC								0.15	5-1
Reindeer, edible offal excluding liver and kidney												Other animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.05	FC							0.05		5-1												
Sheep, milk	0.05	FC							0.05		5-1	Honey											
Goat, milk	0.05	FC							0.05		5-1												
Other terrestrial mammals, milk	0.05	FC							0.05		5-1												
Chicken, muscle	0.2	FC							0.15		5-1												
Duck, muscle	0.2	FC							0.15		5-1												
Turkey, muscle	0.2	FC							0.15		5-1												
Quail, muscle	0.2	FC							0.15		5-1												
Goose, muscle	0.2	FC							0.15		5-1												
Pheasant, muscle	0.2	FC							0.15		5-1												
Chukar partridge, muscle	0.2	FC							0.15		5-1												
Other poultry, muscle	0.2	FC							0.15		5-1												
Chicken, fat	0.2	FC							0.15		5-1												
Duck, fat	0.2	FC							0.15		5-1												
Turkey, fat	0.2	FC							0.15		5-1												
Quail, fat	0.2	FC							0.15		5-1												
Goose, fat	0.2	FC							0.15		5-1												
Pheasant, fat	0.2	FC							0.15		5-1												
Chukar partridge, fat	0.2	FC							0.15		5-1												
Other poultry, fat	0.2	FC							0.15		5-1												
Chicken, liver	0.2	FC							0.15		5-1												
Duck, liver	0.2	FC							0.15		5-1												
Turkey, liver	0.2	FC							0.15		5-1												
Quail, liver	0.2	FC							0.15		5-1												
Goose, liver	0.2	FC							0.15		5-1												
Pheasant, liver	0.2	FC							0.15		5-1												
Chukar partridge, liver	0.2	FC							0.15		5-1												
Other poultry, liver	0.2	FC							0.15		5-1												
Chicken, kidney	0.2	FC							0.2		5-1												
Duck, kidney	0.2	FC							0.2		5-1												
Turkey, kidney	0.2	FC							0.2		5-1												
Quail, kidney	0.2	FC							0.2		5-1												
Goose, kidney	0.2	FC							0.2		5-1												
Pheasant, kidney	0.2	FC							0.2		5-1												
Chukar partridge, kidney	0.2	FC							0.2		5-1												
Other poultry, kidney	0.2	FC							0.2		5-1												
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs	0.3	FC							0.3		5-1												
Turkey eggs	0.3	FC							0.3		5-1												
Other poultry eggs	0.3	FC							0.3		5-1												
																			</				

147. COPPER (HYDROXYNONYLPHENYL)SULPHONATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	5	WHL		5								4
Wheat												NATSUDAIDAI (flesh)	5	WHL		5								4
Barley												NATSUDAIDAI (peel)	5	WHL		5								4
Rye												NATSUDAIDAI (whole)	5	WHL		5								4
Corn (including Maize, Sweet corn)												Lemon	5	WHL		5								4
Buckwheat												Orange (including Navel)	5	WHL		5								4
Other cereal grains												Grapefruit	5	WHL		5								4
Soybeans (dry)												Lime	5	WHL		5								4
Beans (dry)												Other citrus fruits	5	WHL		5								4
Peas												Apple	5	WHL		5								4
Broad beans												Japanese pear	5	WHL		5								4
Peanuts (dry)												Pear	5	WHL		5								4
Other legumes/pulses												Quince	5	WHL		5								4
Potato												Loquat	5	WHL		5								4
Taro												Peach	5	WHL		5								4
Sweet potato												Nectarine	5	WHL		5								4
Yam												Apricot	5	WHL		5								4
Konjac												Japanese plum (including Prunes)	5	WHL		5								4
Other potatoes												Mume plum	5	WHL		5								4
Sugar beet												Cherry	5	WHL		5								4
Sugarcane												Strawberry	5	WHL		5								4
Japanese radish (including Radish) (root)												Raspberry	5	WHL		5								4
Japanese radish (including Radish) (leaf)												Blackberry	5	WHL		5								4
Turnip (including Rutabaga) (root)												Blueberry	5	WHL		5								4
Turnip (including Rutabaga) (leaf)												Cranberry	5	WHL		5								4
Horseradish												Other berries	5	WHL		5								4
Watercress												Grape	5	WHL		5								4
Chinese cabbage												Japanese persimon	5	WHL		5								4
Cabbage												Banana	5	WHL		5								4
Brussels sprouts												Kiwifruit	5	WHL		5								4
Kale												Papaya	5	WHL		5								4
KOMATSUNA												Avocado	5	WHL		5								4
KYONA												Pineapple	5	WHL		5								4
Qing-geng-cai												Guava	5	WHL		5								4
Cauliflower												Mango	5	WHL		5								4
Broccoli												Passion fruit	5	WHL		5								4
Other cruciferous vegetables												Date	5	WHL		5								4
Burdock												Other fruits	5	WHL		5								4
Salsify												Sunflower seeds	5	WHL		5								4
Artichoke												Sesam seeds	5	WHL		5								4
Chicory												Safflower seeds	5	WHL		5								4
Endive												Cotton seeds	5	WHL		5								4
SHUNGIKU												Rape seeds	5	WHL		5								4
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds	5	WHL		5								4
Other composite vegetables												Onion	5	WHL		5								4
Onion												Welsh (including Leek)	5	WHL		5								4
Garlic												NIRA	5	WHL		5								4
Asparagus												Asparagus	5	WHL		5								4
Multiplying onion (including Shallot)												Other liliaceous vegetables	5	WHL		5								4
Other liliaceous vegetables												Carrot	5	WHL		5								4
Carrot												Parsnip	5	WHL		5								4
Parsnip												Parsley	5	WHL		5								4
Parsley												Celery	5	WHL		5								4
Celery												MITSUBA	5	WHL		5								4
MITSUBA												Other umbelliferous vegetables	5	WHL		5								4
Other umbelliferous vegetables												Tomato	5	WHL		5								4
Tomato												Pimento (Sweet pepper)	5	WHL		5								4
Pimento (Sweet pepper)												Egg plant	5	WHL		5								4
Egg plant												Other Solanaceous vegetables	5	WHL		5								4
Other Solanaceous vegetables												Cucumber (including Gherkin)	5	WHL		5								4
Cucumber (including Gherkin)												Pumpkin (including Squash)	5	WHL		5								4
Pumpkin (including Squash)												Oriental pickling melon (vegetable)	5	WHL		5								4
Oriental pickling melon (vegetable)												Water melon	5	WHL		5								4
Water melon												Melons	5	WHL		5								4
Melons												MAKUWAURI	5	WHL		5								4
MAKUWAURI												Other cucurbitaceous vegetables	5	WHL		5								4
Other cucurbitaceous vegetables												Spinach	5	WHL		5								4
Spinach												Bamboo shoots	5	WHL		5								4
Bamboo shoots												Okra	5	WHL		5								4
Okra												Ginger	5	WHL		5								4
Ginger												Peas (with pods, immature)	5	WHL		5								4
Peas (with pods, immature)												Kidney beans (with pods, immature)	5	WHL		5								4
Kidney beans (with pods, immature)												Soybeans	5	WHL		5								4
Soybeans												Button mushroom	5	WHL		5								4
Button mushroom												SHITAKE	5	WHL		5								4
SHITAKE												Other mushrooms	5	WHL		5								4
Other mushrooms												Other vegetables	5	WHL		5								4
Other vegetables												Reindeer, muscle												4
												Pig, muscle												4
												Sheep, muscle												4
												Horse, muscle												4
												Deer, muscle												4
												Goat, muscle												4
												Rabbit, muscle												4
												Reindeer, muscle												4
												Other terrestrial mammals, muscle												4
												Cattle, fat												4
												Pig, fat												4
												Sheep, fat												4
												Horse, fat												4
												Deer, fat												4
												Goat, fat												4
												Rabbit, fat												4
												Reindeer, fat												4
												Other terrestrial mammals, fat												4
												Cattle, liver												4
												Pig, liver												4
												Sheep, liver												4
												Horse, liver												4
												Deer, liver												4
					</																			

[illegible]

148. COUMAFOS

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																							UNSHU orange
																							NATSUDAIDAI (flesh)
Wheat																							NATSUDAIDAI (peel)
Barley																							NATSUDAIDAI (whole)
Rye																							Lemon
Corn (including Maize Sweet corn)																							Orange (including Navel)
Buckwheat																							Grapefruit
Other cereal grains																							Lime
																							Other citrus fruits
Soybeans (dry)																							
Beans (dry)																							Apple
Peas																							Japanese pear
Broad beans																							Pear
Peanuts (dry)																							Quince
Other legumes/pulses																							Loquat
Potato																							Peach
Taro																							Nectarine
Sweet potato																							Apricot
Yam																							Japanese plum (including Prunes)
Konjac																							Mume plum
Other potatoes																							Cherry
Sugar beet																							Strawberry
Sugarcane																							Raspberry
																							Blackberry
Japanese radish (including Radish) (root)																							Blueberry
Japanese radish (including Radish) (leaf)																							Cranberry
Turnip (including Rutabaga) (root)																							Huckleberry
Turnip (including Rutabaga) (leaf)																							Other berries
Horseradish																							
Watercress																							Grape
Chinese cabbage																							Japanese persimon
Cabbage																							
Brussels sprouts																							Banana
Kale																							Kiwifruit
KOMATSUNA																							Papaya
KYONA																							Avocado
Jing-jing-cal																							Pineapple
Cauliflower																							Guava
Broccoli																							Mango
Other cruciferous vegetables																							Passion fruit
Burdock																							Date
Salsify																							Other fruits
Artichoke																							
Chicory																							Sunflower seeds
Endive																							Sesame seeds
SHINGIKU																							Sunflower seeds
Lettuce (Cos lettuce, Leaf lettuce)																							Cotton seeds
Other composite vegetables																							Rape seeds
Onion																							Other oil seeds
Welsh (including Leek)																							Ginkgo nut
Garlic																							Chestnut
NIRA																							Pecan
Asparagus																							Almond
Multiplying onion (including Shallot)																							Walnut
Other liliaceous vegetables																							Other nuts
Carrot																							Tea (Green, Black, Oolong, Wulong tea)
Parsnip																							Coffee beans
Parsley																							Cacao beans
Celery																							Hop
MITSUBA																							
Other umbelliferous vegetables																							Cattle, muscle
Tomato																							Pig, muscle
Pimento (Sweet pepper)																							Sheep, muscle
Egg plant																							Horse, muscle
Other solanaceous vegetables																							Deer, muscle
Cucumber (including Gherkin)																							Goat, muscle
Pumpkin (including Squash)																							Rabbit, muscle
Oriental pickling melon (vegetable)																							Reindeer, muscle
Water melon																							Other terrestrial mammals, muscle
Melons																							Cattle, fat
MAKUWAURI																							Pig, fat
Other cucurbitaceous vegetables																							Sheep, fat
Spinach																							Horse, fat
Bamboo shoots																							Deer, fat
Okra																							Goat, fat
Ginger																							Rabbit, fat
Peas (with pods, immature)																							Reindeer, fat
Kidney beans (with pods, immature)																							Other terrestrial mammals, fat
Soybeans																							Cattle, liver
Button mushroom																							Pig, liver
SHITAKE																							Sheep, liver
Other mushrooms																							Horse, liver
Other vegetables																							Deer, liver
																							Goat, liver
																							Rabbit, liver
																							Reindeer, liver
																							Other terrestrial mammals, liver

COUMAFOS

[illegible]

1. For sheep fat, the PR-MRL was harmonized with the corresponding PR-MRLs for horses and other animal species.
2. For horse (livers, kidneys, and other edible offal), the PR-MRLs were harmonized with the corresponding PR-MRLs for sheep.

[illegible]

[illegible]

150. CYANAZINE

	P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat	0.1	MRL	0.1									NATSUDAIDAI (peel)											
Barley	0.05	MRL	0.05									NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)	0.1	MRL	0.1									Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains	0.03	FC				0.05	0.01				5-7	Lime											
												Other citrus fruits											
Soybeans (dry)	0.02	MRL	0.02																				
Beans (dry)	0.02	MRL	0.02									Apple											
Peas	0.1	MRL	0.1									Japanese pear											
Broad beans	0.05	MRL	0.05									Pear											
Peanuts (dry)												Quince											
Other legumes/pulses	0.02	MRL	0.02									Loquat											
Potato	0.1	MRL	0.1									Peach											
Taro	0.05	WHL	0.05								4	Nectarine											
Sweet potato	0.05	WHL	0.05								4	Apricot											
Yam	0.05	WHL	0.05								4	Japanese plum (including Prunes)											
Konjac	0.05	WHL	0.05								4	Mume plum											
Other potatoes	0.05	WHL	0.05								4	Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)	0.05	WHL	0.05								4	Blueberry											
Japanese radish (including Radish) (leaf)	0.05	WHL	0.05								4	Cranberry											
Turnip (including Rutabaga) (root)	0.05	WHL	0.05								4	Huckleberry											
Turnip (including Rutabaga) (leaf)	0.05	WHL	0.05								4	Other berries											
Horseradish	0.05	WHL	0.05								4												
Watercress	0.05	WHL	0.05								4	Grape											
Chinese cabbage	0.05	WHL	0.05								4	Japanese persimmon											
Cabbage	0.05	WHL	0.05								4												
Brussels sprouts	0.05	WHL	0.05								4	Banana											
Kale	0.05	WHL	0.05								4	Kiwifruit											
KOMATSUNA	0.05	WHL	0.05								4	Papaya											
KYONA	0.05	WHL	0.05								4	Avocado											
Qing-geng-cai	0.05	WHL	0.05								4	Pineapple											
Cauliflower	0.05	WHL	0.05								4	Guava											
Broccoli	0.05	WHL	0.05								4	Mango											
Other cruciferous vegetables	0.05	WHL	0.05								4	Passion fruit											
												Date											
Burdock	0.05	WHL	0.05								4												
Salsify	0.05	WHL	0.05								4	Other fruits											
Artichoke	0.05	WHL	0.05								4												
Chicory	0.05	WHL	0.05								4	Sunflower seeds											
Endive	0.05	WHL	0.05								4	Sesam seeds											
SHIITAKE	0.05	WHL	0.05								4	Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)	0.05	WHL	0.05								4	Cotton seeds	0.05	FC				0.05					5-7
Other composite vegetables	0.05	WHL	0.05								4	Rape seeds											
												Other oil seeds											
Onion	0.05	MRL	0.05																				
Welsh (including Leek)	0.05	MRL	0.05									Ginkgo nut											
Garlic	0.05	MRL	0.05									Chestnut											
NIRA	0.02	MRL	0.02									Pecan											
Asparagus	0.05	MRL	0.05									Almond											
Multiplying onion (including Shallot)	0.02	MRL	0.02									Walnut											
Other liliaceous vegetables	0.02	MRL	0.02									Other nuts											
Carrot	0.05	WHL	0.05								4	Tea (Green, Black, Oolong, Wulong tea)											
Parsnip	0.05	WHL	0.05								4	Coffee beans											
Parsley	0.05	WHL	0.05								4	Cacao beans											
Celery	0.05	WHL	0.05								4	Hop											
MITSUBA	0.05	WHL	0.05								4												
Other umbelliferous vegetables	0.05	WHL	0.05								4	Cattle, muscle											
												Pig, muscle											
Tomato	0.05	WHL	0.05								4	Sheep, muscle											
Shiitake mushroom	0.05	WHL	0.05								4	Horse, muscle											
Egg plant	0.05	WHL	0.05								4	Deer, muscle											
Other Solanaceous vegetables	0.05	WHL	0.05								4	Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)	0.05	MRL	0.05									Reindeer, muscle											
Pumpkin (including Squash)	0.05	WHL	0.05								4	Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)	0.05	WHL	0.05								4												
Water melon												Cattle, fat											
Melons												Pig, fat											
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables	0.05	WHL	0.05								4	Horse, fat											
												Deer, fat											
Spinach	0.05	WHL	0.05								4	Goat, fat											
Bamboo shoots	0.05	WHL	0.05								4	Rabbit, fat											
Okra	0.05	WHL	0.05								4	Reindeer, fat											
Ginger	0.05	WHL	0.05								4	Other terrestrial mammals, fat											
Peas (with pods, immature)	0.02	MRL	0.02																				
Kidney beans (with pods, immature)	0.05	WHL	0.05								4	Cattle, liver											
Soybeans	0.05	WHL	0.05								4	Pig, liver											
												Sheep, liver											
Shiitake mushroom	0.05	WHL	0.05								4	Horse, liver											
Other mushrooms	0.05	WHL	0.05								4	Deer, liver											
												Goat, liver											
Other vegetables	0.05	WHL	0.05								4	Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

CYANAZINE

[illegible]

151. CYANOPHOS

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.2	WHL		0.2								4
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (whole)	0.2	WHL		0.2								4
Barley												Lemon	0.2	WHL		0.2								4
Rye												Orange (including Navel)	0.2	WHL		0.2								4
Corn (including Maize, Sweet corn)												Grapefruit	0.2	WHL		0.2								4
Buckwheat												Lime	0.2	WHL		0.2								4
Other cereal grains												Other citrus fruits	0.2	WHL		0.2								4
Soybeans (dry)	0.1	WHL		0.1							4													
Beans (dry)	0.1	WHL		0.1							4	Apple	0.2	WHL		0.2								4
Peas	0.1	WHL		0.1							4	Japanese pear	0.2	WHL		0.2								4
Broad beans	0.1	WHL		0.1							4	Pear	0.2	WHL		0.2								4
Peanuts (dry)	0.1	WHL		0.1							4	Quince	0.2	WHL		0.2								4
Other legumes/pulses	0.1	WHL		0.1							4	Loquat	0.2	WHL		0.2								4
Potato												Peach	0.2	WHL		0.2								4
Taro												Nectarine	0.2	WHL		0.2								4
Sweet potato												Apricot	0.2	WHL		0.2								4
Yam												Japanese plum (including Prunes)	0.2	WHL		0.2								4
Konjac												Mume plum	0.2	WHL		0.2								4
Other potatoes												Cherry	0.2	WHL		0.2								4
Sugar beet												Strawberry	0.2	WHL		0.2								4
Sugarcane												Raspberry	0.2	WHL		0.2								4
												Blackberry	0.2	WHL		0.2								4
Japanese radish (including Radish) (root)	0.05	WHL		0.05							4	Blueberry	0.2	WHL		0.2								4
Japanese radish (including Radish) (leaf)	0.05	WHL		0.05							4	Cranberry	0.2	WHL		0.2								4
Turnip (including Rutabaga) (root)	0.05	WHL		0.05							4	Huckleberry	0.2	WHL		0.2								4
Turnip (including Rutabaga) (leaf)	0.05	WHL		0.05							4	Other berries	0.2	WHL		0.2								4
Horseradish	0.05	WHL		0.05							4													
Watercress	0.05	WHL		0.05							4	Grape	0.2	WHL		0.2								4
Chinese cabbage	0.05	WHL		0.05							4	Japanese persimmon	0.2	WHL		0.2								4
Cabbage	0.05	WHL		0.05							4													
Brussels sprouts	0.05	WHL		0.05							4	Banana	0.2	WHL		0.2								4
Kale	0.05	WHL		0.05							4	Kiwifruit	0.2	WHL		0.2								4
KOMATSUNA	0.05	WHL		0.05							4	Papaya	0.2	WHL		0.2								4
KYONA	0.05	WHL		0.05							4	Avocado	0.2	WHL		0.2								4
Qing-geng-cai	0.05	WHL		0.05							4	Pineapple	0.2	WHL		0.2								4
Cauliflower	0.05	WHL		0.05							4	Guava	0.2	WHL		0.2								4
Broccoli	0.05	WHL		0.05							4	Mango	0.2	WHL		0.2								4
Other cruciferous vegetables	0.05	WHL		0.05							4	Passion fruit	0.2	WHL		0.2								4
												Date	0.2	WHL		0.2								4
Burdock	0.05	WHL		0.05							4													
Salsify	0.05	WHL		0.05							4	Other fruits	0.2	WHL		0.2								4
Artichoke	0.05	WHL		0.05							4													
Chicory	0.05	WHL		0.05							4	Sunflower seeds	0.2	WHL		0.2								4
Endive	0.05	WHL		0.05							4	Sesam seeds	0.2	WHL		0.2								4
SHINGIKU	0.05	WHL		0.05							4	Safflower seeds	0.2	WHL		0.2								4
Lettuce (Cos lettuce, Leaf lettuce)	0.05	WHL		0.05							4	Cotton seeds	0.2	WHL		0.2								4
Other composite vegetables	0.05	WHL		0.05							4	Rape seeds	0.2	WHL		0.2								4
												Other oil seeds	0.2	WHL		0.2								4
Onion	0.05	WHL		0.05							4													
Welsh (including Leek)	0.05	WHL		0.05							4	Ginkgo nut	0.2	WHL		0.2								4
Garlic	0.05	WHL		0.05							4	Chestnut	0.2	WHL		0.2								4
NIRA	0.05	WHL		0.05							4	Pecan	0.2	WHL		0.2								4
Asparagus	0.05	WHL		0.05							4	Almond	0.2	WHL		0.2								4
Multiplying onion (including Shallot)	0.05	WHL		0.05							4	Walnut	0.2	WHL		0.2								4
Other liliaceous vegetables	0.05	WHL		0.05							4	Other nuts	0.2	WHL		0.2								4
Carrot	0.05	WHL		0.05							4	Tea (Green, Black, Oolong, Wulong tea)												
Parsnip	0.05	WHL		0.05							4	Coffee beans												
Parsley	0.05	WHL		0.05							4	Cocoa beans												
Celery	0.05	WHL		0.05							4	Hop												
MITSUBA	0.05	WHL		0.05							4													
Other umbelliferous vegetables	0.05	WHL		0.05							4	Cattle, muscle												
												Pig, muscle												
Tomato	0.05	WHL		0.05							4	Sheep, muscle												
Pepper (Sweet pepper)	0.05	WHL		0.05							4	Horse, muscle												
Egg plant	0.05	WHL		0.05							4	Deer, muscle												
Other Solanaceous vegetables	0.05	WHL		0.05							4	Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)	0.05	WHL		0.05							4	Reindeer, muscle												
Pumpkin (including Squash)	0.05	WHL		0.05							4	Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)	0.05	WHL		0.05							4													
Water melon	0.2	WHL		0.2							4	Cattle, fat												
Melons	0.2	WHL		0.2							4	Pig, fat												
MAKUWAURI	0.2	WHL		0.2							4	Sheep, fat												
Other cucurbitaceous vegetables	0.05	WHL		0.05							4	Horse, fat												
												Deer, fat												
Spinach	0.05	WHL		0.05							4	Goat, fat												
Bamboo shoots	0.05	WHL		0.05							4	Rabbit, fat												
Okra	0.05	WHL		0.05							4	Reindeer, fat												
Ginger	0.05	WHL		0.05							4	Other terrestrial mammals, fat												
Peas (with pods, immature)	0.05	WHL		0.05							4													
Kidney beans (with pods, immature)	0.05	WHL		0.05							4	Cattle, liver												
Soybeans	0.05	WHL		0.05							4	Pig, liver												
												Sheep, liver												
Button mushroom	0.05	WHL		0.05							4	Horse, liver												
SHIITAKE	0.05	WHL		0.05							4	Deer, liver												
Other mushrooms	0.05	WHL		0.05							4	Goat, liver												
Other vegetables	0.05	WHL		0.05							4	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

CYANOPHOS

[illegible]

152. CYAZOFAMID

[illegible]

CYAZOFAMID

[illegible]

153. CYCLANILIDE

[illegible]

CYCLANILIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	2	FC				2	2				5-1	Catfish											
Pig, kidney	2	FC				2	2				5-1	Other freshwater fish											
Sheep, kidney	2	FC				2	2				5-1												
Goat, kidney	2	FC				2	2				5-1	Salmon											
Deer, kidney	2	FC					2	2			5-1	Trout											
Goat, kidney	2	FC				2	2				5-1	Other salmonidae											
Rabbit, kidney	2	FC					2	2			5-1	Other diadromous fish											
Reindeer, kidney	2	FC					2	2			5-1												
Other terrestrial mammals, kidney	2	FC					2	2			5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	1	FC				0.2	2				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	1	FC				0.2	2				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	1	FC				0.2	2				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	1	FC				0.2	2				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	2	FC					2				5-1												
Goat, edible offal excluding liver and kidney	1	FC				0.2	2				5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	2	FC					2				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	2	FC					2				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	2	FC					2				5-1												
Cattle, milk	0.05	FC				0.04	0.05				5-1	Other animals											
Sheep, milk	0.05	FC				0.04	0.05				5-1	honey											
Goat, milk	0.05	FC				0.04	0.05				5-1												
Other terrestrial mammals, milk	0.05	FC				0.04	0.05				5-1												
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

154. CYCLOPROTHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)		0.1	WHL		0.1						4	UNSHU orange		0.2	WHL		0.2						4
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)		15	WHL		15						4
Rye												NATSUDAIDAI (whole)		0.2	WHL		0.2						4
Corn (including Maize, Sweet corn)												Lemon		0.2	WHL		0.2						4
Buckwheat												Orange (including Navel)		0.2	WHL		0.2						4
Other cereal grains												Grapefruit		0.2	WHL		0.2						4
Soybeans (dry)		0.1	WHL		0.1						4	Lime		0.2	WHL		0.2						4
Beans (dry) *		0.1	WHL		0.1						4	Other citrus fruits		0.2	WHL		0.2						4
Peas		0.1	WHL		0.1						4	Apple		0.2	WHL		0.2						4
Broad beans		0.1	WHL		0.1						4	Japanese pear		0.2	WHL		0.2						4
Peanuts (dry)		0.1	WHL		0.1						4	Pear		0.2	WHL		0.2						4
Other legumes/pulses		0.1	WHL		0.1						4	Quince		0.2	WHL		0.2						4
Potato												Loquat		0.2	WHL		0.2						4
Taro												Peach		0.2	WHL		0.2						4
Sweet potato												Nectarine		0.2	WHL		0.2						4
Yam												Apricot		0.2	WHL		0.2						4
Konjac												Japanese plum (including Prunes)		0.2	WHL		0.2						4
Other potatoes												Mume plum		0.2	WHL		0.2						4
Sugar beet												Cherry		0.2	WHL		0.2						4
Sugarcane												Strawberry		0.2	WHL		0.2						4
Japanese radish (including Radish) (root)												Raspberry		0.2	WHL		0.2						4
Japanese radish (including Radish) (leaf)												Blackberry		0.2	WHL		0.2						4
Turnip (including Rutabaga) (root)												Blueberry		0.2	WHL		0.2						4
Turnip (including Rutabaga) (leaf)												Cranberry		0.2	WHL		0.2						4
Horseradish												Huckleberry		0.2	WHL		0.2						4
Watercress												Other berries		0.2	WHL		0.2						4
Chinese cabbage												Grape		0.2	WHL		0.2						4
Cabbage												Japanese persimmon		0.2	WHL		0.2						4
Brussels sprouts												Banana		0.2	WHL		0.2						4
Kale												Kiwifruit		0.2	WHL		0.2						

CYCLOPROTHRIN

[illegible]

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)	2	MRL	2																				
Beans (dry)	2	MRL	2																				
Peas (including Rutabaga) (leaf)	2	MRL	2																				
Peas	2	MRL	2																				
Broad beans	0.05	MRL	0.05																				
Peanuts (dry)																							
Other legumes/pulses	2	MRL	2																				
Potato	2	MRL	2																				
Taro																							
Sweet potato																							
Yam																							
Konjac																							
Other potatoes																							
Sugar beet	0.2	MRL	0.2																				
Sugarcane																							
Japanese radish (including Radish) (root)	2	MRL	2																				
Japanese radish (including Radish) (leaf)	2	MRL	2																				
Turnip (including Rutabaga) (root)	2	MRL	2																				
Turnip (including Rutabaga) (leaf)	2	MRL	2																				
Horseradish	2	MRL	2																				
Watercress	2	MRL	2																				
Chinese cabbage	2	MRL	2																				
Cabbage	2	MRL	2																				
Brussels sprouts	2	MRL	2																				

CYCLOXYDIM

[illegible]

156. CYFLUFENAMID

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat		0.5	WHL		0.5						4	NATSUDAIDAI (whole)											
Barley		1	WHL		1						4	Lemon											
Rye		1	WHL		1						4	Orange (including Navel)											
Corn (including Maize, Sweet corn)		1	WHL		1						4	Grapefruit											
Buckwheat		1	WHL		1						4	Lime											
Other cereal grains		1	WHL		1						4	Other citrus fruits		5	WHL		5						4
Soybeans (dry)																							
Beans (dry)												Apple		1	WHL		1						
Peas												Japanese pear		1	WHL		1						4
Broad beans												Pear		1	WHL		1						4
Peanuts (dry)												Quince		1	WHL		1						4
Other legumes/pulses												Loquat		0.1	WHL		0.1						4
Potato												Peach		0.1	WHL		0.1						4
Taro												Nectarine		1	WHL		1						4
Sweet potato												Apricot		5	WHL		5						4
Yam												Japanese plum (including Prunes)		5	WHL		5						4
Konjac												Mume plum		5	WHL		5						4
Other potatoes												Cherry		5	WHL		5						4
Sugar beet												Strawberry		5	WHL		5						4
Sugarcane												Raspberry		5	WHL		5						4
												Blackberry		5	WHL		5						4
Japanese radish (including Radish) (root)												Blueberry		5	WHL		5						4
Japanese radish (including Radish) (leaf)												Cranberry		5	WHL		5						4
Turnip (including Rutabaga) (root)												Huckleberry		5	WHL		5						4
Turnip (including Rutabaga) (leaf)												Other berries		5	WHL		5						4
Horseradish																							
Watercress												Grape		5	WHL		5						4
Chinese cabbage												Japanese persimmon		1	WHL		1						4
Cabbage																							
Brussels sprouts												Banana		1	WHL		1						4
Kale												Kiwifruit		0.1	WHL		0.1						4
KOMATSUNA			</																				

CYFLUFENAMID

[illegible]