

157. CYFLUTHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	2	FC				4	2		0.02		5-1	UNSHU orange	0.5	MRL	0.5								
Wheat	2	MRL	2									NATSUDAIDAI (flesh)											
Barley	2	MRL	2									NATSUDAIDAI (peel)											
Rye	2	MRL	2									NATSUDAIDAI (whole)	2	MRL	2								
Corn (including Maize, Sweet corn)	2	MRL	2									Lemon	2	MRL	2								
Buckwheat	2	MRL	2									Orange (including Navel)	2	MRL	2								
Other cereal grains	2	MRL	2									Grapefruit	2	MRL	2								
Soybeans (dry)	0.5	MRL	0.5									Lime	2	MRL	2								
Beans (dry)	0.5	MRL	0.5									Other citrus fruits	2	MRL	2								
Peas	0.5	MRL	0.5									Apple	1	MRL	1								
Broad beans	0.5	MRL	0.5									Japanese pear	1	MRL	1								
Peanuts (dry)	0.5	MRL	0.5									Pear	1	MRL	1								
Other legumes/pulses	0.5	MRL	0.5									Quince	1	MRL	1								
Potato	0.1	MRL	0.1									Loquat	1	MRL	1								
Taro	0.1	MRL	0.1									Peach	1	MRL	1								
Sweet potato	0.1	MRL	0.1									Nectarine	1	MRL	1								
Yam	0.1	MRL	0.1									Apricot	1	MRL	1								
Konjac	0.1	MRL	0.1									Japanese plum (including Prunes)	1	MRL	1								
Other potatoes	0.1	MRL	0.1									Mume plum	1	MRL	1								
Sugar beet	0.5	MRL	0.5									Cherry	1	MRL	1								
Sugarcane	0.05	FC				0.05					5-1	Strawberry											
Japanese radish (including Radish) (root)	0.5	MRL	0.5									Raspberry											
Japanese radish (including Radish) (leaf)	2	MRL	2									Blackberry											
Turnip (including Rutabaga) (root)	0.5	MRL	0.5									Blueberry											
Turnip (including Rutabaga) (leaf)	2	MRL	2									Cranberry											
Horseradish												Other berries											
Watercress	0.5	FC							0.5		5-1	Grape	1	MRL	1								
Chinese cabbage	2	MRL	2									Japanese persimon	1	MRL	1								
Cabbage	2	MRL	2									Banana											
Brussels sprouts	2	MRL	2									Kiwifruit											
Kale	2	MRL	2									Papaya											
KOMATSUNA	2	MRL	2									Avocado	0.06	FC				0.1		0.02		5-1	
KYONA	2	MRL	2									Pineapple											
Qing-geng-cai	2	MRL	2									Guava											
Cauliflower	2	MRL	2									Mango											
Broccoli	2	MRL	2									Passion fruit											
Other cruciferous vegetables	2	MRL	2									Date											
Burdock	0.5	MRL	0.5									Other fruits	1	MRL	1								
Salsify												Sunflower seeds	0.02	FC				0.02		0.02		5-1	
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive	0.5	FC							0.5		5-1	Corn seeds	1	MRL	1								
SHUNGIKU	2	MRL	2									Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)	2	MRL	2									Rape seeds	0.05	FC				0.05		0.05		2	
Other composite vegetables	2	MRL	2									Other oil seeds											
Onion	2	MRL	2									Ginkgo nut											
Welsh (including Leek)	2	MRL	2									Chestnut											
Garlic	2	MRL	2									Pecan											
NIRA	2	MRL	2									Almond											
Asparagus	2	MRL	2									Other nuts	0.04	FC				0.05		0.02		5-1	
Multiplying onion (including Shallot)	2	MRL	2									Tea (Green, Black, Oolong, Wulong tea)	20	MRL	20								
Other liliaceous vegetables	2	MRL	2									Coffee beans											
Carrot	0.1	FC				0.2			0.02		5-1	Cacao beans											
Parsnip												Hop	20	FC				20		20		5-1	
Parsley												Cattle, muscle	0.02	FC			0.02	0.4	0.02	0.4	0.01		2
Celery												Pig, muscle	0.2	FC			0.4	0.02	0.4	0.05		5-1	
MITSUBA												Sheep, muscle	0.2	FC			0.4	0.02	0.4	0.05		5-1	
Other umbelliferous vegetables	2	MRL	2									Horse, muscle	0.2	FC			0.4	0.02	0.4	0.05		5-1	
Tomato	2	MRL	2									Deer, muscle	0.04	FC			0.4	0.02	0.4	0.05		5-1	
Pimento (Sweet pepper)	5	MRL	5									Goat, muscle	0.2	FC			0.4	0.02	0.4	0.05		5-1	
Egg plant	2	MRL	2									Reindeer, muscle	0.04	FC			0.4	0.02	0.4	0.05		5-1	
Other Solanaceous vegetables	2	MRL	2									Other terrestrial mammals, muscle	0.04	FC			0.4	0.02	0.4	0.05		5-1	
Cucumber (including Gherkin)	2	MRL	2									Cattle, fat	0.2	FC			10	0.5	5	0.05		2	
Pumpkin (including Squash)	2	MRL	2									Pig, fat	4	FC			10	0.5	5	0.05		5-1	
Pumpkin (including Squash)	2	MRL	2									Sheep, fat	2	FC			10	0.5	5	0.05		5-1	
Oriental pickling melon (vegetable)	2	MRL	2									Horse, fat	2	FC			10	0.5	5	0.05		5-1	
Water melon	2	MRL	2									Deer, fat	0.3	FC			10	0.5	5	0.05		5-1	
Melons	2	MRL	2									Goat, fat	4	FC			10	0.5	5	0.05		5-1	
MAKUWAURI	2	MRL	2									Rabbit, fat	0.3	FC			0.5	0.5	0.05		5-1		
Other cucurbitaceous vegetables	2	MRL	2									Reindeer, fat	0.3	FC			0.5	0.5	0.05		5-1		
Spinach												Other terrestrial mammals, fat	0.3	FC			0.5	0.5	0.05		5-1		
Bamboo shoots	2	MRL	2									Cattle, liver	0.02	FC			0.4	0.01	0.4	0.01		2	
Okra	0.2	FC							0.2		5-1	Pig, liver	0.2	FC			0.4	0.01	0.4	0.05		5-1	
Ginger	0.5	MRL	0.5									Sheep, liver	0.2	FC			0.4	0.01	0.4	0.05		5-1	
Peas (with pods, immature)	0.5	MRL	0.5									Horse, liver	0.2	FC			0.4	0.01	0.4	0.05		5-1	
Kidney beans (with pods, immature)	0.5	MRL	0.5									Deer, liver	0.03	FC			0.4	0.01	0.4	0.05		5-1	
Soybeans	2	MRL	2									Goat, liver	1	FC			0.4	0.01	5	0.05		5-1	
Button mushroom												Rabbit, liver	0.03	FC			0.4	0.01	0.4	0.05		5-1	
SHITAKE												Reindeer, liver	0.03	FC			0.4	0.01	0.4	0.05		5-1	
Other mushrooms												Other terrestrial mammals, liver	0.03	FC			0.4	0.01	0.4	0.05		5-1	
Other vegetables	2	MRL	2																				

"WHL" for the stock farm and aquatic products show the 'Limit of detection' or 'Limit of determination' under the Pharmaceutical Affairs Law.

CYFLUTHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.02	Codex			0.02	0.4	0.01	0.4	0.01		2	Catfish											
Pig, kidney	0.2	FC				0.4	0.01	0.4	0.05		5-1	Other freshwater fish											
Sheep, kidney	0.2	FC				0.4	0.01	0.4	0.05		5-1												
Horse, kidney	0.2	FC				0.4	0.01	0.4	0.05		5-1	Salmon											
Deer, kidney	0.03	FC					0.01		0.05		5-1	Trout											
Goat, kidney	1	FC				0.4	0.01	5	0.05		5-1	Other salmonidae											
Rabbit, kidney	0.03	FC					0.01		0.05		5-1	Other diadromous fish											
Reindeer, kidney	0.03	FC					0.01		0.05		5-1												
Other terrestrial mammals, kidney	0.03	FC					0.01		0.05		5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	0.03	WHL		0.03		0.4	0.01	0.4	0.05		3-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.2	FC				0.4	0.01	0.4	0.05		5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.2	FC				0.4	0.01	0.4	0.05		5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.2	FC				0.4	0.01	0.4	0.05		5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.03	FC					0.01		0.05		5-1												
Goat, edible offal excluding liver and kidney	1	FC					0.01	5	0.05		5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.03	FC					0.01		0.05		5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.03	FC					0.01		0.05		5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.03	FC					0.01		0.05		5-1												
												Other animals											
Cattle, milk	0.04	Codex		0.03	0.04	1	0.1	0.5	0.02		2												
Sheep, milk	0.4	FC				1	0.1	0.5	0.02		5-1	honey											
Goat, milk	0.4	FC				1	0.1	0.5	0.02		5-1												
Other terrestrial mammals, milk	0.4	FC				1	0.1	0.5	0.02		5-1												
Chicken, muscle	0.2	FC				0.01		0.4	0.05		5-1												
Duck, muscle	0.2	FC				0.01		0.4	0.05		5-1												
Turkey, muscle	0.2	FC				0.01		0.4	0.05		5-1												
Quail, muscle	0.2	FC				0.01		0.4	0.05		5-1												
Goose, muscle	0.2	FC				0.01		0.4	0.05		5-1												
Pheasant, muscle	0.2	FC				0.01		0.4	0.05		5-1												
Chukar partridge, muscle	0.2	FC				0.01		0.4	0.05		5-1												
Other poultry, muscle	0.2	FC				0.01		0.4	0.05		5-1												
Chicken, fat	1	FC				0.01	0.01	5	0.05		5-1												
Duck, fat	1	FC				0.01	0.01	5	0.05		5-1												
Turkey, fat	1	FC				0.01	0.01	5	0.05		5-1												
Quail, fat	1	FC				0.01	0.01	5	0.05		5-1												
Goose, fat	1	FC				0.01	0.01	5	0.05		5-1												
Pheasant, fat	1	FC				0.01	0.01	5	0.05		5-1												
Chukar partridge, fat	1	FC				0.01	0.01	5	0.05		5-1												
Other poultry, fat	1	FC				0.01	0.01	5	0.05		5-1												
Chicken, liver	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Duck, liver	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Turkey, liver	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Quail, liver	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Goose, liver	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Pheasant, liver	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Chukar partridge, liver	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Other poultry, liver	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Chicken, kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Duck, kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Turkey, kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Quail, kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Goose, kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Pheasant, kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Chukar partridge, kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Other poultry, kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Chicken, edible offal excluding liver and kidney	0.05	WHL		0.05		0.01	0.01	0.4	0.05		3-1												
Duck, edible offal excluding liver and kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Turkey, edible offal excluding liver and kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Quail, edible offal excluding liver and kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Goose, edible offal excluding liver and kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Pheasant, edible offal excluding liver and kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Chukar partridge, edible offal excluding liver and kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Other poultry, edible offal excluding liver and kidney	0.1	FC				0.01	0.01	0.4	0.05		5-1												
Chicken, eggs	0.05	WHL		0.05		0.01	0.01	0.01	0.02		3-1												
Turkey, eggs	0.01	FC				0.01	0.01	0.01	0.02		5-1												
Other poultry, eggs	0.01	FC				0.01	0.01	0.01	0.02		5-1												

158. CYHALOTHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.5	FC				1			0.02		5-1	UNSHU orange	0.5	MRL	0.5									
Wheat	0.05	MRL	0.05									NATSUDAIDAI (flesh)												
Barley	0.2	MRL	0.2									NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)	1	MRL	1									
Corn (including Maize, Sweet corn)	0.04	FC				0.05			0.02		5-1	Lemon	1	MRL	1									
Buckwheat												Orange (including Navel)	1	MRL	1									
Other cereal grains	0.2	MRL	0.2									Grapefruit	1	MRL	1									
Soybeans (dry)	0.2	MRL	0.2									Lime	1	MRL	1									
Beans (dry)	0.2	MRL	0.2									Other citrus fruits	1	MRL	1									
Peas	0.2	MRL	0.2									Apple	0.4	MRL	0.4									
Broad beans	0.2	MRL	0.2									Japanese pear	0.4	MRL	0.4									
Peanuts (dry)	0.2	MRL	0.2									Pear	0.4	MRL	0.4									
Other legumes/pulses	0.2	MRL	0.2									Quince	0.4	MRL	0.4									
												Loquat	0.4	MRL	0.4									
Potato	0.04	MRL	0.04									Peach	0.5	MRL	0.5									
Taro	0.05	MRL	0.05									Nectarine	0.5	MRL	0.5									
Sweet potato	0.05	MRL	0.05									Apricot	0.5	MRL	0.5									
Yam	0.05	MRL	0.05									Japanese plum (including Prunes)	0.5	MRL	0.5									
Konjac	0.05	MRL	0.05									Mume plum	0.5	MRL	0.5									
Other potatoes	0.05	MRL	0.05									Cherry	0.5	MRL	0.5									
Sugar beet	0.2	MRL	0.2									Strawberry	0.5	MRL	0.5									
Sugarcane	0.05	FC				0.05					5-1	Raspberry	0.5	MRL	0.5									
Japanese radish (including Radish) (root)	0.5	MRL	0.5									Blackberry	0.5	MRL	0.5									
Japanese radish (including Radish) (leaf)	1	MRL	1									Blueberry	0.5	MRL	0.5									
Turnip (including Rutabaga) (root)	0.5	MRL	0.5									Cranberry	0.5	MRL	0.5									
Turnip (including Rutabaga) (leaf)	0.5	MRL	0.5									Other berries	0.5	MRL	0.5									
Horseradish	0.5	MRL	0.5									Grape	1	MRL	1									
Watercress	0.5	MRL	0.5									Japanese persimon	0.5	MRL	0.5									
Chinese cabbage	1	MRL	1									Banana	0.5	MRL	0.5									
Cabbage	0.4	MRL	0.4									Kiwifruit	0.5	MRL	0.5									
Brussels sprouts	0.4	MRL	0.4									Papaya	0.5	MRL	0.5									
Kale	0.5	MRL	0.5									Avocado	0.5	MRL	0.5									
KOMATSUNA	0.5	MRL	0.5									Pineapple	0.5	MRL	0.5									
KYONA	0.5	MRL	0.5									Guava	0.5	MRL	0.5									
Qing-geng-cai	0.5	MRL	0.5									Mango	0.5	MRL	0.5									
Cauliflower	0.5	MRL	0.5									Passion fruit	0.5	MRL	0.5									
Broccoli	0.5	MRL	0.5									Date	0.5	MRL	0.5									
Other cruciferous vegetables	0.5	MRL	0.5									Other fruits	0.5	MRL	0.5									
Burdock	0.5	MRL	0.5									Sunflower seeds	0.5	MRL	0.5									
Salsify	0.5	MRL	0.5									Sesam seeds	0.5	MRL	0.5									
Artichoke	0.5	MRL	0.5									Safflower seeds	0.5	MRL	0.5									
Chicory	0.5	MRL	0.5									Cotton seeds	0.04	MRL	0.04									
Endive	0.5	MRL	0.5									Rapeseeds	0.5	MRL	0.5									
SHUNGIKU	0.5	MRL	0.5									Other oil seeds	0.5	MRL	0.5									
Lettuce (Cos lettuce, Leaf lettuce)	0.5	MRL	0.5																					
Other composite vegetables	0.5	MRL	0.5																					
Onion	0.5	MRL	0.5									Ginkgo nut	0.5	MRL	0.5									
Welsh (including Leek)	2	MRL	2									Chestnut	0.5	MRL	0.5									
Garlic	0.5	MRL	0.5									Pecan	0.5	MRL	0.5									
NIRA	0.5	MRL	0.5									Almond	0.5	MRL	0.5									
Asparagus	0.5	MRL	0.5									Walnut	0.5	MRL	0.5									
Multiplying onion (immature)	0.5	MRL	0.5									Other nuts	0.5	MRL	0.5									
Other liliaceous vegetables	0.5	MRL	0.5																					
Carrot	0.5	MRL	0.5									Tea (Green, Black, Oolong, Wulong tea)	15	MRL	15									
Parsnip	0.5	MRL	0.5									Coffee beans												
Parsley	0.5	MRL	0.5									Cacao beans												
Celery	0.5	MRL	0.5									Hop	10	FC				10			10			5-1
MITSUBA	0.5	MRL	0.5																					
Other umbelliferous vegetables	0.5	MRL	0.5									Cattle, muscle	0.3	FC				0.2		0.2	0.5			5-1
												Pig, muscle	0.3	FC				0.2		0.2	0.5			5-1
Tomato	0.5	MRL	0.5									Sheep, muscle	0.3	FC				0.2		0.2	0.5			5-1
Pimento (Sweet pepper)	1	MRL	1									Horse, muscle	0.3	FC				0.2		0.2	0.5			5-1
Egg plant	0.5	MRL	0.5									Deer, muscle	0.5	FC							0.5			5-1
Other Solanaceous vegetables	0.5	MRL	0.5									Goat, muscle	0.3	FC				0.2		0.2	0.5			5-1
Cucumber (including Gherkin)	0.5	MRL	0.5									Reindeer, muscle	0.5	FC						0.5				5-1
Pumpkin (including Squash)	0.5	MRL	0.5									Other terrestrial mammals, muscle	0.5	FC						0.5				5-1
Oriental pickling melon (vegetable)	0.5	MRL	0.5																					
Water melon	0.5	MRL	0.5									Cattle, fat	1	FC				3	0.5		0.5			5-1
Melons	0.5	MRL	0.5									Pig, fat	1	FC				3	0.5		0.5			5-1
MAKUWAURI	0.5	MRL	0.5									Sheep, fat	1	FC				3	0.5		0.5			5-1
Other cucurbitaceous vegetables	0.5	MRL	0.5									Horse, fat	1	FC				3	0.5		0.5			5-1
Spinach	0.5	MRL	0.5									Deer, fat	0.5	FC				3	0.5		0.5			5-1
Bamboo shoots	0.5	MRL	0.5									Goat, fat	1	FC				3	0.5		0.5			5-1
Okra	0.5	MRL	0.5									Rabbit, fat	0.5	FC						0.5	0.5			5-1
Ginger	0.5	MRL	0.5									Reindeer, fat	0.5	FC						0.5	0.5			5-1
Peas (with pods, immature)	0.5	MRL	0.5									Other terrestrial mammals, fat	0.5	FC					0.5		0.5			5-1
Kidney beans (with pods, immature)	0.5	MRL	0.5									Cattle, liver	0.2	FC				0.2	0.02		0.5			5-1
Soybeans	1	MRL	1									Pig, liver	0.2	FC				0.2	0.02		0.5			5-1
Button mushroom	0.5	MRL	0.5									Sheep, liver	0.2	FC				0.2	0.02		0.5			5-1
SHIITAKE	0.5	MRL	0.5									Horse, liver	0.2	FC				0.2	0.02		0.5			5-1
Other mushrooms	0.5	MRL	0.5									Deer, liver	0.3	FC					0.2	0.5				5-1
Other vegetables	0.5	MRL	0.5									Goat, liver	0.2	FC				0.2	0.02		0.5			5-1
												Rabbit, liver	0.3	FC					0.2	0.5				5-1
												Reindeer, liver	0.3	FC					0.2	0.5				5-1
												Other terrestrial mammals, liver	0.3	FC					0.2	0.5				5-1

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.09	FC				0.2	0.02		0.05		5-1	Catfish											
Pig, kidney	0.2	FC				0.2	0.02		0.5		5-1	Other freshwater fish											
Sheep, kidney	0.2	FC				0.2	0.02		0.5		5-1												
Horse, kidney	0.2	FC				0.2	0.02		0.5		5-1	Salmon											
Goose, kidney	0.2	FC					0.02		0.5		5-1	Other salmonidae											
Goat, kidney	0.2	FC				0.2	0.02		0.5		5-1	Other diadromous fish											
Rabbit, kidney	0.3	FC					0.02		0.5		5-1												
Reindeer, kidney	0.3	FC					0.02		0.5		5-1												
Other terrestrial mammals, kidney	0.3	FC					0.02		0.5		5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	0.2	FC				0.2	0.02		0.5		5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.2	FC				0.2	0.02		0.5		5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.2	FC				0.2	0.02		0.5		5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.2	FC				0.2	0.02		0.5		5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.3	FC					0.02		0.5		5-1												
Goat, edible offal excluding liver and kidney	0.2	FC				0.2	0.02		0.5		5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.3	FC					0.02		0.5		5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.3	FC					0.02		0.5		5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.3	FC					0.02		0.5		5-1	Other animals											
Cattle, milk	0.4	FC				0.2		1	0.05		5-1												
Sheep, milk	0.4	FC				0.2		1	0.05		5-1	honey											
Goat, milk	0.4	FC				0.2		1	0.05		5-1												
Other terrestrial mammals, milk	0.4	FC				0.2		1	0.05		5-1												
Chicken, muscle	0.02	FC				0.01	0.02		0.02		5-1												
Duck, muscle	0.02	FC				0.01	0.02		0.02		5-1												
Turkey, muscle	0.02	FC				0.01	0.02		0.02		5-1												

159. CYMOXANIL

[illegible]

[illegible]

160. CYPERMETHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.9	FC				15	1		0.05		5-1	UNSHU orange	2	MRL	2								
Wheat	0.2	MRL	0.2									NATSUDAIDAI (flesh)											
Barley	0.5	MRL	0.5									NATSUDAIDAI (peel)											
Rye	1	MRL	1									NATSUDAIDAI (whole)	2	MRL	2								
Corn (including Maize, Sweet corn)	0.2	MRL	0.2									Lemon	2	MRL	2								
Buckwheat	0.5	FC					1		0.05		5-1	Orange (including Navel)	2	MRL	2								
Other cereal grains	1	MRL	1									Grapefruit	2	MRL	2								
Soybeans (dry)	0.05	MRL	0.05									Lime	2	MRL	2								
Beans (dry)	0.5	MRL	0.5									Other citrus fruits	2	MRL	2								
Peas	1	MRL	1									Apple	2	MRL	2								
Broad beans	0.05	MRL	0.05									Japanese pear	2	MRL	2								
Peanuts (dry)	0.05	MRL	0.05									Pear	2	MRL	2								
Other legumes/pulses	0.05	MRL	0.05									Quince	2	MRL	2								
Potato	0.05	MRL	0.05									Loquat	2	MRL	2								
Taro	0.05	MRL	0.05									Peach	2	MRL	2								
Sweet potato	0.05	MRL	0.05									Nectarine	2	MRL	2								
Yam	0.05	MRL	0.05									Apricot	1	MRL	1								
Konjac	0.05	Code		0.05			0.01		0.05		2	Japanese plum (including Prunes)	1	MRL	1								
Other potatoes	0.05	MRL	0.05									Mume plum	2	MRL	2								
Sugar beet	0.1	MRL	0.1									Cherry	2	MRL	2								
Sugarcane	0.3	FC				0.6	0.01				5-1	Strawberry	2	MRL	2								
Japanese radish (including Radish) (root)	0.05	MRL	0.05									Raspberry	0.5	MRL	0.5								
Japanese radish (including Radish) (leaf)	5	MRL	5									Blackberry	0.5	MRL	0.5								
Turnip (including Rutabaga) (root)	1	FC										Blueberry	0.5	MRL	0.5								
Turnip (including Rutabaga) (leaf)	1	FC					2		1	1	5-1	Cranberry	0.5	MRL	0.5								
Horseradish	0.05	MRL	0.05									Other berries	0.5	MRL	0.5								
Watercress	5	FC				10	2		2		5-1	Grape	2	MRL	2								
Chinese cabbage	5	MRL	5									Japanese persimmon	2	MRL	2								
Cabbage	1	MRL	1									Banana	0.03	FC					0.01		0.05		5-1
Brussels sprouts	1	MRL	1									Kiwifruit	2	MRL	2								
Kale	1	MRL	1									Papaya	0.01	FC					0.01				5-1
KOMATSUNA	5	MRL	5									Avocado	0.1	FC					0.2		0.05		5-1
KYONA	5	FC				14	2		1	1	5-1	Pineapple	0.03	FC					0.01		0.05		5-1
Qing-geng-cai	5	MRL	5									Guava	0.03	FC					0.01		0.05		5-1
Cauliflower	1	MRL	1									Mango	0.03	FC					0.01		0.05		5-1
Broccoli	1	MRL	1									Passion fruit	0.03	FC					0.01		0.05		5-1
Other cruciferous vegetables	5	MRL	5									Date	0.03	FC					0.01		0.05		5-1
Burdock	0.5	MRL	0.5									Other fruits	0.05	FC					0.05		0.05		5-1
Salsify	0.05	MRL	0.05									Sunflower seeds	0.2	MRL	0.2								
Artichoke	1	FC					0.01		2		5-1	Sesam seeds	0.2	MRL	0.2								
Chicory	1	FC					2		0.05		5-1	Safflower seeds	0.2	MRL	0.2								
Endive	5	FC				10	2		2		5-1	Cotton seeds	0.2	MRL	0.2								
SHUNGIKU	5	FC				10	2		2		5-1	Rapeseeds	0.2	MRL	0.2								
Lettuce (Cos lettuce, Leaf lettuce)	5	MRL	5									Other oil seeds	0.2	MRL	0.2								
Other composite vegetables	5	MRL	5																				
Onion	0.1	MRL	0.1									Ginkgo nut	0.03	FC					0.01		0.05		5-1
Welsh (including Leek)	5	MRL	5									Chestnut	2	MRL	2								
Garlic	0.06	FC					0.01		0.1		5-1	Pecan	0.05	MRL	0.05								
NIRA	6	MRL	6									Almond	0.03	FC					0.01		0.05		5-1
Asparagus	0.5	FC					0.5		0.5		5-1	Walnut	0.05	FC					0.01		0.05		5-1
Multiplying onion (including Shallot)	0.2	MRL	0.2									Other nuts	0.2	Code		0.2			0.01		0.05		2
Other liliaceous vegetables	6	MRL	6																				
Carrot	0.05	MRL	0.05									Tea (Green, Black, Oolong, Wulong tea)	20	MRL	20								
Parsnip	0.05	MRL	0.05									Coffee beans	0.05	MRL	0.05								
Parsley	5	FC				10	0.01				5-1	Cacao beans	0.01	FC					0.01				5-1
Celery	3	FC				10	0.01		1	2	5-1	Hop	20	FC					0.01		30		5-1
MITSUBA	5	FC					0.01		2		5-1	Cattle, muscle	0.09	FC				0.05	0.01		0.2		5-1
Other umbelliferous vegetables	0.05	Code			0.05	10	2		2		2	Pig, muscle	0.09	FC				0.05	0.01		0.2		5-1
Tomato	2	MRL	2									Sheep, muscle	0.09	FC				0.05	0.01		0.2		5-1
Pimento (Sweet pepper)	2	MRL	2									Horse, muscle	0.1	FC				0.2	0.01		0.2		5-1
Egg plant	0.5	MRL	0.5									Deer, muscle	0.1	FC					0.01		0.2		5-1
Other Solanaceous vegetables	0.5	Code			0.5	0.2	2		0.5		2	Goat, muscle	0.08	FC				0.05	0.01		0.2		5-1
Cucumber (including Gherkin)	0.5	MRL	0.5									Reindeer, muscle	0.1	FC					0.01		0.2		5-1
Pumpkin (including Squash)	5	MRL	5									Other terrestrial mammals, muscle	0.1	FC					0.01		0.2		5-1
Oriental pickling melon (vegetable)	0.1	FC					0.01		0.2		5-1	Cattle, fat	0.2	Code		0.2		0.05	0.5		0.2		2
Water melon	2	MRL	2									Pig, fat	0.2	Code		0.2		0.05	0.05		0.2		2
Melons	2	MRL	2									Sheep, fat	0.2	Code		0.2		0.05	0.5		0.2		2
MAKUWAURI	0.1	FC					0.01		0.2		5-1	Horse, fat	0.2	Code		0.2		0.05	0.5		0.2		2
Other cucurbitaceous vegetables	0.05	Code			0.05		2		0.2		2	Deer, fat	0.2	Code		0.2		0.05	0.5		0.2		2
Spinach	2	MRL	2									Goat, fat	0.2	Code		0.2		0.05	0.5		0.2		2
Bamboo shoots	5	MRL	5									Rabbit, fat	0.2	Code		0.2			0.01		0.2		2
Okra	0.01	FC					0.01				5-1	Reindeer, fat	0.2	Code		0.2			0.01		0.2		2
Ginger	0.03	FC					0.01		0.05		5-1	Other terrestrial mammals, fat	0.2	Code		0.2			0.01		0.2		2
Peas (with pods, immature)	0.05	MRL	0.05									Cattle, liver	0.05	Code		0.05		0.05	0.05		0.2		2
Kidney beans (with pods, immature)	0.5	MRL	0.5									Pig, liver	0.05	Code		0.05		0.05	0.05		0.2		2
Soybeans	5	MRL	5									Sheep, liver	0.05	Code		0.05		0.05	0.05		0.2		2
Button mushroom	0.05	MRL	0.05									Horse, liver	0.05	Code		0.05		0.05	0.05		0.2		2
SHITAKE	0.03	FC					0.01		0.05		5-1	Deer, liver	0.05	Code		0.05			0.01		0.2		2
Other mushrooms	0.5	FC					0.01		1		5-1	Goat, liver	0.05	Code		0.05		0.05	0.05		0.2		2
Other vegetables	5	MRL	5									Rabbit, liver	0.05	Code		0.05			0.01		0.2		2
												Reindeer, liver	0.05	Code		0.05			0.01		0.2		2
												Other terrestrial mammals, liver	0.05	Code		0.05			0.01		0.2		2

[illegible]

161. CYPROCONAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	MRL	0.1								UNSHU orange	0.01	MRL	0.01									
Wheat	0.2	MRL	0.2								NATSUDAIDAI (flesh)												
Barley	0.1	MRL	0.1								NATSUDAIDAI (whole)	0.01	MRL	0.01									
Rye	0.1	MRL	0.1								Lemon	0.01	MRL	0.01									
Corn (including Maize, Sweet corn)	0.1	MRL	0.1								Orange (including Navel)	0.01	MRL	0.01									
Buckwheat	0.1	MRL	0.1								Grapefruit	0.01	MRL	0.01									
Other cereal grains	0.1	MRL	0.1								Lime	0.01	MRL	0.01									
Soybeans (dry)											Other citrus fruits	0.01	MRL	0.01									
Beans (dry)											Apple	0.1	MRL	0.1									
Peas	0.05	MRL	0.05								Japanese pear	0.1	MRL	0.1									
Broad beans											Pear	0.1	MRL	0.1									
Peanuts (dry)	0.02	MRL	0.02								Quince												
Other legumes/pulses											Loquat	0.5	WHL		0.5								4
Potato	0.01	MRL	0.01								Peach	0.5	MRL	0.5									
Taro	0.01	MRL	0.01								Nectarine	0.05	MRL	0.05									
Sweet potato	0.01	MRL	0.01								Apricot	0.1	MRL	0.1									
Yam	0.01	MRL	0.01								Japanese plum (including Prunes)	0.05	MRL	0.05									
Konjac	0.01	MRL	0.01								Mume plum	0.05	MRL	0.05									
Other potatoes	0.01	MRL	0.01								Cherry	0.05	MRL	0.05									
Sugar beet	0.1	MRL	0.1								Strawberry	0.5	WHL		0.5								4
Sugarcane											Raspberry	0.5	WHL		0.5								4
Japanese radish (including Radish) (root)											Blackberry	0.5	WHL		0.5								4
Japanese radish (including Radish) (leaf)											Blueberry	0.5	WHL		0.5								4
Turnip (including Rutabaga) (root)											Cranberry	0.5	WHL		0.5								4
Turnip (including Rutabaga) (leaf)											Mucklebecher	0.5	WHL		0.5								4
Horseradish																							

CYPROCONAZOLE

[illegible]

162. CYPRODINIL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.1	MRL	0.1									
Wheat	0.5	MRL	0.5									NATSUDAIDAI (flesh)												
Barley	2	MRL	2									NATSUDAIDAI (peel)											4	
Rye	0.5	MRL	0.5									NATSUDAIDAI (whole)	5	WHL		5							4	
Corn (including Maize, Sweet corn)	0.5	MRL	0.5									Lemon	5	WHL		5							4	
Buckwheat	0.5	MRL	0.5									Orange (including Navel)	5	WHL		5							4	
Other cereal grains	0.5	MRL	0.5									Grapefruit	5	WHL		5							4	
Soybeans (dry)	0.1	MRL	0.1									Lime	5	WHL		5							4	
Beans (dry)	0.1	MRL	0.1									Other citrus fruits	5	WHL		5							4	
Peas	0.1	MRL	0.1									Apple	5	MRL		5								
Broad beans	0.1	MRL	0.1									Japanese pear	5	MRL		5								
Peanuts (dry)	0.1	MRL	0.1									Pear	5	MRL		5								
Other legumes/pulses	0.1	MRL	0.1									Quince	0.1	MRL	0.1									
												Loquat	0.1	MRL	0.1									
Taro												Peach	2	MRL	2									
Sweet potato												Nectarine	2	MRL	2									
Yam												Apricot	2	MRL	2									
Konjac												Japanese plum (including Prunes)	2	MRL	2									
Other potatoes												Mume plum	2	MRL	2									
Sugar beet												Cherry	2	MRL	2									
Sugarcane																								
												Strawberry	1	MRL	1									
Japanese radish (including Radish) (root)												Raspberry	2	MRL	2									
Japanese radish (including Radish) (leaf)												Blackberry	2	MRL	2									
Turnip (including Rutabaga) (root)												Blueberry												
Turnip (including Rutabaga) (leaf)												Cranberry												
Horseradish																								
Watercress												Grape	5	MRL	5									
Chinese cabbage												Japanese persimon	5	WHL		5							4	
Cabbage																								
Brussels sprouts												Banana	5	WHL		5							4	
Kale												Kiwifruit												
KOMATSUNA												Papaya	5	WHL		5							4	
KYONA												Avocado	5	WHL		5							4	
Qing-geng-cai												Pineapple	5	WHL		5							4	
Cauliflower												Guava	5	WHL		5							4	
Broccoli												Mango	5	WHL		5							4	
Other cruciferous vegetables												Passion fruit	5	WHL		5							4	
												Date												
Burdock																								
Salsify												Other fruits	0.1	FC					0.1				5-1	
Artichoke																								
Chicory												Sunflower seeds												
Endive												Sesam seeds												
SHUNGIKU												Safflower seeds												
Lettuces (Cos lettuce, Leaf lettuce)	1	MRL	1									Cotton seeds												
Other composite vegetables												Rape seeds												
												Other oil seeds												
Onion	0.05	MRL	0.05																					
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan												
Garagegus												Almond	0.02	MRL	0.02									
Multiplying onion (including Shallot)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)												
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Cacao beans												
MITSUBA												Hop												
Other umbelliferous vegetables																								
												Cattle, muscle												
Tomato	0.5	MRL	0.5									Pig, muscle												
Pimento (Sweet pepper)												Sheep, muscle												
Pepper (including Chili)												Horse, muscle												
Egg plant	0.5	MRL	0.5									Goat, muscle												
Other Solanaceous vegetables	0.5	MRL	0.5									Rabbit, muscle												
												Reindeer, muscle												
Cucumber (including Gherkin)	0.5	MRL	0.5									Other terrestrial mammals, muscle												
Pumpkin (including Squash)																								
Oriental pickling melon (vegetable)												Cattle, fat												
Water melon												Pig, fat												
MAKUWAURI												Sheep, fat												
Other cucurbitaceous vegetables												Horse, fat												
												Deer, fat												
Spinach												Goat, fat												
Bamboo shoots												Rabbit, fat												
Onion												Reindeer, fat												
Ginger												Other terrestrial mammals, fat												
Peas (with pods, immature)																								
Kidney beans (with pods, immature)												Cattle, liver												
Soybeans												Pig, liver												
Button mushroom												Sheep, liver												
SHIITAKE												Horse, liver												
Other mushrooms												Deer, liver												
												Goat, liver												
Other vegetables												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

