

[illegible]

DINITOLMIDE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney												Salmon											
Horse, kidney												Trout											
Deer, kidney												Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney												Marine fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney																							
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney												Oyster											
Goat, edible offal excluding liver and kidney												Abalone											
Rabbit, edible offal excluding liver and kidney												Other aquatic animals											
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.1	PAL		0.1		3	3	3		3	3-1												
Duck, muscle						3	3	3		3	5-1												
Turkey, muscle											5-1												
Quail, muscle											5-1												
Goose, muscle											5-1												
Pheasant, muscle											5-1												
Chukar partridge, muscle											5-1												
Other poultry, muscle											5-1												
Chicken, fat						2	2	2			5-1												
Duck, fat											5-1												
Turkey, fat								3			6												
Quail, fat											5-1												
Goose, fat											5-1												
Pheasant, fat											5-1												
Chukar partridge, fat											5-1												
Other poultry, fat											5-1												
Chicken, liver	0.1	PAL		0.1		6	6	6			3-1												
Duck, liver						6	6	6			5-1												
Turkey, liver						3	6	3			6												
Quail, liver											5-1												
Goose, liver											5-1												
Pheasant, liver											5-1												
Chukar partridge, liver											5-1												
Other poultry, liver											5-1												
Chicken, kidney						6	6	6			5-1												
Duck, kidney											5-1												
Turkey, kidney								6			5-1												
Quail, kidney											5-1												
Goose, kidney											5-1												
Pheasant, kidney											5-1												
Chukar partridge, kidney											5-1												
Other poultry, kidney											5-1												
Chicken, edible offal excluding liver and kidney											5-1												
Duck, edible offal excluding liver and kidney											5-1												
Turkey, edible offal excluding liver and kidney											5-1												
Quail, edible offal excluding liver and kidney											5-1												
Goose, edible offal excluding liver and kidney											5-1												
Pheasant, edible offal excluding liver and kidney											5-1												
Chukar partridge, edible offal excluding liver and kidney											5-1												
Other poultry, edible offal excluding liver and kidney											5-1												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

For turkey fat and liver, the PR-MRLs were harmonized with the corresponding PR-MRLs for other animal species.

209. DINOCAP

[illegible]

DINOCAP

[illegible]

[illegible]

[illegible]

211. DINOTEFURAN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)		2	WHL		2						4	UNSHU orange		2	WHL		2							4
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												4
Rye												NATSUDAIDAI (whole)			5	WHL		5						4
Corn (including Maize, Sweet corn)												Lemon			5	WHL		5						4
Buckwheat												Orange (including Navel)			5	WHL		5						4
Other cereal grains												Grapefruit			5	WHL		5						4
Soybeans (dry)												Lime			5	WHL		5						4
Beans (dry)												Other citrus fruits			5	WHL		5						4
Peas												Apple			2	WHL		2						4
Broad beans												Japanese pear												4
Peanuts (dry)												Pear												4
Other legumes/pulses												Quince			2	WHL		2						4
												Loquat			1	WHL		1						4
Potato					0.2						4	Peach												4
Taro					0.2						4	Nectarine				2	WHL		2					4
Sweet potato					0.2						4	Apricot				10	WHL		10					4
Yam					0.2						4	Japanese plum (including Prunes)				10	WHL		10					4
Konjac					0.2						4	Mume plum				10	WHL		10					4
Other potatoes					0.2						4	Cherry				10	WHL		10					4
Sugar beet					0.2						4	Strawberry				10	WHL		10					4
Sugarcane												Raspberry				10	WHL		10					4
												Blackberry				10	WHL		10					4
Japanese radish (including Radish) (root)					0.2						4	Blueberry				10	WHL		10					4
Japanese radish (including Radish) (leaf)					5						4	Cranberry				10	WHL		10					4
Turnip (including Rutabaga) (root)					0.2						4	Blackberry				10	WHL		10					4
Turnip (including Rutabaga) (leaf)					5						4	Other berries				10	WHL		10					4
Horseradish					0.2						4													
Watercress					5						4	Grape				10	WHL		10					4
Chinese cabbage					2						4	Japanese persimon				2	WHL		2					4
Cabbage					2						4													
Brussels sprouts																								

DINOTEFURAN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney												Salmon												
Horse, kidney												Trout												
Deer, kidney												Other salmonidae												
Goat, kidney												Other diadromous fish												
Rabbit, kidney												Reindeer, kidney												
Other terrestrial mammals, kidney												Marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Rabbit, edible offal excluding liver and kidney												Oyster												
Reindeer, edible offal excluding liver and kidney												Abalone												
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals												
Cattle, milk												Other animals												
Sheep , milk												honey												
Goat, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Quail, muscle																								
Goose, muscle																								
Pheasant, muscle																								
Chukar partridge, muscle																								
Other poultry, muscle																								

212. DIOFENOLAN

[illegible]

DIOFENOLAN

[illegible]

213. DIPHENAMID

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Buckwheat												Lemon											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
Soybeans (dry)												Other citrus fruits											
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry		FC							1		5-J
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimmon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower																							

DIPHENAMID

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney												Salmon												
Horse, kidney												Trout												
Deer, kidney												Other salmonidae												
Goat, kidney												Other diadromous fish												
Rabbit, kidney												Reindeer, kidney												
Other terrestrial mammals, kidney												Marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Rabbit, edible offal excluding liver and kidney												Oyster												
Reindeer, edible offal excluding liver and kidney												Abalone												
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals												
Cattle, milk												Other animals												
Sheep , milk												honey												
Goat, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Quail, muscle																								
Goose, muscle																								
Pheasant, muscle																								
Chukar partridge, muscle																								
Other poultry, muscle																								

214. DIPHENYLAMINE

[illegible]

[illegible]

215. DIQUAT

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	11	Codex		0.1	1	0.02	5				1-1	UNSHU orange	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Wheat	2	Codex		0.03	2	0.02	2			2	1-1	NATSUDAIDAI (flesh)											
Barley	5	Codex		0.03	5	0.02	5			5	1-1	NATSUDAIDAI (peel)											
Rye	0.03	WHL		0.03		0.02	2				3-1	Lemon	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Corn (including Maize, Sweet corn)	0.05	Codex		0.03	0.05	0.02	0.1				1-1	Orange (including Navel)	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Buckwheat	0.03	WHL		0.03		0.02					3-1	Grapefruit	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Other cereal grains	2	Codex		0.03	2	0.02	5				1-1	Lime	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Soybeans (dry)	0.2	Codex					1				2	Other citrus fruits	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Beans (dry) *	0.2	Codex				0.2		0.5	0.2		2	Apple	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Peas	0.2	Codex				0.2					2	Japanese pear	0.04	FC				0.02	0.05		0.05		5-1
Broad beans	0.2	Codex				0.2					2	Pear	0.04	FC				0.02	0.05		0.05		5-1
Peanuts (dry)												Quince	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Other legumes/pulses	0.2	Codex			0.2		0.5				2	Loquat	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Potato	0.05	Codex		0.03	0.05	0.1	0.2	0.2			1-1	Peach	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Taro	0.05	Codex		0.03	0.05		0.05		0.1		1-1	Nectarine	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Sweet potato	0.05	Codex		0.03	0.05	0.02	0.05		0.1		1-1	Apricot	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Yam	0.05	Codex		0.03	0.05	0.02	0.05		0.1		1-1	Japanese plum (including Prunes)	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Konjac	0.05	Codex		0.03	0.05		0.05		0.1		1-1	Mume plum	0.03	WHL		0.03			0.05		0.05		3-1
Other potatoes	0.05	Codex		0.03	0.05	0.02	0.05		0.1		1-1	Cherry	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Sugar beet	0.05	Codex			0.05	0.02	0.1		0.1		2	Strawberry	0.03	WHL		0.03			0.05		0.05		3-1
Sugarcane	0.04	FC				0.02	0.05				5-1	Raspberry	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Japanese radish (including Radish) (root)	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Blackberry	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Japanese radish (including Radish) (leaf)	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Blueberry	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Turnip (including Rutabaga) (root)									0.1		1-1	Cranberry	0.03	WHL		0.03			0.05		0.1		3-1
Turnip (including Rutabaga) (leaf)	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Other berries	0.03	WHL		0.03		0.02	0.05		0.05		3-1
Horseradish	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Grape	0.03	WHL		0.03			0.05		0.05		3-1
Watercress	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Japanese persimmon	0.03	WHL		0.03			0.05		0.05		3-1
Chinese cabbage	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Banana	0.03	WHL		0.03		0.05	0.05		0.05		3-1
Cabbage	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Kiwifruit	0.03	WHL		0.03			0.05		0.05		3-1
Brussels sprouts	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Papaya	0.03	WHL		0.03			0.05		0.05		4
Kale	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Avocado	0.03	WHL		0.03		0.02	0.05		0.05		3-1
KOMATSUNA	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Pineapple	0.03	WHL		0.03			0.05		0.05		3-1
KYONA	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Guava	0.03	WHL		0.03			0.05		0.05		3-1
Qing-geng-cai	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Mango	0.03	WHL		0.03			0.05		0.05		3-1
Caiflower	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Passion fruit	0.03	WHL		0.03			0.05		0.05		3-1
Broccoli	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Date	0.03	WHL		0.03			0.05		0.05		4
Other cruciferous vegetables	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Other fruits	0.05	Codex		0.03	0.05	0.02	0.05		0.05		1-1
Burdock	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Sunflower seeds	1	Codex		0.03	1		1				1-1
Salsify	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Sesam seeds	0.03	WHL		0.03			5				3-1
Artichoke	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Safflower seeds	0.03	WHL		0.03							4
Chicory	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Coffice seeds	0.03	WHL		0.03		0.02	1		0.02		3-1
Endive	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Rape seeds	2	Codex		0.03			2				3-1
SHUNGIKU	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Other oil seeds	0.03	WHL		0.03			5	0.5			3-1
Lettuce (Cos lettuce, Leaf lettuce)	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Tea (Green, Black, Oolong, Wulong tea)	0.3	WHL		0.3							4
Other composite vegetables	0.05	Codex		0.05	0.05	0.02	0.05		0.05		1-1	Coffee beans	0.05	FC				0.05					5-1
Onion	0.05	Codex		0.05	0.05		0.1		0.1		1-1	Cacao beans											
Welsh (including Leek)	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Hop	0.02	FC				0.02					5-1
Garlic	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Cattle, muscle	0.05	Codex			0.05	0.02	0.05		0.05		2
NIRA	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Pig, muscle	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Asparagus	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Sheep, muscle	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Multiplying onion (immature)	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Horse, muscle	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Other liliaceous vegetables	0.05	Codex		0.05	0.05		0.05		0.1		1-1	Deer, muscle	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Carrot	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Goat, muscle	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Parsnip	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Reindeer, muscle	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Parsley	0.05	WHL		0.05		0.02					3-1	Other terrestrial mammals, muscle	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Celery	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Cattle, fat	0.02	FC				0.02					5-1
MITSUBA	0.05	WHL		0.05					0.1		3-1	Pig, fat	0.02	FC				0.02					5-1
Other umbelliferous vegetables	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Sheep, fat	0.02	FC				0.02					5-1
Tomato	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Horse, fat	0.02	FC				0.02					5-1
Pimento (Sweet pepper)	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Deer, fat	0.02	FC				0.02					5-1
Egg plant	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Goat, fat	0.02	FC				0.02					5-1
Other Solanaceous vegetables	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Rabbit, fat	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Cucumber (including Gherkin)	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Reindeer, fat	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Pumpkin (including Squash)	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Other terrestrial mammals, fat	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Oriental pickling melon (vegetable)	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Cattle, liver	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Water melon	0.05	Codex		0.03	0.05	0.02	0.05		0.1		1-1	Pig, liver	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Melons	0.05	Codex		0.03	0.05	0.02	0.05		0.1		1-1	Sheep, liver	0.05	Codex		2	0.05	0.02	0.05		0.05		2
MAKUWAURI	0.05	Codex		0.03	0.05	0.02	0.05		0.1		1-1	Horse, liver	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Other cucurbitaceous vegetables	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Deer, liver	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Spinach	0.05	Codex		0.05	0.05	0.02	0.05		0.1		1-1	Goat, liver	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Bamboo shoots	0.05	Codex		0.05	0.05						1-1	Rabbit, liver	0.05	Codex		2	0.05	0.02	0.05		0.05		2
Okra	0.05	Codex		0.05	0.05						1-1	Reindeer, liver	0.05	Codex		2	0.05	0.02	0.05				

DIOUAT

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	Codex			0.05	0.02	0.05	0.05			2	Catfish	0.1	FC				0.1					5-1
Pig, kidney	0.05	Codex			0.05	0.02	0.05	0.05			2	Other freshwater fish	0.1	FC				0.1					5-1
Sheep, kidney	0.05	Codex			0.05	0.02	0.05	0.05			2												
Horse, kidney	0.05	Codex			0.05	0.02	0.05	0.05			2	Salmon	0.1	FC				0.1					5-1
Deer, kidney	0.05	Codex			0.05		0.05	0.05			2	Trout	0.1	FC				0.1					5-1
Goat, kidney	0.05	Codex			0.05	0.02	0.05	0.05			2	Other salmonidae	0.1	FC				0.1					5-1
Rabbit, kidney	0.05	Codex			0.05		0.05	0.05			2	Other diadromous fish	0.1	FC				0.1					5-1
Reindeer, kidney	0.05	Codex			0.05		0.05	0.05			2												
Other terrestrial mammals, kidney	0.05	Codex			0.05		0.05	0.05			2	Marine fish	0.1	FC				0.1					5-1
Cattle, edible offal excluding liver and kidney	0.05	Codex			0.05	0.02	0.05	0.05			2	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.05	Codex			0.05	0.02	0.05	0.05			2	Lobster											
Sheep, edible offal excluding liver and kidney	0.05	Codex			0.05	0.02	0.05	0.05			2	Crayfish											
Horse, edible offal excluding liver and kidney	0.05	Codex			0.05	0.02	0.05	0.05			2	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.05	Codex			0.05		0.05	0.05			2												
Turkey, fat	0.05	Codex			0.05	0.02	0.05	0.05			2	Oyster											
Rabbit, edible offal excluding liver and kidney	0.05	Codex			0.05		0.05	0.05			2	Abalone											
Reindeer, edible offal excluding liver and kidney	0.05	Codex			0.05		0.05	0.05			2	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.05	Codex			0.05		0.05	0.05			2												
Cattle, milk	0.01	Codex			0.01	0.02	0.01	0.05			2	Other animals											
Sheep, milk	0.01	Codex			0.01	0.02	0.01	0.05			2	honey											
Goat, milk	0.01	Codex			0.01	0.02	0.01	0.05			2												
Other terrestrial mammals, milk	0.01	Codex			0.01	0.02	0.01	0.05			2												
Chicken, muscle	0.05	Codex			0.05	0.02	0.05	0.05			2												
Duck, muscle	0.05	Codex			0.05	0.02	0.0																

216. DISULFOTON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.07	WHL		0.07							4	UNSHU orange	0.05	WHL		0.05							4
Wheat	0.2	Codex				0.3			0.1		2	NATSUDAIDAI (flesh)											
Barley	0.2	Codex			0.2	0.75			0.2		2	NATSUDAIDAI (peel)	0.05	WHL		0.05							4
Rye												Lemon	0.05	WHL		0.05							4
Corn (including Maize, Sweet corn)	0.02	Codex			0.02	0.3	0.5		0.02		2	Orange (including Navel)	0.05	WHL		0.05							4
Buckwheat												Grapefruit	0.05	WHL		0.05							4
Other cereal grains	0.02	Codex			0.02	0.75			0.2		2	Lime	0.05	WHL		0.05							4
Soybeans (dry)	0.2	Codex		0.05	0.2	0.1	0.5		0.02		1-1	Other citrus fruits	0.05	WHL		0.05							4
Beans (dry)	0.2	Codex		0.05	0.2	0.75	0.5	0.5	0.02		1-1	Apple	0.05	WHL		0.05							4
Peas	0.5	Codex		0.05	0.5	0.75	0.5	0.5	0.02		1-1	Japanese pear	0.05	WHL		0.05							4
Broad beans	0.2	Codex		0.05	0.2	0.75	0.5	0.5	0.02		1-1	Pear	0.05	WHL		0.05							4
Peanuts (dry)	0.1	Codex		0.05	0.1	0.75	0.5	0.5	0.02		1-1	Quince	0.05	WHL		0.05							4
Other legumes/pulses	0.2	Codex		0.05	0.2	0.75	0.5	0.5	0.02		1-1	Loquat	0.05	WHL		0.05							4
Potato	0.5	Codex		0.1	0.5	0.75	0.5	0.2	0.02		1-1	Peach	0.05	WHL		0.05							4
Taro	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Nectarine	0.05	WHL		0.05							4
Sweet potato	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Apricot	0.05	WHL		0.05							4
Yam	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Japanese plum (including Prunes)	0.05	WHL		0.05							4
Konjac	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Mume plum	0.05	WHL		0.05							4
Other potatoes	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Cherry	0.05	WHL		0.05							4
Sugar beet	0.2	Codex			0.2		0.5		0.02		2	Strawberry	0.05	WHL		0.05							4
Sugarcane	0.3	FC				0.3					5-1	Raspberry	0.05	WHL		0.05							4
Japanese radish (including Radish) (root)	0.2	Codex		0.1	0.2		0.5		0.02		1-1	Blackberry	0.05	WHL		0.05							4
Japanese radish (including Radish) (leaf)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Blueberry	0.05	WHL		0.05							4
Turnip (including Rutabaga) (root)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Cranberry	0.05	WHL		0.05							4
Turnip (including Rutabaga) (leaf)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Other berries	0.05	WHL		0.05							4
Horseradish	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Grape	0.05	WHL		0.05							4
Watercress	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Japanese persimon	0.05	WHL		0.05							4
Chinese cabbage	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Banana	0.05	WHL		0.05							4
Cabbage	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Kiwifruit	0.05	WHL		0.05							4
Brussels sprouts	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Papaya	0.05	WHL		0.05							4
Kale	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Avocado	0.05	WHL		0.05							4
KOMATSUNA	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Pineapple	0.1	Codex		0.05		0.1					1-1
KYONA	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Guava	0.05	WHL		0.05							4
Qing-geng-cai	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Mango	0.05	WHL		0.05							4
Caiflower	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Passion fruit	0.05	WHL		0.05							4
Broccoli	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Date	0.05	WHL		0.05							4
Other cruciferous vegetables	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Other fruits	0.5	Codex		0.05		0.5		0.5		0.02	1-1
Burdock	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Sunflower seeds	0.05	WHL		0.05							4
Salsify	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Sesam seeds	0.05	WHL		0.05							4
Artichoke	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Safflower seeds	0.05	WHL		0.05							4
Chicory	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Corn seeds	0.1	Codex		0.05		0.1		0.75	0.5	0.05	1-1
Endive	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Rapeseeds	0.05	WHL		0.05							4
SHUNGIKU	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Other oil seeds	0.05	WHL		0.05							4
Lettuce (Cos lettuce, Leaf lettuce)	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Tea (Green, Black, Oolong, Wulong tea)	0.05	FC								5-1	
Other composite vegetables	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Coffee beans	0.2	Codex			0.2	0.3					2
Onion	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Cacao beans							0.5	0.5		0.05	5-1
Welsh (including Leek)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Hop	0.4	FC									4
Garlic	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Cattle, muscle	0.02	FC					0.02		0.02		5-1
NIRA	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Pig, muscle	0.02	FC					0.02		0.02		5-1
Asparagus	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Sheep, muscle	0.02	FC					0.02		0.02		5-1
Multiplying onion (immature)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Horse, muscle	0.02	FC					0.02		0.02		5-1
Other liliaceous vegetables	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Deer, muscle	0.02	FC					0.02		0.02		5-1
Carrot	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Goat, muscle	0.02	FC					0.02		0.02		5-1
Parsnip	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Reindeer, muscle	0.02	FC					0.02		0.02		5-1
Parsley	0.1	WHL		0.1							4	Other terrestrial mammals, muscle	0.02	FC					0.02		0.02		5-1
Celery	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Cattle, fat											4
MITSUBA	0.1	WHL		0.1							4	Pig, fat											4
Other umbelliferous vegetables	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Sheep, fat											4
Tomato	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Horse, fat											4
Pimento (Sweet pepper)	0.5	Codex		0.1	0.5	0.1	0.5		0.02		1-1	Deer, fat											4
Egg plant	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Goat, fat											4
Other Solanaceous vegetables	0.5	Codex		0.1	0.5	0.1	0.5		0.02		1-1	Rabbit, muscle	0.02	FC					0.02		0.02		5-1
Cucumber (including Gherkin)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Reindeer, fat											4
Pumpkin (including Squash)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Other terrestrial mammals, fat											4
Oriental pickling melon (vegetable)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Cattle, liver	0.02	FC					0.02		0.02		5-1
Water melon	0.5	Codex		0.05	0.5		0.5		0.02		1-1	Pig, liver	0.02	FC					0.02		0.02		5-1
Melons	0.5	Codex		0.05	0.5		0.5		0.02		1-1	Sheep, liver	0.02	FC					0.02		0.02		5-1
MAKUWAURI	0.5	Codex		0.05	0.5		0.5		0.02		1-1	Horse, liver	0.02	FC					0.02		0.02		5-1
Other cucurbitaceous vegetables	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Deer, liver	0.02	FC					0.02		0.02		5-1
Spinach	0.5	Codex		0.1	0.5	0.75	0.5	0.5	0.02		1-1	Goat, liver	0.02	FC					0.02		0.02		5-1
Bamboo shoots	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Rabbit, liver	0.02	FC					0.02		0.02		5-1
Okra	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Reindeer, liver	0.02	FC					0.02		0.02		5-1
Ginger	0.1	WHL		0.1							4	Other terrestrial mammals, liver	0.02	FC					0.02		0.02		5-1
Peas (with pods, immature)	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Cattle, liver	0.02	FC					0.02		0.02		5-1
Kidney beans (with pods, immature)	0.5	Codex		0.1	0.5	0.1	0.5		0.02		1-1	Pig, liver	0.02	FC					0.02		0.02		5-1
Soybeans	0.5	Codex		0.1	0.5	0.1	0.5		0.02		1-1	Sheep, liver	0.02	FC					0.02		0.02		5-1
Button mushroom	0.5	Codex		0.1	0.5		0.5		0.02		1-1	Horse, liver	0.02	FC					0.02		0.02		5-1
SHITAKE	0.5	Codex		0.1	0.5		0.5		0.02		1-1												

[illegible]

217. DITHIANON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	3Codex			0.5	3			2				1-1
												NATSUDAIDAI (flesh)												
												NATSUDAIDAI (peel)												
Wheat												NATSUDAIDAI (whole)	3Codex			5	3			2				1-1
Barley												Lemon	5IWHL			5	3			2				3-1
Rye												Orange (including Navel)	5IWHL			5	3			2				3-1
Corn (including Maize, Sweet corn)												Grapefruit	3Codex			5	3			2				1-1
Buckwheat												Lime	5IWHL			5	3			2				3-1
Other cereal grains												Other citrus fruits	3Codex			5	3			2				1-1
Soybeans (dry)																								
Beans (dry) *												Apple	5Codex			0.5	5			2			2	1-1
Peas												Japanese pear	5Codex				5			2			2	2
Broad beans												Pear	5Codex				5			2			2	2
Peanuts (dry)												Quince	5Codex			0.5	5			2			2	1-1
Other legumes/pulses												Loquat	5Codex			0.2	5			2			2	1-1
Potato												Peach	0.2IWHL			0.2				2			2	3-1
Taro												Nectarine	0.5IWHL			0.5				2			2	3-1
Sweet potato												Apricot	0.5IWHL			0.3				2			2	3-1
Yam												Japanese plum (including Prunes)	0.5IWHL			0.5				2			2	3-1
Konjac												Mume plum	0.5IWHL			0.5				2			2	3-1
Other potatoes												Cherry	5Codex			0.5	5			2			2	1-1
Sugar beet												Strawberry	0.5IWHL			0.5				2				3-1
Sugarcane												Raspberry	0.5IWHL			0.5								3-1
												Blackberry	0.5IWHL			0.5				2				3-1
Japanese radish (including Radish) (root)	0.1IWHL			0.1							4	Blueberry	0.5IWHL			0.5				2				3-1
Japanese radish (including Radish) (leaf)	0.5IWHL			0.5							4	Cranberry	0.5IWHL			0.5				2				3-1
Turnip (including Rutabaga) (root)	0.1IWHL			0.1							4	Huckleberry	0.5IWHL			0.5				2				3-1
Turnip (including Rutabaga) (leaf)	0.5IWHL			0.5							4	Other berries	0.5IWHL			0.5				2				3-1
Horseradish	0.1IWHL			0.1							4													
Watercress	0.5IWHL			0.5							4	Grape	3Codex			0.5	3			2			2	1-1
Chinese cabbage	0.5IWHL			0.5							4	Japanese persimon	0.5IWHL			0.5				2				3-1
Cabbage	0.5IWHL			0.5							4													
Brussels sprouts	0.5IWHL			0.5							4	Banana	0.5IWHL			0.5				2				3-1
Kale	0.5IWHL			0.5							4	Kiwifruit	0.2IWHL			0.2				2				3-1
KOMATSUNAI	0.5IWHL			0.5							4	Papaya	0.5IWHL			0.5				2				3-1
KYONA	0.5IWHL			0.5							4	Avocado	0.5IWHL			0.5				2				3-1
Qing-geng-cai	0.5IWHL			0.5							4	Pineapple	0.5IWHL			0.5				2				3-1
Cauliflower	0.5IWHL			0.5							4	Guava	0.5IWHL			0.5				2				3-1
Broccoli	0.5IWHL			0.5							4	Mango	0.5IWHL			0.5				2				3-1
Other cruciferous vegetables	0.5IWHL			0.5							4	Passion fruit	0.5IWHL			0.5				2				3-1
												Date	0.5IWHL			0.5				2				3-1
Burdock	0.1IWHL			0.1							4													
Salsify	0.1IWHL			0.1							4	Other fruits	0.5IWHL			0.5				2				3-1
Artichoke	0.5IWHL			0.5							4													
Chicory	0.5IWHL			0.5							4	Sunflower seeds												
Endive	0.5IWHL			0.5							4	Sesam seeds												
SHUNGIKU	0.5IWHL			0.5							4	Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)	0.5IWHL			0.5							4	Cotton seeds												
Other composite vegetables	0.5IWHL			0.5							4	Rape seeds												
												Other oil seeds												
Onion																								
Welsh (including Leek)	0.5IWHL			0.5							4	Ginkgo nut												
Garlic												Chestnut												
NIRA	0.5IWHL			0.5							4	Pecan												
Asparagus	0.5IWHL			0.5							4	Almond												
Multiplying onion (including Shallot)	0.5IWHL			0.5							4	Walnut												
Other liliaceous vegetables	0.5IWHL			0.5							4	Other nuts												
Carrot	0.1IWHL			0.1							4	Tea (Green, Black, Oolong, Wulong tea)												
Parsnip	0.1IWHL			0.1							4	Coffee beans												
Parsley	0.5IWHL			0.5							4	Cacao beans												
Celery	0.5IWHL			0.5							4	Hop	100Codex			100								2
MITSUBA	0.5IWHL			0.5							4													
Other umbelliferous vegetables	0.5IWHL			0.5							4	Cattle, muscle												
												Pig, muscle												
Tomato	0.5IWHL			0.5							4	Sheep, muscle												
Pimiento (Sweet pepper)												Horse, muscle												
Egg plant	0.5IWHL			0.5							4	Deer, muscle												
Other Solanaceous vegetables												Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)	0.5IWHL			0.5							4	Reindeer, muscle												
Pumpkin (including Squash)	0.5IWHL			0.5							4	Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)	0.5IWHL			0.5							4													
Water melon	0.5IWHL			0.2							4	Cattle, fat												
Melons	0.2IWHL			0.2							4	Pig, fat												
MAKUWAURI	0.2IWHL			0.2							4	Sheep, fat												
Other cucurbitaceous vegetables	0.5IWHL			0.5							4	Horse, fat												
												Deer, fat												
Spinach	0.5IWHL			0.5							4	Goat, fat												
Bamboo Shoots	0.1IWHL			0.1							4	Rabbit, fat												
Okra												Reindeer, fat												
Ginger	0.1IWHL			0.1							4	Other terrestrial mammals, fat												
Peas (with pods, immature)												Cattle, liver												
Kidney beans (with pods, immature)												Pig, liver												
Soybeans												Sheep, liver												
Button mushroom												Horse, liver												
SHIITAKE												Deer, liver												
Other mushrooms												Goat, liver												
Other vegetables	0.5IWHL			0.5							4	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

DITHIANON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney												Salmon												
Horse, kidney												Trout												
Deer, kidney												Other salmonidae												
Goat, kidney												Other diadromous fish												
Rabbit, kidney												Reindeer, kidney												
Other terrestrial mammals, kidney												Marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Rabbit, edible offal excluding liver and kidney												Oyster												
Reindeer, edible offal excluding liver and kidney												Abalone												
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals												
Cattle, milk												Other animals												
Sheep , milk												honey												
Goat, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Quail, muscle																								
Goose, muscle																								
Pheasant, muscle																								
Chukar partridge, muscle																								
Other poultry, muscle																								

218. DITHIOCARBAMATES

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	3	WHL		3			0.5		0.05		3-1	UNSHU orange	10	CodeX		1	10	7	0.2		5	7	1-1	
Wheat	1	CodeX			1	5	0.5			1	2	NATSUDAIDAI (flesh)	10	WHL		10					5	7	3-1	
Barley	1	CodeX			1	5	0.5			2	2	NATSUDAIDAI (peel)	10	WHL		1		7	0.2		5	7	3-1	
Rye	1	CodeX				5	0.5			1	6	NATSUDAIDAI (whole)	1	WHL		1		7	0.2		5	7	3-1	
Corn (including Maize, Sweet corn)	0.1	CodeX			0.1	5	3	7	0.05	7	2	Lemon	2			1	2	7	0.2		5	7	6	
Buckwheat	0.1					5	0.5		0.05		6	Orange (including Navel)	2	CodeX		1	2	7	0.2		5	7	1-1	
Other cereal grains	0.1					5	0.5			2	6	Grapefruit	2			1		7	0.2		5	7	6	
Soybeans (dry)	0.1	WHL		0.1			0.5			0.1	7	3-1	Other citrus fruits	10	CodeX		1	10	7	0.2		5	7	1-1
Beans (dry)	0.1	WHL		0.1		7	0.5	7	0.05	7	3-1	Apple	5	CodeX		1	5	10	3	7	3	7	1-1	
Peas	0.1	WHL		0.1		7	0.5	7	0.05	7	3-1	Japanese pear	5	CodeX		1	5		3	7	3	7	1-1	
Broad beans	0.1	WHL		0.1			0.5	7	0.05	7	3-1	Pear	5	CodeX		1	5	10	3	7	3	7	1-1	
Peanuts (dry)	0.1	CodeX		0.1	0.1	7	0.2	7	0.1		1-1	Quince	5	CodeX		1	5	10	3	7	3	7	1-1	
Other legumes/pulses	0.1	WHL		0.1		7	0.5	7	0.05	7	3-1	Loquat	5	CodeX		1	5		3	7	3	7	1-1	
Potato	0.2	CodeX		0.2	0.2	0.5	1		0.05	7	1-1	Peach	7	CodeX		1	7	10	3	7	3	7	1-1	
Taro	0.2	WHL		0.2						3	7	3-1	Nectarine	7	CodeX		1	7	10	3	7	3	7	1-1
Sweet potato	0.2	WHL		0.2						3	7	3-1	Apricot	7	CodeX		1	7	10	3	7	3	7	1-1
Yam	0.2	WHL		0.2						3	7	3-1	Japanese plum (including Prunes)	7	CodeX		1	7		3	7	3	7	1-1
Konjac	0.2	WHL		0.2						3	7	3-1	Mume plum	7	CodeX		1	7		3	7	3	7	1-1
Other potatoes	0.2	WHL		0.2						3	7	3-1	Cherry	7	CodeX		1	7		3	7	3	7	1-1
Sugar beet	0.5	CodeX		0.1	0.5	2				3	7	1-1	Strawberry	5	CodeX		1	5	7	10	7	3.8	7	1-1
Sugarcane													Raspberry	5			1	7	10	7	3	7	6	
Japanese radish (including Radish) (root)	0.4	WHL		0.4		7		7	3	7	3-1	Blackberry	5			1	7	10	7	3	7	6		
Japanese radish (including Radish) (leaf)	0.4	WHL		0.4		7	5		3	7	3-1	Blueberry	5			1	7	10	7	3	7	6		
Turnip (including Rutabaga) (root)	0.4	WHL		0.4		10	5		3	7	3-1	Cranberry	5	CodeX		1	5	7	10	7	3	7	1-1	
Turnip (including Rutabaga) (leaf)	0.4	WHL		0.4					3	7	3-1	Other berries	10	CodeX		1	10	7	10	7	5	7	1-1	
Horseradish	0.4	WHL		0.4					3	7	3-1	Grape	5	CodeX		1	5	7	10	7	3.8	7	1-1	
Watercress	0.4	WHL		0.4			5		5	7	3-1	Japanese persimmon	1	WHL		1			3		3	7	3-1	
Chinese cabbage	0.4	WHL		0.4			5		3	7	3-1	Banana	2	CodeX		1	2	4	2	1	3	7	1-1	
Cabbage	5	CodeX		0.4	5	10	2	7	3	7	1-1	Kiwifruit	1	WHL		1					3	7	3-1	
Brussels sprouts	0.4	WHL		0.4		10	2	7	3	7	3-1	Papaya	5	CodeX		1	5	10	5	7			1-1	
Kale	15	CodeX		0.4		10	5	7	3	7	1-1	Avocado	1	WHL		1					3	7	3-1	
KOMATSUNA	0.4	WHL		0.4			5		3	7	3-1	Pineapple	1	WHL		1					3	7	3-1	
KYONA	0.4	WHL		0.4			5		3	7	3-1	Guava	1	WHL		1		7		7	3	7	3-1	
Qing-geng-cai	0.4	WHL		0.4		10	5		3	7	3-1	Mango	2	CodeX		1	2	7	1	7	3	7	1-1	
Cauliflower	0.4	WHL		0.4		10	2	7	3	7	3-1	Passion fruit	1	WHL		1			3		3	7	3-1	
Broccoli	0.4	WHL		0.4		10	2	7	3	7	3-1	Date	1	WHL		1				7	0.05	7	3-1	
Other cruciferous vegetables	0.4	WHL		0.4		10	5	7	5	7	3-1	Other fruits	1	WHL		1		7	5		5	7	3-1	
Burdock	0.4	WHL		0.4					3	7	3-1	Sunflower seeds	1	WHL		1			0.05		0.1		3-1	
Salsify	0.4	WHL		0.4					3	7	3-1	Sesam seeds	1	WHL		1							4	
Artichoke	0.4	WHL		0.4					3	7	3-1	Safflower seeds	1	WHL		1							4	
Chicory	0.4	WHL		0.4			5		3	7	3-1	Cottonseed	1	WHL		1		0.5	10		0.1		3-1	
Endive	0.4	WHL		0.4		10	5		5	7	3-1	Rape seeds	1	WHL		1					0.1		3-1	
SHUNGIKU	0.4	WHL		0.4			5		5	7	3-1	Other oil seeds	1	WHL		1			0.2		0.1		3-1	
Lettuce (Cos lettuce, Leaf lettuce)	10	CodeX		0.4	10	10	5	7		7	1-1	Ginkgo nut	1	WHL		1					0.1		3-1	
Other composite vegetables	0.4	WHL		0.4			5		3	7	3-1	Chestnut	1	WHL		1					0.1		3-1	
Onion	0.5	CodeX		0.4	0.5	7	4	7	3	7	1-1	Pecan	0.1	CodeX		1	0.1	0.1			0.1		1-1	
Welsh (including Leek)	10	CodeX		0.4	10		4		3	7	1-1	Almond	0.1	CodeX		1	0.1	0.1	3		0.1		1-1	
Garlic	0.5	CodeX		0.4	0.5		4		3	7	1-1	Walnut	0.1	CodeX		1	0.1	0.1			0.1		1-1	
NIRA	0.4	WHL		0.4			5		5	7	3-1	Other nuts	1	WHL		1			3		0.1		3-1	
Asparagus	0.4	WHL		0.4	0.1	7	1	7		7	1-1	Tea (Green, Black, Oolong, Wulong tea)	10	WHL		10							4	
Multiplying onion (including Shallot)	0.4	WHL		0.4			2	7		7	1-1	Coffee beans	5	FC				5					5-1	
Other liliaceous vegetables	0.4	WHL		0.4			5		5	7	3-1	Cacao beans												
Carrot	1	CodeX		0.4	1	7	1	7	3	7	1-1	Hop	30	CodeX		2	30		10		25		1-1	
Parsnip	0.4	WHL		0.4			1		3	7	3-1	Cattle, muscle	0.05	CodeX			0.05		0.5		0.05		1-1	
Parsley	0.4	WHL		0.4			5					Pig, muscle	0.05	CodeX			0.05		0.5		0.05		1-1	
Celery	0.4	WHL		0.4		7	5	7	5	7	3-1	Sheep, muscle	0.05	CodeX			0.05		0.5		0.05		1-1	
MITSUBA	0.4	WHL		0.4			5		6		3-1	Horse, muscle	0.05	CodeX			0.05		0.5		0.05		1-1	
Other umbelliferous vegetables	0.4	WHL		0.4		10	5		5	7	3-1	Deer, muscle	0.05	CodeX			0.05		0.5		0.05		1-1	
Tomato	5	CodeX		2	5	7	3	7	3	7	1-1	Goat, muscle	0.05	CodeX			0.05		0.5		0.05		1-1	
Pimiento (Sweet pepper)	1	CodeX		0.4	1	7	3	7	3	7	1-1	Reindeer, muscle	0.05	CodeX			0.05		0.5		0.05		1-1	
Egg plant	0.4	WHL		0.4		7	3	7	3	7	3-1	Other terrestrial mammals, muscle	0.05	CodeX			0.05		0.5		0.05		1-1	
Other Solanaceous vegetables	0.4	WHL		0.4		7	5	7	3	7	3-1	Cattle, fat												
Cucumber (including Gherkin)	2	CodeX		2	2	7	2	7	3	7	1-1	Pig, fat												
Pumpkin (including Squash)	1	CodeX		0.4	1	7	2	7	2	7	1-1	Sheep, fat												
Oriental pickling melon (vegetable)	0.4	WHL		0.4			2		0.05	7	3-1	Horse, fat												
Water melon	1	CodeX		1	1	1	2		3	7	1-1	Deer, fat												
Melons	0.5	CodeX		1	0.5	7	2	7	3	7	1-1	Goat, fat												
MAKUWAURI	0.5	CodeX		1	0.5	7	2		0.05	7	1-1	Rabbit, fat												
Other cucurbitaceous vegetables	0.4	WHL		0.4			5		0.5	7	3-1	Reindeer, fat												
Spinach	0.4	WHL		0.4		7	5	7	3	7	3-1	Other terrestrial mammals, fat												
Bamboo shoots	0.4	WHL		0.4					0.05	7	3-1	Cattle, liver	0.1	CodeX			0.1	0.5	2		0.05		2	
Okra	0.4	WHL		0.4			3		7	3-1	Pig, liver	0.1	CodeX			0.1	0.5	2		0.05		2		
Ginger	0.4	WHL		0.4					3	7	3-1	Sheep, liver	0.1	CodeX			0.1	0.5	2		0.05		2	
Peas (with pods, immature)	0.4	WHL		0.4		7	2	7	3	7	3-1	Horse, liver	0.1	CodeX			0.1	0.5	2		0.05		2	
Kidney beans (with pods, immature)	0.4	WHL		0.4		10	2	7	3	7	3-1	Deer, liver	0.1	CodeX			0.1	0.5	2		0.05		2	
Soybeans	0.4	WHL		0.4				1	3	7	3-1	Goat, liver	0.1	CodeX			0.1	0.5	2		0.05		2	
Button mushroom	0.4	WHL		0.4					3	7	3-1	Rabbit, liver	0.1	CodeX			0.1	0.5	2		0.05		2	
SHITAKE	0.4	WHL		0.4					3	7	3-1	Reindeer, liver	0.1	CodeX			0.1	0.5	2		0.05		2	
Other mushrooms	0.4	WHL		0.4					3	7	3-1	Other terrestrial mammals, liver	0.1	CodeX			0.1	0.5	2		0.05		2	
Other vegetables	0.4	WHL		0.4																				

[illegible]

219. DITHIOPYR

[illegible]

DITHIOPYR

[illegible]

220. DIURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.05	WHL		0.05			0.1				3-1	UNSHU orange	0.05	WHL		0.05		1	0.5	1			3-1
											3-1	NATSUDAIDAI (flesh)											
Wheat	0.7	FC		0.05		1	0.1	1			3-2-1	NATSUDAIDAI (peel)						1	0.5	1			3-1
Barley	0.6	FC		0.05		1	0.1				3-2-1	NATSUDAIDAI (whole)	0.05	WHL		0.05		1	0.5	1			3-1
Rye	0.6	FC		0.05		1	0.1				3-2-1	Lemon	0.05	WHL		0.05		1	0.5	1			3-1
Corn (including Maize, Sweet corn)	0.7	FC		0.05		1	0.1	1			3-2-1	Orange (including Navel)	0.05	WHL		0.05		1	0.5	1			3-1
Buckwheat	0.05	WHL		0.05			0.1				3-1	Grapefruit	0.05	WHL		0.05		1	0.5	1			3-1
Other cereal grains	0.05	WHL		0.05		1	0.1				3-1	Lime	0.05	WHL		0.05		1	0.5	1			3-1
											3-1	Other citrus fruits	0.05	WHL		0.05		1	0.5	1			3-1
Soybeans (dry)	0.05	WHL		0.05							4												
Beans (dry)	0.05	WHL		0.05							4	Apple	0.05	WHL		0.05		1	0.5				3-1
Peas	0.05	WHL		0.05		1	0.05				3-1	Japanese pear	0.5	FC				1	0.5				5-1
Broad beans	0.05	WHL		0.05							4	Pear	0.8	FC				1	0.5				5-1
Peanuts (dry)	0.05	WHL		0.05			0.5				3-1	Quince	0.05	WHL		0.05			0.5				3-1
Other legumes/pulses	0.05	WHL		0.05		1					3-1	Loquat	0.05	WHL		0.05			0.5				3-1
Carrot	0.05	WHL		0.05		1		1			3-1	Strawberry	0.05	WHL		0.05		0.1	0.5				3-1
Taro	0.05	WHL		0.05							4	Raspberry	0.05	WHL		0.05			0.5				3-1
Sweet potato	0.05	WHL		0.05							4	Blackberry	0.05	WHL		0.05		1	0.5				3-1
Yam	0.05	WHL		0.05							4	Blueberry	0.05	WHL		0.05		1	0.5				3-1
Konjac	0.05	WHL		0.05							4	Cranberry	0.05	WHL		0.05			0.5				3-1
Other potatoes	0.05	WHL		0.05							4	Other berries	0.05	WHL		0.05		1	0.5				3-1
Sugar beet												Strawberry	0.05	WHL		0.05			0.5				3-1
Sugarcane	0.05	WHL		0.05		1	0.2				3-1	Raspberry	0.05	WHL		0.05		1	0.5				3-1
												Blackberry	0.05	WHL		0.05			0.5				3-1
Japanese radish (including Radish) (root)	0.05	WHL		0.05							4	Blueberry	0.05	WHL		0.05		1	0.5				3-1
Japanese radish (including Radish) (leaf)	0.05																						

[illegible]

221. DNOC

[illegible]

DNO C

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney												Salmon												
Horse, kidney												Trout												
Deer, kidney												Other salmonidae												
Goat, kidney												Other diadromous fish												
Rabbit, kidney												Reindeer, kidney												
Other terrestrial mammals, kidney												Marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Rabbit, edible offal excluding liver and kidney												Oyster												
Reindeer, edible offal excluding liver and kidney												Abalone												
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals												
Cattle, milk												Other animals												
Sheep , milk																								
Goat, milk												honey												
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Quail, muscle																								
Goose, muscle																								
Pheasant, muscle																								
Chukar partridge, muscle																								
Other poultry, muscle																								

222. DODINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.2FC									0.2	5-1	
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	0.2FC									0.2	5-1	
Rye												Lemon	0.2FC									0.2	5-1	
Corn (including Maize, Sweet corn)												Orange (including Navel)	0.2FC									0.2	5-1	
Buckwheat												Grapefruit	0.2FC									0.2	5-1	
Other cereal grains												Lime	0.2FC									0.2	5-1	
												Other citrus fruits	0.2FC									0.2	5-1	
Soybeans (dry)												Apple	5Codex					5	5	5	5	1	2	2
Beans (dry)												Japanese pear	5Codex					5	5	5	5	1	2	2
Peas												Pear	5Codex					5	5	5	5	1	2	2
Broad beans												Quince	3FC									1	2	5-1
Peanuts (dry)												Loquat	3FC									1	2	5-1
Other legumes/pulses																								
Potato												Peach	5Codex					5	5	5	5	1	2	2
Taro	0.2FC								0.2	5-1		Nectarine	3FC									1	2	5-1
Sweet potato	0.2FC								0.2	5-1		Apricot	3FC									1	2	5-1
Yam	0.2FC								0.2	5-1		Japanese plum (including Prunes)	3FC									1	2	5-1
Konjac	0.2FC								0.2	5-1		Mume plum	3FC									1	2	5-1
Other potatoes	0.2FC								0.2	5-1		Cherry	2Codex					2	5	5	5	2	1	2
Sugar beet	0.2FC								0.2	5-1		Strawberry	5Codex					5	5		5	0.2	2	2
Sugarcane												Raspberry	0.2FC									0.2	5-1	
												Blackberry	0.2FC									0.2	5-1	
Japanese radish (including Radish) (root)	0.2FC								0.2	5-1		Blueberry	0.2FC									0.2	5-1	
Japanese radish (including Radish) (leaf)	0.2FC								0.2	5-1		Cranberry	0.2FC									0.2	5-1	
Turnip (including Rutabaga) (root)	0.2FC								0.2	5-1		Other berries	0.2FC									0.2	5-1	
Turnip (including Rutabaga) (leaf)	0.2FC								0.2	5-1														
Horseradish	0.2FC								0.2	5-1		Grape	5Codex					5				0.2	2	
Watercress	0.2FC								0.2	5-1		Japanese persimon	0.2FC									0.2	5-1	
Chinese cabbage	0.2FC								0.2	5-1														
Cabbage	0.2FC								0.2	5-1		Banana	0.2FC									0.2	5-1	
Brussels sprouts	0.2FC								0.2	5-1		Kiwifruit	0.2FC									0.2	5-1	
Kale	0.2FC								0.2	5-1		Papaya	0.2FC									0.2	5-1	
KOMATSUNA	0.2FC								0.2	5-1		Avocado	0.2FC									0.2	5-1	
KYONA	0.2FC								0.2	5-1		Pineapple	0.2FC									0.2	5-1	
Qing-geng-cai	0.2FC								0.2	5-1		Guava	0.2FC									0.2	5-1	
Cauliflower	0.2FC								0.2	5-1		Mango	0.2FC									0.2	5-1	
Broccoli	0.2FC								0.2	5-1		Passion fruit	0.2FC									0.2	5-1	
Other cruciferous vegetables	0.2FC								0.2	5-1		Date												
Burdock	0.2FC								0.2	5-1		Other fruits	1FC									1	5-1	
Salsify	0.2FC								0.2	5-1														
Artichoke	0.2FC								0.2	5-1		Sunflower seeds												
Chicory	0.2FC								0.2	5-1		Sesam seeds												
Endive	0.2FC								0.2	5-1		Safflower seeds												
SHUNGIKU	0.2FC								0.2	5-1		Cotton seeds												
Lettuce (Cos lettuce, Leaf lettuce)	0.2FC								0.2	5-1		Rape seeds												
Other composite vegetables	1FC								1	5-1		Other oil seeds												
Onion	0.2FC								0.2	5-1		Ginkgo nut	0.2FC									0.2	5-1	
Welsh (including Leek)	0.2FC								0.2	5-1		Chestnut	0.2FC									0.2	5-1	
Garlic	0.2FC								0.2	5-1		Pecan	0.2FC								0.3	0.2	6	
NIRA	0.2FC								0.2	5-1		Almond	0.2FC									0.2	5-1	
Asparagus	0.2FC								0.2	5-1		Walnut	0.2FC									0.2	5-1	
Multiplying onion (including Shallot)	0.2FC								0.2	5-1		Other nuts	0.2FC									0.2	5-1	
Other liliaceous vegetables	0.2FC								0.2	5-1														
Carrot	0.2FC								0.2	5-1		Tea (Green, Black, Oolong, Wulong tea)												
Parsnip	0.2FC								0.2	5-1		Coffee beans												
Parsley	0.2FC								0.2	5-1		Cacao beans												
Celery	0.2FC								0.2	5-1		Hop												
MITSUBA	0.2FC								0.2	5-1														
Other umbelliferous vegetables	0.2FC								0.2	5-1		Cattle, muscle												
												Pig, muscle												
Tomato	0.2FC								0.2	5-1		Sheep, muscle												
Pimento (Sweet pepper)	0.2FC								0.2	5-1		Horse, muscle												
Egg plant	0.2FC								0.2	5-1		Deer, muscle												
Other Solanaceous vegetables	0.2FC								0.2	5-1		Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)	0.2FC								0.2	5-1		Reindeer, muscle												
Pumpkin (including Squash)	0.2FC								0.2	5-1		Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)	0.2FC								0.2	5-1														
Water melon	0.2FC								0.2	5-1		Cattle, fat												
Melons	0.2FC								0.2	5-1		Pig, fat												
MAKUWAURI	0.2FC								0.2	5-1		Sheep, fat												
Other cucurbitaceous vegetables	0.2FC								0.2	5-1		Horse, fat												
												Deer, fat												
Spinach	0.2FC								0.2	5-1		Goat, fat												
Bamboo shoots	0.2FC								0.2	5-1		Rabbit, fat												
Okra	0.2FC								0.2	5-1		Reindeer, fat												
Ginger	0.2FC								0.2	5-1		Other terrestrial mammals, fat												
Peas (with pods, immature)	0.2FC								0.2	5-1		Cattle, liver												
Kidney beans (with pods, immature)	0.2FC								0.2	5-1		Pig, liver												
Soybeans	0.2FC								0.2	5-1		Sheep, liver												
												Horse, liver												
Button mushroom	0.2FC								0.2	5-1		Deer, liver												
SHITAKE	0.2FC								0.2	5-1		Goat, liver												
Other mushrooms	0.2FC								0.2	5-1		Rabbit, liver												
Other vegetables	0.2FC								0.2	5-1		Other terrestrial mammals, liver												

The MRL of Pecan is harmonized with the MRL of the similar products.

DODINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney																								
Horse, kidney												Salmon												
Deer, kidney												Trout												
Goat, kidney												Other salmonidae												
Rabbit, kidney												Other diadromous fish												
Reindeer, kidney																								
Other terrestrial mammals, kidney												Marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Rabbit, edible offal excluding liver and kidney												Oyster												
Reindeer, edible offal excluding liver and kidney												Abalone												
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals												
Cattle, milk												Other animals												
Sheep, milk												honey												
Goat, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Quail, muscle																								
Goose, muscle																								
Pheasant, muscle																								
Chukar partridge, muscle																								