

223. DORAMECTIN

[illegible]

DORAMECTIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.03	Codex		0.03	0.03		0.1		0.03	0.03	1-1	Catfish											
Pig, kidney	0.03	Codex		0.03	0.03		0.03		0.03	0.03	1-1	Other freshwater fish											
Sheep, kidney	0.03						0.05		0.03		6	Salmon											
Horse, kidney												Trout											
Deer, kidney	0.03	FC							0.03		5-1	Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney																							
Reindeer, kidney	0.03	FC							0.03		5-1	Marine fish											
Other terrestrial mammals, kidney												Shrimps or prawns											
Cattle, edible offal excluding liver and kidney	0.03	PAL		0.03			0.1				5-1	Lobster											
Pig, edible offal excluding liver and kidney	0.03	PAL		0.03			0.05					Crayfish											
Sheep, edible offal excluding liver and kidney												Other crustaceans											
Horse, edible offal excluding liver and kidney												Oyster											
Deer, edible offal excluding liver and kidney												Abalone											
Goat, edible offal excluding liver and kidney												Other aquatic animals											
Rabbit, edible offal excluding liver and kidney																							
Reindeer, edible offal excluding liver and kidney												Other animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk							0.06																
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

For sheep kidneys, the PR-MRL was harmonized with the corresponding PR-MRLs for cattle and pigs.

224. DOXYCYCLINE

[illegible]

[illegible]

225. EMAMECTIN BENZOATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.1	WHL		0.1								4
Wheat												NATSUDAIDAI (flesh)												
Barley	0.1	WHL		0.1							4	NATSUDAIDAI (peel)												
Rye	0.1	WHL		0.1							4	NATSUDAIDAI (whole)												
Corn (including Maize, Sweet corn)	0.1	WHL		0.1							4	Lemon												
Buckwheat	0.1	WHL		0.1							4	Orange (including Navel)												
Other cereal grains	0.1	WHL		0.1							4	Grapefruit												
Soybeans (dry)												Other citrus fruits												
Beans (dry)												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts (dry)												Quince												
Other legumes/pulses												Loquat	0.1	WHL		0.1								4
Potato	0.1	WHL		0.1							4	Peach	0.1	WHL		0.1								4
Taro	0.1	WHL		0.1							4	Nectarine												
Sweet potato	0.1	WHL		0.1							4	Apricot	0.1	WHL		0.1								4
Yam	0.1	WHL		0.1							4	Japanese plum (including Prunes)	0.1	WHL		0.1								4
Konjac	0.1	WHL		0.1							4	Mume plum	0.1	WHL		0.1								4
Other potatoes	0.1	WHL		0.1							4	Cherry	0.1	WHL		0.1								4
Sugar beet												Strawberry	0.1	WHL		0.1								4
Sugarcane												Raspberry	0.1	WHL		0.1								4
Japanese radish (including Radish) (root)	0.1	MRL	0.1									Blackberry	0.1	WHL		0.1								4
Japanese radish (including Radish) (leaf)	0.1	MRL	0.1									Blueberry	0.1	WHL		0.1								4
Turnip (including Rutabaga) (root)	0.1	WHL		0.1							4	Cranberry	0.1	WHL		0.1								4
Turnip (including Rutabaga) (leaf)	0.5	WHL		0.5							4	Other berries	0.1	WHL		0.1								4
Horseradish	0.1	WHL		0.1							4	Grape	0.1	WHL		0.1								4
Watercress	0.5	WHL		0.5							4	Japanese persimon												
Chinese cabbage	0.1	MRL	0.1								4	Banana												
Cabbage	0.1	MRL	0.1								4	Kiwifruit	0.1	WHL		0.1								4
Brussels sprouts	0.1	MRL	0.1								4	Papaya												
Kale	0.5	WHL		0.5							4	Avocado												
KOMATSUNA	0.5	WHL		0.5							4	Pineapple												
KYONA	0.5	WHL		0.5							4	Guava												
Qing-geng-cai	0.5	WHL		0.5		0.025	0.02				3-1	Mango												
Cauliflower	0.5	WHL		0.5		0.025	0.02				3-1	Passion fruit												
Broccoli	0.1	MRL	0.1			0.025					3-1	Date	0.1	WHL		0.1								4
Other cruciferous vegetables	0.5	WHL		0.5		0.025					3-1	Other fruits	0.1	WHL		0.1				0.05				3-1
Burdock	0.1	WHL		0.1							4	Sunflower seeds												
Salsify	0.1	WHL		0.1							4	Sesam seeds												
Artichoke	0.5	WHL		0.5							4	Safflower seeds												
Chicory	0.5	WHL		0.5							4	Cotton seeds	0.05	FC						0.05				5-1
Endive	0.5	WHL		0.5							4	Rapeseeds	0.05	FC						0.05				5-1
SHUNGIKU	0.5	WHL		0.5							4	Other oil seeds	0.05	FC						0.05				5-1
Lettuce (Cos lettuce, Leaf lettuce)	0.5	WHL		0.5		0.025	0.2				3-1	Ginkgo nut												
Other composite vegetables	0.5	WHL		0.5			0.05				3-1	Chestnut												
Onion											4	Pecan												
Welsh (including Leek)	0.5	WHL		0.5							4	Almond												
Garlic											4	Walnut												
NIRA	0.5	WHL		0.5			0.05				3-1	Other nuts												
Asparagus	0.5	WHL		0.5							4	Tea (Green, Black, Oolong, Wulong tea)	0.5	MRL		0.5								
Multiplying onion (including Shallot)	0.5	WHL		0.5							4	Coffee beans												
Other liliaceous vegetables	0.5	WHL		0.5			0.05				3-1	Cacao beans												
Carrot	0.1	WHL		0.1							4	Hop												
Parsnip	0.1	WHL		0.1							4	Cattle, muscle												
Parsley	0.5	WHL		0.5			0.05				3-1	Pig, muscle												
Celery	0.5	WHL		0.5		0.025	0.05				3-1	Sheep, muscle												
MITSUBA	0.5	WHL		0.5			0.05				3-1	Horse, muscle												
Other umbelliferous vegetables	0.5	WHL		0.5			0.05				3-1	Deer, muscle												
Tomato	0.1	MRL	0.1								4	Goat, muscle												
Pimento (Sweet pepper)	0.2	WHL		0.2							4	Pig, muscle												
Egg plant	0.1	MRL	0.1								4	Reindeer, muscle												
Other Solanaceous vegetables	0.2	WHL		0.2							4	Other terrestrial mammals, muscle												
Cucumber (including Gherkin)	0.1	MRL	0.1								4	Cattle, fat												
Pumpkin (including Squash)	0.1	WHL		0.1							4	Pig, fat												
Oriental pickling melon (vegetable)	0.1	WHL		0.1							4	Sheep, fat												
Water melon	0.1	WHL		0.1							4	Horse, fat												
Melons	0.1	WHL		0.1							4	Deer, fat												
MAKUWAURI	0.1	WHL		0.1							4	Goat, fat												
Other cucurbitaceous vegetables	0.1	WHL		0.1							4	Rabbit, fat												
Spinach	0.5	WHL		0.5							4	Reindeer, fat												
Bamboo shoots	0.1	WHL		0.1							4	Other terrestrial mammals, fat												
Okra	0.2	WHL		0.2							4	Cattle, liver	0.01	FC						0.01				5-1
Ginger	0.1	WHL		0.1							4	Pig, liver	0.01	FC						0.01				5-1
Peas (with pods, immature)	0.1	WHL		0.1							4	Sheep, liver	0.01	FC						0.01				5-1
Kidney beans (with pods, immature)	0.1	WHL		0.1							4	Horse, liver	0.01	FC						0.01				5-1
Soybeans	0.1	WHL		0.1							4	Deer, liver	0.01	FC						0.01				5-1
Button mushroom												Goat, liver	0.01	FC						0.01				5-1
SHITAKE												Rabbit, liver	0.01	FC						0.01				5-1
Other mushrooms												Reindeer, liver	0.01	FC						0.01				5-1
Other vegetables	0.5	WHL		0.5			0.05				3-1	Other terrestrial mammals, liver	0.01	FC						0.01				5-1

[illegible]

226. ENDOSULFAN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	Codex			0.1		0.1		0.05		2	UNSHU orange	0.5	WHL		0.5			2		0.5		3-1
Wheat	0.2	Codex			0.2	0.1	0.2		0.05		2	NATSUDAIDAI (flesh)											
Barley	0.1	FC				0.1	0.2		0.05		5-1	NATSUDAIDAI (peel)	0.5	WHL		0.5			2		0.5		3-1
Rye	0.1	FC				0.1	0.2		0.05		5-1	Lemon	0.5	WHL		0.5			2		0.5		3-1
Corn (including Maize, Sweet corn)	0.1	Codex			0.1	0.2	2		0.05	2	2	Orange (including Navel)	0.5	Codex		0.5	0.5		2		0.5		1-1
Buckwheat	0.1	FC					0.2		0.05		5-1	Grapefruit	0.5	WHL		0.5			2		0.5		3-1
Other cereal grains	0.1	FC				0.1	0.2		0.05		5-1	Lime	0.5	WHL		0.5			2		0.5		3-1
Soybeans (dry)	1	Codex		0.5	1		1		0.5	2	1-1	Other citrus fruits	0.5	Codex		0.5	0.5		2		0.5		1-1
Beans (dry)*	1	FC		0.5		2	1	1	0.05	2	3-2-1	Apple	1	Codex		0.5		1	2	2	2	0.3	1-1
Peas	0.5	WHL		0.5			1	0.5	0.05	2	3-1	Japanese pear	1	Codex		0.5		1	2	2	2	0.3	2
Broad beans	0.5	WHL		0.5			1	1	0.05	2	3-1	Pear	1	Codex		0.5		1	2	2	2	0.3	2
Peanuts (dry)	0.5	WHL		0.5			1		0.1		3-1	Quince	1	Codex		0.5		1	2	2	2	0.3	1-1
Other legumes/pulses	0.5	WHL		0.5			1	1	0.05	2	3-1	Loquat	1	Codex		0.5		1	2	2	2	0.3	1-1
Potato	0.2	Codex		0.5	0.2	0.2	2		0.05	2	1-1	Peach	1	Codex		0.5		1	2	2	2	0.5	1-1
Taro	0.5	WHL		0.5			2		0.05	2	3-1	Nectarine	0.5	WHL		0.5			2	2	2	0.05	3-1
Sweet potato	0.5	WHL		0.5		0.2	2		0.05	2	3-1	Apricot	0.5	WHL		0.5			2	2	2	0.05	3-1
Yam	0.5	WHL		0.5			2		0.05	2	3-1	Japanese plum (including Prunes)	1	Codex		0.5		1	2	2	2	0.05	1-1
Konjac	0.5	WHL		0.5			2		0.05	2	3-1	Mume plum	0.5	WHL		0.5			2	2	2	0.05	3-1
Other potatoes	0.5	WHL		0.5			2		0.05	2	3-1	Cherry	1	Codex		0.5		1	2	2	2	0.05	1-1
Sugar beet	0.1	Codex		0.5	0.1	0.1	2		0.05	2	1-1	Strawberry	0.5	WHL		0.5			2	2	1	0.05	2
Sugarcane	0.5	FC				0.5					5-1	Raspberry	0.5	WHL		0.5		0.1	2	2	2	0.05	2
Japanese radish (including Radish) (root)	0.5	WHL		0.5			2		0.05	2	3-1	Blackberry	0.5	WHL		0.5			2	2	0.05	2	
Japanese radish (including Radish) (leaf)	0.5	WHL		0.5			2		0.05	2	3-1	Blueberry	0.5	WHL		0.5		0.1	2	2	0.05	2	
Turnip (including Rutabaga) (root)	0.5	WHL		0.5			2		0.05	2	3-1	Cranberry	0.5	WHL		0.5			2	2	0.05	2	
Turnip (including Rutabaga) (leaf)	0.5	WHL		0.5			2		0.05	2	3-1	Other berries	0.5	WHL		0.5			2	2	0.05	2	
Horseradish	0.5	WHL		0.5			2		0.05	2	3-1	Grape	1	Codex		0.5		1	2	2	1	0.5	1-1
Watercress	0.5	WHL		0.5			2		1	0.05	2	3-1	Japanese persimon	0.5	WHL		0.5			2		0.05	3-1
Chinese cabbage	0.5	WHL		0.5			2		0.05	2	3-1	Banana	0.5	WHL		0.5			2		0.05	3-1	
Cabbage	2	Codex		0.5	2	2	2	2	0.05	2	1-1	Kiwifruit	0.5	WHL		0.5			2		0.05	3-1	
Brussels sprouts	0.5	WHL		0.5			2		0.05	2	3-1	Papaya	0.5	WHL		0.5			2		0.05	3-1	
Kale	1	Codex		0.5	1	2			0.05	2	1-1	Avocado	0.5	WHL		0.5			2		0.05	3-1	
KOMATSUNA	0.5	WHL		0.5			2		0.05	2	3-1	Pineapple	2	Codex		0.5	2	2	2	2	0.05	1-1	
KYONA	0.5	WHL		0.5			2		0.05	2	3-1	Guava	0.5	WHL		0.5			2		0.05	3-1	
Qing-geng-cai	0.5	WHL		0.5			2		0.05	2	3-1	Mango	0.5	WHL		0.5			2	2	0.05	3-1	
Cauliflower	0.5	Codex		0.5	0.5	2	2	2	1	0.05	2	1-1	Passion fruit	0.5	WHL		0.5			2	2	0.05	3-1
Broccoli	0.5	Codex		0.5	0.5	2	2	2	0.05	2	1-1	Date	0.5	WHL		0.5			2	2	0.05	3-1	
Other cruciferous vegetables	0.5	WHL		0.5		2	2		0.05	2	3-1	Other fruits	0.5	WHL		0.5			2	2	0.5	2	3-1
Burdock	0.5	WHL		0.5			2		0.05	2	3-1	Sunflower seeds	1	Codex		0.5	1	2	1		0.1	1-1	
Salsify	0.5	WHL		0.5			2		0.05	2	3-1	Sesam seeds	0.5	WHL		0.5			2	1	0.1	3-1	
Artichoke	0.5	WHL		0.5		2	2	1	0.05	2	3-1	Safflower seeds	0.5	WHL		0.5		0.2	1		0.1	3-1	
Chicory	0.5	WHL		0.5			2		0.05	2	3-1	Cotton seeds	1	Codex		0.5		0.1	1		0.3	1-1	
Endive	0.5	WHL		0.5			2		0.05	2	3-1	Rape seeds	0.5	Codex		0.5	0.5	0.2	1		0.1	1-1	
SHUNGIKU	0.5	WHL		0.5			2		0.05	2	3-1	Other oil seeds	0.5	WHL		0.5			1		0.5	3-1	
Lettuce (Cos lettuce, Leaf lettuce)	0.5	Codex		0.5	1	2		2	0.05	2	1-1	Ginkgo nut	0.5	WHL		0.5			2		0.1	3-1	
Other composite vegetables	0.5	WHL		0.5			2		0.05	2	3-1	Chestnut	0.5	WHL		0.5			2		0.1	3-1	
Onion	0.2	Codex		0.5	0.2		0.2		0.05	2	1-1	Pecan	0.5	WHL		0.5		0.2	2		0.1	3-1	
Welsh (including Leek)	0.5	WHL		0.5					0.05	2	3-1	Almond	0.5	WHL		0.5		0.2	2		0.1	3-1	
Garlic	0.5	WHL		0.5					0.05	2	3-1	Walnut	0.5	WHL		0.5		0.2	2		0.1	3-1	
NIRA	0.5	WHL		0.5					0.05	2	3-1	Other nuts	0.5	WHL		0.5		0.2	2		0.5	3-1	
Asparagus	0.5	WHL		0.5			2		0.05	2	3-1	Tea (Green, Black, Oolong, Wulong tea)	30	Codex		0.5	30	24	30		30	1-1	
Multiplying onion (immature)	0.5	WHL		0.5			2		0.05	2	3-1	Coffee beans	0.1	Codex			0.1					2	
Other liliaceous vegetables	0.5	WHL		0.5			2		0.05	2	3-1	Cacao beans	0.1	Codex			0.1					2	
Carrot	0.2	Codex		0.5	0.2	0.2	2		0.05	2	1-1	Hop	0.1	FC							0.1	5-1	
Parsnip	0.5	WHL		0.5			2		0.05	2	3-1	Cattle, muscle	0.1	FC					0.2		0.1	0.1	5-1
Parsley	0.5	WHL		0.5			2		0.05	2	3-1	Pig, muscle	0.1	FC					0.2		0.1	0.1	5-1
Celery	2	Codex		0.5	2	2	2	1	0.05	2	1-1	Sheep, muscle	0.1	FC					0.2		0.1	0.1	5-1
MITSUBA	0.5	WHL		0.5			2		0.05	2	3-1	Horse, muscle	0.2	FC				0.2		0.2	0.1	0.1	5-1
Other umbelliferous vegetables	0.5	WHL		0.5			2		0.05	2	3-1	Deer, muscle	0.1	FC					0.2		0.1	0.1	5-1
Tomato	0.5	Codex		0.5	0.5	2	2	1	0.5	2	1-1	Goat, muscle	0.1	FC				0.2		0.1	0.1	0.1	5-1
Pimento (Sweet pepper)	0.5	WHL		0.5			2	2	1	1	2	3-1	Reindeer, muscle	0.1	FC							0.1	5-1
Egg plant	0.5	WHL		0.5			2	2	1	0.05	2	3-1	Other terrestrial mammals, muscle	0.1	FC							0.1	5-1
Other Solanaceous vegetables	0.5	WHL		0.5			2	2	1	1	2	3-1	Cattle, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2
Cucumber (including Gherkin)	0.5	Codex		0.5	0.5	2	2	1	0.05	2	1-1	Pig, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2	
Pumpkin (including Squash)	0.5	Codex		0.5	0.5	2	2	1	0.3	2	1-1	Sheep, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2	
Oriental pickling melon (vegetable)	0.5	WHL		0.5			2		0.05	2	3-1	Horse, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2	
Water melon	0.5	WHL		0.5			2		0.3	2	3-1	Deer, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2	
Melons	0.5	Codex		0.5	0.5	2	2	1	0.3	2	1-1	Goat, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2	
MAKUWAURI	0.5	Codex		0.5	0.5	2	2		0.05	2	1-1	Rabbit, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2	
Other cucurbitaceous vegetables	0.5	WHL		0.5			2		0.3	2	3-1	Reindeer, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2	
Spinach	2	Codex		0.5	2	2		2	0.05	2	1-1	Other terrestrial mammals, fat	0.1	Codex		0.1	0.1	0.2	0.2		0.1	2	
Bamboo shoots	0.5	WHL		0.5			2		0.05	2	3-1	Cattle, liver	0.2	FC				0.2	0.2	0.1	0.1	5-1	
Okra	0.5	WHL		0.5			2		0.05	2	3-1	Pig, liver	0.2	FC				0.2	0.2	0.1	0.1	5-1	
Ginger	0.5	WHL		0.5			2		0.05	2	3-1	Sheep, liver	0.2	FC				0.2	0.2	0.1	0.1	5-1	
Peas (with pods, immature)	0.5	WHL		0.5			2		0.05	2	3-1	Horse, liver	0.2	FC				0.2	0.2		0.1	5-1	
Kidney beans (with pods, immature)	0.5	Codex		0.5	0.5	2	2	1	0.05	2	1-1	Deer, liver	0.2	FC				0.2	0.2		0.1	5-1	
Soybeans	0.5	WHL		0.5			2		0.05	2	3-1	Goat, liver	0.2	FC				0.2	0.2	0.1	0.1	5-1	
Button mushroom	0.5	WHL		0.5			2		0.05	2	3-1	Rabbit, liver	0.2	FC									

	P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.2	FC				0.2	0.2	0.1	0.1		5-1	Catfish											
Pig, kidney	0.2	FC				0.2	0.2	0.1	0.1		5-1	Other freshwater fish											
Sheep, kidney	0.2	FC				0.2	0.2	0.1	0.1		5-1												
Horse, kidney	0.2	FC				0.2	0.2		0.1		5-1	Salmon											
Deer, kidney	0.2	FC					0.2		0.1		5-1	Trout											
Goat, kidney	0.2	FC				0.2	0.2	0.1	0.1		5-1	Other salmonidae											
Rabbit, kidney	0.2	FC					0.2		0.1		5-1	Other diadromous fish											
Reindeer, kidney	0.2	FC					0.2		0.1		5-1												
Other terrestrial mammals, kidney	0.2	FC					0.2		0.1		5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	0.2	FC				0.2	0.2	0.1	0.1		5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.2	FC				0.2	0.2	0.1	0.1		5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.2	FC				0.2	0.2	0.1	0.1		5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.2	FC				0.2	0.2		0.1		5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.2	FC					0.2		0.1		5-1												
Goat, edible offal excluding liver and kidney	0.2	FC				0.2	0.2	0.1	0.1		5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.2	FC					0.2		0.1		5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.2	FC					0.2		0.1		5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.2	FC					0.2		0.1		5-1												
Cattle, milk	0.004	CodeX			0.004			0.1	0.004		2	Other animals											
Sheep, milk	0.004	CodeX			0.004			0.1	0.004		2	honey											
Goat, milk	0.004	CodeX			0.004			0.1	0.004		2												
Other terrestrial mammals, milk	0.004	CodeX			0.004			0.1	0.004		2												
Chicken, muscle	0.1	FC						0.1	0.1		5-1												
Duck, muscle	0.1	FC						0.1	0.1		5-1												
Turkey, muscle	0.1	FC						0.1	0.1		5-1												
Quail, muscle	0.1	FC						0.1	0.1		5-1												
Goose, muscle	0.1	FC						0.1	0.1		5-1												
Pheasant, muscle	0.1	FC						0.1	0.1		5-1												
Chukar partridge, muscle	0.1	FC						0.1	0.1		5-1												
Other poultry, muscle	0.1	FC						0.1	0.1		5-1												
Chicken, fat	0.2	FC					0.2		0.1		5-1												
Duck, fat	0.2	FC					0.2		0.1		5-1												
Turkey, fat	0.2	FC					0.2		0.1		5-1												
Quail, fat	0.2	FC					0.2		0.1		5-1												
Goose, fat	0.2	FC					0.2		0.1		5-1												
Pheasant, fat	0.2	FC					0.2		0.1		5-1												
Chukar partridge, fat	0.2	FC					0.2		0.1		5-1												
Other poultry, fat	0.2	FC					0.2		0.1		5-1												
Chicken, liver	0.2	FC					0.2	0.1	0.1		5-1												
Duck, liver	0.1	FC					0.2	0.1	0.1		5-1												
Turkey, liver	0.1	FC					0.2	0.1	0.1		5-1												
Quail, liver	0.1	FC					0.2	0.1	0.1		5-1												
Goose, liver	0.1	FC					0.2	0.1	0.1		5-1												
Pheasant, liver	0.1	FC					0.2	0.1	0.1		5-1												
Chukar partridge, liver	0.1	FC					0.2	0.1	0.1		5-1												
Other poultry, liver	0.1	FC					0.2	0.1	0.1		5-1												
Chicken, kidney	0.1	FC					0.2	0.1	0.1		5-1												
Duck, kidney	0.1	FC					0.2	0.1	0.1		5-1												
Turkey, kidney	0.1	FC					0.2	0.1	0.1		5-1												
Quail, kidney	0.1	FC					0.2	0.1	0.1		5-1												
Goose, kidney	0.1	FC					0.2	0.1	0.1		5-1												
Pheasant, kidney	0.1	FC					0.2	0.1	0.1		5-1												
Chukar partridge, kidney	0.1	FC					0.2	0.1	0.1		5-1												
Other poultry, kidney	0.1	FC					0.2	0.1	0.1		5-1												
Chicken, edible offal excluding liver and kidney	0.1	FC					0.2	0.1	0.1		5-1												
Duck, edible offal excluding liver and kidney	0.1	FC					0.2	0.1	0.1		5-1												
Turkey, edible offal excluding liver and kidney	0.1	FC					0.2	0.1	0.1		5-1												
Quail, edible offal excluding liver and kidney	0.1	FC					0.2	0.1	0.1		5-1												
Goose, edible offal excluding liver and kidney	0.1	FC					0.2	0.1	0.1		5-1												
Pheasant, edible offal excluding liver and kidney	0.1	FC					0.2	0.1	0.1		5-1												
Chukar partridge, edible offal excluding liver and kidney	0.1	FC					0.2	0.1	0.1		5-1												
Other poultry, edible offal excluding liver and kidney	0.1	FC					0.2	0.1	0.1		5-1												
Chicken, eggs	0.08	FC					0.08		0.1		5-1												
Turkey, eggs	0.08	FC					0.05		0.1		5-1												
Other poultry, eggs	0.08	FC					0.05		0.1		5-1												

227. ENDOTHAL

[illegible]

ENDOTHAL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney												Salmon											
Horse, kidney												Trout											
Deer, kidney												Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney												Reindeer, kidney											
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
Cattle, milk												Other animals											
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

228. ENDRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	N.D.	MRL	N.D.									UNSHU orange	N.D.	MRL	N.D.								
Wheat	N.D.	MRL	N.D.									NATSUDAIDAI (flesh)	N.D.	MRL	N.D.								
Barley	0.01	FC							0.01		5-1	NATSUDAIDAI (peel)	N.D.	MRL	N.D.								
Rye	0.01	FC							0.01		5-1	NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	N.D.	MRL	N.D.									Lemon											
Buckwheat	N.D.	MRL	N.D.									Orange (including Navel)											
Other cereal grains	0.01	FC							0.01		5-1	Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple	N.D.	MRL	N.D.								
Peas	N.D.	MRL	N.D.									Japanese pear	N.D.	MRL	N.D.								
Broad beans	N.D.	MRL	N.D.									Pear	N.D.	MRL	N.D.								
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat	N.D.	MRL	N.D.								
Potato	N.D.	MRL	N.D.									Peach	N.D.	MRL	N.D.								
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry	N.D.	MRL	N.D.								
Sugar beet												Strawberry	N.D.	MRL	N.D.								
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)	N.D.	MRL	N.D.									Blackberry											
Japanese radish (including Radish) (leaf)	N.D.	MRL	N.D.									Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish												Grape	N.D.	MRL	N.D.								
Watercress												Japanese persimon	N.D.	MRL	N.D.								
Chinese cabbage	N.D.	MRL	N.D.									Banana											
Cabbage	N.D.	MRL	N.D.									Kiwifruit											
Brussels sprouts	N.D.	MRL	N.D.									Papaya											
Kale												Avocado											
KOMATSUNO	N.D.	MRL	N.D.									Pineapple											
KYONA	N.D.	MRL	N.D.									Guava											
Qing-geng-cai												Mango											
Cauliflower	N.D.	MRL	N.D.									Passion fruit											
Broccoli	N.D.	MRL	N.D.									Date											
Other cruciferous vegetables												Other fruits											
Burdock												Sunflower seeds											
Salsify												Sesam seeds											
Artichoke												Safflower seeds											
Chicory												Cotton seeds											
Endive												Corn seeds											
SHUNGIKU												Rape seeds											
Lettuce (Cos lettuce, Leaf lettuce)	N.D.	MRL	N.D.									Other oil seeds											
Other composite vegetables												Ginkgo nut											
Onion												Chestnut											
Welsh (including Leek)												Pecan											
Garlic												Almond											
NIRA												Walnut											
Asparagus	N.D.	MRL	N.D.									Other nuts											
Multiplying onion (Shallot)	N.D.	MRL	N.D.									Tea (Green)	N.D.	MRL	N.D.								
Other liliaceous vegetables												Coffee beans											
Carrot												Cacao beans											
Parsnip												Hop											
Parsley												Cattle, muscle	0.05	FC							0.05		5-1
Celery	N.D.	MRL	N.D.									Pig, muscle	0.05	FC							0.05		5-1
MITSUBA												Sheep, muscle	0.05	FC							0.05		5-1
Other umbelliferous vegetables												Horse, muscle	0.05	FC							0.05		5-1
Tomato	N.D.	MRL	N.D.									Deer, muscle	0.05	FC							0.05		5-1
Pimento (Sweet pepper)	N.D.	MRL	N.D.									Goat, muscle	0.05	FC							0.05		5-1
Egg plant	N.D.	MRL	N.D.									Reindeer, muscle	0.05	FC							0.05		5-1
Other Solanaceous vegetables												Other terrestrial mammals, muscle	0.05	FC							0.05		5-1
Cucumber (including Gherkin)	N.D.	MRL	N.D.									Cattle, fat	0.05	FC							0.05		5-1
Pumpkin (including Squash)	0.05	Codex										Pig, fat	0.05	FC							0.05		5-1
Oriental pickling melon (vegetable)	0.05	Codex										Sheep, fat	0.05	FC							0.05		5-1
Water melon	N.D.	MRL	N.D.									Horse, fat	0.05	FC							0.05		5-1
Melons	0.05	Codex										Deer, fat	0.05	FC							0.05		5-1
MAKUWAURI	0.05	Codex										Goat, fat	0.05	FC							0.05		5-1
Other cucurbitaceous vegetables	0.05	Codex										Rabbit, fat	0.05	FC							0.05		5-1
Spinach	N.D.	MRL	N.D.									Reindeer, fat	0.05	FC							0.05		5-1
Bamboo shoots												Other terrestrial mammals, fat	0.05	FC							0.05		5-1
Okra												Cattle, liver	0.05	FC							0.05		5-1
Ginger												Pig, liver	0.05	FC							0.05		5-1
Peas (with pods, immature)	N.D.	MRL	N.D.									Sheep, liver	0.05	FC							0.05		5-1
Kidney beans (with pods, immature)	N.D.	MRL	N.D.									Horse, liver	0.05	FC							0.05		5-1
Soybeans	N.D.											Deer, liver	0.05	FC							0.05		5-1
Button mushroom												Goat, liver	0.05	FC							0.05		5-1
SHITAKE												Rabbit, liver	0.05	FC							0.05		5-1
Other mushrooms												Reindeer, liver	0.05	FC							0.05		5-1
Other vegetables												Other terrestrial mammals, liver	0.05	FC							0.05		5-1

The LOD is 0.005 ppm on analytical method in Japan.

[illegible]

229. ENROFLOXACIN

[illegible]

ENROFLOXACIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.01	PAL		0.01					0.2		3-1	Catfish											
Pig, kidney	0.01	PAL		0.01					0.3		3-1	Other freshwater fish											
Sheep, kidney	0.2	FC							0.2		5-1	Salmon											
Horse, kidney	0.2	FC							0.2		5-1	Trout											
Deer, kidney	0.2	FC							0.2		5-1	Other salmonidae											
Goat, kidney	0.2	FC							0.2		5-1	Other diadromous fish											
Rabbit, kidney	0.3	FC							0.3		5-1	Marine fish											
Reindeer, kidney	0.2	FC							0.2		5-1	Shrimps or prawns											
Other terrestrial mammals, kidney	0.2	FC							0.2		5-1	Lobster											
Cattle, edible offal excluding liver and kidney	0.01	PAL		0.01							4	Other crustaceans											
Pig, edible offal excluding liver and kidney	0.01	PAL		0.01							4	Oyster											
Sheep, edible offal excluding liver and kidney												Abalone											
Horse, edible offal excluding liver and kidney												Other aquatic animals											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney																							
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.02	PAL		0.02					0.1		3-1	Other animals											
Sheep, milk	0.1	FC							0.1		5-1	Honey											
Goat, milk	0.1	FC							0.1		5-1												
Other terrestrial mammals, milk																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.01	PAL		0.01		0.3			0.1		3-1												
Duck, muscle	0.1	FC							0.1		5-1												
Turkey, muscle	0.1					0.3			0.1		6												
Quail, muscle	0.1	FC							0.1		5-1												
Goose, muscle	0.1	FC							0.1		5-1												
Pheasant, muscle	0.1	FC							0.1		5-1												
Chukar partridge, muscle	0.1	FC							0.1		5-1												
Other poultry, muscle	0.1	FC							0.1		5-1												
Chicken, fat	0.01	PAL		0.01					0.1		3-1												
Duck, fat	0.1	FC							0.1		5-1												
Turkey, fat	0.1	FC							0.1		5-1												
Quail, fat	0.1	FC							0.1		5-1												
Goose, fat	0.1	FC							0.1		5-1												
Pheasant, fat	0.1	FC							0.1		5-1												
Chukar partridge, fat	0.1	FC							0.1		5-1												
Other poultry, fat	0.1	FC							0.1		5-1												
Chicken, liver	0.01	PAL		0.01					0.2		3-1												
Duck, liver	0.2	FC							0.2		5-1												
Turkey, liver	0.2	FC							0.2		5-1												
Quail, liver	0.2	FC							0.2		5-1												
Goose, liver	0.2	FC							0.2		5-1												
Pheasant, liver	0.2	FC							0.2		5-1												
Chukar partridge, liver	0.2	FC							0.2		5-1												
Other poultry, liver	0.2	FC							0.2		5-1												
Chicken, kidney	0.01	PAL		0.01					0.3		3-1												
Duck, kidney	0.3	FC							0.3		5-1												
Turkey, kidney	0.3	FC							0.3		5-1												
Quail, kidney	0.3	FC							0.3		5-1												
Goose, kidney	0.3	FC							0.3		5-1												
Pheasant, kidney	0.3	FC							0.3		5-1												
Chukar partridge, kidney	0.3	FC							0.3		5-1												
Other poultry, kidney	0.3	FC							0.3		5-1												
Chicken, edible offal excluding liver and kidney	0.01	PAL		0.01							4												
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

For turkey muscle, the PR-MRL was harmonized with the PR-MRL for duck muscle.

230. EPRINOMECTIN

[illegible]

[illegible]

231. EPTC

[illegible]

EPTC

[illegible]

232. ERYTHROMYCIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)											UNSHU orange												
Wheat											NATSUDAIDAI (flesh)												
Barley											NATSUDAIDAI (peel)												
Rye											NATSUDAIDAI (whole)												
Corn (including Maize Sweet corn)											Lemon												
Buckwheat											Orange (including Navel)												
Other cereal grains											Grapefruit												
											Lime												
Soybeans (dry)											Other citrus fruits												
Beans (dry)											Apple												
Peas											Japanese pear												
Broad beans											Pear												
Peanuts (dry)											Quince												
Other legumes/pulses											Loquat												
Potato											Peach												
Taro											Nectarine												
Sweet potato											Apricot												
Yam											Japanese plum (including Prunes)												
Konjac											Capnuit												
Other potatoes											Cherry												
Sugar beet											Strawberry												
Sugarcane											Raspberry												
											Blackberry												
Japanese radish (including Radish) (root)											Blueberry												
Japanese radish (including Radish) (leaf)											Cranberry												
Turnip (including Rutabaga) (root)											Blackberry												
Turnip (including Rutabaga) (leaf)											Huckleberry												
Horseradish											Other berries												
Watercress											Grape												
Chinese cabbage											Japanese persimon												
Cabbage																							
Brussels sprouts											Banana												
Kale											Kiwifruit												
KOMATSUNA											Papaya												
KYONA											Avocado												
Qing-geng-cai											Pineapple												
Cauliflower											Guava												
Broccoli											Mango												
Other cruciferous vegetables											Passion fruit												
Burdock											Date												
Salsify											Other fruits												
Artichoke											Sunflower seeds												
Chicory											Sesam seeds												
Endive											Safflower seeds												
SHINGIKU											Cotton seeds												
Lettuce (Cos lettuce, Leaf lettuce)											Rape seeds												
Other composite vegetables											Other oil seeds												
Onion											Ginkgo nut												
Welsh (including Leek)											Chestnut												
Garlic											Pecan												
NIRA											Almond												
Asparagus											Walnut												
Multiplying onion (including Shallot)											Other nuts												
Other liliaceous vegetables																							
Carrot											Cattle, muscle	0.05	PAL			0.05		0.1	0.3		0.2		3-1
Parsnip											Pig, muscle	0.05	PAL			0.05		0.1	0.3	0.1	0.2		3-1
Parsley											Sheep, muscle	0.3	FC						0.3		0.2		5-1
Celery											Horse, muscle	0.3	FC						0.3		0.2		5-1
MITSUBA											Deer, muscle	0.3	FC						0.3		0.2		5-1
Other umbelliferous vegetables											Goat, muscle	0.3	FC						0.3		0.2		5-1
Tomato											Rabbit, muscle	0.3	FC						0.3		0.2		5-1
Pimento (Sweet pepper)											Reindeer, muscle	0.3	FC						0.3		0.2		5-1
Egg plant											Other terrestrial mammals, muscle	0.3	FC						0.3		0.2		5-1
Other solanaceous vegetables																							
Cucumber (including Gherkin)											Cattle, fat	0.05	PAL			0.05		0.1			0.2		3-1
Pumpkin (including Squash)											Pig, fat	0.05	PAL			0.05		0.1		0.1	0.2		3-1
Oriental pickling melon (vegetable)											Sheep, fat	0.2	FC								0.2		5-1
Water melon											Horse, fat	0.2	FC								0.2		5-1
Melons											Deer, fat	0.2	FC								0.2		5-1
MAKUWARI											Goat, fat	0.2	FC								0.2		5-1
Other cucurbitaceous vegetables											Rabbit, fat	0.2	FC								0.2		5-1
Spinach											Reindeer, fat	0.2	FC								0.2		5-1
Bamboo shoots											Other terrestrial mammals, fat	0.2	FC								0.2		5-1
Okra											Cattle, liver	0.05	PAL			0.05		0.1	0.3		0.2		3-1
Ginger											Pig, liver	0.05	PAL			0.05		0.1	0.3	0.1	0.2		3-1
Peas (with pods, immature)											Sheep, liver	0.3	FC						0.3		0.2		5-1
Kidney beans (with pods, immature)											Horse, liver	0.3	FC						0.3		0.2		5-1
Soybeans											Deer, liver	0.3	FC						0.3		0.2		5-1
Button mushroom											Goat, liver	0.3	FC								0.2		5-1
SHIITAKE											Rabbit, liver	0.3	FC						0.3		0.2		5-1
Other mushrooms											Reindeer, liver	0.3	FC						0.3		0.2		5-1
Other vegetables											Other terrestrial mammals, liver	0.3	FC						0.3		0.2		5-1

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	PAL		0.05		0.1	0.3		0.2		3-1	Catfish	0.2	FC								0.2	5-1
Pig, kidney	0.05	PAL		0.05		0.1	0.3	0.1	0.2		3-1	Other freshwater fish	0.2	FC								0.2	5-1
Sheep, kidney	0.3	FC					0.3		0.2		5-1												
Horse, kidney	0.3	FC					0.3		0.2		5-1	Salmon	0.2	FC								0.2	5-1
Deer, kidney	0.3	FC					0.3		0.2		5-1	Trout	0.2	FC								0.2	5-1
Goat, kidney	0.3	FC					0.3		0.2		5-1	Other salmonidae	0.2	FC								0.2	5-1
Rabbit, kidney	0.3	FC					0.3		0.2		5-1	Other diadromous fish	0.2	FC								0.2	5-1
Reindeer, kidney	0.3	FC					0.3		0.2		5-1												
Other terrestrial mammals, kidney	0.3	FC					0.3		0.2		5-1	Order Perciformes	0.06	PAL		0.06						0.2	3-1
												Other marine fish	0.2	FC								0.2	5-1
Cattle, edible offal excluding liver and kidney	0.05	PAL		0.05		0.1	0.3				3-1												
Pig, edible offal excluding liver and kidney	0.05	PAL		0.05		0.1	0.3	0.1			3-1	Shrimps or prawns	0.2	FC								0.2	5-1
												Crab	0.2	FC								0.2	5-1
												Crayfish	0.2	FC								0.2	5-1
Deer, edible offal excluding liver and kidney												Other crustaceans	0.2	FC								0.2	5-1
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster	0.2	FC								0.2	5-1
Reindeer, edible offal excluding liver and kidney												Abalone	0.2	FC								0.2	5-1
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals	0.2	FC								0.2	5-1
	0.04	FC					0.04		0.04		5-1	Other animals											
Sheep, milk	0.04	FC					0.04	0.05	0.04		5-1												
Goat, milk	0.04	FC					0.04	0.05	0.04		5-1	Honey											
Other terrestrial mammals, milk	0.04	FC					0.04	0.05	0.04		5-1												
												For turkeys (muscle, livers, and kidneys) were harmonized with the corresponding PR-MRLs for ducks and quails.											

233. ESFENVALERATE

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney																								
Horse, kidney												Salmon												
Deer, kidney												Trout												
Goat, kidney												Other salmonidae												
Rabbit, kidney												Other diadromous fish												
Reindeer, kidney																								
Other terrestrial mammals, kidney												Marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Goat, edible offal excluding liver and kidney												Oyster												
Rabbit, edible offal excluding liver and kidney												Abalone												
Reindeer, edible offal excluding liver and kidney												Other aquatic animals												
Other terrestrial mammals, edible offal excluding liver and kidney																								
Cattle, milk												Other animals												
Sheep, milk												honey												
Goat, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle	0.03	FC				0.03					5-1													
Duck, muscle	0.03	FC				0.03					5-1													
Turkey, muscle	0.03	FC				0.03					5-1													
Quail, muscle	0.03	FC				0.03					5-1													
Goose, muscle	0.03	FC				0.03					5-1													
Pheasant, muscle	0.03	FC				0.03					5-1													
Chukar partridge, muscle	0.03	FC				0.03					5-1													
Other poultry, muscle	0.03	FC				0.03					5-1													
Chicken, fat	0.3	FC				0.3					5-1													
Duck, fat	0.3	FC				0.3					5-1													
Turkey, fat	0.3	FC				0.3					5-1													
Quail, fat	0.3	FC				0.3					5-1													
Goose, fat	0.3	FC				0.3					5-1													
Pheasant, fat	0.3	FC				0.3					5-1													
Chukar partridge, fat	0.3	FC				0.3					5-1													
Other poultry, fat	0.3	FC				0.3					5-1													
Chicken, liver	0.03	FC				0.03					5-1													
Duck, liver	0.03	FC				0.03					5-1													
Turkey, liver	0.03	FC				0.03					5-1													
Quail, liver	0.03	FC				0.03					5-1													
Goose, liver	0.03	FC				0.03					5-1													
Pheasant, liver	0.03	FC				0.03					5-1													
Chukar partridge, liver	0.03	FC				0.03					5-1													
Other poultry, liver	0.03	FC				0.03					5-1													
Chicken, kidney	0.3	FC				0.3					5-1													
Duck, kidney	0.3	FC				0.3					5-1													
Turkey, kidney	0.3	FC				0.3					5-1													
Quail, kidney	0.3	FC				0.3					5-1													
Goose, kidney	0.3	FC				0.3					5-1													
Pheasant, kidney	0.3	FC				0.3					5-1													
Chukar partridge, kidney	0.3	FC				0.3					5-1													
Other poultry, kidney	0.3	FC				0.3					5-1													
Chicken, edible offal excluding liver and kidney	0.3	FC				0.3					5-1													
Duck, edible offal excluding liver and kidney	0.3	FC				0.3					5-1													
Turkey, edible offal excluding liver and kidney	0.3	FC				0.3					5-1													
Quail, edible offal excluding liver and kidney	0.3	FC				0.3					5-1													
Goose, edible offal excluding liver and kidney	0.3	FC				0.3					5-1													
Pheasant, edible offal excluding liver and kidney	0.3	FC				0.3					5-1													
Chukar partridge, edible offal excluding liver and kidney	0.3	FC				0.3					5-1													
Other poultry, edible offal excluding liver and kidney	0.3	FC				0.3					5-1													
Chicken, eggs	0.03	FC				0.03					5-1													
Turkey, eggs	0.03	FC				0.03					5-1													
Other poultry, eggs	0.03	FC				0.03					5-1													
									</															

234. ETHALFLURALIN

[illegible]

ETHALFLURALIN

[illegible]

235. ETHAMETSULFURON-METHYL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Peas												Orange (including Navel)											
Corn (including Maize, Sweet corn)												Grapefruit											
Buckwheat												Lime											
Other cereal grains												Other citrus fruits											
Soybeans (dry)												Apple											
Beans (dry) *												Japanese pear											
Peas												Pear											
Broad beans												Quince											
Peanuts (dry)												Loquat											
Other legumes/pulses	0.02	FC						0.02			5-1												
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimmon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
Watercress												Papaya											
Qing-geng-cai												Avocado											
Cauliflower												Pineapple											
Broccoli												Guava											
Other cruciferous vegetables	0.02	FC						0.02			5-1	Mango											
Burdock												Passion fruit											
Salsify												Date											
Artichoke												Other fruits											
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds	0.02	FC				0.02					5-1
Onion												Other oil seeds	0.02	FC				0.02					5-1
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
Other umbelliferous vegetables												Cattle, muscle											
Tomato												Pig, muscle											
Pimento (Sweet pepper)												Sheep, muscle											
Egg plant												Horse, muscle											
Other Solanaceous vegetables												Deer, muscle											
Cucumber (including Gherkin)												Goat, muscle											
Pumpkin (including Squash)												Rabbit, muscle											
Oriental pickling melon (vegetable)												Reindeer, muscle											
Water melon												Other terrestrial mammals, muscle											
Melons												Cattle, fat											
MAKUWAURI												Pig, fat											
Other cucurbitaceous vegetables												Sheep, fat											
Spinach												Horse, fat											
Bamboo shoots												Deer, fat											
Okra												Goat, fat											
Ginger												Rabbit, fat											
Other terrestrial mammals, immature												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver											
Soybeans												Pig, liver											
Button mushroom												Sheep, liver											
SHIITAKE												Horse, liver											
Other mushrooms												Deer, liver											
Other vegetables												Goat, liver											
												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

ETHAMETSULFURON-METHYL

[illegible]

[illegible]

237. ETHION

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange		5	Codex		0.3	5	2	1	2	2		1-1
Potato												Peach		0.3	WHL		0.3							
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)						5	2	1	2	2	1-1	
Rye												NATSUDAIDAI (whole)					5	2	1	2	2	2	1-1	
Corn (including Maize, Sweet corn)												Lemon					5	2	1	2	2	2	1-1	
Buckwheat												Orange (including Navel)					5	2	1	2	2	2	1-1	
Other cereal grains												Grapefruit					5	2	1	2	2	2	1-1	
Soybeans (dry)												Lime					5	2	1	2	2	2	1-1	
Beans (dry)		1	FC									Other citrus fruits					5	2	1	2	2	2	1-1	
Peas								1			5-1	Apple			0.3	WHL				1	2	0.5	3-1	
Broad beans		1	FC					1			5-1	Japanese pear			0.3	WHL				1	2	0.5	3-1	
Peanuts (dry)												Pear			0.3	WHL				1	2	0.5	3-1	
Other legumes/pulses		1	FC					1			5-1	Quince			0.3	WHL				1		0.5	3-1	
												Loquat			0.3	WHL				1		0.5	3-1	
Taro		0.1	FC						0.1		5-1	Pineapple			0.3	WHL						0.1	3-1	
Sweet potato		0.1	FC						0.1		5-1	Nectarine			0.3	WHL				1	1	0.5	3-1	
Yam		0.1	FC						0.1		5-1	Apricot			0.3	WHL				1		0.5	3-1	
Konjac		0.1	FC						0.1		5-1	Japanese plum (including Prunes)			0.3	WHL				1	1	0.5	3-1	
Other potatoes		0.1	FC						0.1		5-1	Mume plum			0.3	WHL				1		0.5	3-1	
												Cherry			0.3	WHL				1		0.5	3-1	
Sugar beet		0.1	FC						0.1		5-1	Strawberry			0.3	WHL						0.1	3-1	
Sugarcane												Raspberry			0.3	WHL						0.1	3-1	
												Blackberry			0.3	WHL						0.1	3-1	
Japanese radish (including Radish) (root)		0.3	WHL		0.3				0.1		3-1	Blueberry			0.3	WHL						0.1	3-1	
Japanese radish (including Radish) (leaf)		0.3	WHL		0.3				0.1		3-1	Cranberry			0.3	WHL						0.1	3-1	
Turnip (including Rutabaga) (root)		0.3	WHL		0.3				0.1		3-1	Huckleberry			0.3	WHL						0.1	3-1	
Turnip (including Rutabaga) (leaf)		0.3	WHL		0.3				0.1		3-1	Other berries			0.3	WHL						0.1	3-1	
Horseradish		0.3	WHL		0.3				0.1		3-1													
Watercress		0.3	WHL		0.3				0.1		3-1	Grape			0.3	WHL				2	2	0.5	3-1	
Chinese cabbage		0.3	WHL		0.3				0.1		3-1	Japanese persimon			0.3	WHL						0.1	3-1	
Cabbage		0.3	WHL		0.3				0.1		3-1													
Brussels sprouts		0.3	WHL		0.3				0.1		3-1	Banana			0.3	WHL						0.1	3-1	
Kale		0.3	WHL		0.3				0.1		3-1	Kiwifruit			0.3	WHL						0.1	3-1	
OHATA SUBA		0.3	WHL		0.3				0.1		3-1	Avocado			0.3	WHL						0.1	3-1	
KYONA		0.3	WHL		0.3				0.1		3-1	Pineapple			0.3	WHL						0.1	3-1	
Qing-geng-cai		0.3	WHL		0.3				0.1		3-1	Guava			0.3	WHL						0.1	3-1	
Cauliflower		0.3	WHL		0.3				0.1		3-1	Mango			0.3	WHL						0.1	3-1	
Broccoli		0.3	WHL		0.3				0.1		4	Passion fruit			0.3	WHL						0.1	3-1	
Other cruciferous vegetables		0.3	WHL		0.3				0.1		3-1	Date			0.3	WHL						0.1	4	
Burdock		0.3	WHL		0.3				0.1		3-1	Other fruits			0.3	WHL						0.5	3-1	
Salsify		0.3	WHL		0.3				0.1		3-1													
Artichoke		0.3	WHL		0.3				0.1		3-1	Sunflower seeds			0.3	WHL							4	
Chicory		0.3	WHL		0.3				0.1		3-1	Sesam seeds			0.3	WHL							4	
Endive		0.3	WHL		0.3				0.1		3-1	Safflower seeds			0.3	WHL							4	
SHUNGIKU		0.3	WHL		0.3				0.1		3-1	Cotton seeds			0.3	WHL						0.1	4	
lettuce (Cos lettuce, Leaf lettuce)		0.3	WHL		0.3				0.1		3-1	Rape seeds			0.3	WHL							4	
Other composite vegetables		0.3	WHL		0.3				0.5		3-1	Other oil seeds			0.3	WHL							4	
Onion		0.3	WHL		0.3				0.1		3-1													
Welsh (including Leek)		0.3	WHL		0.3				0.1		3-1	Ginkgo nut			0.3	WHL						0.1	3-1	
Garlic		0.3	WHL		0.3				0.1		3-1	Chestnut			0.3	WHL						0.1	3-1	
NIRA		0.3	WHL		0.3				0.1		3-1	Pecan			0.3	WHL						0.1	3-1	
Asparagus		0.3	WHL		0.3				0.1		3-1	Almond			0.3	WHL						0.1	3-1	
Sprague onion (including Shallot)		0.3	WHL		0.3				0.1		3-1	Walnut			0.3	WHL						0.1	3-1	
Other liliaceous vegetables		0.3	WHL		0.3				0.1		3-1	Other nuts			0.3	WHL						0.1	3-1	
Carrot		0.3	WHL		0.3				0.1		3-1	Tea (Green, Black, Oolong, Wulong tea)			0.3	WHL				5		2	3-1	
Parsnip		0.3	WHL		0.3				0.1		3-1	Coffee beans												
Parsley		0.3	WHL		0.3						4	Cacao beans												
Celery		0.3	WHL		0.3				0.1		3-1	Hop												
MITSUBA		0.3	WHL		0.3				0.1		3-1	Cattle, muscle			3	FC				2.5		2.5	5-1	
Other umbelliferous vegetables		0.3	WHL		0.3				0.1		3-1	Pig, muscle			0.2	FC				0.2			5-1	
Tomato		0.3	WHL		0.3				0.1		3-1	Sheep, muscle			0.2	FC				0.2			5-1	
Pimento (Sweet pepper)		0.3	WHL		0.3				0.1		3-1	Horse, muscle			0.2	FC				0.2			5-1	
Egg plant		0.3	WHL		0.3				0.1		3-1	Deer, muscle												
Other Solanaceous vegetables		0.3	WHL		0.3				0.1		3-1	Goat, muscle			0.2	FC				0.2			5-1	
Cucumber (including Gherkin)		0.3	WHL		0.3				0.1		3-1	Rabbit, muscle												
Pumpkin (including Squash)		0.3	WHL		0.3						4	Reindeer, muscle												
Oriental pickling melon (vegetable)		0.3	WHL		0.3						4	Other terrestrial mammals, muscle												
Water melon		0.3	WHL		0.3				0.1		3-1	Cattle, fat			3	FC				2.5		2.5	5-1	
Melons		0.3	WHL		0.3				0.1		3-1	Pig, fat			0.2	FC				2.5			5-1	
RAKUMAWURI		0.3	WHL		0.3						4	Sheep, fat								0.2			5-1	
Other cucurbitaceous vegetables		0.3	WHL		0.3						4	Horse, fat			0.2	FC				0.2			5-1	
												Deer, fat												
Spinach		0.3	WHL		0.3				0.1		3-1	Goat, fat			0.2	FC				0.2			5-1	
Bamboo shoots		0.3	WHL		0.3						4	Rabbit, fat												
Okra		0.3	WHL		0.3						4	Reindeer, fat												
Ginger		0.3	WHL		0.3				0.1		3-1	Other terrestrial mammals, fat												
Peas (with pods, immature)		0.3	WHL		0.3						4													
Kidney beans (with pods, immature)		0.3	WHL		0.3			1	0.1		3-1	Cattle, liver			2	FC				1	2.5	2.5	5-1	
Soybeans		0.3	WHL		0.3				0.1		3-1	Pig, liver			0.2	FC				0.2			5-1	
												Sheep, liver			0.2	FC				0.2			5-1	
Button mushroom		0.3	WHL		0.3				0.1		3-1	Horse, liver			0.2	FC				0.2			5-1	
SHIITAKE		0.3	WHL		0.3				0.1		3-1	Deer, liver												
Other mushrooms		0.3	WHL		0.3				0.1		3-1	Goat, liver			0.2	FC				0.2			5-1	
Other vegetables		0.3	WHL		0.3				0.1		3-1	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

ETHION

[illegible]