

## 244. ETOFENPROX

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.5	MRL	0.5									UNSHU orange	2	MRL	2								
Wheat	0.5	MRL	0.5									NATSUDAIDAI (flesh)											
Barley	0.5	MRL	0.5									NATSUDAIDAI (peel)											
Rye	0.5	MRL	0.5									NATSUDAIDAI (whole)	5	MRL	5								
Corn (including Maize, Sweet corn)	0.5	MRL	0.5									Lemon	5	MRL	5								
Buckwheat	0.5	WHL		0.5							4	Orange (including Navel)	5	MRL	5								
Other cereal grains	0.5	WHL		0.5							4	Grapefruit	5	MRL	5								
Soybeans (dry)	0.2	MRL	0.2									Lime	5	MRL	5								
Beans (dry)	0.2	MRL	0.2									Other citrus fruits	5	MRL	5								
Peas	0.1	WHL		0.1							4	Apple	2	MRL	2								
Broad beans	0.1	WHL		0.1							4	Japanese pear	2	MRL	2								
Peanuts (dry)	0.1	WHL		0.1							4	Pear	2	MRL	2								
Other legumes/pulses	0.1	WHL		0.1							4	Quince	1	CodeX		2		1					1-1
Potato	0.1	MRL	0.1									Loquat	1	CodeX		0.2		1					1-1
Taro	0.1	MRL	0.1																				
Sweet potato	0.1	MRL	0.1									Nectarine	2	WHL		2							4
Yam	0.1	MRL	0.1									Apricot											
Konjac	0.1	WHL		0.1							4	Japanese plum (including Prunes)											
Other potatoes	0.1	WHL		0.1							4	Mume plum											
Sugar beet	0.5	MRL	0.5									Cherry											
Sugarcane	0.1	MRL	0.1									Strawberry											
Japanese radish (including Radish) (root)	2	MRL	2									Raspberry											
Japanese radish (including Radish) (leaf)	10	MRL	10									Blackberry											
Turnip (including Rutabaga) (root)	10	MRL	10									Blueberry											
Turnip (including Rutabaga) (leaf)	10	MRL	10									Cranberry											
Horseradish	0.5	WHL		0.5							4	Luckberry											
Watercress	2	WHL		2							4	Other berries											
Chinese cabbage	5	MRL	5									Grape											
Cabbage	2	MRL	2									Japanese persimon	2	MRL	2								
Brussels sprouts	2	MRL	2									Banana	2	WHL		2							4
Kale	2	WHL		2							4	Kiwifruit	0.2	WHL		0.2							4
KOMATSUNA	2	WHL		2																			

ETO FENPROX

[illegible]

## 245. ETOXAZOLE

[illegible]

# ETOXAZOLE

[illegible]

## 246. ETRIDIAZOLE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)											UNSHU orange												
											NATSUDAIDAI (flesh)												
Wheat	0.05	FC				0.05					5-1	NATSUDAIDAI (peel)											
Barley											NATSUDAIDAI (whole)												
Rye											Lemon												
Corn (including Maize, Sweet corn)	0.1	FC				0.05	0.2				5-1	Orange (including Navel)											
Buckwheat											Grapefruit												
Other cereal grains											Lime												
											Other citrus fruits												
Soybeans (dry)	0.2	FC					0.2				5-1												
Beans (dry)	0.2	FC					0.2				5-1	Apple											
Peas	0.2	FC					0.2				5-1	Japanese pear											
Broad beans	0.2	FC					0.2				5-1	Pear											
Peanuts (dry)	0.02	FC					0.02				5-1	Quince											
Other legumes/pulses	0.2	FC					0.2				5-1	Loquat											
Potato	0.5	WHL		0.5			0.2				3-1	Peach											
Taro	0.5	WHL		0.5			0.2				3-1	Nectarine											
Sweet potato	0.5	WHL		0.5			0.2				3-1	Apricot											
Yam	0.5	WHL		0.5			0.2				3-1	Japanese plum (including Prunes)											
Konjac	0.5	WHL		0.5			0.2				3-1	Mume plum											
Other potatoes	0.5	WHL		0.5			0.2				3-1	Cherry											
Sugar beet	0.2	FC					0.2				5-1	Strawberry	0.2	FC				0.2					5-1
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)	0.1	WHL		0.1			0.2				3-1	Blueberry											
Japanese radish (including Radish) (leaf)	0.1	WHL		0.1			0.2				3-1	Cranberry											
Turnip (including Rutabaga) (root)	0.1	WHL		0.1			0.2				3-1	Blackberry											
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1			0.2				3-1	Other berries											
Horseradish	0.1	WHL		0.1			0.2				3-1												
Watercress	0.1	WHL		0.1			0.2				3-1	Grape											
Chinese cabbage	0.1	WHL		0.1			0.2				3-1	Japanese persimon											
Cabbage	0.1	WHL		0.1			0.2				3-1					</							

[illegible]

[illegible]

[illegible]



## 248. EUGENOL

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry)												Apple											
Peas												Japanese pear											
												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Conia												Japanese plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Crucifer sprouts												Banana											
Daikon												Kiwifruit											

[illegible]

## 249. FAMOXADONE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)	0.2	MRL	0.2									Other citrus fruits	2	WHL		2							4
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat	0.1	WHL		0.1							4
Potato	0.1	MRL	0.1									Peach	0.1	WHL		0.1							4
Taro	0.1	WHL		0.1							4	Nectarine											
Sweet potato	0.1	WHL		0.1							4	Apricot	2	WHL		2							4
Yam	0.1	WHL		0.1							4	Japanese plum (including Prunes)	2	WHL		2							4
Konjac	0.1	WHL		0.1							4	Mume plum	2	WHL		2							4
Other potatoes	0.1	WHL		0.1							4	Cherry	2	WHL		2							4
Sugar beet												Strawberry	2	WHL		2							4
Sugarcane												Raspberry	2	WHL		2							4
Japanese radish (including Radish) (root)												Blackberry	2	WHL		2							4
Japanese radish (including Radish) (leaf)												Blueberry	2	WHL		2							4
Turnip (including Rutabaga) (root)												Cranberry	2	WHL		2							4
Turnip (including Rutabaga) (leaf)												Other berries	2	WHL		2							4
Horseradish												Grape	2	MRL		2							
Watercress	1	MRL	1									Japanese persimon											
Chinese cabbage	1	WHL		1							4	Banana											
Cabbage	1	WHL		1							4	Kiwifruit	0.1	WHL		0.1							4
Brussels sprouts												Papaya											
Kale												Avocado											
KOMATSUNA												Pineapple											
KYONA												Guava											
Qing-geng-cai												Mango											
Cauliflower												Passion fruit											
Broccoli												Date	2	WHL		2							4
Other cruciferous vegetables												Other fruits	2	WHL		2							4
Burdock												Sunflower seeds											
Salsify												Sesam seeds											
Artichoke												Safflower seeds											
Chicory												Cotton seeds											
Endive												Rape seeds											
SHUNGIKU												Other oil seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Ginkgo nut											
Other composite vegetables												Chestnut											
Onion	0.5	MRL	0.5									Pecan											
Welsh (including Leek)												Almond											
Garlic	0.5	WHL		0.5							4	Walnut											
NIRA												Other nuts											
Asparagus												Tea (Green, Black, Oolong, Wulong tea)											
Multiplying onion (immature)												Coffee beans											
Other liliaceous vegetables	0.5	WHL		0.5							4	Cacao beans											
Carrot												Hop											
Parsnip												Cattle, muscle											
Parsley												Pig, muscle											
Celery												Sheep, muscle											
MITSUBA												Horse, muscle											
Other umbelliferous vegetables												Deer, muscle											
Tomato	2	MRL	2									Goat, muscle											
Pimento (Sweet pepper)												Rabbit, muscle											
Egg plant	2	WHL		2							4	Reindeer, muscle											
Other Solanaceous vegetables	2	WHL		2							4	Other terrestrial mammals, muscle											
Cucumber (including Gherkin)	2	MRL	2									Cattle, fat											
Pumpkin (including Squash)	2	WHL		2							4	Pig, fat											
Oriental pickling melon (vegetable)	2	WHL		2							4	Sheep, fat											
Water melon	0.1	MRL	0.1									Horse, fat											
Melons	0.1	MRL	0.1									Deer, fat											
MAKUWAI	0.1	WHL		0.1							4	Goat, fat											
Other cucurbitaceous vegetables	2	WHL		2							4	Rabbit, fat											
Spinach												Reindeer, fat											
Bamboo shoots												Other terrestrial mammals, fat											
Okra												Cattle, liver											
Ginger												Pig, liver											
Peas (with pods, immature)												Sheep, liver											
Kidney beans (with pods, immature)												Horse, liver											
Soybeans												Deer, liver											
Button mushroom												Goat, liver											
SHIITAKE												Rabbit, liver											
Other mushrooms												Reindeer, liver											
Other vegetables	2	WHL		2							4	Other terrestrial mammals, liver											

# The MRLs printed on the column of MRL are now under deliberation.

## FAMOXADONE

[illegible]

250. FAMPHUR

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																								UNSHU orange
																								NATSUDAIDAI (flesh)
Wheat																								NATSUDAIDAI (peel)
Barley																								NATSUDAIDAI (whole)
Rye																								Lemon
Corn (including Maize Sweet corn)																								Orange (including Navel)
Buckwheat																								Grapefruit
Other cereal grains																								Lime
																								Other citrus fruits
Soybeans (dry)																								
Beans (dry)																								Apple
Peas																								Japanese pear
																								Pear
Peanuts (dry)																								Quince
Other legumes/pulses																								Loquat
Potato																								Peach
Taro																								Nectarine
Sweet potato																								Apricot
Yam																								Japanese plum (including Prunes)
Carrots																								Japanese plum
Other potatoes																								Cherry
Sugar beet																								Strawberry
Sugarcane																								Raspberry
																								Blackberry
Japanese radish (including Radish) (root)																								Blueberry
Japanese radish (including Radish) (leaf)																								Cranberry
Turnip (including Rutabaga) (root)																								Huckleberry
Turnip (including Rutabaga) (leaf)																								Other berries
Horseradish																								
Watercress																								Grape
Chinese cabbage																								Japanese persimon
Cabbage																								
Brussels sprouts																								Bananas
KOMATSUNA																								Papaya
KYONA																								Avocado
Qing-geng-cai																								Pineapple
Cauliflower																								Guava
Broccoli																								Mango
Other cruciferous vegetables																								Passion fruit
																								Date
Burdock																								
Salsify																								Other fruits
Artichoke																								
Chicory																								Sunflower seeds
Endive																								Sesam seeds
SHINGIKU																								Safflower seeds
Lettuce (Cos lettuce, Leaf lettuce)																								Cotton seeds
Other composite vegetables																								Rape seeds
																								Other oil seeds
Onion																								
Welsh (including Leek)																								Ginkgo nut
Garlic																								Chestnut
NIRA																								Pecan
Asparagus																								Almond
Multiplying onion (including Shallot)																								Walnut
Other liliaceous vegetables																								Other nuts
Carrot																								Tea (Green, Black, Oolong, Wulong tea)
Parship																								Coffee beans
Parsley																								Cacao beans
Celery																								Hop
MITSUBA																								
Other umbelliferous vegetables																		0.1	0.05					Cattle, muscle
																								0.08FC
Tomato																								Pig, muscle
Pimiento (Sweet pepper)																								0.1FC
Egg plant																								Sheep, muscle
Other solanaceous vegetables																								0.1FC
																								0.1FC
Cucumber (including Gherkin)																								Horse, muscle
Pumpkin (including Squash)																								0.1FC
Winter picking melon (vegetable)																								0.1FC
Water melon																								Deer, muscle
Melons																								Goat, muscle
MAKUUWAIURI																								0.1FC
Other cucurbitaceous vegetables																								0.1FC
																								Rabbit, muscle
Spinach																								Reindeer, muscle
Bamboo shoots																								0.1FC
Okra																								0.1FC
Ginger																								Other terrestrial mammals, fat
Peas (with pods, immature)																								
Kidney beans (with pods, immature)																								
Soybeans																								Cattle, liver
																								0.08FC
																								Pig, liver
																								Sheep, liver
Button mushroom																								Horse, liver
Shiitake																								Deer, liver
Other mushrooms																								Reindeer, liver
																								Goat, liver
Other vegetables																								Rabbit, liver
																								Reindeer, liver
																								Other terrestrial mammals, liver



## 251. FENAMIDONE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)												
Rye												Other cereal grains												
Corn (including Maize, Sweet corn)												Orange (including Navel)												
Buckwheat												Grapefruit												
Other cereal grains												Lime												
												Other citrus fruits												
Soybeans (dry)																								
Beans (dry) *												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts (dry)												Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish (including Radish) (root)												Blueberry												
Japanese radish (including Radish) (leaf)												Cranberry												
Turnip (including Rutabaga) (root)												Huckleberry												
Turnip (including Rutabaga) (leaf)												Other berries												
Horseradish																								
Watercress												Grape												
Chinese cabbage												Japanese persimon												
Cabbage																								
Brussels sprouts												Banana												
Kale												Kiwifruit												
KOMATSUNAI																								

[illegible]



## 252. FENAMIPHOS

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)											UNSHU orange												
											NATSUDAIDAI (flesh)												
Wheat											NATSUDAIDAI (peel)												
Barley											NATSUDAIDAI (whole)												
Rye											Lemon	0.3	FC					0.6	0.05				5-1
Corn (including Maize, Sweet corn)											Orange (including Navel)	0.3	FC					0.6	0.05				5-1
Buckwheat											Grapefruit	0.3	FC					0.6	0.05				5-1
Other cereal grains											Lime	0.3	FC					0.6	0.05				5-1
											Other citrus fruits												
Soybeans (dry)																							
Beans (dry)											Apple	0.3	FC					0.25					5-1
Peas											Japanese pear												
Broad beans											Pear												
Peanuts (dry)	0.05	Codex			0.05	0.02	0.05				Quince												
Other legumes/pulses											Loquat												
Potato		0.2	FC				0.2			0.2	5-1	Peach		0.3	FC			0.25					5-1
Taro		0.2	FC				0.2			0.2	5-1	Nectarine											
Sweet potato		0.2	FC				0.2			0.2	5-1	Apricot											
Yam		0.2	FC				0.2			0.2	5-1	Japanese plum (including Prunes)											
Konjac		0.2	FC				0.2			0.2	5-1	Mume plum											
Other potatoes		0.2	FC				0.2			0.2	5-1	Cherry		0.3	FC			0.25					5-1
Sugar beet		0.2	FC				0.2			0.2	5-1	Strawberry		0.4	FC			0.6	0.2				5-1
Sugarcane											Raspberry		0.1	FC				0.1					5-1
											Blackberry												
Japanese radish (including Radish) (root)		0.2	FC				0.2			0.2	5-1	Blueberry											
Japanese radish (including Radish) (leaf)											Cranberry												
Turnip (including Rutabaga) (root)		0.2	FC				0.2			0.2	5-1	Blackberry											
Turnip (including Rutabaga) (leaf)											Other berries												
Horseradish		0.2	FC				0.2			0.2	5-1	Grape		0.1	Codex		0.1	0.1	0.05				2
Watercress											Japanese persimon						0.05						
Chinese cabbage																							
Cabbage		0.05	Codex		0.05	0.1	0.05				2	Banana		0.1	Codex								

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	FC				0.05	0.05				5-1	Catfish											
Pig, kidney	0.05	FC				0.05	0.05				5-1	Other freshwater fish											
Sheep, kidney	0.05	FC				0.05	0.05				5-1												
Horse, kidney	0.05	FC				0.05	0.05				5-1	Salmon											
Deer, kidney												Trout											
Goat, kidney	0.05	FC				0.05	0.05				5-1	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.05	FC				0.05	0.05				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.05	FC				0.05	0.05				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.05	FC				0.05	0.05				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.05	FC				0.05	0.05				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.05	FC				0.05	0.05				5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.008	FC				0.01	0.005				5-1	Other animals											
Sheep, milk	0.008	FC				0.01	0.005				5-1	honey											
Goat, milk	0.008	FC				0.01	0.005				5-1												
Other terrestrial mammals, milk	0.008	FC				0.01	0.005				5-1												
Turkey, fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle				</																			

## 253. FENARIMOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	1	MRL	1									
												NATSUDAIDAI (flesh)												
Wheat		0.1	MRL	0.1								NATSUDAIDAI (peel)												
Barley		0.1	MRL	0.1								NATSUDAIDAI (whole)		1	MRL	1								
Rye		0.1	MRL	0.1								Lemon		1	MRL	1								
Corn (including Maize, Sweet corn)		0.1	MRL	0.1								Orange (including Navel)		1	MRL	1								
Buckwheat		0.1	MRL	0.1								Grapefruit		1	MRL	1								
Other cereal grains		0.1	MRL	0.1								Lime		1	MRL	1								
Soybeans (dry)												Other citrus fruits		1	MRL	1								
Beans (dry) *												Apple		1	MRL	1								
Peas												Japanese pear		1	MRL	1								
Broad beans												Pear		1	MRL	1								
Peanuts (dry)												Quince		1	MRL	1								
Other legumes/pulses												Loquat		1	MRL	1								
Potato												Peach		1	MRL	1								
Taro												Nectarine		1	MRL	1								
Sweet potato												Apricot		1	MRL	1								
Yam												Japanese plum (including Prunes)		1	MRL	1								
Konjac												Mume plum		1	MRL	1								
Other potatoes												Cherry		1	MRL	1								
Sugar beet												Strawberry		1	MRL	1								
Sugarcane												Raspberry		1	MRL	1								
												Blackberry		1	MRL	1								
Japanese radish (including Radish) (root)		0.5	MRL	0.5								Blueberry		1	MRL	1								
Japanese radish (including Radish) (leaf)		0.5	MRL	0.5								Cranberry		1	MRL	1								
Turnip (including Rutabaga) (root)		0.5	MRL	0.5								Huckleberry		1	MRL	1								
Turnip (including Rutabaga) (leaf)		0.5	MRL	0.5								Other berries		1	MRL	1								
Horseradish		0.5	MRL	0.5																				
Watercress		0.5	MRL	0.5								Grape		1	MRL	1								
Chinese cabbage		0.5	MRL	0.5								Japanese persimon		1	MRL	1								
Cabbage		0.5	MRL	0.5																				
Brussels sprouts		0.5	MRL	0.5																				

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.02	FC			0.02	0.1			0.02		2	Catfish											
Pig, kidney	0.06	FC				0.1			0.02		5-1	Other freshwater fish											
Sheep, kidney	0.06	FC				0.1			0.02		5-1												
Horse, kidney	0.06	FC				0.1			0.02		5-1	Salmon											
Deer, kidney												Trout											
Goat, kidney	0.06	FC				0.1			0.02		5-1	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.02	FC				0.01			0.02		5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.02	FC				0.01			0.02		5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.02	FC				0.01			0.02		5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.02	FC				0.01			0.02		5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.02	FC				0.01			0.02		5-1	Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
Cattle, milk	0.01	FC				0.003			0.02		5-1	Other animals											
Sheep, milk	0.01	FC				0.003			0.02		5-1	Honey											
Goat, milk	0.01	FC				0.003			0.02		5-1												
Other terrestrial mammals, milk	0.01	FC				0.003			0.02		5-1												
Chicken, muscle	0.02	FC				0.01			0.02		5-1												
Duck, muscle	0.02	FC				0.01			0.02		5-1												
Turkey, muscle	0.02	FC				0.01			0.02		5-1												
Quail, muscle	0.02	FC				0.01			0.02		5-1												
Goose, muscle	0.02	FC				0.01			0.02		5-1												
Pheasant, muscle	0.02	FC				0.01			0.02		5-1												
Chukar partridge, muscle	0.02	FC				0.01			0.02		5-1												
Other poultry, muscle	0.02	FC				0.01			0.02		5-1												
Chicken, fat	0.02	FC				0.01			0.02		5-1												
Duck, fat	0.02	FC				0.01			0.02		5-1												

## 254. FENBUCONAZOLE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
												NATSUDAIDAI (flesh)												
Wheat		0.1 CodeX			0.1						2	NATSUDAIDAI (peel)												
Barley		0.2 CodeX			0.2						2	NATSUDAIDAI (whole)												
Rye		0.1 CodeX			0.1						2	Lemon												
Corn (including Maize, Sweet corn)												Orange (including Navel)												
Buckwheat												Grapefruit												
Other cereal grains												Lime												
												Other citrus fruits												
Soybeans (dry)																								
Beans (dry)												Apple	0.1 CodeX			1	0.1							1-1
Peas												Japanese pear	0.1 CodeX			1	0.1							1-1
Broad beans												Pear	0.1 CodeX			1	0.1							1-1
Peanuts (dry)												Quince	0.1 CodeX			1	0.1							1-1
Other legumes/pulses												Loquat	0.1 CodeX			0.2	0.1							1-1
Potato																								
Taro												Peach	0 CodeX			0.2	0.1							1-1
Sweet potato												Nectarine	1 WHL											4
Yam												Apricot	0.5 CodeX			5	0.5							1-1
Konjac												Japanese plum (including Prunes)	5 WHL			5								4
Other potatoes												Mume plum	5 WHL			5								4
												Cherry	1 CodeX			5	1							1-1
Sugar beet												Strawberry	5 WHL			5								4
Sugarcane												Raspberry	5 WHL			5								4
												Blackberry	5 WHL			5								4
Japanese radish (including Radish) (root)												Blueberry	5 WHL			5								4
Japanese radish (including Radish) (leaf)												Cranberry	5 WHL			5								4
Turnip (including Rutabaga) (root)												Huckleberry	5 WHL			5								4
Turnip (including Rutabaga) (leaf)												Other berries	5 WHL			5								4
Horseradish																								
Watercress												Grape	1 CodeX			5	1							1-1
Chinese cabbage												Japanese persimon	1 WHL			1								4
Cabbage																								
Brussels sprouts												Banana	0.05 CodeX			1	0.05							1-1
Kale												Kiwifruit	0.2 WHL			0.2								4
KOMATSUNA												Papaya	1 WHL			1								4
KYONA												Avocado	1 WHL			1								4
Qing-geng-cai												Pineapple	1 WHL			1								4
Cauliflower												Guava	1 WHL			1								4
Broccoli												Mango	1 WHL			1								4
Other cruciferous vegetables												Passion fruit	1 WHL			1								4
												Date	5 WHL			5								4
Burdock																								
Salsify												Other fruits	5 WHL			5								4
Artichoke																								
Chicory												Sunflower seeds	0.05 CodeX				0.05							2
Endive												Sesam seeds												
SHUNGIKU												Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds												
Other composite vegetables												Rape seeds	0.05 CodeX				0.05							2
												Other oil seeds												
Onion																								
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan	0.05 CodeX				0.05							2
Asparagus												Almond												
Multiplying onion (including Shallot)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot																								
Parsnip												Tea (Green, Black, Oolong, Wulong tea)	5 WHL			5								4
Parsley												Coffee beans												
Celery												Cacao beans												
MAITSUBA												Hop												
Other umbelliferous vegetables												Cattle, muscle	0.05 CodeX				0.05							2
Tomato												Pig, muscle												
Pimento (Sweet pepper)												Sheep, muscle												
Water melon												Horse, muscle												
Egg plant												Goat, muscle												
Other Solanaceous vegetables												Goat, muscle												
Cucumber (including Gherkin)		0.2 CodeX			0.2						2	Rabbit, muscle												
Pumpkin (including Squash)		0.05 CodeX			0.05						2	Reindeer, muscle												
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle												
Water melon		0.2 WHL			0.2						4	Cattle, fat					0.05							2
MAKUWAURI		0.2 CodeX			0.2						1-1	Pig, fat												
Other cucurbitaceous vegetables												Sheep, fat												
												Horse, fat												
Spinach												Deer, fat												
Bamboo shoots												Goat, fat												
Okra												Rabbit, fat												
Ginger												Reindeer, fat												
Peas (with pods, immature)												Other terrestrial mammals, fat												
Kidney beans (with pods, immature)												Cattle, liver	0.05 CodeX				0.05							2
Soybeans												Pig, liver												
Button mushroom												Sheep, liver												
SHIITAKE												Horse, liver												
Other mushrooms												Deer, liver												
Other vegetables												Goat, liver												
												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

## FENBUCONAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	Codex			0.05						2	Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.05	Codex			0.05						2												
Sheep, milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.05	Codex			0.05						2												
Duck, muscle	0.05	Codex			0.05						2												
Turkey, muscle	0.05	Codex			0.05						2												
Quail, muscle	0.05	Codex			0.05						2												
Goose, muscle	0.05	Codex			0.05						2												
Pheasant, muscle	0.05	Codex			0.05						2												
Chukar partridge, muscle	0.05	Codex			0.05						2												
Other poultry, muscle	0.05	Codex			0.05						2												
Chicken, fat	0.05	Codex			0.05						2												
Duck, fat	0.05	Codex			0.05						2												
Turkey, fat	0.05	Codex			0.05						2												
Quail, fat	0.05	Codex			0.05						2												
Goose, fat	0.05	Codex			0.05						2												
Pheasant, fat	0.05	Codex			0.05						2												
Chukar partridge, fat	0.05	Codex			0.05						2												
Other poultry, fat	0.05	Codex			0.05						2												
Chicken, liver	0.05	Codex			0.05						2												
Duck, liver	0.05	Codex			0.05						2												
Turkey, liver	0.05	Codex			0.05						2												
Quail, liver	0.05	Codex			0.05						2												
Goose, liver	0.05	Codex			0.05						2												
Pheasant, liver	0.05	Codex			0.05						2												
Chukar partridge, liver	0.05	Codex			0.05						2												
Other poultry, liver	0.05	Codex			0.05						2												
Chicken, kidney	0.05	Codex			0.05						2												
Duck, kidney	0.05	Codex			0.05						2												
Turkey, kidney	0.05	Codex			0.05						2												
Quail, kidney	0.05	Codex			0.05						2												
Goose, kidney	0.05	Codex			0.05						2												
Pheasant, kidney	0.05	Codex			0.05						2												
Chukar partridge, kidney	0.05	Codex			0.05						2												
Other poultry, kidney	0.05	Codex			0.05						2												
Chicken, edible offal excluding liver and kidney	0.05	Codex			0.05						2												
Duck, edible offal excluding liver and kidney	0.05	Codex			0.05						2												
Turkey, edible offal excluding liver and kidney	0.05	Codex			0.05						2												
Quail, edible offal excluding liver and kidney	0.05	Codex			0.05						2												
Goose, edible offal excluding liver and kidney	0.05	Codex			0.05						2												
Pheasant, edible offal excluding liver and kidney	0.05	Codex			0.05						2												
Chukar partridge, edible offal excluding liver and kidney	0.05	Codex			0.05						2												
Other poultry, edible offal excluding liver and kidney	0.05	Codex			0.05						2												
Chicken, eggs	0.05	Codex			0.05						2												
Turkey, eggs	0.05	Codex			0.05						2												
Other poultry, eggs	0.05	Codex			0.05						2												

## 255. FENBUTATIN OXIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.5	MRL	0.5									
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)	5	MRL	5									
Corn (including Maize, Sweet corn)												Lemon	5	MRL	5									
Buckwheat												Orange (including Navel)	5	MRL	5									
Other cereal grains												Grapefruit	5	MRL	5									
Soybeans (dry)												Lime	5	MRL	5									
Beans (dry)	0.5	MRL	0.5									Other citrus fruits	5	MRL	5									
Peas	2	MRL	2									Apple	5	MRL	5									
Broad beans	2	MRL	2									Japanese pear	5	MRL	5									
Peanuts (dry)												Pear	5	MRL	5									
Other legumes/pulses	2	MRL	2									Quince	5	MRL	5									
Potato												Loquat	5	MRL	5									
Taro												Peach	7	MRL	7									
Sweet potato												Nectarine	2	MRL	2									
Yam												Apricot	2	MRL	2									
Konjac												Japanese plum (including Prunes)	3	MRL	3									
Other potatoes												Mume plum	5	MRL	5									
Sugar beet												Cherry	10	MRL	10									
Sugarcane												Strawberry	10	MRL	10									
Japanese radish (including Radish) (root)												Raspberry	10	MRL	10									
Japanese radish (including Radish) (leaf)												Blackberry	1	MRL	1									
Turnip (including Rutabaga) (root)												Blueberry	1	MRL	1									
Turnip (including Rutabaga) (leaf)												Cranberry	1	MRL	1									
Horseradish												Other berries	1	MRL	1									
Watercress												Grape	5	MRL	5									
Chinese cabbage												Japanese persimon	2	MRL	2									
Cabbage												Banana	10	MRL	10									
Brussels sprouts												Kiwifruit	5	MRL	5									
Kale												Papaya	5	MRL	5									
KOMATSUNA												Avocado	5	MRL	5									
KYONA												Pineapple	5	MRL	5									
Qing-geng-cai												Guava	5	MRL	5									
Cauliflower												Mango	5	MRL	5									
Broccoli												Passion fruit	5	MRL	5									
Other cruciferous vegetables												Date	5	MRL	5									
Burdock												Other fruits	3	FC					5		0.05		5-1	
Salsify												Sunflower seeds												
Artichoke												Sesam seeds												
Chicory												Safflower seeds												
Endive												Cotton seeds												
SHUNGIKU												Rape seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds												
Other composite vegetables												Onion												
Welsh (including Leek)												Garlic												
Garlic												Ginkgo nut												
NIRA												Chestnut												
Asparagus												Pecan	0.5	MRL	0.5									
Multiplying onion (including Shallot)												Almond	0.5	MRL	0.5									
Other liliaceous vegetables												Walnut	0.5	MRL	0.5									
Carrot												Other nuts												
Parsnip												Tea (Green, Black, Oolong, Wulong tea)	1	MRL	1									
Parsley												Coffee beans												
Celery	2	MRL	2									Cacao beans												
MITSUBA												Hop	25	MRL	25									
Other umbelliferous vegetables												Cattle, muscle	0.05	Codex		0.05		0.5		0.05		0.05		2
Tomato	1	MRL	1									Pig, muscle	0.05	Codex		0.05		0.5		0.05		0.05		2
Pimento (Sweet pepper)	1	FC										Sheep, muscle	0.05	Codex		0.05		0.5		0.05		0.05		2
Egg plant	6	MRL	6									Horse, muscle	0.05	Codex		0.05		0.5		0.05		0.05		2
Other Solanaceous vegetables	1	FC										Deer, muscle	0.05	Codex		0.05		0.5		0.05		0.05		2
Cucumber (including Gherkin)	2	MRL	2									Goat, muscle	0.05	Codex		0.05		0.5		0.05		0.05		2
Pumpkin (including Squash)	0.5	FC										Rabbit, muscle	0.05	Codex		0.05		0.5		0.05		0.05		2
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle	0.05	Codex		0.05							2	
Water melon	0.2	MRL	0.2									Cattle, fat	0.3	FC				0.5		0.05		0.05		5-1
Melons	1	MRL	1									Pig, fat	0.3	FC				0.5		0.05		0.05		5-1
MAKUWAURI												Sheep, fat	0.3	FC				0.5		0.05		0.05		5-1
Other cucurbitaceous vegetables												Horse, fat	0.3	FC				0.5		0.05		0.05		5-1
Spinach												Deer, fat						0.5		0.05		0.05		5-1
Bamboo shoots												Goat, fat	0.3	FC				0.5		0.05		0.05		5-1
Okra												Rabbit, fat												
Ginger												Reindeer, fat												
Peas (with pods, immature)												Other terrestrial mammals, fat												
Kidney beans (with pods, immature)												Cattle, liver	0.2	Codex		0.2		0.5		0.05		0.05		2
Soybeans												Pig, liver	0.2	Codex		0.2		0.5		0.05		0.05		2
Button mushroom												Sheep, liver	0.2	Codex		0.2		0.5		0.05		0.05		2
SHITAKE												Horse, liver	0.2	Codex		0.2		0.5		0.05		0.05		2
Other mushrooms												Deer, liver	0.2	Codex		0.2								2
Other vegetables												Goat, liver	0.2	Codex		0.2		0.5		0.05		0.05		2
												Rabbit, liver	0.2	Codex		0.2								2
												Reindeer, liver	0.2	Codex		0.2								2
												Other terrestrial mammals, liver	0.2	Codex		0.2								2





## 256. FENCHLORPHOS

[illegible]



## 257. FENHEXAMID

[illegible]

[illegible]

## 258. FENITROTHION

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	MRL	0.2									UNSHU orange	0.2	MRL	0.2								
Wheat	10	MRL	10									NATSUDAIDAI (flesh)											
Barley	5	MRL	5									NATSUDAIDAI (peel)											
Rye	1	MRL	1									NATSUDAIDAI (whole)	2	MRL	2								
Corn (including Maize, Sweet corn)	1	MRL	1									Lemon	2	MRL	2								
Buckwheat	1	MRL	1									Orange (including Navel)	2	MRL	2								
Other cereal grains	1	MRL	1									Grapefruit	2	MRL	2								
Soybeans (dry)	0.2	MRL	0.2									Lime	2	MRL	2								
Beans (dry)	0.2	MRL	0.2									Other citrus fruits	2	MRL	2								
Peas	0.2	MRL	0.2									Apple	0.2	MRL	0.2								
Broad beans	0.2	MRL	0.2									Japanese pear	0.2	MRL	0.2								
Peanuts (dry)	0.2	MRL	0.2									Pear	0.2	MRL	0.2								
Other legumes/pulses	0.2	MRL	0.2									Quince	0.8	FC					1		0.5		5-1
Potato	0.05	MRL	0.05									Loquat	0.2	MRL	0.2								
Taro	0.05						0.5		0.5		6	Peach	0.2	MRL	0.2								
Sweet potato	0.05	MRL	0.05									Nectarine	0.8	FC					1		0.5		5-1
Yam	0.05						0.5		0.5		6	Apricot	0.8	FC					1		0.5		5-1
Konjac	0.05	MRL	0.05									Japanese plum (including Prunes)	0.8	FC					1		0.5		5-1
Other potatoes	0.05						0.5		0.5		6	Mume plum	0.2	MRL	0.2								
Sugar beet	0.5	FC					0.5		0.5		5-1	Cherry	0.2	MRL	0.2								
Sugarcane	0.1	MRL	0.1									Strawberry	0.2	MRL	0.2								
Japanese radish (including Radish) (root)	0.2	MRL	0.2									Raspberry	0.8	FC					1		0.5		5-1
Japanese radish (including Radish) (leaf)	0.5	FC					0.5		0.5		5-1	Blackberry	0.8	FC					1		0.5		5-1
Turnip (including Rutabaga) (root)	0.5	FC					0.5		0.5		5-1	Blueberry	0.8	FC					1		0.5		5-1
Turnip (including Rutabaga) (leaf)	0.5	FC					0.5		0.5		5-1	Cranberry	0.8	FC					1		0.5		5-1
Horseradish	0.5	FC					0.5		0.5		5-1	Other berries	0.8	FC					1		0.5		5-1
Watercress	0.5	FC					0.5		0.5		5-1	Grape	0.2	MRL	0.2								
Chinese cabbage	0.5	FC					0.5		0.5		5-1	Japanese persimon	0.2	MRL	0.2								
Cabbage	0.5	MRL	0.5									Banana	0.2	MRL	0.2								
Brussels sprouts	0.5	MRL	0.5									Kiwi fruit	0.8	FC					1		0.5		5-1
Kale	0.5	FC					0.5		0.5		5-1	Papaya	1	FC					1		0.5		5-1
KOMATSUNA	0.5	FC					0.5		0.5		5-1	Avocado	0.8	FC					1		0.5		5-1
KYONA	0.5	FC					0.5		0.5		5-1	Pineapple	0.05	MRL	0.05								
Qing-geng-cai	0.5	FC					0.5		0.5		5-1	Guava	0.8	FC					1		0.5		5-1
Caiflower	0.1	MRL	0.1									Mango	0.8	FC					1		0.5		5-1
Broccoli	0.5	FC					0.5		0.5		5-1	Passion fruit	0.8	FC					1		0.5		5-1
Other cruciferous vegetables	0.5	FC					0.5		0.5		5-1	Date	1	FC					1		0.5		5-1
Burdock	0.05	MRL	0.05									Other fruits	0.2	MRL	0.2								
Salsify	0.5	FC					0.5		0.5		5-1												
Artichoke	0.5	FC					0.5		0.5		5-1												
Chicory	0.5	FC					0.5		0.5		5-1	Sunflower seeds											
Endive	0.5	FC					0.5		0.5		5-1	Sesam seeds											
SHUNGIKU	0.2	MRL	0.2									Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)	0.2	MRL	0.2									Cotton seeds											
Other composite vegetables	0.2	MRL	0.2									Rape seeds											
Onion	0.2	MRL	0.2									Other oil seeds											
Welsh (including Leek)	0.2	MRL	0.2									Ginkgo nut	0.1	MRL	0.1								
Garlic	0.2						0.5		0.5		6	Chestnut	0.2	MRL	0.2								
NIRA	0.2	MRL	0.2									Pecan	0.1	MRL	0.1								
Asparagus	0.2						0.5		0.5		6	Almond	0.1	MRL	0.1								
Multiplying onion (immature)	0.2											Walnut	0.1	MRL	0.1								
Other liliaceous vegetables	0.2	MRL	0.2									Other nuts	0.1	MRL	0.1								
Carrot	0.2	MRL	0.2									Tea (Green)	0.2	MRL	0.2								
Parsnip	0.2						0.5		0.5		6	Coffee beans											
Parsley												Cacao beans	0.1	MRL	0.1								
Celery	0.2						0.5		0.5		6	Hop											
Other umbelliferous vegetables	0.2	MRL	0.2																				
Tomato	0.2	MRL	0.2									Cattle, muscle	0.001	WHL		0.001							4
Pimento (Sweet pepper)	0.2	MRL	0.2									Pig, muscle											
Egg plant	0.2	MRL	0.2									Sheep, muscle											
Other Solanaceous vegetables	0.1	MRL	0.1									Horse, muscle											
Cucumber (including Gherkin)	0.2	MRL	0.2									Deer, muscle											
Pumpkin (including Squash)	0.2	MRL	0.2									Goat, muscle											
Oriental pickling melon (vegetable)	0.2	MRL	0.2									Reindeer, muscle											
Water melon	0.2	MRL	0.2									Other terrestrial mammals, muscle											
Melons	0.05	MRL	0.05									Cattle, fat	0.05	Codex		0.001		0.05					1-1
MAKUWAURI	0.2						0.5		0.5		6	Pig, fat	0.05	Codex				0.05					2
Other cucurbitaceous vegetables	0.2	MRL	0.2									Sheep, fat	0.05	Codex				0.05					2
Spinach	0.2	MRL	0.2									Horse, fat	0.05	Codex				0.05					2
Bamboo shoots	0.2	MRL	0.2									Deer, fat	0.05	Codex				0.05					2
Okra	0.5	FC					0.5		0.5		5-1	Goat, fat	0.05	Codex				0.05					2
Ginger	0.5	FC							0.5		5-1	Rabbit, fat	0.05	Codex				0.05					2
Peas (with pods, immature)	0.5	MRL	0.5									Reindeer, fat	0.05	Codex				0.05					2
Kidney beans (with pods, immature)	0.5	FC					0.5		0.5		5-1	Other terrestrial mammals, fat	0.05	Codex				0.05					2
Soybeans	0.5	MRL	0.5									Cattle, liver											
Button mushroom	0.5	FC					0.5		0.5		5-1	Pig, liver											
SHITAKE	0.05	MRL	0.05									Sheep, liver											
Other mushrooms	0.5	FC					0.5		0.5		5-1	Horse, liver											
Other vegetables	0.2	MRL	0.2									Deer, liver											
												Goat, liver											
												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

#1 The MRLs of Potatoes, garlic etc. are harmonized with the MRLs of the similar products.

#2 "WHL" for the stock farm and aquatic products show the 'Limit of detection' or 'Limit of determination' under the Pharmaceutical Affairs Law.

[illegible]