

## 259. FENOPROP

[illegible]

## FENOPROP

[illegible]

## 260. FENOTHIOCARB

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.5	WHL		0.5								4
Potato												Beach	0.5	WHL		0.5								4
Wheat												NATSUDAIDAI (flesh)												4
Barley												NATSUDAIDAI (peel)	20	WHL		20								4
Rye												NATSUDAIDAI (whole)												4
Corn (including Maize, Sweet corn)												Lemon	0.5	WHL		0.5								4
Buckwheat												Orange (including Navel)	0.5	WHL		0.5								4
Other cereal grains												Grapefruit	0.5	WHL		0.5								4
Soybeans (dry)												Lime	0.5	WHL		0.5								4
Beans (dry)												Other citrus fruits	0.5	WHL		0.5								4
Peas												Apple	0.5	WHL		0.5								4
Broad beans												Japanese pear	0.5	WHL		0.5								4
Peanuts (dry)												Pear	0.5	WHL		0.5								4
Other legumes/pulses												Quince	0.5	WHL		0.5								4
												Loquat	0.5	WHL		0.5								4
																								4
Taro												Nectarine	0.5	WHL		0.5								4
Sweet potato												Apricot	0.5	WHL		0.5								4
Yam												Japanese plum (including Prunes)	0.5	WHL		0.5								4
Konjac												Mume plum	0.5	WHL		0.5								4
Other potatoes												Cherry	0.5	WHL		0.5								4
Sugar beet												Strawberry	0.5	WHL		0.5								4
Sugarcane												Raspberry	0.5	WHL		0.5								4
												Blackberry	0.5	WHL		0.5								4
Japanese radish (including Radish) (root)												Blueberry	0.5	WHL		0.5								4
Japanese radish (including Radish) (leaf)												Cranberry	0.5	WHL		0.5								4
																								4
Turnip (including Rutabaga) (root)												Huckleberry	0.5	WHL		0.5								4
Turnip (including Rutabaga) (leaf)												Other berries	0.5	WHL		0.5								4
Horseradish																								4
Watercress												Grape	0.5	WHL		0.5								4
Chinese cabbage												Japanese persimon	0.5	WHL		0.5								4
Cabbage																								4
Brussels sprouts												Banana	0.5	WHL		0.5								4
Kale												Kiwifruit	0.5	WHL		0.5								4
KOMATSUNO												Papaya	0.5	WHL		0.5								4
KYONA												Avocado	0.5	WHL		0.5								4
Qing-geng-cai												Pineapple	0.5	WHL		0.5								4
Cauliflower												Guava	0.5	WHL		0.5								4
Broccoli												Mango	0.5	WHL		0.5								4
Other cruciferous vegetables												Passion fruit	0.5	WHL		0.5								4
												Date	0.5	WHL		0.5								4
Burdock												Other fruits	0.5	WHL		0.5								4
Salsify																								4
Artichoke												Sunflower seeds	0.5	WHL		0.5								4
Chicory												Sesam seeds	0.5	WHL		0.5								4
Endive												Safflower seeds	0.5	WHL		0.5								4
SHUNGIKU												Cotton seeds	0.5	WHL		0.5								4
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds	0.5	WHL		0.5								4
Other composite vegetables												Other oil seeds	0.5	WHL		0.5								4
																								4
Onion												Ginkgo nut	0.5	WHL		0.5								4
Welsh (including Leek)												Chestnut	0.5	WHL		0.5								4
Garlic												Pecan	0.5	WHL		0.5								4
NIRA												Almond	0.5	WHL		0.5								4
Asparagus												Walnut	0.5	WHL		0.5								4
Multiplying onion (including Shallot)												Other nuts	0.5	WHL		0.5								4
Other liliaceous vegetables																								4
																								4
Carrot												Tea (Green, Black, Oolong, Wulong tea)												4
Parsnip												Coffee beans												4
Parsley												Cacao beans												4
Celery												Hop												4
MITSUBA																								4
Other umbelliferous vegetables												Cattle, muscle												4
												Pig, muscle												4
Tomato												Sheep, muscle												4
Pimento (Sweet pepper)												Horse, muscle												4
Egg plant												Deer, muscle												4
Other Solanaceous vegetables												Goat, muscle												4
												Rabbit, muscle												4
Cucumber (including Gherkin)												Reindeer, muscle												4
Pumpkin (including Squash)												Other terrestrial mammals, muscle												4
Oriental pickling melon (vegetable)																								4
Water melon			0.5	WHL							4	Cattle, fat												4
Melons			0.5	WHL							4	Pig, fat												4
Other cucurbitaceous vegetables			0.5	WHL							4	Sheep, fat												4
												Horse, fat												4
Spinach												Deer, fat												4
Bamboo shoots												Goat, fat												4
OKRA												Rabbit, fat												4
Minced												Reindeer, fat												4
Minced												Other terrestrial mammals, fat												4
Peas (with pods, immature)																								4
Kidney beans (with pods, immature)												Cattle, liver												4
Soybeans												Pig, liver												4
												Sheep, liver												4
Button mushroom												Horse, liver												4
SHIITAKE												Deer, liver												4
Other mushrooms												Goat, liver												4
Other vegetables												Rabbit, liver												4
												Reindeer, liver												4
												Other terrestrial mammals, liver												4

## FENOTHIOCARB

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
												Other animals											
Cattle, milk																							
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

## 261. FENOXAPROP-ETHYL

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.05	MRL	0.05									UNSHU orange	0.1	WHL		0.1							4
												Peach											
												NATSUDAIDAI (flesh)											
Wheat	0.1	MRL	0.1									NATSUDAIDAI (peel)											
Barley	0.1	MRL	0.1									NATSUDAIDAI (whole)	0.1	WHL		0.1							4
Rye	0.01	MRL	0.01									Lemon	0.1	WHL		0.1							4
Corn (including Maize, Sweet corn)												Orange (including Navel)	0.1	WHL		0.1							4
Buckwheat	0.1	MRL	0.1									Grapefruit	0.1	WHL		0.1							4
Other cereal grains	0.01	MRL	0.01									Lime	0.1	WHL		0.1							4
												Other citrus fruits	0.1	WHL		0.1							4
Soybeans (dry)	0.1	MRL	0.1																				
Beans (dry)	0.1	MRL	0.1									Apple	0.1	WHL		0.1							4
Peas	0.1	WHL		0.1							4	Japanese pear	0.1	WHL		0.1							4
Broad beans	0.1	WHL		0.1							4	Pear	0.1	WHL		0.1							4
Peanuts (dry)	0.05	MRL	0.05									Quince	0.1	WHL		0.1							4
Other legumes/pulses	0.01	MRL	0.01									Loquat	0.1	WHL		0.1							4
Potato	0.1	MRL	0.1									Peach	0.1	WHL		0.1							4
Taro	0.1	WHL		0.1							4	Nectarine	0.1	WHL		0.1							4
Sweet potato	0.1	MRL	0.1									Apricot	0.1	WHL		0.1							4
Yam	0.1	WHL		0.1							4	Japanese plum (including Prunes)	0.1	WHL		0.1							4
Konjac	0.1	WHL		0.1							4	Mume plum	0.1	WHL		0.1							4
Other potatoes	0.1	WHL		0.1							4	Cherry	0.1	WHL		0.1							4
Sugar beet	0.1	MRL	0.1																				
Sugarcane												Strawberry	0.1	MRL	0.1								
												Raspberry	0.1	WHL		0.1							4
Japanese radish (including Radish) (root)	0.1	WHL		0.1							4	Blackberry	0.1	WHL		0.1							4
Japanese radish (including Radish) (leaf)	0.1	WHL		0.1							4	Blueberry	0.1	WHL		0.1							4
Turnip (including Rutabaga) (root)	0.1	WHL		0.1							4	Cranberry	0.1	WHL		0.1							4
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1							4	Huckleberry	0.1	WHL		0.1							4
Horseradish	0.1	WHL		0.1							4	Other berries	0.1	WHL		0.1							4
Watercress	0.1	WHL		0.1							4												
Chinese cabbage	0.1	WHL		0.1							4	Grape	0.1	WHL		0.1							4
Cabbage	0.1	MRL	0.1									Japanese persimon	0.1	WHL		0.1							4
Brussels sprouts	0.1	WHL		0.1							4	Banana	0.1	WHL		0.1							4
Kale	0.1	WHL		0.1							4	Kiwifruit	0.1	WHL		0.1							4
KOMATSUNA	0.1	WHL		0.1							4	Papaya	0.1	WHL		0.1							4
KYONA	0.1	WHL		0.1							4	Avocado	0.1	WHL		0.1							4
Qing-geng-cai	0.1	WHL		0.1							4	Pineapple	0.1	WHL		0.1							4
Cauliflower	0.1	MRL	0.1									Guava	0.1	WHL		0.1							4
Broccoli	0.1	MRL	0.1									Mango	0.1	WHL		0.1							4
Other cruciferous vegetables	0.1	WHL		0.1							4	Passion fruit	0.1	WHL		0.1							4
												Date	0.1	WHL		0.1							4
Burdock	0.1	WHL		0.1							4												
Salsify	0.1	WHL		0.1							4	Other fruits	0.1	WHL		0.1							4
Artichoke	0.1	WHL		0.1							4												
Chicory	0.1	WHL		0.1							4	Sunflower seeds	0.1	MRL	0.1								
Endive	0.1	WHL		0.1							4	Sesam seeds	0.1	WHL		0.1							4
SHUNGIKU	0.1	WHL		0.1							4	Safflower seeds	0.1	WHL		0.1							4
Lettuce (Cos lettuce, Leaf lettuce)	0.1	WHL		0.1							4	Cotton seeds	0.05	MRL	0.05								
Other composite vegetables	0.1	WHL		0.1							4	Rape seeds	0.1	MRL	0.1								
												Other oil seeds	0.1	MRL	0.1								
Onion	0.1	MRL	0.1																				
Welsh (including Leek)	0.1	WHL		0.1							4	Ginkgo nut	0.1	WHL		0.1							4
Garlic	0.1	WHL		0.1							4	Chestnut	0.1	WHL		0.1							4
NIRA	0.1	WHL		0.1							4	Pecan	0.1	WHL		0.1							4
Asparagus	0.1	MRL	0.1									Almond	0.1	WHL		0.1							4
Multiplying onion (including Shallot)	0.1	WHL		0.1							4	Walnut	0.1	WHL		0.1							4
Other liliaceous vegetables	0.1	WHL		0.1							4	Other nuts	0.1	WHL		0.1							4
Carrot	0.1	MRL	0.1									Tea (Green, Black, Oolong, Wulong tea)											
Parsnip	0.1	WHL		0.1							4	Coffee beans											
Parsley	0.1	WHL		0.1							4	Cacao beans											
Celery	0.1	WHL		0.1							4	Hop											
MITSUBA	0.1	WHL		0.1							4												
Other umbelliferous vegetables	0.1	WHL		0.1							4	Cattle, muscle	0.05	FC				0.05	0.05				5-1
												Pig, muscle	0.05	FC				0.05	0.05				5-1
Tomato	0.1	WHL		0.1							4	Sheep, muscle	0.05	FC				0.05	0.05				5-1
Pimento (Sweet pepper)	0.1	WHL		0.1							4	Horse, muscle	0.05	FC				0.05	0.05				5-1
Egg plant	0.1	WHL		0.1							4	Deer, muscle	0.05	FC				0.05	0.05				5-1
Other Solanaceous vegetables	0.1	WHL		0.1							4	Goat, muscle	0.05	FC				0.05	0.05				5-1
												Rabbit, muscle	0.05	FC				0.05	0.05				5-1
Cucumber (including Gherkin)	0.1	WHL		0.1							4	Reindeer, muscle	0.05	FC				0.05	0.05				5-1
Pumpkin (including Squash)	0.1	WHL		0.1							4	Other terrestrial mammals, muscle	0.05	FC				0.05	0.05				5-1
Oriental pickling melon (vegetable)	0.1	WHL		0.1							4												
Watermelon	0.1	WHL		0.1							4	Cattle, fat	0.05	FC				0.05	0.2				5-1
Melons	0.1	WHL		0.1							4	Pig, fat	0.05	FC				0.05	0.2				5-1
MAKUWAURI	0.1	WHL		0.1							4	Sheep, fat	0.05	FC				0.05	0.2				5-1
Other cucurbitaceous vegetables	0.1	WHL		0.1							4	Horse, fat	0.05	FC				0.05	0.2				5-1
												Deer, fat	0.05	FC				0.05	0.2				5-1
Spinach	0.1	WHL		0.1																			

# The MRLs printed on the column of MRL are now under deliberation.

[illegible]

## 262. FENOXYCARB

[illegible]

## FENOXYCARB

[illegible]

## 263. FENPROPATHRIN

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.5 MRL	0.5										
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	5 MRL											
Rye												Lemon	5 MRL	5										
Corn (including Maize, Sweet corn)												Orange (including Navel)	5 MRL	5										
Buckwheat												Grapefruit	5 MRL	5										
Other cereal grains												Lime	5 MRL	5										
												Other citrus fruits	5 MRL	5										
Soybeans (dry)		0.1 MRL	0.1																					
Beans (dry)		0.5 MRL	0.5									Apple	5 MRL	5										
Peas		0.1 WHL		0.1							4	Japanese pear	5 MRL	5										
Broad beans		0.1 WHL		0.1							4	Pear	5 MRL	5										
Peanuts (dry)		0.01 MRL	0.01									Quince	5 MRL	5										
Other legumes/pulses		0.1 WHL		0.1							4	Loquat	5 MRL	5										
Potato		1 MRL	1													1								
Taro												Nectarine	0.02 MRL	0.02										
Sweet potato												Apricot	0.02 MRL	0.02										
Yam												Japanese plum (including Prunes)	0.02 MRL	0.02										
Konjac												Mume plum	5 MRL	5										
Other potatoes												Cherry	5 MRL	5										
Sugar beet												Strawberry	5 MRL	5										
Sugarcane												Raspberry	5 WHL		5									4
												Blackberry	5 WHL		5									4
Japanese radish (including Radish) (root)												Blueberry	5 WHL		5									4
Japanese radish (including Radish) (leaf)												Cranberry	5 WHL		5									4
Turnip (including Rutabaga) (root)												Huckleberry	5 WHL		5									4
Turnip (including Rutabaga) (leaf)												Other berries	5 WHL		5									4
Horseradish																								
Watercress												Grape	5 MRL	5										
Chinese cabbage		3 FC				3					5-1	Japanese persimon	2 MRL	2										
Cabbage		0.4 MRL	0.4																					
Brussels sprouts		0.4 MRL	0.4									Banana	2 WHL		2									4
Kale												Kiwifruit	0.5 WHL		0.5									4
KOMATSUNA												Papaya	2 WHL		2									4
KYONA												Avocado	2 WHL		2									4
Qing-geng-cai												Pineapple	2 WHL		2									4
Cauliflower		3 FC				3					5-1	Guava	2 WHL		2									4
Broccoli		3 FC				3					5-1	Mango	2 WHL		2									4
Other cruciferous vegetables		3 FC				3					5-1	Cassia fruit	2 WHL		2									4
												Date	5 WHL		5									4
Burdock																								
Salsify												Other fruits	5 WHL		5				5					3-1
Artichoke																								
Chicory												Sunflower seeds												
Endive												Sesam seeds												
SHUNGIKU												Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds	1 MRL	1										
Other composite vegetables												Rape seeds												
												Other oil seeds												
Onion																								
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan												
Asparagus												Almond												
Multiplying onion (including Shallot)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)	25 MRL	25										
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop	0.5 MRL	0.5										
MITSUBA																								
Other umbelliferous vegetables												Cattle, muscle	0.1 FC						0.1					5-1
												Pig, muscle	0.1 FC						0.1					5-1
Tomato		2 MRL	2									Sheep, muscle	0.1 FC						0.1					5-1
Pepper (Sweet pepper)		2 MRL	2									Goat, muscle	0.1 FC						0.1					5-1
Egg plant		2 MRL	2									Deer, muscle												
Other Solanaceous vegetables		2 WHL		2							4	Goat, muscle	0.1 FC						0.1					5-1
												Rabbit, muscle												
Cucumber (including Gherkin)		2 MRL	2									Reindeer, muscle												
Pumpkin (including Squash)		2 MRL	2									Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)		2 WHL		2							3-1													
Watermelon		0.5 MRL	0.5									Cattle, fat	0.1 FC						1					2
Melons		0.5 MRL	0.5									Pig, fat	1 FC						1					5-1
MAKUWAURI		0.5 WHL		0.5							3-1	Sheep, fat	1 FC						1					5-1
Other cucurbitaceous vegetables		2 WHL		2							3-1	Horse, fat	1 FC						1					5-1
												Deer, fat												
Spinach												Goat, fat	1 FC						1					5-1
Bamboo Shoots												Rabbit, fat												
Okra		2 WHL		2							4	Reindeer, fat												
Ginger												Other terrestrial mammals, fat												
Peas (with pods, immature)												Cattle, liver	0.05 Codex						0.1					2
Kidney beans (with pods, immature)												Pig, liver	0.1 FC						0.1					5-1
Soybeans												Sheep, liver	0.1 FC						0.1					5-1
Button mushroom												Deer, liver	0.1 FC											
SHIITAKE												Goat, liver	0.1 FC						0.1					5-1
Other mushrooms												Rabbit, liver												
Other vegetables												Reindeer, liver												
												Other terrestrial mammals, liver												



## 264. FENPROPIMORPH

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	Codex			0.05				0.05		2	Catfish											
Pig, kidney	0.05	Codex			0.05				0.05		2	Other freshwater fish											
Sheep, kidney	0.05	Codex			0.05				0.05		2												
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney	0.05	Codex			0.05				0.05		2	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.01	Codex			0.01						2	Other animals											
Sheep, milk	0.01	Codex			0.01						2	honey											
Goat, milk	0.01	Codex			0.01						2												
Other terrestrial mammals, milk	0.01	Codex			0.01						2												
Turkey, fat	0.01	Codex			0.01						2												
Chicken, muscle	0.01	Codex			0.01						2												
Duck, muscle	0.01	Codex			0.01						2												
Turkey, muscle	0.01	Codex			0.01						2												
Quail, muscle	0.01	Codex			0.01						2												
Goose, muscle	0.01	Codex			0.01						2												
Pheasant, muscle	0.01	Codex			0.01						2												
Chukar partridge, muscle	0.01	Codex			0.01						2												
Other poultry, muscle	0.01	Codex			0.01						2												
Chicken, fat	0.01	Codex			0.01						2												
Duck, fat	0.01	Codex			0.01						2												
Turkey, fat	0.01	Codex			0.01						2												
Quail, fat	0.01	Codex			0.01						2												
Goose, fat	0.01	Codex			0.01						2												
Pheasant, fat	0.01	Codex			0.01						2												
Chukar partridge, fat	0.01	Codex			0.01						2												
Other poultry, fat	0.01	Codex			0.01						2												
Chicken, liver	0.01	Codex			0.01						2												
Duck, liver	0.01	Codex			0.01						2												
Turkey, liver	0.01	Codex			0.01						2												
Quail, liver	0.01	Codex			0.01						2												
Goose, liver	0.01	Codex			0.01						2												
Pheasant, liver	0.01	Codex			0.01						2												
Chukar partridge, liver	0.01	Codex			0.01						2												
Other poultry, liver	0.01	Codex			0.01						2												
Chicken, kidney	0.01	Codex			0.01						2												
Duck, kidney	0.01	Codex			0.01						2												
Turkey, kidney	0.01	Codex			0.01						2												
Quail, kidney	0.01	Codex			0.01						2												
Goose, kidney	0.01	Codex			0.01						2												
Pheasant, kidney	0.01	Codex			0.01						2												
Chukar partridge, kidney	0.01	Codex			0.01						2												
Other poultry, kidney	0.01	Codex			0.01						2												
Chicken, edible offal excluding liver and kidney	0.01	Codex			0.01						2												
Duck, edible offal excluding liver and kidney	0.01	Codex			0.01						2												
Turkey, edible offal excluding liver and kidney	0.01	Codex			0.01						2												
Quail, edible offal excluding liver and kidney	0.01	Codex			0.01						2												
Goose, edible offal excluding liver and kidney	0.01	Codex			0.01						2												
Pheasant, edible offal excluding liver and kidney	0.01	Codex			0.01						2												
Chukar partridge, edible offal excluding liver and kidney	0.01	Codex			0.01						2												
Other poultry, edible offal excluding liver and kidney	0.01	Codex			0.01						2												
Chicken, eggs	0.01	Codex			0.01						2												
Turkey, eggs					0.01						2												
Other poultry, eggs	0.01	Codex			0.01						2												

## 265. FENPROSTALENE

[illegible]

FENPROSTALENE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.03	FC				0.03					5-1	Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney												Salmon											
Horse, kidney												Trout											
Deer, kidney												Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney																							
Reindeer, kidney												Marine fish											
Other terrestrial mammals, kidney												Shrimps or prawns											
Cattle, edible offal excluding liver and kidney												Lobster											
Pig, edible offal excluding liver and kidney												Crayfish											
Sheep, edible offal excluding liver and kidney												Other crustaceans											
Horse, edible offal excluding liver and kidney																							
Deer, edible offal excluding liver and kidney												Oyster											
Goat, edible offal excluding liver and kidney												Abalone											
Rabbit, edible offal excluding liver and kidney												Other aquatic animals											
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Note: In the US, 0.1 ppm for the injection sites in cattle.

## 266. FENPYROXIMATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.5	MRL	0.5									
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	1	MRL	1									
Rye												Lemon	1	MRL	1									
Corn (including Maize, Sweet corn)												Orange (including Navel)	1	MRL	1									
Buckwheat												Grapefruit	1	MRL	1									
Other cereal grains												Lime	1	MRL	1									
												Other citrus fruits	1	MRL	1									
Soybeans (dry)		0.1	MRL	0.1																				
Beans (dry)		0.05	MRL	0.05									Apple	0.5	MRL	0.5								
Peas		0.2	MRL	0.2									Japanese pear	1	MRL	1								
Broad beans													Pear	1	MRL	1								
Peanuts (dry)													Quince											
Other legumes/pulses													Loquat	0.2	MRL	0.2								
Potato													Peach	0.1	MRL	0.1								
Taro													Nectarine											
Sweet potato													Apricot											
Yam													Japanese plum (including Prunes)											
Konjac													Mume plum											
Other potatoes													Cherry	0.5	MRL	0.5								
Sugar beet		0.05	MRL	0.05									Strawberry	0.5	MRL	0.5								
Sugarcane													Raspberry											
													Blackberry											
Japanese radish (including Radish) (root)													Blueberry											
Japanese radish (including Radish) (leaf)													Cranberry											
Turnip (including Rutabaga) (root)													Blackberry											
Turnip (including Rutabaga) (leaf)													Other berries	1	MRL	1								
Horseradish																								
Watercress													Grape	2	MRL	2								
Chinese cabbage													Japanese persimon	0.5	MRL	0.5								
Cabbage																								
Brussels sprouts													Banana											
Kale													Kiwifruit	0.1	MRL	0.1								
KOMATSUNA													Papaya											
KYONA													Avocado											
Qing-geng-cai													Pineapple											
Cauliflower													Guava											
Broccoli													Mango											
Other cruciferous vegetables													Passion fruit											
													Date											
Burdock													Other fruits	0.5	MRL	0.5								
Water mushroom																								
Salsify																								
Artichoke													Sunflower seeds											
Chicory													Sesam seeds											
Endive													Safflower seeds											
SHUNGIKU													Cotton seeds	0.1	MRL	0.1								
Lettuce (Cos lettuce, Leaf lettuce)													Rape seeds											
Other composite vegetables													Other oil seeds											
Onion													Ginkgo nut											
Welsh (including Leek)													Chestnut											
Garlic													Pecan											
NIRA													Almond											
Asparagus													Walnut											
Multiplying onion (including Shallot)													Other nuts											
Other liliaceous vegetables																								
Carrot													Tea (Green, Black, Oolong, Wulong tea)	10	MRL	10								
Parsnip													Coffee beans											
Parsley													Cacao beans											
Celery													Hop	15	MRL	15								
MITSUBA																								
Other umbelliferous vegetables													Cattle, muscle											
													Pig, muscle											
Tomato		0.5	MRL	0.5									Sheep, muscle											
Pimento (Sweet pepper)		0.5	MRL	0.5									Horse, muscle											
Egg plant		0.5	MRL	0.5									Deer, muscle											
Other Solanaceous vegetables													Goat, muscle											
													Rabbit, muscle											
Cucumber (including Gherkin)		0.5	MRL	0.5									Reindeer, muscle											
Pumpkin (including Squash)													Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																								
Water melon		1	MRL	1									Cattle, fat	0.02	Code			0.02						2
Melons		1	MRL	1									Pig, fat											
MAKUWAURI													Sheep, fat											
Other cucurbitaceous vegetables		0.5	MRL	0.5									Horse, fat											
													Deer, fat											
Spinach		0.5	MRL	0.5									Goat, fat											
Bamboo shoots		5	MRL	5									Rabbit, fat											
Okra													Reindeer, fat											
Ginger													Other terrestrial mammals, fat											
Peas (with pods, immature)		2	MRL	2									Cattle, liver	0.01	Code			0.01						2
Kidney beans (with pods, immature)		2	MRL	2									Pig, liver											
Soybeans		2	MRL	2									Sheep, liver											
													Horse, liver											
Button mushroom													Deer, liver											
SHIITAKE													Goat, liver											
Other mushrooms													Rabbit, liver											
Other vegetables		5	MRL	5									Reindeer, liver											
													Other terrestrial mammals, liver											

# The MRLs printed on the column of MRL are now under deliberation.

[illegible]

## 267. FENRIDAZONE-POTASSIUM

[illegible]

	P	R	M
--	---	---	---

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		1FC				1					5-1	Catfish											
Pig, kidney		1FC				1					5-1	Other freshwater fish											
Sheep, kidney		1FC				1					5-1												
Horse, kidney		1FC				1					5-1	Salmon											
Deer, kidney		1FC				1					5-1	Trout											
Goat, kidney		1FC				1					5-1	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Lobster											
Sheep, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Crayfish											
Horse, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk		0.05FC				0.05					5-1	Other animals											
Sheep, milk		0.05FC				0.05					5-1	honey											
Goat, milk		0.05FC				0.05					5-1												
Other terrestrial mammals, milk		0.05FC				0.05					5-1												
Chicken, muscle		0.3FC				0.3					5-1												
Duck, muscle		0.3FC				0.3					5-1												
Turkey, muscle		0.3FC				0.3					5-1												
Quail, muscle		0.3FC				0.3					5-1												
Goose, muscle		0.3FC				0.3					5-1												
Pheasant, muscle		0.3FC				0.3					5-1												
Chukar partridge, muscle		0.3FC				0.3					5-1												
Other poultry, muscle		0.3FC				0.3					5-1												
Chicken, fat		0.3FC				0.3					5-1												
Duck, fat		0.3FC				0.3					5-1												
Turkey, fat		0.3FC				0.3					5-1												
Quail, fat		0.3FC				0.3					5-1												
Goose, fat		0.3FC				0.3					5-1												
Pheasant, fat		0.3FC				0.3					5-1												
Chukar partridge, fat		0.3FC				0.3					5-1												
Other poultry, fat		0.3FC				0.3					5-1												
Chicken, liver		0.3FC				0.3					5-1												
Duck, liver		0.3FC				0.3					5-1												
Turkey, liver		0.3FC				0.3					5-1												
Quail, liver		0.3FC				0.3					5-1												
Goose, liver		0.3FC				0.3					5-1												
Pheasant, liver		0.3FC				0.3					5-1												
Chukar partridge, liver		0.3FC				0.3					5-1												
Other poultry, liver		0.3FC				0.3					5-1												
Chicken, kidney		0.3FC				0.3					5-1												
Duck, kidney		0.3FC				0.3					5-1												
Turkey, kidney		0.3FC				0.3					5-1												
Quail, kidney		0.3FC				0.3					5-1												
Goose, kidney		0.3FC				0.3					5-1												
Pheasant, kidney		0.3FC				0.3					5-1												
Chukar partridge, kidney		0.3FC				0.3					5-1												
Other poultry, kidney		0.3FC				0.3					5-1												
Chicken, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Duck, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Turkey, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Quail, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Goose, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Pheasant, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Chukar partridge, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Other poultry, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Chicken, eggs		0.05FC				0.05					5-1												
Turkey, eggs		0.05FC				0.05					5-1												
Other poultry, eggs		0.05FC				0.05					5-1												

## 267. FENRIDAZONE-POTASSIUM

[illegible]

	P	R	M
--	---	---	---

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		1FC				1					5-1	Catfish											
Pig, kidney		1FC				1					5-1	Other freshwater fish											
Sheep, kidney		1FC				1					5-1												
Horse, kidney		1FC				1					5-1	Salmon											
Deer, kidney		1FC				1					5-1	Trout											
Goat, kidney		1FC				1					5-1	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Lobster											
Sheep, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Crayfish											
Horse, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney		0.05FC				0.05					5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk		0.05FC				0.05					5-1	Other animals											
Sheep , milk		0.05FC				0.05					5-1	honey											
Goat, milk		0.05FC				0.05					5-1												
Other terrestrial mammals, milk		0.05FC				0.05					5-1												
Chicken, muscle		0.3FC				0.3					5-1												
Duck, muscle		0.3FC				0.3					5-1												
Turkey, muscle		0.3FC				0.3					5-1												
Quail, muscle		0.3FC				0.3					5-1												
Goose, muscle		0.3FC				0.3					5-1												
Pheasant, muscle		0.3FC				0.3					5-1												
Chukar partridge, muscle		0.3FC				0.3					5-1												
Other poultry, muscle		0.3FC				0.3					5-1												
Chicken, fat		0.3FC				0.3					5-1												
Duck, fat		0.3FC				0.3					5-1												
Turkey, fat		0.3FC				0.3					5-1												
Quail, fat		0.3FC				0.3					5-1												
Goose, fat		0.3FC				0.3					5-1												
Pheasant, fat		0.3FC				0.3					5-1												
Chukar partridge, fat		0.3FC				0.3					5-1												
Other poultry, fat		0.3FC				0.3					5-1												
Chicken, liver		0.3FC				0.3					5-1												
Duck, liver		0.3FC				0.3					5-1												
Turkey, liver		0.3FC				0.3					5-1												
Quail, liver		0.3FC				0.3					5-1												
Goose, liver		0.3FC				0.3					5-1												
Pheasant, liver		0.3FC				0.3					5-1												
Chukar partridge, liver		0.3FC				0.3					5-1												
Other poultry, liver		0.3FC				0.3					5-1												
Chicken, kidney		0.3FC				0.3					5-1												
Duck, kidney		0.3FC				0.3					5-1												
Turkey, kidney		0.3FC				0.3					5-1												
Quail, kidney		0.3FC				0.3					5-1												
Goose, kidney		0.3FC				0.3					5-1												
Pheasant, kidney		0.3FC				0.3					5-1												
Chukar partridge, kidney		0.3FC				0.3					5-1												
Other poultry, kidney		0.3FC				0.3					5-1												
Chicken, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Duck, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Turkey, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Quail, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Goose, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Pheasant, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Chukar partridge, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Other poultry, edible offal excluding liver and kidney		0.3FC				0.3					5-1												
Chicken, eggs		0.05FC				0.05					5-1												
Turkey, eggs		0.05FC				0.05					5-1												
Other poultry, eggs		0.05FC				0.05					5-1												

## 268. FENTHION

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.05	MRL	0.05									UNSHU orange	2	CodeX			2		2				2
Wheat												NATSUDAIDAI (flesh)											2
Barley												NATSUDAIDAI (peel)							2				2
Rye												NATSUDAIDAI (whole)	2	CodeX					2				2
Corn (including Maize, Sweet corn)	5	FC					5				5-1	Lemon	2	CodeX					2				2
Buckwheat												Orange (including Navel)	2	CodeX					2				2
Other cereal grains												Grapefruit	2	CodeX					2				2
Soybeans (dry)												Lime	2	CodeX					2				2
Beans (dry)												Other citrus fruits	2	CodeX					2				2
Peas												Apple	2	FC									5-1
Broad beans												Japanese pear	2	FC					2				5-1
Peanuts (dry)												Pear	2	FC					2				5-1
Other legumes/pulses												Quince	2	FC					2				5-1
												Loquat	2	FC					2				5-1
Potato												Peach	5	FC					5				5-1
Taro	0.05	MRL	0.05									Nectarine	5	FC					5				5-1
Sweet potato												Apricot	5	FC					5				5-1
Yam												Japanese plum (including Prunes)	5	FC					5				5-1
Konjac												Mume plum	5	FC					5				5-1
Other potatoes												Cherry	2	CodeX					5				2
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Blackberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape	2	FC					2				5-1
Chinese cabbage												Japanese persimon	5	FC					5				5-1
Cabbage												Banana	3	FC					5				5-1
Brussels sprouts												Kiwifruit	5	FC					5				5-1
Kale												Papaya	5	FC					5				5-1
KOMATSUNA												Avocado	5	FC					5				5-1
KYONA												Pineapple	5	FC					5				5-1
Qing-geng-cai												Guava	2	FC					5				5-1
Cauliflower												Mango	5	FC					5				5-1
Broccoli												Passion fruit	5	FC					5				5-1
Other cruciferous vegetables												Date											5-1
Burdock												Other fruits	1	CodeX				1					2
Salsify																							
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Safflower seeds											
Shungiku												Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds											
Other composite vegetables												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.6	FC					0.1	1			5-1
												Pig, muscle	0.5	FC					0.5				5-1
Tomato	5	FC					5				5-1	Sheep, muscle	0.2	FC					0.2				5-1
Pepper (Sweet pepper)	5	FC					5				5-1	Deer, muscle											5-1
Egg plant	5	FC					5				5-1	Goat, muscle											5-1
Other Solanaceous vegetables	5	FC					5				5-1	Rabbit, muscle											5-1
Cucumber (including Gherkin)	3	FC					3				5-1	Reindeer, muscle											5-1
Pumpkin (including Squash)	3	FC					3				5-1	Other terrestrial mammals, muscle											5-1
Oriental pickling melon (vegetable)	3	FC					3				5-1	Cattle, fat	0.1	FC					0.1				5-1
Water melon (vegetable)	3	FC					3				5-1	Pig, fat	0.1	FC					0.1				5-1
Melons	3	FC					3				5-1	Sheep, fat											5-1
MAKUWAURI	3	FC					3				5-1	Horse, fat											5-1
Other cucurbitaceous vegetables	3	FC					3				5-1	Deer, fat											5-1
Spinach												Goat, fat											5-1
Bamboo shoots												Rabbit, fat											5-1
Okra	5	FC					5				5-1	Reindeer, fat											5-1
Ginger												Other terrestrial mammals, fat											5-1
Peas (with pods, immature)												Cattle, liver	0.6	FC					0.1	1			5-1
Kidney beans (with pods, immature)												Pig, liver	0.5	FC					0.5				5-1
Soybeans												Sheep, liver	0.2	FC					0.2				5-1
Button mushroom	5	FC					5				5-1	Deer, liver											5-1
SHIITAKE	5	FC					5				5-1	Goat, liver											5-1
Other mushrooms	5	FC					5				5-1	Rabbit, liver											5-1
Other vegetables												Reindeer, liver											5-1
												Other terrestrial mammals, liver											5-1

## FENTHION

[illegible]

## 269. FENTIN

[illegible]

# FENTIN

[illegible]

## 270. FENVALERATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	2	Codex			2		2		0.02		2	UNSHU orange	0.2	MRL	0.2								
												Peach	5	MRL	5								
Wheat	2	MRL	2									NATSUDAIDAI (flesh)											
Barley	2	MRL	2									NATSUDAIDAI (peel)											
Rye	2	MRL	2									NATSUDAIDAI (whole)	2	MRL	2								
Corn (including Maize, Sweet corn)	2	MRL	2									Lemon	2	MRL	2								
Buckwheat	2	MRL	2									Orange (including Navel)	2	MRL	2								
Other cereal grains	2	MRL	2									Grapefruit	2	MRL	2								
Soybeans (dry)	0.2	MRL	0.2									Lime	2	MRL	2								
Beans (dry)	0.5	MRL	0.5									Other citrus fruits	2	MRL	2								
Peas	0.5	MRL	0.5									Apple	2	MRL	2								
Broad beans	0.5	MRL	0.5									Japanese pear	2	MRL	2								
Peanuts (dry)	0.1	MRL	0.1									Pear	2	MRL	2								
Other legumes/pulses	0.5	MRL	0.5									Quince	2	MRL	2								
												Loquat	2	MRL	2								
Potato	0.05	MRL	0.05									Peach	5	MRL	5								
Taro	0.05	MRL	0.05									Nectarine	10	MRL	10								
Sweet potato	0.05	MRL	0.05									Apricot	10	MRL	10								
Yam	0.05	MRL	0.05									Japanese plum (including Prunes)	10	MRL	10								
Konjac	0.05	MRL	0.05									Mume plum	10	MRL	10								
Other potatoes	0.05	MRL	0.05									Cherry	2	MRL	2								
Sugar beet	0.5	MRL	0.5									Strawberry	1	MRL	1								
Sugarcane	2	MRL	2									Raspberry	1	MRL	1								
												Blackberry	1	MRL	1								
Japanese radish (including Radish) (root)	0.5	MRL	0.5									Blueberry	1	MRL	1								
Japanese radish (including Radish) (leaf)	8	MRL	8									Cranberry	1	MRL	1								
Turnip (including Rutabaga) (root)	0.05	MRL	0.05									Other berries	1	MRL	1								
Turnip (including Rutabaga) (leaf)	20	MRL	20									Grape	5	MRL	5								
Horseradish	0.05	MRL	0.05									Japanese persimon	1	MRL	1								
Watercress	0.5	MRL	0.5									Banana	1	MRL	1								
Chinese cabbage	3	MRL	3									Kiwifruit	5	MRL	5								
Cabbage	3	MRL	3									Papaya	1	MRL	1								
Brussels sprouts	3	MRL	3									Avocado	1	MRL	1								
Kale	10	MRL	10									Pineapple	1	MRL	1								
KOMATSUNA	0.5	MRL	0.5									Guava	1	MRL	1								
KYONA	0.5	MRL	0.5									Mango	1	MRL	1								
Qing-geng-cai	1	MRL	1									Passion fruit	1	MRL	1								
Cauliflower	2	MRL	2									Date	1	MRL	1								
Broccoli	2	MRL	2									Other fruits	3	MRL	3								
Other cruciferous vegetables	1	MRL	1									Sunflower seeds	0.1	MRL	0.1								
Burdock	0.05	MRL	0.05									Sesam seeds	0.5	MRL	0.5								
Salsify	0.05	MRL	0.05									Safflower seeds	0.5	MRL	0.5								
Artichoke	0.2	MRL	0.2									Cotton seeds	0.2	MRL	0.2								
Chicory	0.5	MRL	0.5									Rape seeds	0.5	MRL	0.5								
Endive	0.5	MRL	0.5									Other oil seeds	0.5	MRL	0.5								
SHUNGIKU	0.5	MRL	0.5									Ginkgo nut	0.2	MRL	0.2								
Lettuce (Cos lettuce, Leaf lettuce)	0.5	MRL	0.5									Chestnut	0.2	MRL	0.2								
Other composite vegetables	0.5	MRL	0.5									Pecan	0.2	MRL	0.2								
Onion	0.5	MRL	0.5									Almond	0.2	MRL	0.2								
Welsh (including Leek)	0.5	MRL	0.5									Walnut	0.2	MRL	0.2								
Garlic	0.5	MRL	0.5									Other nuts	0.2	MRL	0.2								
NIRA	0.5	MRL	0.5									Tea (Green, Black, Oolong, Wulong tea)	1	MRL	1								
Asparagus	0.5	MRL	0.5									Coffee beans											
Multiplying onion (including Shallot)	0.5	MRL	0.5									Cacao beans											
Other liliaceous vegetables	0.5	MRL	0.5									Hop	5	MRL	5								
Carrot	0.5	MRL	0.5									Cattle, muscle	0.9	FC				1.5		0.2			5-1
Parsnip	0.05	MRL	0.05									Pig, muscle	0.9	FC				1.5		0.2			5-1
Parsley	0.5	MRL	0.5									Sheep, muscle	0.9	FC				1.5		0.2			5-1
Celery	2	MRL	2									Horse, muscle	0.9	FC				1.5		0.2			5-1
MITSUBA	0.5	MRL	0.5									Deer, muscle	0.2	FC						0.2			5-1
Other umbelliferous vegetables	0.5	MRL	0.5									Goat, muscle	0.9	FC				1.5		0.2			5-1
Tomato	1	MRL	1									Rabbit, muscle	0.2	FC						0.2			5-1
Pimento (Sweet pepper)	0.5	MRL	0.5									Reindeer, muscle	0.2	FC						0.2			5-1
Egg plant	1	MRL	1									Other terrestrial mammals, muscle	0.2	FC						0.2			5-1
Other Solanaceous vegetables	1	MRL	1									Cattle, fat	1	Codex				1	1.5	0.2	0.25		2
Cucumber (including Gherkin)	0.2	MRL	0.2									Pig, fat	1	Codex				1	1.5		0.2		2
Pumpkin (including Squash)	0.5	MRL	0.5									Sheep, fat	1	Codex					1.5	0.5		0.2	2
Oriental pickling melon (vegetable)	0.5	MRL	0.5									Horse, fat	1	Codex							0.2		2
Water melon	0.5	MRL	0.5									Deer, fat	1	Codex							0.2		2
Melons	0.2	MRL	0.2									Goat, fat	1	Codex				1	1.5	0.5		0.2	2
MAKUWAURI	0.2	MRL	0.2									Rabbit, fat	1	Codex							0.2		2
Other cucurbitaceous vegetables	0.5	MRL	0.5									Reindeer, fat	1	Codex							0.2		2
Spinach	0.5	MRL	0.5									Other terrestrial mammals, fat	1	Codex				1				0.2	2
Bamboo shoots	0.5	MRL	0.5									Cattle, liver	0.02	Codex				0.02	1.5	0.02		0.2	2
Okra	0.5	MRL	0.5									Pig, liver	0.02	Codex				0.02	1.5	0.02		0.2	2
Ginger	0.5	MRL	0.5									Sheep, liver	0.02	Codex				0.02	1.5	0.02		0.2	2
Peas (with pods, immature)	0.1	MRL	0.1									Horse, liver	0.02	Codex				0.02	1.5	0.02		0.2	2
Kidney beans (with pods, immature)	1	MRL	1									Deer, liver	0.02	Codex				0.02	1.5	0.02		0.2	2
Soybeans	1	MRL	1									Goat, liver	0.02	Codex					0.02		0.2		2
Button mushroom	0.5	MRL	0.5									Rabbit, liver	0.02	Codex				0.02		0.02		0.2	2
SHIITAKE	0.5	MRL	0.5									Reindeer, liver	0.02	Codex				0.02		0.02		0.2	2
Other mushrooms	0.5	MRL	0.5									Other terrestrial mammals, liver	0.02	Codex				0.02		0.02		0.2	2
Other vegetables	0.5	MRL	0.5																				

## FENVALERATE

[illegible]

## 271. FERIMZONE

[illegible]

FERIMZONE

[illegible]

## 272. FIPRONIL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.01	MRL	0.01	.....	.....	.....	.....	.....	.....	.....	.....	UNSHU orange											
Wheat	0.002	Codex			0.002						2	NATSUDAIDAI (flesh)											
Barley	0.002	Codex			0.002						2	NATSUDAIDAI (peel)											
Rye	0.002	Codex			0.002						2	NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.02	MRL	0.02	.....	.....	.....	.....	.....	.....	.....		Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains	0.01	MRL	0.01	.....	.....	.....	.....	.....	.....	.....		Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato	0.01	MRL	0.01	.....	.....	.....	.....	.....	.....	.....		Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet	0.01	MRL	0.01	.....	.....	.....	.....	.....	.....	.....		Strawberry											
Sugarcane	0.01	MRL	0.01	.....	.....	.....	.....	.....	.....	.....		Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress	0.1	FC					0.1				5-1	Grape											
Chinese cabbage	0.1	MRL	0.1	.....	.....							Japanese persimon											
Cabbage	0.05	MRL	0.05	.....	.....																		
Brussels sprouts	0.05	FC					0.05				5-1	Banana	0.01	MRL	0.01	.....							
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA	0.1	FC					0.1				5-1	Avocado											
Qing-geng-cai	0.05	MRL	0.05	.....	.....							Pineapple											
Cauliflower	0.05	MRL	0.05	.....	.....							Guava											
Broccoli	0.05	MRL	0.05	.....	.....							Mango											
Other cruciferous vegetables	0.05	MRL	0.05	.....	.....							Passion fruit											
Burdock												Date											
Salsify												Other fruits	0.1	FC					0.1				5-1
Artichoke																							
Chicory												Sunflower seeds	0.01	MRL	0.01	.....							
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables	0.1	FC					0.1				5-1	Rape seeds	0.01	MRL	0.01	.....							
Onion												Other oil seeds	0.1	FC					0.1				5-1
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA	0.1	FC					0.1				5-1	Pecan											
Asparagus	0.05	FC					0.5				5-1	Almond											
Multiplying onion (Shallot)												Walnut											
Other liliaceous vegetables	0.1	FC					0.1				5-1	Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley	0.1	FC					0.1				5-1	Cacao beans											
Celery	0.1	FC					0.1				5-1	Hop											
MITSUBA	0.1	FC					0.1				5-1												
Other umbelliferous vegetables	0.1	FC					0.1				5-1	Cattle, muscle	0.04	FC				0.04					5-1
Tomato												Pig, muscle	0.01	FC				0.01					5-1
Pimento (Sweet pepper)	0.1	FC					0.1				5-1	Sheep, muscle	0.04	FC				0.04					5-1
Egg plant												Horse, muscle	0.04	FC				0.04					5-1
Other Solanaceous vegetables	0.1	FC					0.1				5-1	Deer, muscle											
Cucumber (including Gherkin)												Goat, muscle	0.04	FC				0.04					5-1
Pumpkin (including Squash)												Reindeer, muscle											
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle											
Water melon												Cattle, fat	0.5	Codex		0.5		0.4	0.1				2
Melons												Pig, fat	0.3	FC				0.4	0.1				5-1
MAKUWAURI												Sheep, fat	0.3	FC				0.4	0.1				5-1
Other cucurbitaceous vegetables												Horse, fat	0.3	FC				0.4	0.1				5-1
Spinach												Deer, fat	0.1	FC				0.4	0.1				5-1
Bamboo shoots												Goat, fat	0.3	FC				0.4	0.1				5-1
Okra												Rabbit, fat	0.1	FC					0.1				5-1
Ginger												Reindeer, fat	0.1	FC					0.1				5-1
Peas (with pods, immature)												Other terrestrial mammals, fat	0.1	FC					0.1				5-1
Kidney beans (with pods, immature)												Cattle, liver	0.1	Codex		0.1		0.1	0.02				2
Soybeans												Pig, liver	0.02	FC				0.02	0.02				5-1
Button mushroom	0.02	MRL	0.02	.....	.....							Sheep, liver	0.06	FC				0.1	0.02				5-1
SHIITAKE												Horse, liver	0.06	FC				0.1	0.02				5-1
Other mushrooms												Deer, liver	0.02	FC					0.02				5-1
Other vegetables	0.1	FC					0.1				5-1	Goat, liver	0.06	FC				0.1	0.02				5-1
												Rabbit, liver	0.02	FC					0.02				5-1
												Reindeer, liver	0.02	FC					0.02				5-1
												Other terrestrial mammals, liver	0.02	FC					0.02				5-1

# FIPRONIL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.02	CodeX			0.02	0.04	0.02				2	Catfish											
Pig, kidney	0.02	FC				0.01	0.02				5-1	Other freshwater fish											
Sheep, kidney	0.03	FC				0.04	0.02				5-1												
Deer, kidney	0.02	FC					0.02				5-1	Trout											
Goat, kidney	0.03	FC				0.04	0.02				5-1	Other salmonidae											
Rabbit, kidney	0.02	FC					0.02				5-1	Other diadromous fish											
Reindeer, kidney	0.02	FC					0.02				5-1												
Other terrestrial mammals, kidney	0.02	FC					0.02				5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	0.03	FC				0.04	0.02				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.02	FC				0.01	0.02				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.03	FC				0.04	0.02				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.03	FC				0.04	0.02				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.02	FC					0.02				5-1												
Goat, edible offal excluding liver and kidney	0.03	FC				0.04	0.02				5-1	Oyster											
Rabbit, kidney	0.02	FC					0.02				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.02	FC					0.02				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.02	FC					0.02				5-1	Other animals											
Cattle, milk	0.02	CodeX			0.02	0.05	0.01				2												
Sheep, milk	0.03	FC				0.05	0.01				5-1	honey											
Goat, milk	0.03	FC				0.05	0.01				5-1												
Other terrestrial mammals, milk	0.03	FC				0.05	0.01				5-1												
Chicken, muscle	0.01	CodeX			0.01	0.02					2												
Duck, muscle	0.01	CodeX			0.01	0.02					2												
Turkey, muscle	0.01	CodeX			0.01	0.02					2												
Quail, muscle	0.01	CodeX			0.01	0.02					2												
Goose, muscle	0.01	CodeX			0.01	0.02					2												
Pheasant, muscle	0.01	CodeX			0.01	0.02					2												
Chukar partridge, muscle	0.01	CodeX			0.01	0.02					2												
Other poultry, muscle	0.01	CodeX			0.01	0.02					2												
Chicken, fat	0.04	FC				0.05	0.02				5-1												
Duck, fat	0.04	FC				0.05	0.02				5-1												
Turkey, fat	0.04	FC				0.05	0.02				5-1												
Quail, fat	0.04	FC				0.05	0.02				5-1												
Goose, fat	0.04	FC				0.05	0.02				5-1												
Pheasant, fat	0.04	FC				0.05	0.02				5-1												
Chukar partridge, fat	0.04	FC				0.05	0.02				5-1												
Other poultry, fat	0.04	FC				0.05	0.02				5-1												
Chicken, liver	0.02	CodeX			0.02	0.02	0.01				2												
Duck, liver	0.02	CodeX			0.02	0.02	0.01				2												
Turkey, liver	0.02	CodeX			0.02	0.02	0.01				2												
Quail, liver	0.02	CodeX			0.02	0.02	0.01				2												
Goose, liver	0.02	CodeX			0.02	0.02	0.01				2												
Pheasant, liver	0.02	CodeX			0.02	0.02	0.01				2												
Chukar partridge, liver	0.02	CodeX			0.02	0.02	0.01				2												
Other poultry, liver	0.02	CodeX			0.02	0.02	0.01				2												
Chicken, kidney	0.02	CodeX			0.02	0.02	0.01				2												
Duck, kidney	0.02	CodeX			0.02	0.02	0.01				2												
Turkey, kidney	0.02	CodeX			0.02	0.02	0.01				2												
Quail, kidney	0.02	CodeX			0.02	0.02	0.01				2												
Goose, kidney	0.02	CodeX			0.02	0.02	0.01				2												
Pheasant, kidney	0.02	CodeX			0.02	0.02	0.01				2												
Chukar partridge, kidney	0.02	CodeX			0.02	0.02	0.01				2												
Other poultry, kidney	0.02	CodeX			0.02	0.02	0.01				2												
Chicken, edible offal excluding liver and kidney	0.02	CodeX			0.02	0.02	0.01				2												
Duck, edible offal excluding liver and kidney	0.02	CodeX			0.02	0.02	0.01				2												
Turkey, edible offal excluding liver and kidney	0.02	CodeX			0.02	0.02	0.01				2												
Quail, edible offal excluding liver and kidney	0.02	CodeX			0.02	0.02	0.01				2												
Goose, edible offal excluding liver and kidney	0.02	CodeX			0.02	0.02	0.01				2												
Pheasant, edible offal excluding liver and kidney	0.02	CodeX			0.02	0.02	0.01				2												
Chukar partridge, edible offal excluding liver and kidney	0.02	CodeX			0.02	0.02	0.01				2												
Other poultry, edible offal excluding liver and kidney	0.02	CodeX			0.02	0.02	0.01				2												
Chicken, eggs	0.02	CodeX			0.02	0.03	0.02				2												
Turkey, eggs	0.02	CodeX			0.02	0.03	0.02				2												
Other poultry, eggs	0.02	CodeX			0.02	0.03	0.02				2												

### 273. FLAMPROP-METHYL

[illegible]

# FLAMPROP-METHYL

[illegible]