

289. FLUMIOXAZIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange	0.1#MRL		0.1#								
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)	0.1#MRL		0.1#								
Corn (including Maize, Sweet corn)												Lemon	0.1#MRL		0.1#								
Buckwheat												Orange (including Navel)	0.1#MRL		0.1#								
Other cereal grains												Grapefruit	0.1#MRL		0.1#								
Soybeans (dry)	0.02#MRL		0.02#									Lime	0.1#MRL		0.1#								
Beans (dry)												Other citrus fruits	0.1#MRL		0.1#								
Peas												Apple	0.1#MRL		0.1#								
Broad beans												Japanese pear	0.1#MRL		0.1#								
Peanuts (dry)	0.02#MRL		0.02#									Pear	0.1#MRL		0.1#								
Other legumes/pulses												Quince	0.1#WHL			0.1#							4
Potato												Loquat											
Taro												Peach											
Sweet potato												Nectarine	0.1#WHL			0.1#							4
Yam												Apricot	0.1#WHL			0.1#							4
Konjac												Japanese plum (including Prunes)	0.1#WHL			0.1#							4
Other potatoes												Mume plum	0.1#WHL			0.1#							4
Sugar beet												Cherry	0.1#WHL			0.1#							4
Sugarcane												Strawberry	0.1#WHL			0.1#							4
Japanese radish (including Radish) (root)												Raspberry	0.1#WHL			0.1#							4
Japanese radish (including Radish) (leaf)												Blackberry	0.1#WHL			0.1#							4
Turnip (including Rutabaga) (root)												Blueberry	0.1#WHL			0.1#							4
Turnip (including Rutabaga) (leaf)												Cranberry	0.1#WHL			0.1#							4
Horseradish												Other berries	0.1#WHL			0.1#							4
Watercress												Grape	0.1#MRL			0.1#							
Chinese cabbage												Japanese persimon	0.1#WHL			0.1#							4
Cabbage												Banana	0.1#WHL			0.1#							4
Brussels sprouts												Kiwifruit											
Kale												Papaya	0.1#WHL			0.1#							4
KOMATSUNA												Avocado	0.1#WHL			0.1#							4
KYONA												Pineapple	0.1#WHL			0.1#							4
Qing-geng-cai												Guava	0.1#WHL			0.1#							4
Cauliflower												Mango	0.1#WHL			0.1#							4
Broccoli												Passion fruit	0.1#WHL			0.1#							4
Other cruciferous vegetables												Date	0.1#WHL			0.1#							4
Burdock												Other fruits	0.1#WHL			0.1#							4
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHUNGIKU												Rape seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables												Onion											
Onion												Welsh (including Leek)											
Garlic												NIRA											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
Other umbelliferous vegetables												Cattle, muscle											
Tomato												Pig, muscle											
Pimento (Sweet pepper)												Sheep, muscle											
Egg plant												Horse, muscle											
Other Solanaceous vegetables												Deer, muscle											
Cucumber (including Gherkin)												Goat, muscle											
Pumpkin (including Squash)												Rabbit, muscle											
Oriental pickling melon (vegetable)												Reindeer, muscle											
Water melon												Other terrestrial mammals, muscle											
Melons												Cattle, fat											
MAKUWAURI												Pig, fat											
Other cucurbitaceous vegetables												Sheep, fat											
Spinach												Horse, fat											
Bamboo shoots												Goat, fat											
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver											
Soybeans												Pig, liver											
Button mushroom												Sheep, liver											
SHIITAKE												Horse, liver											
Other mushrooms												Deer, liver											
Other vegetables												Goat, liver											
												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

# The MRLs printed on the column of MRL are now under deliberation.

# FLUMIOXAZIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, kidney offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

## 290. FLUNIXIN

[illegible]

[illegible]

## 291. FLUOMETURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.5	FC					0.5					5-1
Beans (dry)												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	0.5	FC					0.5					5-1
Rye												Lemon	0.5	FC					0.5					5-1
Corn (including Maize, Sweet corn)												Orange (including Navel)	0.5	FC					0.5					5-1
Buckwheat												Grapefruit	0.5	FC					0.5					5-1
Other cereal grains												Lime	0.5	FC					0.5					5-1
Soybeans (dry)												Other citrus fruits	0.5	FC					0.5					5-1
Beans (dry)												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts (dry)												Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish (including Radish) (root)												Blueberry												
Japanese radish (including Radish) (leaf)												Cranberry												
Turnip (including Rutabaga) (root)												Huckleberry												
Turnip (including Rutabaga) (leaf)												Other berries												
Horseradish												Grape												
Watercress												Japanese persimon												
Chinese cabbage												Banana												
Cabbage												Kiwifruit												
Brussels sprouts												Papaya												
Kale												Avocado												
Other cruciferous vegetables												Pineapple												
												Guava												
Burdock												Mango												
Salsify												Passion fruit												
Artichoke												Date												
Chicory												Other fruits												
Endive												Sunflower seeds												
SHUNGIKU												Sesam seeds												
lettuce (Cos lettuce, Leaf lettuce)												Safflower seeds												
Other composite vegetables												Cotton seeds												
												Rape seeds												
Onion												Other oil seeds												
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan												
Asparagus												Almond												
Mushroom (including Shiitake)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)												
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop												
MITSUBA																								
Other umbelliferous vegetables												Cattle, muscle												
												Pig, muscle												
Tomato												Sheep, muscle												
Pimento (Sweet pepper)												Horse, muscle												
Egg plant												Deer, muscle												
Other Solanaceous vegetables												Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)												Reindeer, muscle												
Pumpkin (including Squash)												Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)												Cattle, fat												
Water melon												Pig, fat												
Melons												Sheep, fat												
Other cucurbitaceous vegetables												Horse, fat												
												Deer, fat												
Spinach												Goat, fat												
Bamboo shoots												Rabbit, fat												
Okra												Reindeer, fat												
Other vegetables												Other terrestrial mammals, fat												
Peas (with pods, immature)												Cattle, liver												
Kidney beans (with pods, immature)												Pig, liver												
Soybeans												Sheep, liver												
Button mushroom												Horse, liver												
SHIITAKE												Deer, liver												
Other mushrooms												Goat, liver												
Other vegetables												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

# FLUOMETURON

[illegible]

## 292. FLUORINE (INORGANIC SALTS)

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)		7FC					7				5-1	UNSHU orange		7FC						7				5-1
												NATSUDAIDAI (flesh)												
Wheat		7FC					7				5-1	NATSUDAIDAI (peel)								7				5-1
Barley		7FC					7				5-1	NATSUDAIDAI (whole)		7FC						7				5-1
Rye		7FC					7				5-1	Lemon		7FC						7				5-1
Corn (including Maize, Sweet corn)		7FC					7				5-1	Orange (including Navel)		7FC						7				5-1
Buckwheat		7FC					7				5-1	Grapefruit		7FC						7				5-1
Other cereal grains		7FC					7				5-1	Lime		7FC						7				5-1
												Other citrus fruits		7FC						7				5-1
Soybeans (dry)		7FC					7				5-1													
Beans (dry)		7FC					7				5-1	Apple		7FC						7				5-1
Peas		7FC					7				5-1	Japanese pear		7FC						7				5-1
Broad beans		7FC					7				5-1	Pear		7FC						7				5-1
Peanuts (dry)		7FC					7				5-1	Quince		7FC						7				5-1
Other legumes/pulses		7FC					7				5-1	Loquat		7FC						7				5-1
Potato		7FC					7				5-1	Peach		7FC						7				5-1
Taro		7FC					7				5-1	Nectarine		7FC						7				5-1
Sweet potato		7FC					7				5-1	Apricot		7FC						7				5-1
Yam		7FC					7				5-1	Japanese plum (including Prunes)		7FC						7				5-1
Konjac		7FC					7				5-1	Mume plum		7FC						7				5-1
Other potatoes		7FC					7				5-1	Cherry		7FC						7				5-1
Sugar beet		7FC					7				5-1	Strawberry		7FC						7				5-1
Sugarcane												Raspberry		7FC						7				5-1
												Blackberry		7FC						7				5-1
Japanese radish (including Radish) (root)		7FC					7				5-1	Blueberry		7FC						7				5-1
Japanese radish (including Radish) (leaf)		7FC					7				5-1	Cranberry		7FC						7				5-1
Turnip (including Rutabaga) (root)		7FC					7				5-1	Huckleberry		7FC						7				5-1
Turnip (including Rutabaga) (leaf)		7FC					7				5-1	Other berries		7FC						7				5-1
Horseradish		7FC					7				5-1													
Watercress		7FC					7				5-1	Grape		7FC						7				5-1
Chinese cabbage		7FC					7				5-1	Japanese persimon		7FC						7				5-1
Cabbage		7FC					7				5-1													
Brussels sprouts		7FC					7				5-1	Banana		7FC						7				5-1
Kale		7FC					7				5-1	Kiwifruit		7FC						7				5-1
KOMATSUNA		7FC					7				5-1									7				5-1
KYONA		7FC					7				5-1	Avocado		7FC						7				5-1
Qing-geng-cai		7FC					7				5-1	Pineapple		7FC						7				5-1
Cauliflower		7FC					7				5-1	Guava		7FC						7				5-1
Broccoli		7FC					7				5-1	Mango		7FC						7				5-1
Other cruciferous vegetables		7FC					7				5-1	Passion fruit		7FC						7				5-1
												Date		7FC						7				5-1
Burdock		7FC					7				5-1													
Salsify		7FC					7				5-1	Other fruits		7FC						7				5-1
Salsify		7FC					7				5-1													
Artichoke		7FC					7				5-1													
Chicory		7FC					7				5-1	Sunflower seeds												
Endive		7FC					7				5-1	Sesam seeds												
SHUNGIKU		7FC					7				5-1	Safflower seeds												
Lettuces (including Leaf lettuce)		7FC					7				5-1	Cotton seeds												
Other composite vegetables		7FC					7				5-1	Rape seeds												
												Other oil seeds												
Onion		7FC					7				5-1													
Welsh (including Leek)		7FC					7				5-1	Ginkgo nut												
Garlic		7FC					7				5-1	Chestnut												
NIRA												Pecan												
Asparagus		7FC					7				5-1	Almond												
Multiplying onion (including Shallot)		7FC					7				5-1	Walnut												
Other liliaceous vegetables		7FC					7				5-1	Other nuts												
Carrot		7FC					7				5-1	Tea (Green, Black, Oolong, Wulong tea)												
Parsnip		7FC					7				5-1	Coffee beans												
Parsley		7FC					7				5-1	Cacao beans												
Celery		7FC					7				5-1	Hop												
MITSUBA																								
Other umbelliferous vegetables		7FC					7				5-1	Cattle, muscle												
												Pig, muscle												
Tomato		7FC					7				5-1	Sheep, muscle												
Pimento (Sweet pepper)		7FC					7				5-1	Horse, muscle												
Pimento (Sweet pepper)		7FC					7				5-1	Goat, muscle												
Egg plant		7FC					7				5-1	Other mammals, muscle												
Other Solanaceous vegetables		7FC					7				5-1	Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)		7FC					7				5-1	Reindeer, muscle												
Pumpkin (including Squash)		7FC					7				5-1	Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)		7FC					7				5-1													
Water melon		7FC					7				5-1	Cattle, fat												
Melons		7FC					7				5-1	Pig, fat												
MAKUWAURI		7FC					7				5-1	Sheep, fat												
Other cucurbitaceous vegetables		7FC					7				5-1	Horse, fat												
												Deer, fat												
Spinach		7FC					7				5-1	Goat, fat												
Bamboo shoots		7FC					7				5-1	Rabbit, fat												
Onion		7FC					7				5-1	Reindeer, fat												
Ginger		7FC					7				5-1	Other terrestrial mammals, fat												
Peas (with pods, immature)		7FC					7				5-1													
Kidney beans (with pods, immature)		7FC					7				5-1	Cattle, liver												
Soybeans		7FC					7				5-1	Pig, liver												
												Sheep, liver												
Button mushroom		7FC					7				5-1	Horse, liver												
SHIITAKE		7FC					7				5-1	Deer, liver												
Other mushrooms		7FC					7				5-1	Goat, liver												
Other vegetables		7FC					7				5-1	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

[illegible]



## 293. FLUOROIMIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	5	MRL	5									
												Beach												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Corn (including Maize, Sweet corn)												Lemon												
Buckwheat												Orange (including Navel)												
Other cereal grains												Grapefruit												
Soybeans (dry)												Lime												
Beans (dry)												Other citrus fruits												
Peas												Apple	5	MRL	5									
Broad beans												Japanese pear	5	WHL		5								
Peanuts (dry)												Pear	5	WHL		5								4
Other legumes/pulses												Quince	5	WHL		5								4
												Loquat												
Potato			0.5	MRL	0.5																			
Taro			0.5	WHL							4	Nectarine	5	WHL		5								4
Sweet potato			0.5	WHL							4	Apricot												
Yam			0.5	WHL							4	Japanese plum (including Prunes)												
Konjac			0.5	WHL							4	Mume plum												
Other potatoes			0.5	WHL							4	Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish (including Radish) (root)												Blueberry												
Japanese radish (including Radish) (leaf)												Cranberry												
Turnip (including Rutabaga) (root)												Blackberry												
Turnip (including Rutabaga) (leaf)												Other berries												
Horseradish																								
Watercress												Grape												
Chinese cabbage												Japanese persimon	5	MRL	5									
Cabbage																								
Brussels sprouts												Banana	5	WHL		5								4
Kale												Kiwifruit												
KOMATSUNA												Papaya	5	WHL		5								4
KYONA												Avocado	5	WHL		5								4
Qing-geng-cai												Pineapple	5	WHL		5								4
Cauliflower												Guava	5	WHL		5								4
Broccoli												Mango	5	WHL		5								4
Other cruciferous vegetables												Passion fruit	5	WHL		5								4
												Date												
Burdock																								
Salsify												Other fruits												
Artichoke																								
Chicory												Sunflower seeds												
Endive												Sesam seeds												
SHUNGIKU												Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds												
Other composite vegetables												Rape seeds												
												Other oil seeds												
Onion			1	MRL	1																			
Welsh (including Leek)												Ginkgo nut												
Garlic			1	WHL	1						4	Chestnut												
NIRA												Pecan												
Asparagus												Almond												
Multiplying onion (including Shallot)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)	35	MRL	35									
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop												
MITSUBA																								
Other umbelliferous vegetables												Cattle, muscle												
												Pig, muscle												
Tomato												Sheep, muscle												
Pimento (Sweet pepper)												Horse, muscle												
Egg plant												Deer, muscle												
Other Solanaceous vegetables												Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)												Reindeer, muscle												
Pumpkin (including Squash)												Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)																								
Water melon												Cattle, fat												
Melons												Pig, fat												
MAKUWAURI												Sheep, fat												
Other cucurbitaceous vegetables												Horse, fat												
												Deer, fat												
Spinach												Goat, fat												
Bamboo shoots												Rabbit, fat												
Okra												Reindeer, fat												
Ginger												Other terrestrial mammals, fat												
Peas (with pods, immature)																								
Kidney beans (with pods, immature)												Cattle, liver												
Soybeans												Pig, liver												
												Sheep, liver												
Button mushroom												Horse, liver												
SHIITAKE												Deer, liver												
Other mushrooms												Goat, liver												
Other vegetables												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

## FLUOROIMIDE

[illegible]

294. FLUQUINCONAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish												Grape											
Watercress												Japanese persimon											
Chinese cabbage												Banana											
Cabbage												Kiwifruit											
Brussels sprouts												Papaya											
Kale												Avocado											
KOMATSUNA												Pineapple											
KYONA												Guava											
Qing-geng-cai												Mango											
Cauliflower												Passion fruit											
Broccoli												Date											
Other cruciferous vegetables												Other fruits											
Burdock												Sunflower seeds											
Salsify												Sesam seeds											
Artichoke												Safflower seeds											
Chicory												Cotton seeds											
Endive												Rape seeds											
SHUNGIKU												Other oil seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Ginkgo nut											
Other composite vegetables												Chestnut											
Onion												Pecan											
Welsh (including Leek)												Almond											
Garlic												Walnut											
NIRA												Other nuts											
Asparagus												Tea (Green, Black, Oolong, Wulong tea)											
Multiplying onion (including Shallot)												Coffee beans											
Other liliaceous vegetables												Cacao beans											
Carrot												Hop											
Parsnip												Cattle, muscle											
Parsley												Pig, muscle											
Celery												Sheep, muscle											
MITSUBA												Horse, muscle											
Other umbelliferous vegetables												Deer, muscle											
Tomato												Goat, muscle											
Pimento (Sweet pepper)												Rabbit, muscle											
Egg plant												Reindeer, muscle											
Other Solanaceous vegetables												Other terrestrial mammals, muscle											
Cucumber (including Gherkin)												Cattle, fat		0.5	FC				0.5				5-1
Pumpkin (including Squash)												Pig, fat		0.5	FC				0.5				5-1
Oriental pickling melon (vegetable)												Sheep, fat		0.5	FC				0.5				5-1
Water melon												Horse, fat		0.5	FC				0.5				5-1
Melons												Deer, fat		0.5	FC				0.5				5-1
MAKUWAURI												Goat, fat		0.5	FC				0.5				5-1
Other cucurbitaceous vegetables												Rabbit, fat		0.5	FC				0.5				5-1
Spinach												Reindeer, fat		0.5	FC				0.5				5-1
Bamboo shoots												Other terrestrial mammals, fat		0.5	FC				0.5				5-1
Okra												Cattle, liver		0.2	FC				0.2				5-1
Ginger												Pig, liver		0.2	FC				0.2				5-1
Peas (with pods, immature)												Sheep, liver		0.2	FC				0.2				5-1
Kidney beans (with pods, immature)												Horse, liver		0.2	FC				0.2				5-1
Soybeans												Deer, liver		0.2	FC				0.2				5-1
Button mushroom												Goat, liver		0.2	FC				0.2				5-1
SHIITAKE												Rabbit, liver		0.2	FC				0.2				5-1
Other mushrooms												Reindeer, liver		0.2	FC				0.2				5-1
Other vegetables												Other terrestrial mammals, liver		0.2	FC				0.2				5-1

# FLUQUINCONAZOLE

[illegible]

## 295. FLURIDONE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	FC				0.1					5-1	UNSHU orange	0.1	FC					0.1					5-1
												NATSUDAIDAI (flesh)												5-1
Wheat	0.1	FC				0.1					5-1	NATSUDAIDAI (peel)							0.1					5-1
Barley	0.1	FC				0.1					5-1	NATSUDAIDAI (whole)	0.1	FC					0.1					5-1
Rye	0.1	FC				0.1					5-1	Lemon	0.1	FC					0.1					5-1
Corn (including Maize, Sweet corn)	0.1	FC				0.1					5-1	Orange (including Navel)	0.1	FC					0.1					5-1
Buckwheat	0.1	FC				0.1					5-1	Grapefruit	0.1	FC					0.1					5-1
Other cereal grains	0.1	FC				0.1					5-1	Lime	0.1	FC					0.1					5-1
												Other citrus fruits	0.1	FC					0.1					5-1
Soybeans (dry)																								
Beans (dry)																			0.1					5-1
Peas																			0.1					5-1
Broad beans																			0.1					5-1
Peanuts (dry)																			0.1					5-1
Other legumes/pulses																			0.1					5-1
Potato																			0.1					5-1
Taro																			0.1					5-1
Sweet potato																			0.1					5-1
Yam																			0.1					5-1
Konjac																			0.1					5-1
Other potatoes																			0.1					5-1
Sugar beet	0.1	FC				0.1					5-1	Strawberry							0.1					5-1
Sugarcane																			0.1					5-1
																			0.1					5-1
Japanese radish (including Radish) (root)	0.1	FC				0.1					5-1	Blueberry	0.1	FC					0.1					5-1
Japanese radish (including Radish) (leaf)																			0.1					5-1
Turnip (including Rutabaga) (root)	0.1	FC				0.1					5-1	Cranberry	0.1	FC					0.1					5-1
Turnip (including Rutabaga) (leaf)																			0.1					5-1
Horseradish	0.1	FC				0.1					5-1	Other berries	0.1	FC					0.1					5-1
Watercress	0.1	FC				0.1					5-1	Grape												
Chinese cabbage	0.1	FC				0.1					5-1	Japanese persimmon												
Cabbage	0.1	FC				0.1					5-1													
Brussels sprouts	0.1	FC				0.1					5-1	Banana												
Kale	0.1	FC				0.1					5-1	Kiwifruit												
KOMATSUNA	0.1	FC				0.1					5-1	Papaya												
KYONA	0.1	FC				0.1					5-1	Avocado	0.1	FC					0.1					5-1
Qing-geng-cai	0.1	FC				0.1					5-1	Pineapple												
Cauliflower	0.1	FC				0.1					5-1	Guava												
Broccoli	0.1	FC				0.1					5-1	Mango												
Other cruciferous vegetables	0.1	FC				0.1					5-1	Cassia fruit												
												Date												
Burdock	0.1	FC				0.1					5-1													
Salsify	0.1	FC				0.1					5-1	Other fruits	0.1	FC					0.1					5-1
Artichoke																								
Chicory												Sunflower seeds												
Endive	0.1	FC				0.1					5-1	Sesam seeds												
SHINGOIKU	0.1	FC				0.1					5-1	Cafflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)	0.1	FC				0.1					5-1	Cotton seeds	0.1	FC					0.1					5-1
Other composite vegetables	0.1	FC				0.1					5-1	Rape seeds												
												Other oil seeds												
Onion																								
Welsh (including Leek)												Ginkgo nut							0.1					5-1
Garlic												Chestnut	0.1	FC					0.1					5-1
NIRA												Pecan	0.1	FC					0.1					5-1
Asparagus												Almond	0.1	FC					0.1					5-1
Multiplying onion (including Shallot)												Walnut	0.1	FC					0.1					5-1
Other liliaceous vegetables												Other nuts	0.1	FC					0.1					5-1
Carrot	0.1	FC				0.1					5-1	Tea (Green, Black, Oolong, Wulong tea)												
Parsnip	0.1	FC				0.1					5-1	Coffee beans												
Parsley	0.1	FC				0.1					5-1	Cacao beans												
Celery	0.1	FC				0.1					5-1	Hop	0.1	FC					0.1					5-1
MITSUBA																								
Other umbelliferous vegetables	0.1	FC				0.1					5-1	Cattle, muscle	0.05	FC					0.05					5-1
												Pig, muscle	0.05	FC					0.05					5-1
Tomato	0.1	FC				0.1					5-1	Sheep, muscle	0.05	FC					0.05					5-1
Pepper (Sweet pepper)	0.1	FC				0.1					5-1	Goat, muscle	0.05	FC					0.05					5-1
Egg plant	0.1	FC				0.1					5-1	Deer, muscle	0.05	FC					0.05					5-1
Other Solanaceous vegetables	0.1	FC				0.1					5-1	Goat, muscle	0.05	FC					0.05					5-1
												Rabbit, muscle												
Cucumber (including Gherkin)	0.1	FC				0.1					5-1	Reindeer, muscle												
Pumpkin (including Squash)	0.1	FC				0.1					5-1	Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)	0.1	FC				0.1					5-1													
Watermelon	0.1	FC				0.1					5-1	Cattle, fat	0.05	FC					0.05					5-1
Melons	0.1	FC				0.1					5-1	Pig, fat	0.05	FC					0.05					5-1
MAKUWAURI	0.1	FC				0.1					5-1	Sheep, fat	0.05	FC					0.05					5-1
Other cucurbitaceous vegetables	0.1	FC				0.1					5-1	Horse, fat	0.05	FC					0.05					5-1
												Deer, fat												
Spinach	0.1	FC				0.1					5-1	Goat, fat	0.05	FC					0.05					5-1
Bamboo shoots												Rabbit, fat												
Okra												Reindeer, fat												
Ginger												Other terrestrial mammals, fat												
Peas (with pods, immature)																								
Kidney beans (with pods, immature)	0.1	FC				0.1					5-1	Cattle, liver	0.1	FC					0.1					5-1
Soybeans												Pig, liver	0.1	FC					0.1					5-1
												Sheep, liver	0.1	FC					0.1					5-1
Button mushroom												Horse, liver	0.1	FC					0.1					5-1
SHIITAKE												Deer, liver												
Other mushrooms												Goat, liver	0.1	FC					0.1					5-1
Other vegetables	0.1	FC				0.1					5-1	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	A	E U	N Z	T y p e
Cattle, kidney	0.1	FC				0.1					5-1	Catfish	0.5	FC				0.5					5-1
Pig, kidney	0.1	FC				0.1					5-1	Other freshwater fish	0.5	FC				0.5					5-1
Sheep, kidney	0.1	FC				0.1					5-1												
Horse, kidney	0.1	FC				0.1					5-1	Salmon	0.5	FC				0.5					5-1
Deer, kidney												Trout	0.5	FC				0.5					5-1
Goat, kidney	0.1	FC				0.1					5-1	Other salmonidae	0.5	FC				0.5					5-1
Rabbit, kidney												Other diadromous fish	0.5	FC				0.5					5-1
Reindeer, kidney													0.5	FC				0.5					5-1
Other terrestrial mammals, kidney												Marine fish											
													0.5	FC				0.5					5-1
Cattle, edible offal excluding liver and kidney	0.05	FC				0.05					5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.05	FC				0.05					5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.05	FC				0.05					5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.05	FC				0.05					5-1	Other crustaceans	0.5	FC				0.5					5-1
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.05	FC				0.05					5-1	Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
												Other animals											
Cattle, milk	0.05	FC				0.05					5-1												
Sheep, milk	0.05	FC				0.05					5-1	honey											
Goat, milk	0.05	FC				0.05					5-1												
Other terrestrial mammals, milk	0.05	FC				0.05					5-1												
Chicken, muscle	0.05	FC				0.05					5-1												
Duck, muscle	0.05	FC				0.05					5-1												
Turkey, muscle	0.05	FC				0.05					5-1												
Quail, muscle	0.05	FC				0.05					5-1												
Goose, muscle	0.05	FC				0.05					5-1												
Pheasant, muscle	0.05	FC				0.05					5-1												

## 296. FLUROXYPYR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	FC					0.2		0.05		5-1	UNSHU orange											
Wheat	0.3	FC				0.5	0.2		0.1		5-1	NATSUDAIDAI (flesh)											
Barley	0.3	FC				0.5	0.2		0.1		5-1	NATSUDAIDAI (peel)											
Rye	0.2	FC					0.2		0.1		5-1	NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.1	FC					0.2		0.05		5-1	Lemon											
Buckwheat	0.1	FC					0.2		0.05		5-1	Orange (including Navel)											
Other cereal grains	0.3	FC				0.5	0.2		0.1		5-1	Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane	0.2	FC					0.2				5-1	Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish												Grape											
Watercress												Japanese persimon											
Chinese cabbage												Banana											
Cabbage												Kiwifruit											
Brussels sprouts												Papaya											
Kale												Avocado											
KOMATSUNA												Pineapple											
KYONA												Guava											
Qing-geng-cai												Mango											
Cauliflower												Passion fruit											
Broccoli												Date	0.1	FC							0.1		5-1
Other cruciferous vegetables												Other fruits											
Burdock												Sunflower seeds											
Salsify												Sesam seeds											
Artichoke												Safflower seeds											
Chicory												Other oil seeds											
Endive												Ginkgo nut											
SHUNGIKU												Chestnut											
Lettuce (Cos lettuce, Leaf lettuce)												Pecan											
Other composite vegetables												Almond											
Onion												Walnut											
Welsh (including Leek)												Other nuts											
Garlic												Tea (Green, Black, Oolong, Wulong tea)											
NIRA												Coffee beans											
Asparagus												Cacao beans											
Multiplying onion (including Shallot)												Hop											
Other liliaceous vegetables												Cattle, muscle	0.08	FC				0.1	0.1		0.05		5-1
Carrot												Pig, muscle	0.08	FC				0.1	0.1		0.05		5-1
Parsnip												Sheep, muscle	0.08	FC				0.1	0.1		0.05		5-1
Parsley												Horse, muscle	0.08	FC				0.1	0.1		0.05		5-1
Celery												Deer, muscle	0.08	FC				0.1	0.1		0.05		5-1
MITSUBA												Goat, muscle	0.08	FC				0.1	0.1		0.05		5-1
Other umbelliferous vegetables												Rabbit, muscle	0.08	FC				0.1	0.1		0.05		5-1
Tomato												Reindeer, muscle	0.08	FC				0.1	0.1		0.05		5-1
Pimento (Sweet pepper)												Other terrestrial mammals, muscle	0.08	FC				0.1	0.1		0.05		5-1
Egg plant												Cattle, fat	0.08	FC				0.1	0.1		0.05		5-1
Other Solanaceous vegetables												Pig, fat	0.08	FC				0.1	0.1		0.05		5-1
Cucumber (including Gherkin)												Sheep, fat	0.08	FC				0.1	0.1		0.05		5-1
Pumpkin (including Squash)												Horse, fat	0.08	FC				0.1	0.1		0.05		5-1
Oriental pickling melon (vegetable)												Deer, fat	0.08	FC				0.1	0.1		0.05		5-1
Water melon												Goat, fat	0.08	FC				0.1	0.1		0.05		5-1
Melons												Rabbit, fat	0.08	FC				0.1	0.1		0.05		5-1
MAKUWAURI												Reindeer, fat	0.08	FC				0.1	0.1		0.05		5-1
Other cucurbitaceous vegetables												Other terrestrial mammals, fat	0.08	FC				0.1	0.1		0.05		5-1
Spinach												Cattle, liver	0.7	FC				0.1	2		0.05		5-1
Bamboo shoots												Pig, liver	0.7	FC				0.1	2		0.05		5-1
Okra												Sheep, liver	0.7	FC				0.1	2		0.05		5-1
Ginger												Horse, liver	0.7	FC				0.1	2		0.05		5-1
Peas (with pods, immature)												Deer, liver	1	FC				0.1	2		0.05		5-1
Kidney beans (with pods, immature)												Goat, liver	0.7	FC				0.1	2		0.05		5-1
Soybeans												Rabbit, liver	1	FC				0.1	2		0.05		5-1
Button mushroom												Reindeer, liver	1	FC				0.1	2		0.05		5-1
SHIITAKE												Other terrestrial mammals, liver	1	FC				0.1	2		0.05		5-1
Other mushrooms												Cattle, muscle	0.08	FC				0.1	0.1		0.05		5-1
Other vegetables												Pig, muscle	0.08	FC				0.1	0.1		0.05		5-1

## FLUROXYPYR

[illegible]



## 297. FLUSILAZOLE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)											UNSHU orange											
											NATSUDAIDAI (flesh)											
Wheat	0.1	MRL	0.1								NATSUDAIDAI (peel)											
Barley	0.1	MRL	0.1								NATSUDAIDAI (whole)											
Rye	0.1	MRL	0.1								Lemon											
Corn (including Maize, Sweet corn)											Orange (including Navel)											
Buckwheat											Grapefruit											
Other cereal grains	0.05	MRL	0.05								Lime											
											Other citrus fruits											
Soybeans (dry)																						
Beans (dry)											Apple	0.2	MRL	0.2								
Peas											Japanese pear	0.2	MRL	0.2								
Broad beans											Pear	0.2	MRL	0.2								
Peanuts (dry)											Quince	0.2	MRL	0.2								
Other legumes/pulses											Loquat	0.2	MRL	0.2								
Potato											Peach	0.05	MRL	0.05								
Taro											Nectarine	0.05	MRL	0.05								
Sweet potato											Apricot	0.05	MRL	0.05								
Yam											Japanese plum (including Prunes)	0.05	MRL	0.05								
Konjac											Mume plum	0.05	MRL	0.05								
Other potatoes											Cherry	0.05	MRL	0.05								
Sugar beet	0.01	MRL	0.01								Strawberry											
Sugarcane	0.05	MRL	0.05								Raspberry											
											Blackberry											
Japanese radish (including Radish) (root)											Blueberry											
Japanese radish (including Radish) (leaf)											Cranberry											
Turnip (including Rutabaga) (root)											Huckleberry											
Turnip (including Rutabaga) (leaf)											Other berries											
Horseradish																						
Watercress											Grape	0.5	MRL	0.5								
Chinese cabbage											Japanese persimon											
Cabbage																						
Brussels sprouts											Banana	0.1	MRL	0.1								
Kale											Kiwifruit											
KOMATSUNA											Papaya											
KYONA											Avocado											
Qing-geng-cai											Pineapple											
Cauliflower											Guava											
Broccoli											Mango											
Other cruciferous vegetables											Passion fruit											
											Date											
Burdock																						
Salsify											Other fruits											
Artichoke																						
Chicory											Sunflower seeds	0.05	MRL	0.05								
Endive											Sesam seeds											
SHUNGIKU											Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)											Cotton seeds											
Other composite vegetables											Rape seeds	0.05	MRL	0.05								
											Other oil seeds	0.05	MRL	0.05								
Onion																						
Welsh (including Leek)											Ginkgo nut											
Garlic											Chestnut											
NIRA											Pecan											
Asparagus											Almond											
Multiplying onion (including Shallot)											Walnut											
Other liliaceous vegetables											Other nuts											
Carrot											Tea (Green, Black, Oolong, Wulong tea)											
Parsnip											Coffee beans											
Parsley											Cacao beans											
Celery											Hop											
MITSUBA																						
Other umbelliferous vegetables											Cattle, muscle	0.01	Codex			0.01			0.01			2
											Pig, muscle											
Tomato											Sheep, muscle											
Pimento (Sweet pepper)											Horse, muscle											
Pimento (Sweet pepper)											Donkey, muscle											
Egg plant											Goat, muscle											
Other Solanaceous vegetables											Rabbit, muscle											
											Reindeer, muscle											
Cucumber (including Gherkin)											Other terrestrial mammals, muscle											
Pumpkin (including Squash)																						
Oriental pickling melon (vegetable)																						
Water melon											Cattle, fat					0.01						2
Water melon											Pig, fat											
Melons											Sheep, fat											
MAKUWAURI											Horse, fat											
Other cucurbitaceous vegetables											Deer, fat											
											Goat, fat											
Spinach											Rabbit, fat											
Bamboo shoots											Reindeer, fat											
Okra											Other terrestrial mammals, fat											
Ginger																						
Peas (with pods, immature)																						
Kidney beans (with pods, immature)											Cattle, liver	0.02	Codex			0.02			0.01			2
Soybeans											Pig, liver											
											Sheep, liver											
Button mushroom											Horse, liver											
SHIITAKE											Deer, liver											
Other mushrooms											Goat, liver											
Other vegetables											Rabbit, liver											
											Reindeer, liver											
											Other terrestrial mammals, liver											

# FLUSILAZOLE

[illegible]

## 298. FLUSULFAMIDE

[illegible]

# FLUSULFAMIDE

[illegible]

## 299. FLUTHIACET-METHYL

[illegible]

## FLUTHIACET-METHYL

[illegible]

### 300. FLUTOLANIL

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		UNSHU orange											
												Peach											
												NATSUDAIDAI (flesh)											
Wheat	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)	1	MRL	1	.....	.....	.....	.....	.....	.....	.....													
Beans (dry)	1	WHL		.....	.....	.....	.....	.....	.....	.....	4	Apple											
Peas	1	WHL		.....	.....	.....	.....	.....	.....	.....	4	Japanese pear	5	MRL	5	.....	.....						
Broad beans	1	WHL		.....	.....	.....	.....	.....	.....	.....	4	Pear	5	MRL	5	.....	.....						
Peanuts (dry)	0.5	MRL	0.5	.....	.....	.....	.....	.....	.....	.....		Quince											
Other legumes/pulses	1	WHL		.....	.....	.....	.....	.....	.....	.....	4	Loquat											
Potato	0.5	MRL	0.5	.....	.....	.....	.....	.....	.....	.....													
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac	0.2	MRL	0.2	.....	.....	.....	.....	.....	.....	.....		Mume plum											
Other potatoes												Cherry											
Sugar beet	1	MRL	1	.....	.....	.....	.....	.....	.....	.....		Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
												Huckleberry											
Turnip (including Rutabaga) (root)												Other berries											
Turnip (including Rutabaga) (leaf)																							
Horseradish												Grape											
Watercress												Japanese persimon											
Chinese cabbage																							
Lettuce (Cos lettuce, Leaf lettuce)																							
Cabbage	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Banana											
Brussels sprouts	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Kiwifruit											
Kale												Avocado											
IKOMATSUNA												Pineapple											
KYONA												Guava											
Qing-geng-cai												Mango											
Cauliflower												Passion fruit											
Broccoli												Date											
Other cruciferous vegetables												Other fruits											
Burdock																							
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Turnip (Cos lettuce, Leaf lettuce)	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Cotton seeds											
Other composite vegetables	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Asparagus												Walnut											
Shallot onion (including Shallot)												Other nuts											
Other liliaceous vegetables																							
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA	5	MRL	5	.....	.....	.....	.....	.....	.....	.....													
Other umbelliferous vegetables												Cattle, muscle	0.05	FC					0.05				5-1
												Pig, muscle	0.05	FC					0.05				5-1
Tomato	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Sheep, muscle	0.05	FC					0.05				5-1
Pimento (Sweet pepper)	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Horse, muscle	0.05	FC					0.05				5-1
Eggplant	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Deer, muscle											
Other Solanaceous vegetables												Goat, muscle	0.05	FC					0.05				5-1
												Rabbit, muscle											
Cucumber (including Gherkin)	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Reindeer, muscle											
Pumpkin (including Squash)												Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat	0.08	FC					0.1	0.05			5-1
Melons												Pig, fat	0.08	FC					0.1	0.05			5-1
IKAKUNAUJIRI												Sheep, fat	0.08	FC					0.1	0.05			5-1
Other cucurbitaceous vegetables												Horse, fat	0.08	FC					0.1	0.05			5-1
												Deer, fat											
Spinach	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Goat, fat	0.08	FC					0.1	0.05			5-1
Bamboo shoots												Rabbit, fat											
OKRA												Reindeer, fat											
Ginger	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Other terrestrial mammals, fat											
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver	1	FC					2	0.05			5-1
Soybeans	2	MRL	2	.....	.....	.....	.....	.....	.....	.....		Pig, liver	1	FC					2	0.05			5-1
												Sheep, liver	1	FC					2	0.05			5-1
Button mushroom												Horse, liver	1	FC					2	0.05			5-1
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver	1	FC					2	0.05			5-1
Other vegetables												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

# FLUTOLANIL

[illegible]



## 301. FLUTRIAFOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley	0.2	FC					0.2				5-1	NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Tump (including Rutabaga) (root)												Cranberry											
Tump (including Rutabaga) (leaf)												Blackberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
Burdock												Date											
Salsify												Other fruits											
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Safflower seeds											
SHUNGIKU												Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds											
Other composite vegetables												Other oil seeds											
Onion												Ginkgo nut											
Welsh (including Leek)												Chestnut											
Garlic												Pecan											
NIRA												Almond											
Asparagus												Walnut											
Multiplying onion (including Shallot)												Other nuts											
Other liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)											
Carrot												Coffee beans											
Parsnip												Cacao beans											
Parsley												Hop											
Celery																							
Other umbelliferous vegetables												Cattle, muscle											
Tomato												Pig, muscle											
Pimento (Sweet pepper)												Sheep, muscle											
Egg plant												Horse, muscle											
Other Solanaceous vegetables												Deer, muscle											
Cucumber (including Gherkin)												Goat, muscle											
Pumpkin (including Squash)												Rabbit, muscle											
Oriental pickling melon (vegetable)												Reindeer, muscle											
Water melon												Other terrestrial mammals, muscle											
Melons												Cattle, fat											
MAKUWAURI												Pig, fat											
Other cucurbitaceous vegetables												Sheep, fat											
Spinach												Horse, fat											
Bamboo shoots												Goat, fat											
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver	0.5	FC				0.5					5-1
Soybeans												Pig, liver	0.5	FC				0.5					5-1
Button mushroom												Sheep, liver	0.5	FC				0.5					5-1
SHIITAKE												Horse, liver	0.5	FC				0.5					5-1
Other mushrooms												Deer, liver	0.5	FC				0.5					5-1
Other vegetables	0.01	FC					0.01				5-1	Goat, liver	0.5	FC				0.5					5-1
												Rabbit, liver	0.5	FC				0.5					5-1
												Reindeer, liver	0.5	FC				0.5					5-1
												Other terrestrial mammals, liver	0.5	FC				0.5					5-1

## FLUTRIAFOL

[illegible]

# 302. FLUVALINATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.5	MRL	0.5									
Wheat	0.05	MRL	0.05									NATSUDAIDAI (flesh)												
Barley	0.2	MRL	0.2									NATSUDAIDAI (peel)												
Rye	0.05	MRL	0.05									NATSUDAIDAI (whole)	2	MRL	2									
Corn (including Maize, Sweet corn)												Lemon	2	MRL	2									
Buckwheat	0.01	MRL	0.01									Orange (including Navel)	2	MRL	2									
Other cereal grains	0.2	MRL	0.2									Grapefruit	2	MRL	2									
Soybeans (dry)												Lime	2	MRL	2									
Beans (dry)												Other citrus fruits	2	MRL	2									
Peas	0.02	MRL	0.02									Apple	0.5	MRL	0.5									
Broad beans												Japanese pear	2	MRL	2									
Peanuts (dry)												Pear	2	MRL	2									
Other legumes/pulses												Quince												
Potato	0.01	MRL	0.01									Loquat	0.5	MRL	0.5									
Taro												Peach	0.2	MRL	0.2									
Sweet potato												Nectarine	0.1	MRL	0.1									
Yam	0.01	MRL	0.01									Apricot	0.1	MRL	0.1									
Konjac												Japanese plum (including Prunes)	0.1	FC					0.1				5-1	
Other potatoes												Mume plum	1	MRL	1									
Sugar beet												Cherry	1	MRL	1									
Sugarcane												Strawberry	1	MRL	1									
Japanese radish (including Radish) (root)	0.05	MRL	0.05									Raspberry												
Japanese radish (including Radish) (leaf)	0.5	MRL	0.5									Blackberry												
Turnip (including Rutabaga) (root)												Blueberry												
Turnip (including Rutabaga) (leaf)												Cranberry												
Horseradish												Other berries												
Watercress	1	MRL	1									Grape	2	MRL	2									
Chinese cabbage												Japanese persimon	1	MRL	1									
Cabbage	0.5	MRL	0.5									Banana												
Brussels sprouts	0.5	MRL	0.5									Kiwifruit	0.2	MRL	0.2									
Kale												Papaya												
KOMATSUNA												Avocado												
KYONA												Pineapple												
Qing-geng-cai												Guava												
Cauliflower	0.5	MRL	0.5									Mango												
Broccoli												Passion fruit												
Other cruciferous vegetables												Date												
Burdock												Other fruits												
Salsify												Sunflower seeds	0.02	MRL	0.02									
Artichoke												Sesam seeds												
Chicory												Safflower seeds												
Endive												Cotton seeds	0.1	MRL	0.1									
SHUNGIKU												Rapeseeds	0.05	MRL	0.05									
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds												
Other composite vegetables												Ginkgo nut												
Onion	0.1	MRL	0.1									Chestnut	0.1	MRL	0.1									
Welsh (including Leek)	0.5	MRL	0.5									Pecan												
Garlic	0.1	MRL	0.1									Almond												
NIRA												Walnut												
Asparagus	0.02	FC					0.2				5-1	Other nuts												
Multiplying onion (immature)												Tea (Green, Black, Oolong, Wulong tea)	10	MRL	10									
Other liliaceous vegetables												Coffee beans												
Carrot	0.02	MRL	0.02									Cacao beans												
Parsnip												Hop	10	MRL	10									
Parsley												Cattle, muscle												
Celery												Pig, muscle												
MITSUBA												Sheep, muscle												
Other umbelliferous vegetables												Horse, muscle												
Tomato	0.5	MRL	0.5									Deer, muscle												
Pimento (Sweet pepper)	0.5	MRL	0.5									Goat, muscle												
Egg plant	0.5	MRL	0.5									Reindeer, muscle												
Other Solanaceous vegetables												Other terrestrial mammals, muscle												
Cucumber (including Gherkin)	1	MRL	1									Cattle, fat												
Pumpkin (including Squash)	0.1	MRL	0.1									Pig, fat												
Oriental pickling melon (vegetable)												Sheep, fat												
Water melon	0.1	MRL	0.1									Horse, fat												
Melons	0.1	MRL	0.1									Deer, fat												
MAKUWAI												Goat, fat												
Other cucurbitaceous vegetables												Rabbit, fat												
Spinach												Reindeer, fat												
Bamboo shoots												Other terrestrial mammals, fat												
Okra												Cattle, liver												
Ginger												Pig, liver												
Peas (with pods, immature)	3	MRL	3									Sheep, liver												
Kidney beans (with pods, immature)												Horse, liver												
Soybeans												Deer, liver												
Button mushroom												Goat, liver												
SHIITAKE												Rabbit, liver												
Other mushrooms												Reindeer, liver												
Other vegetables												Other terrestrial mammals, liver												

# "WHL" for the stock farm and aquatic products show the 'Limit of detection' or 'Limit of determination' under the Pharmaceutical Affairs Law.

## FLUVALINATE

[illegible]

### 303. FOLPET

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	10	FC							15		10	5-1
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)	10	FC							15		10	5-1
Corn (including Maize, Sweet corn)												Lemon	10	FC							15		10	5-1
Buckwheat												Orange (including Navel)	10	FC							15		10	5-1
Other cereal grains												Grapefruit	10	FC							15		10	5-1
Soybeans (dry)												Lime	10	FC							15		10	5-1
Beans (dry)												Other citrus fruits	10	FC							15		10	5-1
Peas												Apple	5	MRL	5									
Broad beans												Japanese pear												
Peanuts (dry)												Pear												
Other legumes/pulses												Quince												
Potato	0.02	MRL	0.02									Loquat												
Taro												Peach												
Sweet potato												Nectarine												
Yam												Apricot												
Konjac												Japanese plum (including Prunes)												
Other potatoes												Mume plum												
Sugar beet												Cherry	30	FC							25			5-1
Sugarcane												Strawberry	20	MRL	20									
Japanese radish (including Radish) (root)												Raspberry	20	FC							25		15	5-1
Japanese radish (including Radish) (leaf)												Blackberry	20	FC							25		15	5-1
Turnip (including Rutabaga) (root)												Blueberry	20	FC							25		15	5-1
Turnip (including Rutabaga) (leaf)												Cranberry	20								25		15	6
Horseradish												Other berries	20	FC							25		15	5-1
Watercress												Grape	2	MRL	2									
Chinese cabbage												Japanese persimon												
Cabbage												Banana												
Brussels sprouts												Kiwifruit												
Kale												Papaya												
KOMATSUNA												Avocado	30	FC							25		25	5-1
KYONA												Pineapple												
Qing-geng-cai												Guava												
Cauliflower												Mango												
Broccoli												Passion fruit												
Other cruciferous vegetables												Date												
Burdock												Other fruits	30	FC									30	5-1
Salsify												Sunflower seeds												
Artichoke												Sesam seeds												
Chicory												Safflower seeds												
Endive												Cotton seeds												
SHUNGIKU												Rape seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds												
Other composite vegetables												Onion	2	MRL	2									
Welsh (including Leek)	30	FC										Garlic	20	FC							25		5-1	
Garlic	20	FC										NIRA									15		5-1	
Asparagus												Walnut												
Multiplying onion (including Shallot)												Pecan												
Other liliaceous vegetables												Almond												
Carrot												Other nuts												
Parsnip												Tea (Green, Black, Oolong, Wulong tea)												
Parsley												Coffee beans												
Celery	30	FC										Cacao beans												
Other umbelliferous vegetables												Hop												
Tomato	3	MRL	3									Cattle, muscle												
Pimento (Sweet pepper)												Pig, muscle												
Egg plant												Sheep, muscle												
Other Solanaceous vegetables												Horse, muscle												
Cucumber (including Gherkin)	2	MRL	2									Deer, muscle												
Pumpkin (including Squash)	20	FC										Goat, muscle												
Oriental pickling melon (vegetable)												Rabbit, muscle												
Water melon												Reindeer, muscle												
Melons	2	MRL	2									Other terrestrial mammals, muscle												
MAKUWAURI	3	Code				3						Cattle, fat												
Other cucurbitaceous vegetables												Pig, fat												
Spinach												Sheep, fat												
Bamboo shoots												Horse, fat												
Okra												Goat, fat												
Ginger												Rabbit, fat												
Peas (with pods, immature)												Reindeer, fat												
Kidney beans (with pods, immature)	0.05	FC										Other terrestrial mammals, fat												
Soybeans												Cattle, liver												
Button mushroom												Pig, liver												
SHIITAKE												Sheep, liver												
Other mushrooms												Horse, liver												
Other vegetables												Deer, liver												
												Goat, liver												
												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

# The MRL of Cranberry is harmonized with the MRL of the similar products.

## FOLPET

[illegible]