

319. HALFENPROX

[illegible]

HALFENPROX

[illegible]

320. HALOFUGINONE

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.02	FC					0.01		0.03		5-1	Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney												Salmon											
Horse, kidney												Trout											
Deer, kidney												Crayfish											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney												Marine fish											
Other terrestrial mammals, kidney												Shrimps or prawns											
Cattle, edible offal excluding liver and kidney												Lobster											
Pig, edible offal excluding liver and kidney												Grayfish											
Sheep, edible offal excluding liver and kidney												Other crustaceans											
Horse, edible offal excluding liver and kidney												Oyster											
Deer, edible offal excluding liver and kidney												Abalone											
Goat, edible offal excluding liver and kidney												Other aquatic animals											
Rabbit, edible offal excluding liver and kidney												Other animals											
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Honey											
Sheep, milk																							
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							

321. HALOSULFURON METHYL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	MRL	0.1	UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.1	MRL	0.1	Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains	0.05	MRL	0.05	Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)	0.05	FC				0.05					5-1	Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane	0.1	MRL	0.1	Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Tump (including Rutabaga) (root)												Cranberry											
Tump (including Rutabaga) (leaf)												Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage												Banana											
Brussels sprouts												Kiwifruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits											
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds	0.05	MRL	0.05
SHUNGIKU												Rape seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables												Ginkgo nut	0.05	MRL	0.05
Onion												Chestnut	0.05	MRL	0.05
Welsh (including Leek)												Pecan	0.05	MRL	0.05
Garlic												Almond	0.05	MRL	0.05
NIRA												Walnut	0.05	MRL	0.05
Asparagus	0.05	FC				0.5					5-1	Other nuts	0.05	MRL	0.05
Multiplying onion (including Shallot)												Tea (Green, Black, Oolong, Wulong tea)											
Other liliaceous vegetables												Coffee beans											
Carrot												Cacao beans											
Parsnip												Hop											
Parsley												Cattle, muscle											
Celery												Pig, muscle											
MITSUBA												Sheep, muscle											
Other umbelliferous vegetables												Horse, muscle											
Tomato	0.05	FC				0.05					5-1	Deer, muscle											
Pimento (Sweet pepper)	0.05	FC				0.05					5-1	Goat, muscle											
Egg plant	0.05	FC				0.05					5-1	Rabbit, muscle											
Other Solanaceous vegetables	0.05	FC				0.05					5-1	Reindeer, muscle											
Cucumber (including Gherkin)	0.5	MRL	0.5	Other terrestrial mammals, muscle											
Pumpkin (including Squash)	0.5	MRL	0.5	Cattle, fat											
Oriental pickling melon (vegetable)	0.5	MRL	0.5	Pig, fat											
Water melon	0.1	FC				0.1					5-1	Sheep, fat											
Melons	0.1	FC				0.1					5-1	Horse, fat											
MAKUWAURI	0.1	FC				0.1					5-1	Deer, fat											
Other cucurbitaceous vegetables	0.5	MRL	0.5	Goat, fat											
Spinach												Rabbit, fat											
Bamboo shoots												Reindeer, fat											
Okra												Other terrestrial mammals, fat											
Ginger												Cattle, liver											
Peas (with pods, immature)												Pig, liver	0.2	FC				0.1	0.2				5-1
Kidney beans (with pods, immature)	0.05	FC				0.05					5-1	Sheep, liver	0.2	FC				0.1	0.2				5-1
Soybeans												Horse, liver	0.2	FC				0.1	0.2				5-1
Button mushroom												Deer, liver	0.2	FC				0.2	0.2				5-1
SHIITAKE												Goat, liver	0.2	FC				0.1	0.2				5-1
Other mushrooms												Rabbit, liver	0.2	FC				0.2	0.2				5-1
Other vegetables	0.05	FC				0.05					5-1	Reindeer, liver	0.2	FC				0.2	0.2				5-1
												Other terrestrial mammals, liver	0.2	FC				0.2	0.2				5-1

HALOSULFURON METHYL

[illegible]

322. HALOXON

[illegible]

[illegible]

323. HALOXYFOP

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange	0.05	Codex			0.05						2
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)	0.05	Codex			0.05						2
Corn (including Maize, Sweet corn)												Lemon	0.05	Codex			0.05						2
Buckwheat												Orange (including Navel)	0.05	Codex			0.05						2
Other cereal grains												Grapefruit	0.05	Codex			0.05						2
Soybeans (dry)	0.1	FC					0.1				5-1	Other citrus fruits	0.05	Codex			0.05						2
Beans (dry)	0.1	FC					0.1				5-1	Apple	0.05	Codex			0.05						2
Peas	0.1	FC					0.1				5-1	Japanese pear	0.05	Codex			0.05						2
Broad beans	0.1	FC					0.1				5-1	Pear	0.05	Codex			0.05						2
Peanuts (dry)	0.05	FC					0.05				5-1	Quince	0.05	Codex			0.05						2
Other legumes/pulses	0.1	FC					0.1				5-1	Loquat	0.05	Codex			0.05						2
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane	0.03	FC					0.03				5-1	Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Tump (including Rutabaga) (root)												Cranberry											
Tump (including Rutabaga) (leaf)												Other berries											
Horseradish												Grape	0.05	Codex			0.05						2
Watercress												Japanese persimon											
Chinese cabbage												Banana	0.05	Codex			0.05						2
Cabbage												Kiwifruit											
Brussels sprouts												Papaya											
Kale												Avocado											
KOMATSUNA												Pineapple											
KYONA												Guava											
Qing-geng-cai												Mango											
Cauliflower												Passion fruit											
Broccoli												Date											
Other cruciferous vegetables												Other fruits											
Burdock												Sunflower seeds											
Salsify												Sesam seeds											
Artichoke												Safflower seeds											
Chicory												Cotton seeds	0.1	FC				0.1					5-1
Endive												Rape seeds	0.1	FC				0.1					5-1
SHUNGIKU												Other oil seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Ginkgo nut											
Other composite vegetables												Chestnut											
Onion												Pecan											
Welsh (including Leek)												Almond											
Garlic												Walnut											
NIRA												Other nuts											
Asparagus												Tea (Green, Black, Oolong, Wulong tea)											
Multiplying onion (including Shallot)												Coffee beans											
Other liliaceous vegetables												Cacao beans											
Carrot												Hop											
Parsnip												Cattle, muscle											
Parsley												Pig, muscle											
Celery												Sheep, muscle											
MITSUBA												Horse, muscle											
Other umbelliferous vegetables												Deer, muscle											
Tomato												Goat, muscle											
Pimento (Sweet pepper)												Rabbit, muscle											
Egg plant												Reindeer, muscle											
Other Solanaceous vegetables												Other terrestrial mammals, muscle											
Cucumber (including Gherkin)												Cattle, fat	0.02	FC				0.02					5-1
Pumpkin (including Squash)												Pig, fat	0.02	FC				0.02					5-1
Oriental pickling melon (vegetable)												Sheep, fat	0.02	FC				0.02					5-1
Water melon												Horse, fat	0.02	FC				0.02					5-1
Melons												Deer, fat	0.02	FC				0.02					5-1
MAKUWAURI												Goat, fat	0.02	FC				0.02					5-1
Other cucurbitaceous vegetables												Rabbit, fat	0.02	FC				0.02					5-1
Spinach												Reindeer, fat	0.02	FC				0.02					5-1
Bamboo shoots												Other terrestrial mammals, fat	0.02	FC				0.02					5-1
Okra												Cattle, liver	0.5	FC				0.5					5-1
Ginger												Pig, liver	0.5	FC				0.5					5-1
Peas (with pods, immature)												Sheep, liver	0.5	FC				0.5					5-1
Kidney beans (with pods, immature)												Horse, liver	0.5	FC				0.5					5-1
Soybeans												Deer, liver	0.5	FC				0.5					5-1
Button mushroom												Goat, liver	0.5	FC				0.5					5-1
SHIITAKE												Rabbit, liver	0.5	FC				0.5					5-1
Other mushrooms												Reindeer, liver	0.5	FC				0.5					5-1
Other vegetables												Other terrestrial mammals, liver	0.5	FC				0.5					5-1

HALOXYFOP

[illegible]

324. HEPTACHLOR

	P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
	- M R L												- M R L										
Rice (brown rice)	0.02	Codex			0.02		0.02		0.01		2	UNSHU orange	0.01	Codex			0.01		0.01		0.01		2
Wheat	0.02	Codex			0.02		0.02		0.01		2	NATSUDAIDAI (flesh)							0.01		0.01		2
Barley	0.02	Codex			0.02		0.02		0.01		2	NATSUDAIDAI (peel)	0.01	Codex			0.01		0.01		0.01		2
Rye	0.02	Codex			0.02		0.02		0.01		2	NATSUDAIDAI (whole)	0.01	Codex			0.01		0.01		0.01		2
Corn (including Maize, Sweet corn)	0.02	Codex			0.02		0.05		0.01		2	Lemon	0.01	Codex			0.01		0.01		0.01		2
Buckwheat	0.02	Codex			0.02		0.02		0.01		2	Orange (including Navel)	0.01	Codex			0.01		0.01		0.01		2
Other cereal grains	0.02	Codex			0.02		0.02		0.01		2	Grapefruit	0.01	Codex			0.01		0.01		0.01		2
Soybeans (dry)	0.02	FC					0.02		0.01		5-1	Lime	0.01	Codex			0.01		0.01		0.01		2
Beans (dry)	0.03	FC					0.05		0.01		5-1	Other citrus fruits	0.01	Codex			0.01		0.01		0.01		2
Peas	0.03	FC					0.05		0.01		5-1	Apple											
Broad beans	0.03	FC					0.05		0.01		5-1	Japanese pear											
Peanuts (dry)	0.01	FC					0.01		0.01		5-1	Pear											
Other legumes/pulses	0.03	FC					0.05		0.01		5-1	Quince											
												Loquat											
Taro	0.03	FC					0.05		0.01		5-1	Peach											
Sweet potato	0.03	FC					0.05		0.01		5-1	Nectarine											
Yam	0.03	FC					0.05		0.01		5-1	Apricot											
Konjac	0.03	FC					0.05		0.01		5-1	Japanese plum (including Prunes)											
Other potatoes	0.03	FC					0.05		0.01		5-1	Mume plum											
												Cherry											
Sugar beet	0.03	FC					0.05		0.01		5-1	Strawberry											
Sugarcane	0.02	FC					0.02				5-1	Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)	0.03	FC					0.05		0.01		5-1	Blueberry											
Japanese radish (including Radish) (leaf)	0.03	FC					0.05		0.01		5-1	Cranberry											
Potato (including Rutabaga) (root)	0.03	FC					0.05		0.01		5-1	Huckleberry											
Turnip (including Rutabaga) (leaf)	0.03	FC					0.05		0.01		5-1	Other berries											
Horseradish	0.03	FC					0.05		0.01		5-												

