

## 325. HEXACHLOROBENZENE(HCB)

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.03	FC					0.05		0.01		5-1	UNSHU orange												
Wheat	0.03	FC					0.05		0.01		5-1	NATSUDAIDAI (flesh)												
Barley	0.05	FC					0.05				5-1	NATSUDAIDAI (peel)												
Rye	0.03	FC					0.05		0.01		5-1	NATSUDAIDAI (whole)												
Corn (including Maize, Sweet corn)	0.03	FC					0.05		0.01		5-1	Lemon												
Buckwheat	0.03	FC					0.05		0.01		5-1	Orange (including Navel)												
Other cereal grains	0.03	FC					0.05		0.01		5-1	Grapefruit												
Soybeans (dry)												Other citrus fruits												
Beans (dry)												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts (dry)	0.01	FC					0.01				5-1	Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
Japanese radish (including Radish) (root)												Blackberry												
Japanese radish (including Radish) (leaf)												Blueberry												
Tump (including Rutabaga) (root)												Cranberry												
Tump (including Rutabaga) (leaf)												Other berries	0.02	FC							0.02		5-1	
Horseradish												Grape												
Watercress												Japanese persimon												
Chinese cabbage												Banana												
Cabbage												Kiwifruit												
Brussels sprouts												Papaya												
Kale												Avocado												
KOMATSUNA												Pineapple												
KYONA												Guava												
Qing-geng-cai												Mango												
Cauliflower												Passion fruit												
Broccoli												Date	0.01	FC								0.01	5-1	
Other cruciferous vegetables												Other fruits												
Burdock												Sunflower seeds												
Salsify												Sesam seeds												
Artichoke												Safflower seeds												
Chicory												Cotton seeds												
Endive												Rape seeds												
SHUNGIKU												Other oil seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Ginkgo nut												
Other composite vegetables												Chestnut												
Onion												Pecan												
Welsh (including Leek)												Almond												
Garlic												Walnut												
NIRA												Other nuts												
Asparagus												Tea (Green, Black, Oolong, Wulong tea)	0.01	FC								0.01	5-1	
Multiplying onion (including Shalot)												Coffee beans												
Other liliaceous vegetables												Cacao beans												
Carrot												Hop												
Parsnip												Cattle, muscle	0.2	FC								0.2	5-1	
Parsley												Pig, muscle	0.2	FC								0.2	5-1	
Celery												Sheep, muscle	0.2	FC								0.2	5-1	
MITSUBA												Horse, muscle	0.2	FC								0.2	5-1	
Other umbelliferous vegetables												Deer, muscle	0.2	FC								0.2	5-1	
Tomato												Goat, muscle	0.2	FC								0.2	5-1	
Pimento (Sweet pepper)												Rabbit, muscle	0.2	FC								0.2	5-1	
Egg plant												Reindeer, muscle	0.2	FC								0.2	5-1	
Other Solanaceous vegetables												Other terrestrial mammals, muscle	0.2	FC								0.2	5-1	
Cucumber (including Gherkin)												Cattle, fat	0.6	FC								1	0.2	5-1
Pumpkin (including Squash)												Pig, fat	0.6	FC								1	0.2	5-1
Oriental pickling melon (vegetable)												Sheep, fat	0.6	FC								1	0.2	5-1
Water melon												Horse, fat	0.6	FC								1	0.2	5-1
Melons												Deer, fat	0.6	FC								1	0.2	5-1
MAKUWAURI												Goat, fat	0.6	FC								1	0.2	5-1
Other cucurbitaceous vegetables												Rabbit, fat	0.6	FC								1	0.2	5-1
Spinach												Reindeer, fat	0.6	FC								1	0.2	5-1
Bamboo shoots												Other terrestrial mammals, fat	0.6	FC								1	0.2	5-1
Okra												Cattle, liver	0.6	FC								1	0.2	5-1
Ginger												Pig, liver	0.6	FC								1	0.2	5-1
Peas (with pods, immature)												Sheep, liver	0.6	FC								1	0.2	5-1
Kidney beans (with pods, immature)												Horse, liver	0.6	FC								1	0.2	5-1
Soybeans												Deer, liver	0.6	FC								1	0.2	5-1
Button mushroom												Goat, liver	0.6	FC								1	0.2	5-1
SHITAKE												Rabbit, liver	0.6	FC								1	0.2	5-1
Other mushrooms												Reindeer, liver	0.6	FC								1	0.2	5-1
Other vegetables												Other terrestrial mammals, liver	0.6	FC								1	0.2	5-1



### 326. HEXACONAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat		0.1 MRL	0.1									NATSUDAIDAI (flesh)											
Barley		0.01 MRL	0.01									NATSUDAIDAI (peel)											
Rye		0.01 MRL	0.01									NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat		0.01 MRL	0.01									Orange (including Navel)											
Other cereal grains		0.01 MRL	0.01									Grapefruit											
												Lime											
Soybeans (dry)		0.05 FC							0.05		5-1	Other citrus fruits											
Beans (dry)												Apple		0.5 MRL	0.5								
Peas												Japanese pear		0.5 MRL	0.5								
Broad beans												Pear		0.5 MRL	0.5								
Peanuts (dry)		0.05 FC							0.05		5-1	Quince		0.5 WHL		0.5							4
Other legumes/pulses												Loquat		0.5 WHL		0.5							4
Potato												Peach		0.1 MRL	0.1								
Taro												Nectarine		0.5 WHL		0.5							4
Sweet potato												Apricot		0.5 MRL	0.5								
Yam												Japanese plum (including Prunes)		0.5 MRL	0.5								
Konjac												Mume plum		0.5 WHL		0.5							4
Other potatoes												Cherry		0.5 MRL	0.5								
Sugar beet												Strawberry		0.1 MRL	0.1								
Sugarcane												Raspberry		0.5 WHL		0.5							4
												Blackberry		0.5 WHL		0.5							4
Japanese radish (including Radish) (root)												Blueberry		0.5 WHL		0.5							4
Japanese radish (including Radish) (leaf)												Cranberry		0.5 WHL		0.5							4
Tripp (including Rutabaga) (root)												Other berries		0.5 WHL		0.5							4
Turnip (including Rutabaga) (root)																							
Turnip (including Rutabaga) (leaf)																							
Horseradish												Grape		0.1 MRL	0.1								
Watercress												Japanese persimon		0.5 MRL	0.5								
Chinese cabbage																							
Cabbage		0.1 MRL	0.1									Banana		0.1 MRL	0.1								
Brussels sprouts		0.1 MRL	0.1																				

## HEXACONAZOLE

[illegible]

### 327. HEXAFLUMURON

[illegible]

# HEXAFLUMURON

[illegible]

### 328. HEXAZINONE

[illegible]

## HEXAZINONE

[illegible]



### 329. HEXYTHIAZOX

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.5	MRL	0.5									
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	2	MRL	2									
Rye												Lemon	2	MRL	2									
Corn (including Maize, Sweet corn)												Orange (including Navel)	2	MRL	2									
Buckwheat												Grapefruit	2	MRL	2									
Other cereal grains												Lime	2	MRL	2									
												Other citrus fruits	2	MRL	2									
Soybeans (dry)		0.5	MRL	0.5																				
Beans (dry)		0.5	MRL	0.5								Apple	1	MRL	1									
Peas		0.2	WHL	0.2							4	Japanese pear	1	MRL	1									
Broad beans		0.2	WHL	0.2							4	Pear	1	MRL	1									
Peanuts (dry)		0.2	WHL	0.2							4	Quince	1	MRL	1									
Other legumes/pulses		0.2	WHL	0.2							4	Loquat	1	MRL	1									
Potato		0.2	WHL	0.2							4	Leach	1	MRL	1									
Taro		0.5	MRL	0.5								Nectarine	1	MRL	1									
Sweet potato		0.2	WHL	0.2							4	Apricot	1	MRL	1									
Yam		0.5	MRL	0.5								Japanese plum (including Prunes)	1	MRL	1									
Konjac		0.2	WHL	0.2							4	Mume plum	2	MRL	2									
Other potatoes		0.2	WHL	0.2							4	Cherry	2	MRL	2									
Sugar beet		0.2	MRL	0.2								Strawberry	2	MRL	2									
Sugarcane												Raspberry	1	MRL	1									
												Blackberry	1	MRL	1									
Japanese radish (including Radish) (root)												Blueberry	1	MRL	1									
Japanese radish (including Radish) (leaf)		0.5	WHL	0.5							4	Cranberry	1	MRL	1									
Trump (including Rutabaga) (root)												Other berries	1	MRL	1									
Turnip (including Rutabaga) (leaf)		0.5	WHL	0.5							4													
Horseradish																								
Watercress		0.5	WHL	0.5							4	Grape	2	MRL	2									
Chinese cabbage												Japanese persimon	1	MRL	1									
Cabbage																								
Brussels sprouts		0.5	WHL	0.5							4	Banana	1	WHL		1							4	
Kale		0.5	WHL	0.5							4	Kiwifruit	0.2	WHL		0.2							4	
KOMATSUNA		0.5	WHL	0.5							4	Papaya	1	WHL		1							4	
KYONA		0.5	WHL	0.5							4	Avocado	1	WHL		1							4	
Qing-geng-cai		0.5	WHL	0.5							4	Pineapple	1	WHL		1							4	
Cauliflower		0.5	WHL	0.5							4	Guava	1	WHL		1							4	
Broccoli		0.5	WHL	0.5							4	Mango	1	WHL		1							4	
Other cruciferous vegetables		0.5	WHL	0.5							4	Passion fruit	1	WHL		1							4	
												Date												
Burdock																								
Salsify												Other fruits	2	MRL	2									
Artichoke		0.5	WHL	0.5							4													
Chicory		0.5	WHL	0.5							4	Sunflower seeds												
Endive		0.5	WHL	0.5							4	Sesam seeds												
SHUNGIKU		0.5	WHL	0.5							4	Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)		0.5	WHL	0.5							4	Cotton seeds												
Other composite vegetables		0.5	WHL	0.5							4	Rape seeds												
												Other oil seeds												
Onion																								
Welsh (including Leek)		0.5	WHL	0.5							4	Ginkgo nut												
Garlic												Chestnut	0.3	FC				0.3					5-1	
NIRA		0.5	WHL	0.5							4	Pecan	0.3	FC				0.3					5-1	
Asparagus		0.5	WHL	0.5							4	Almond	0.3	FC				0.3					5-1	
Multiplying onion (including Shallot)		0.5	WHL	0.5							4	Walnut	0.3	FC				0.3					5-1	
Other liliaceous vegetables		0.5	WHL	0.5							4	Other nuts	0.3	FC				0.3					5-1	
Carrot												Tea (Green, Black, Oolong, Wulong tea)	35	MRL	35									
Parsnip												Coffee beans												
Parsley		0.5	WHL	0.5							4	Cacao beans												
Celery		0.5	WHL	0.5							4	Hop	30	MRL	30									
MITSUBA		0.5	WHL	0.5							4													
Other umbelliferous vegetables		0.5	WHL	0.5							4													
												Cattle, muscle												
Tomato	0.1	CodeX		1	0.1						1-1	Pig, muscle												
Pimento (Sweet pepper)	2	MRL	2									Sheep, muscle												
Pimento (Sweet pepper)	2	MRL	2									Horse, muscle												
Egg plant	2	MRL	2									Goat, muscle												
Other Solanaceous vegetables	2	WHL		2							4	Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)	1	MRL		1								Reindeer, muscle												
Pumpkin (including Squash)	1	WHL		1							4	Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)	1	WHL		1							4													
Water melon	0.5	MRL	0.5									Cattle, fat	0.02	FC				0.02					5-1	
Water melon	0.5	MRL	0.5									Horse, fat	0.3	FC				0.3					5-1	
MAKUWAURI	0.2	WHL	0.2								4	Sheep, fat	0.02	FC				0.02					5-1	
Other cucurbitaceous vegetables	1	WHL		1							4	Horse, fat	0.02	FC				0.02					5-1	
												Deer, fat												
Spinach	0.5	WHL		0.5							4	Goat, fat	0.02	FC				0.02					5-1	
Bamboo shoots	2	MRL		2								Rabbit, fat												
Okra	2	WHL		2							4	Reindeer, fat												
Ginger												Other terrestrial mammals, fat												
Peas (with pods, immature)	2	MRL		2																				
Kidney beans (with pods, immature)	2	MRL		2								Cattle, liver	0.02	FC				0.02					5-1	
Soybeans	2	WHL		2							4	Pig, liver	0.02	FC				0.02					5-1	
												Sheep, liver	0.02	FC				0.02					5-1	
Button mushroom												Horse, liver	0.02	FC				0.02					5-1	
SHIITAKE												Deer, liver	0.02	FC				0.02					5-1	
Other mushrooms												Goat, liver	0.02	FC				0.02					5-1	
Other vegetables	2	MRL	2									Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

## HEXYTHIAZOX

[illegible]

### 330. HYDROCORTISONE

[illegible]

--

[illegible]

### 331. HYDROGEN CYANIDE

	P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	20	FC						25	15		5-1	UNSHU orange	5	WHL			5		50					3-1
Wheat	20	FC						25	15		5-1	NATSUDAIDAI (flesh)		WHL					50					3-1
Barley	10	WHL						25	6-1		5-1	NATSUDAIDAI (whole)		WHL					50					3-1
Rye	20	FC						25	15		5-1	Lemon	50	FC					50					3-2-1
Corn (including Maize, Sweet corn)	20	FC						25	15		5-1	Orange (including Navel)	5	WHL					50					3-1
Buckwheat	20	FC							15		5-1	Grapefruit	5	WHL					50					3-1
Other cereal grains	20	FC							15		5-1	Lime	5	WHL					50					3-1
Soybeans (dry)												Other citrus fruits	5	WHL					50					3-1
Beans (dry)												Apple	5	WHL										4
Peas												Japanese pear	5	WHL										4
Broad beans												Pear	5	WHL										4
Peanuts (dry)												Quince	5	WHL										4
Other legumes/pulses												Loquat	5	WHL										4
Potato												Peach	5	WHL										4
Taro												Nectarine	5	WHL										4
Sweet potato												Apricot	5	WHL										4
Yam												Japanese plum (including Prunes)	5	WHL										4
Konjac												Mume plum	5	WHL										4
Other potatoes												Cherry	5	WHL										4
Sugar beet												Strawberry	5	WHL										4
Sugarcane												Raspberry	5	WHL										4
												Blackberry	5	WHL										4
Japanese radish (including Radish) (root)	5	WHL		5							4	Blueberry	5	WHL										4
Japanese radish (including Radish) (leaf)	5	WHL		5							4	Cranberry	5	WHL										4
Turnip (including Rutabaga) (root)	5	WHL		5							4	Huckleberry	5	WHL										4
Turnip (including Rutabaga) (leaf)	5	WHL		5							4	Other berries	5	WHL										4
Horseradish	5	WHL		5							4													
Watercress	5	WHL		5							4	Grape	5	WHL										4
Chinese cabbage	5	WHL		5							4	Japanese persimon	5	WHL										4
Cabbage	5	WHL		5							4													
Brussels sprouts	5	WHL		5							4	Banana	5	WHL										4
Kale	5	WHL		5							4	Kiwifruit	5	WHL							25			3-1
KOMATSUNA	5	WHL		5							4	Avocado	5	WHL										4
KYONA	5	WHL		5							4	Pineapple	5	WHL										4
Qing-geng-cai	5	WHL		5							4	Guava	5	WHL										4
Cauliflower	5	WHL		5							4	Mango	5	WHL										4
Broccoli	5	WHL		5							4	Passion fruit	5	WHL										4
Other cruciferous vegetables	5	WHL		5							4	Date	5	WHL								15		3-1
Burdock	5	WHL		5							4	Other fruits	5	WHL										4
Salsify	5	WHL		5							4													
Artichoke	5	WHL		5							4	Sunflower seeds	5	WHL										4
Chicory	5	WHL		5							4	Sesam seeds	5	WHL										4
Endive	5	WHL		5							4	Safflower seeds	5	WHL										4
SHUNGIKU	5	WHL		5							4	Cotton seeds	5	WHL										4
Lettuce (Cos lettuce, Leaf lettuce)	5	WHL		5							4	Rape seeds	5	WHL										4
Other composite vegetables	5	WHL		5							4	Other oil seeds	5	WHL										4
Onion	5	WHL		5							4													
Welsh (including Leek)	5	WHL		5							4	Ginkgo nut	5	WHL										4
Garlic	5	WHL		5							4	Chestnut	5	WHL										4
NIRA	5	WHL		5							4	Pecan	5	WHL							25			3-1
Asparagus	5	WHL		5							4	Almond	5	WHL										4
Multiplication onion (including Shallot)	5	WHL		5							4	Other nuts	5	WHL							25			3-1
Other liliaceous vegetables	5	WHL		5							4													4
Carrot	5	WHL		5							4	Tea (Green, Black, Oolong, Wulong tea)												
Parsnip	5	WHL		5							4	Coffee beans												
Parsley	5	WHL		5							4	Cacao beans	30	FC							25			5-1
Celery	5	WHL		5							4	Hop												
MITSUBA	5	WHL		5							4													
Other umbelliferous vegetables	5	WHL		5							4	Cattle, muscle												
												Pig, muscle												
Tomato	5	WHL		5							4	Sheep, muscle												
Pimento (Sweet pepper)	5	WHL		5							4	Horse, muscle												
Egg plant	5	WHL		5							4	Deer, muscle												
Other Solanaceous vegetables	5	WHL		5							4	Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)	5	WHL		5							4	Reindeer, muscle												
Pumpkin (including Squash)	5	WHL		5							4	Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)	5	WHL		5							4													
Water melon	5	WHL		5							4	Cattle, fat												
Melons	5	WHL		5							4	Pig, fat												
KAKUWAIJIRI	5	WHL		5							4	Sheep, fat												
Other cucurbitaceous vegetables	5	WHL		5							4	Horse, fat												
												Deer, fat												
Spinach	5	WHL		5							4	Goat, fat												
Bamboo shoots	5	WHL		5							4	Rabbit, fat												
Okra	5	WHL		5							4	Reindeer, fat												
Linco	5	WHL		5							4	Other terrestrial mammals, fat												
Peas (with pods, immature)	5	WHL		5							4													
Kidney beans (with pods, immature)	5	WHL		5					25		3-1	Cattle, liver												
Soybeans	5	WHL		5							4	Pig, liver												
												Sheep, liver												
Button mushroom	5	WHL		5							4	Horse, liver												
SHIITAKE	5	WHL		5							4	Deer, liver												
Other mushrooms	5	WHL		5							4	Goat, liver												
Other vegetables	5	WHL		5							4	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

# The FC MRL is applied for Lemon, because its importation from the reference countries shares a majority of them.

## HYDROGEN CYANIDE

[illegible]

### 332. HYDROGEN PHOSPHIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	UNSHU orange	0.01	FC				0.01				0.01	5-1
												NATSUDAIDAI (flesh)	0.01	FC								0.01	5-1
Wheat	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	NATSUDAIDAI (peel)	0.01	FC				0.01				0.01	5-1
Barley	0.1	Codex		0.1	0.1	0.1	0.1				1-1	NATSUDAIDAI (whole)	0.01	FC				0.01				0.01	5-1
Rye	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	Lemon	0.01	FC				0.01				0.01	5-1
Corn (including Maize Sweet corn)	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	Orange (including Navel)	0.01	FC				0.01				0.01	5-1
Buckwheat	0.1	Codex		0.1	0.1	0.01	0.1		0.1		1-1	Grapefruit	0.01	FC				0.01				0.01	5-1
Other cereal grains	0.1	Codex		0.1	0.1	0.1	0.1		0.1		1-1	Lime	0.01	FC				0.01				0.01	5-1
												Other citrus fruits	0.01	FC				0.01				0.01	5-1
Soybeans (dry)	0.1	WHL		0.1		0.1	0.01			0.01	3-1							0.01				0.01	5-1
Beans (dry)	0.1	WHL		0.1		0.01	0.01			0.01	3-1	Apple	0.01	FC				0.01				0.01	5-1
Peas	0.1	WHL		0.1		0.01	0.01			0.01	3-1	Japanese pear	0.01	FC				0.01				0.01	5-1
Broad beans	0.1	WHL		0.1		0.01	0.01			0.01	3-1	Pear	0.01	FC				0.01				0.01	5-1
Peanuts (dry)	0.01	Codex		0.1	0.01	0.1	0.01			0.01	1-1	Quince	0.01	FC				0.01				0.01	5-1
Other legumes/pulses	0.1	WHL		0.1		0.01	0.01			0.01	3-1	Loquat	0.01	FC				0.01				0.01	5-1
Potato	0.01	FC				0.01				0.01	5-1	Peach	0.01	FC				0.01				0.01	5-1
Taro	0.01	FC				0.01				0.01	5-1	Nectarine	0.01	FC				0.01				0.01	5-1
Sweet potato	0.01	FC				0.01				0.01	5-1	Apricot	0.01	FC				0.01				0.01	5-1
Yam	0.01	FC				0.01				0.01	5-1	Japanese plum (including Prunes)	0.01	FC				0.01				0.01	5-1
Konjac	0.01	FC				0.01				0.01	5-1	Mume plum	0.01	FC				0.01				0.01	5-1
Other potatoes	0.01	FC				0.01				0.01	5-1	Cherry	0.01	FC				0.01				0.01	5-1
Sugar beet	0.01	FC				0.01				0.01	5-1	Strawberry	0.01	FC				0.01				0.01	5-1
Sugarcane	0.01	FC				0.01	0.01			0.01	5-1	Raspberry	0.01	FC				0.01				0.01	5-1
												Blackberry	0.01	FC				0.01				0.01	5-1
Japanese radish (including Radish) (root)	0.01	FC				0.01				0.01	5-1	Blueberry	0.01	FC				0.01				0.01	5-1
Japanese radish (including Radish) (leaf)	0.01	FC				0.01				0.01	5-1	Cranberry	0.01	FC				0.01				0.01	5-1
Turnip (including Rutabaga) (root)	0.01	FC				0.01				0.01	5-1	Other berries	0.01	FC				0.01	0.01		0.02	0.01	5-1
Turnip (including Rutabaga) (leaf)	0.01	FC				0.01				0.01	5-1												
Horseradish	0.01	FC				0.01				0.01	5-1	Grape	0.01	FC				0.01				0.01	5-1
Watercress	0.01	FC				0.01				0.01	5-1	Japanese persimon	0.01	FC				0.01				0.01	5-1
Chinese cabbage	0.01	FC				0.01				0.01	5-1												
Cabbage	0.01	FC				0.01				0.01	5-1	Banana	0.01	FC				0.01				0.01	5-1
Brussels sprouts	0.01	FC				0.01				0.01	5-1	Kiwifruit	0.01	FC				0.01				0.01	5-1
Kale	0.01	FC				0.01				0.01	5-1	Papaya	0.01	FC				0.01				0.01	5-1
KOMATSUNA	0.01	FC				0.01				0.01	5-1	Avocado	0.01	FC				0.01				0.01	5-1
KYONA	0.01	FC				0.01				0.01	5-1	Pineapple	0.01	FC				0.01				0.01	5-1
Qing-geng-cai	0.01	FC				0.01				0.01	5-1	Guava	0.01	FC				0.01				0.01	5-1
Cauliflower	0.01	FC				0.01				0.01	5-1	Mango	0.01	FC				0.01				0.01	5-1
Broccoli	0.01	FC				0.01				0.01	5-1	Passion fruit	0.01	FC				0.01				0.01	5-1
Other cruciferous vegetables	0.01	FC				0.01				0.01	5-1	Date	0.01	FC				0.1			0.1	0.01	5-1
Burdock	0.01	FC				0.01				0.01	5-1	Other fruits	0.01	FC				0.01	0.01			0.01	5-1
Salsify	0.01	FC				0.01				0.01	5-1												
Artichoke	0.01	FC				0.01				0.01	5-1	Sunflower seeds	0.04	FC				0.1	0.01			0.01	5-1
Chicory	0.01	FC				0.01				0.01	5-1	Sesam seeds	0.04	FC				0.1	0.01			0.01	5-1
Endive	0.01	FC				0.01				0.01	5-1	Safflower seeds	0.04	FC				0.1	0.01			0.01	5-1
SHINGIKU	0.01	FC				0.01				0.01	5-1	Walnut	0.01	FC				0.01	0.01			0.01	5-1
Lettuce (Cos lettuce, Leaf lettuce)	0.01	FC				0.01				0.01	5-1	Other oil seeds	0.01	FC				0.01	0.01			0.01	5-1
Other composite vegetables	0.01	FC				0.01	0.01			0.01	5-1							0.01	0.01			0.01	2
Onion	0.01	FC				0.01				0.01	5-1	Ginkgo nut	0.01	Codex			0.01	0.01	0.01			0.01	2
Welsh (including Leek)	0.01	FC				0.01				0.01	5-1	Chestnut	0.01	Codex			0.01	0.01	0.01			0.01	2
Garlic	0.01	FC				0.01				0.01	5-1	Pecan	0.01	Codex			0.01	0.1	0.01			0.01	2
NIRA	0.01	FC				0.01				0.01	5-1	Almond	0.01	Codex			0.01	0.1	0.01			0.01	2
Asparagus	0.01	FC				0.01				0.01	5-1	Other nuts	0.01	Codex			0.01	0.1	0.01			0.01	2
Multiplying onion (including Shallot)	0.01	FC				0.01				0.01	5-1												
Other liliaceous vegetables	0.01	FC				0.01				0.01	5-1	Cattle, muscle	0.01	FC								0.01	5-1
Carrot	0.01	FC				0.01				0.01	5-1	Pig, muscle	0.01	FC								0.01	5-1
Parsnip	0.01	FC				0.01				0.01	5-1	Sheep, muscle	0.01	FC								0.01	5-1
Parsley	0.01	FC				0.01				0.01	5-1	Horse, muscle	0.01	FC								0.01	5-1
Celery	0.01	FC				0.01				0.01	5-1	Deer, muscle	0.01	FC								0.01	5-1
WITSUBA	0.01	FC				0.01				0.01	5-1	Goat, muscle	0.01	FC								0.01	5-1
Other umbelliferous vegetables	0.01	FC				0.01				0.01	5-1	Reindeer, muscle	0.01	FC								0.01	5-1
Tomato	0.01	FC				0.01				0.01	5-1	Other terrestrial mammals, muscle	0.01	FC								0.01	5-1
Pimento (Sweet pepper)	0.01	FC				0.01				0.01	5-1	Cattle, fat	0.01	FC								0.01	5-1
Egg plant	0.01	FC				0.01				0.01	5-1	Pig, fat	0.01	FC								0.01	5-1
Other solanaceous vegetables	0.01	FC				0.01				0.01	5-1	Sheep, fat	0.01	FC								0.01	5-1
Cucumber (including Gherkin)	0.01	FC				0.01				0.01	5-1	Horse, fat	0.01	FC								0.01	5-1
Pumpkin (including Squash)	0.01	FC				0.01				0.01	5-1	Deer, fat	0.01	FC								0.01	5-1
Oriental pickling melon (vegetable)	0.01	FC				0.01				0.01	5-1	Goat, fat	0.01	FC								0.01	5-1
Water melon	0.01	FC				0.01				0.01	5-1	Rabbit, fat	0.01	FC								0.01	5-1
Melons	0.01	FC				0.01	0.01			0.01	5-1	Reindeer, fat	0.01	FC								0.01	5-1
MAKUWAURI	0.01	FC				0.01	0.01			0.01	5-1	Other terrestrial mammals, fat	0.01	FC								0.01	5-1
Other cucurbitaceous vegetables	0.01	FC				0.01				0.01	5-1												
Spinach	0.01	FC				0.01				0.01	5-1	Cattle, liver	0.01	FC								0.01	5-1
Bamboo shoots	0.01	FC				0.01				0.01	5-1	Pig, liver	0.01	FC								0.01	5-1
Okra	0.01	FC				0.01				0.01	5-1	Sheep, liver	0.01	FC								0.01	5-1
Ginger	0.01	FC				0.01	0.01			0.01	5-1	Horse, liver	0.01	FC								0.01	5-1
Peas (with pods, immature)	0.01	FC				0.01				0.01	5-1	Deer, liver	0.01	FC								0.01	5-1
Kidney beans (with pods, immature)	0.01	FC				0.01				0.01	5-1	Goat, liver	0.01	FC								0.01	5-1
Soybeans	0.06	FC				0.1				0.01	5-1	Rabbit, liver	0.01	FC								0.01	5-1
Button mushroom	0.01	FC				0.01				0.01	5-1	Reindeer, liver	0.01	FC</									

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.01	FC								0.01	5-1	Catfish	0.01	FC								0.01	5-1
Pig, kidney	0.01	FC								0.01	5-1	Other freshwater fish	0.01	FC								0.01	5-1
Sheep, kidney	0.01	FC								0.01	5-1												
Horse, kidney	0.01	FC								0.01	5-1	Salmon	0.01	FC								0.01	5-1
Deer, kidney	0.01	FC								0.01	5-1	Trout	0.01	FC								0.01	5-1
Goat, kidney	0.01	FC								0.01	5-1	Other salmonidae	0.01	FC								0.01	5-1
Rabbit, kidney	0.01	FC								0.01	5-1	Other diadromous fish	0.01	FC								0.01	5-1
Reindeer, kidney	0.01	FC								0.01	5-1												
Other terrestrial mammals, kidney	0.01	FC								0.01	5-1	Marine fish	0.01	FC								0.01	5-1
Cattle, edible offal excluding liver and kidney	0.01	FC								0.01	5-1	Shrimps or prawns	0.01	FC								0.01	5-1
Pig, edible offal excluding liver and kidney	0.01	FC								0.01	5-1	Lobster	0.01	FC								0.01	5-1
Sheep, edible offal excluding liver and kidney	0.01	FC								0.01	5-1	Crayfish	0.01	FC								0.01	5-1
Horse, edible offal excluding liver and kidney	0.01	FC								0.01	5-1	Other crustaceans	0.01	FC								0.01	5-1
Deer, edible offal excluding liver and kidney	0.01	FC								0.01	5-1												
Goat, edible offal excluding liver and kidney	0.01	FC								0.01	5-1	Oyster	0.01	FC								0.01	5-1
Rabbit, edible offal excluding liver and kidney	0.01	FC								0.01	5-1	Abalone	0.01	FC								0.01	5-1
Reindeer, edible offal excluding liver and kidney	0.01	FC								0.01	5-1	Other aquatic animals	0.01	FC								0.01	5-1
Other terrestrial mammals, edible offal excluding liver and kidney	0.01	FC								0.01	5-1	Other animals	0.01	FC								0.01	5-1
Cattle, milk	0.01	FC								0.01	5-1												
Sheep, milk	0.01	FC								0.01	5-1	Honey	0.01	FC								0.01	5-1
Goat, milk	0.01	FC								0.01	5-1												
Other terrestrial mammals, milk	0.01	FC								0.01	5-1												
Chicken, muscle	0.01	FC								0.01	5-1												
Duck, muscle	0.01	FC								0.01	5-1												
Turkey, muscle	0.01	FC								0.01	5-1												
Quail, muscle	0.01	FC								0													



### 333. HYMEXAZOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.5	WHL		0.5							4	UNSHU orange	0.5	WHL		0.5							4
Wheat											4	NATSUDAIDAI (flesh)											4
Barley											4	NATSUDAIDAI (peel)											4
Rye											4	NATSUDAIDAI (whole)	0.5	WHL		0.5							4
Corn (including Maize, Sweet corn)											4	Lemon	0.5	WHL		0.5							4
Buckwheat											4	Orange (including Navel)	0.5	WHL		0.5							4
Other cereal grains											4	Grapefruit	0.5	WHL		0.5							4
Soybeans (dry)	0.5	WHL		0.5							4	Lime	0.5	WHL		0.5							4
Beans (dry)	0.5	WHL		0.5							4	Other citrus fruits	0.5	WHL		0.5							4
Peas	0.5	WHL		0.5							4	Apple	0.5	WHL		0.5							4
Broad beans	0.5	WHL		0.5							4	Japanese pear	0.5	WHL		0.5							4
Peanuts (dry)	0.5	WHL		0.5							4	Pear	0.5	WHL		0.5							4
Other legumes/pulses	0.5	WHL		0.5							4	Quince	0.5	WHL		0.5							4
Potato	0.5	WHL		0.5							4	Loquat	0.5	WHL		0.5							4
Taro	0.5	WHL		0.5							4												4
Sweet potato	0.5	WHL		0.5							4	Nectarine	0.5	WHL		0.5							4
Yam	0.5	WHL		0.5							4	Apricot	0.5	WHL		0.5							4
Konjac	0.5	WHL		0.5							4	Japanese plum (including Prunes)	0.5	WHL		0.5							4
Other potatoes	0.5	WHL		0.5							4	Mume plum	0.5	WHL		0.5							4
Sugar beet	0.5	WHL		0.5							4	Cherry	0.5	WHL		0.5							4
Sugarcane	0.1	WHL		0.1							4	Strawberry	0.5	WHL		0.5							4
Japanese radish (including Radish) (root)	0.5	WHL		0.5							4	Raspberry	0.5	WHL		0.5							4
Japanese radish (including Radish) (leaf)	0.5	WHL		0.5							4	Blackberry	0.5	WHL		0.5							4
Turnip (including Rutabaga) (root)	0.5	WHL		0.5							4	Blueberry	0.5	WHL		0.5							4
Turnip (including Rutabaga) (leaf)	0.5	WHL		0.5							4	Cranberry	0.5	WHL		0.5							4
Horseradish	0.5	WHL		0.5							4	Elderberry	0.5	WHL		0.5							4
Watercress	0.5	WHL		0.5							4	Other berries	0.5	WHL		0.5							4
Chinese cabbage	0.5	WHL		0.5							4	Grape	0.5	WHL		0.5							4
Cabbage	0.5	WHL		0.5							4	Japanese persimon	0.5	WHL		0.5							4
Brussels sprouts	0.5	WHL		0.5							4												4
Kale	0.5	WHL		0.5							4	Banana	0.5	WHL		0.5							4
KOMATSUNA	0.5	WHL		0.5							4	Kiwifruit	0.5	WHL		0.5							4
KYONA	0.5	WHL		0.5							4	Papaya	0.5	WHL		0.5							4
Qing-geng-cai	0.5	WHL		0.5							4	Avocado	0.5	WHL		0.5							4
Cauliflower	0.5	WHL		0.5							4	Pineapple	0.5	WHL		0.5							4
Broccoli	0.5	WHL		0.5							4	Guava	0.5	WHL		0.5							4
Other cruciferous vegetables	0.5	WHL		0.5							4	Mango	0.5	WHL		0.5							4
Burdock	0.5	WHL		0.5							4	Cassia fruit	0.5	WHL		0.5							4
Salsify	0.5	WHL		0.5							4	Date	0.5	WHL		0.5							4
Artichoke	0.5	WHL		0.5							4	Other fruits	0.5	WHL		0.5							4
Chicory	0.5	WHL		0.5							4	Sunflower seeds	0.5	WHL		0.5							4
Endive	0.5	WHL		0.5							4	Sesam seeds	0.5	WHL		0.5							4
SHUNGIKU	0.5	WHL		0.5							4	Safflower seeds	0.5	WHL		0.5							4
Lettuce (Cos lettuce, Leaf lettuce)	0.5	WHL		0.5							4	Cotton seeds	0.5	WHL		0.5							4
Other composite vegetables	0.5	WHL		0.5							4	Rape seeds	0.5	WHL		0.5							4
Onion	0.5	WHL		0.5							4	Other oil seeds	0.5	WHL		0.5							4
Welsh (including Leek)	0.5	WHL		0.5							4												4
Garlic	0.5	WHL		0.5							4	Ginkgo nut	0.5	WHL		0.5							4
NIRA	0.5	WHL		0.5							4	Chestnut	0.5	WHL		0.5							4
Asparagus	0.5	WHL		0.5							4	Pecan	0.5	WHL		0.5							4
Multiplying onion (including Shallot)	0.5	WHL		0.5							4	Almond	0.5	WHL		0.5							4
Other liliaceous vegetables	0.5	WHL		0.5							4	Walnut	0.5	WHL		0.5							4
Carrot	0.5	WHL		0.5							4	Other nuts	0.5	WHL		0.5							4
Parsnip	0.5	WHL		0.5							4	Tea (Green, Black, Oolong, Wulong tea)											4
Parsley	0.5	WHL		0.5							4	Coffee beans											4
Celery	0.5	WHL		0.5							4	Cacao beans											4
mitsuba	0.5	WHL		0.5							4	Hop											4
Other umbelliferous vegetables	0.5	WHL		0.5							4												4
Tomato	0.5	WHL		0.5							4	Cattle, muscle											4
Pepper (Sweet pepper)	0.5	WHL		0.5							4	Pig, muscle											4
Egg plant	0.5	WHL		0.5							4	Sheep, muscle											4
Other Solanaceous vegetables	0.5	WHL		0.5							4	Deer, muscle											4
Cucumber (including Gherkin)	0.5	WHL		0.5							4	Goat, muscle											4
Pumpkin (including Squash)	0.5	WHL		0.5							4	Rabbit, muscle											4
Oriental pickling melon (vegetable)	0.5	WHL		0.5							4	Reindeer, muscle											4
Water melon	0.5	WHL		0.5							4	Other terrestrial mammals, muscle											4
Melons	0.5	WHL		0.5							4												4
MAKUWAURI	0.5	WHL		0.5							4	Cattle, fat											4
Other cucurbitaceous vegetables	0.5	WHL		0.5							4	Pig, fat											4
Spinach	0.5	WHL		0.5							4	Sheep, fat											4
Bamboo Shoots	0.5	WHL		0.5							4	Horse, fat											4
Okra	0.5	WHL		0.5							4	Deer, fat											4
Ginger	0.5	WHL		0.5							4	Reindeer, fat											4
Peas (with pods, immature)	0.5	WHL		0.5							4	Other terrestrial mammals, fat											4
Kidney beans (with pods, immature)	0.5	WHL		0.5							4												4
Soybeans	0.5	WHL		0.5							4	Cattle, liver											4
Button mushroom	0.5	WHL		0.5							4	Pig, liver											4
SHITAKE	0.5	WHL		0.5							4	Sheep, liver											4
Other mushrooms	0.5	WHL		0.5							4	Horse, liver											4
Other vegetables	0.5	WHL		0.5							4	Deer, liver											4
											4	Goat, liver											4
											4	Rabbit, liver											4
											4	Reindeer, liver											4
											4	Other terrestrial mammals, liver											4

## HYMEXAZOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Cattfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Trout, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mamnals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quial, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quial, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quial, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quial, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quial, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

### 334. IMAZALIL

	P R - M R L	R e f  M R L	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f  M R L	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.05	MRL	0.05	.....	.....	.....	.....	.....	.....	.....		UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat	0.01	MRL	0.01	.....	.....	.....	.....	.....	.....	.....		NATSUDAIDAI (peel)											
Barley	0.05	MRL	0.05	.....	.....	.....	.....	.....	.....	.....		NATSUDAIDAI (whole)	5	MRL	5	.....	.....						
Rye	0.05	MRL	0.05	.....	.....	.....	.....	.....	.....	.....		Lemon	5	MRL	5	.....	.....						
Corn (including Maize, Sweet corn)	0.05	MRL	0.05	.....	.....	.....	.....	.....	.....	.....		Orange (including Navel)	5	MRL	5	.....	.....						
Buckwheat	0.05	MRL	0.05	.....	.....	.....	.....	.....	.....	.....		Grapefruit	5	MRL	5	.....	.....						
Other cereal grains	0.05	MRL	0.05	.....	.....	.....	.....	.....	.....	.....		Lime	5	MRL	5	.....	.....						
												Other citrus fruits	5	MRL	5	.....	.....						
Soybeans (dry)																							
Beans (dry)													Apple	5	MRL	5	.....	.....					
Peas													Japanese pear	5	MRL	5	.....	.....					
Broad beans													Pear	5	MRL	5	.....	.....					
Peanuts (dry)													Quince	5	MRL	5	.....	.....					
Other legumes/pulses													Loquat	5	MRL	5	.....	.....					
Potato	5	MRL	5	.....	.....	.....	.....	.....	.....	.....		Peach											
Taro													Nectarine										
Sweet potato													Apricot										
Yam													Japanese plum (including Prunes)										
Konjac													Mume plum										
Other potatoes													Cherry										
Sugar beet													Strawberry	2	MRL	2	.....	.....					
Sugarcane													Raspberry	2	MRL	2	.....	.....					
													Blackberry										
Japanese radish (including Radish) (root)													Blueberry										
Japanese radish (including Radish) (leaf)													Cranberry										
Turnip (including Rutabaga) (root)													Huckleberry										
Turnip (including Rutabaga) (leaf)													Other berries										
Horseradish																							
Watercress													Grape										
Chinese cabbage													Japanese persimon	2	MRL	2	.....	.....					
Cabbage																							
Brussels sprouts													Banana	2	MRL	2	.....	.....					
Kale													Kiwifruit	2	MRL	2	.....	.....					
KOMATSUNA													Papaya	2	MRL	2	.....	.....					
KYONA													Avocado	2	MRL	2	.....	.....					
Qing-geng-cai													Pineapple	2	MRL	2	.....	.....					
Cauliflower													Guava	2	MRL	2	.....	.....					
Broccoli													Mango	2	MRL	2	.....	.....					
Other cruciferous vegetables													Passion fruit	2	MRL	2	.....	.....					
													Date	2	MRL	2	.....	.....					
Burdock													Other fruits										
Salsify																							
Artichoke													Sunflower seeds										
Chicory													Sesam seeds										
Endive													Safflower seeds										
SHUNGIKU													Cotton seeds	0.05	MRL	0.05	.....	.....					
Lettuce (Cos lettuce, Leaf lettuce)													Rape seeds										
Other composite vegetables													Other oil seeds										
Onion																							
Welsh (including Leek)													Ginkgo nut										
Garlic													Chestnut										
NIRA													Pecan										
Asparagus													Almond										
Multiplying onion (including Shallot)													Walnut										
Other liliaceous vegetables													Other nuts										
Carrot													Tea (Green, Black, Oolong, Wulong tea)										
Parsnip													Coffee beans										
Parsley													Cacao beans										
Celery													Hop										
MITSUBA																							
Other umbelliferous vegetables													Cattle, muscle	0.02	FC				0.01		0.02		5-1
													Pig, muscle	0.02	FC				0.01		0.02		5-1
Tomato	0.5	MRL	0.5	.....	.....	.....	.....	.....	.....	.....			Sheep, muscle	0.02	FC				0.01		0.02		5-1
Pepper (Sweet pepper)	0.5	MRL	0.5	.....	.....	.....	.....	.....	.....	.....			Goat, muscle	0.02	FC				0.01		0.02		5-1
Egg plant	0.5	MRL	0.5	.....	.....	.....	.....	.....	.....	.....			Deer, muscle										
Other Solanaceous vegetables	0.5	MRL	0.5	.....	.....	.....	.....	.....	.....	.....			Goat, muscle	0.02	FC				0.01		0.02		5-1
													Rabbit, muscle										
Cucumber (including Gherkin)	0.5	MRL	0.5	.....	.....	.....	.....	.....	.....	.....			Reindeer, muscle										
Pumpkin (including Squash)	2	MRL	2	.....	.....	.....	.....	.....	.....	.....			Other terrestrial mammals, muscle										
Oriental pickling melon (vegetable)	2	MRL	2	.....	.....	.....	.....	.....	.....	.....													
Watermelon	2	MRL	2	.....	.....	.....	.....	.....	.....	.....			Cattle, fat	0.02	FC				0.01		0.02		5-1
Melons	2	MRL	2	.....	.....	.....	.....	.....	.....	.....			Pig, fat	0.02	FC				0.01		0.02		5-1
MAKUWAURI	2	MRL	2	.....	.....	.....	.....	.....	.....	.....			Sheep, fat	0.02	FC				0.01		0.02		5-1
Other cucurbitaceous vegetables	2	MRL	2	.....	.....	.....	.....	.....	.....	.....			Horse, fat	0.02	FC				0.01		0.02		5-1
													Deer, fat										
Spinach													Goat, fat	0.02	FC				0.01		0.02		5-1
Bamboo Shoots													Rabbit, fat										
Okra													Reindeer, fat										
Ginger													Other terrestrial mammals, fat										
Peas (with pods, immature)																							
Kidney beans (with pods, immature)													Cattle, liver	0.3	FC				0.5		0.02		5-1
Soybeans													Pig, liver	0.3	FC				0.5		0.02		5-1
													Sheep, liver	0.3	FC				0.5		0.02		5-1
Button mushroom													Horse, liver	0.3	FC				0.5		0.02		5-1
SHIITAKE													Deer, liver										
Other mushrooms													Goat, liver	0.3	FC				0.5		0.02		5-1
Other vegetables													Rabbit, liver										
													Reindeer, liver										
													Other terrestrial mammals, liver										

## IMAZALIL

[illegible]

### 335. IMAZAMETHABENZ METHYL ESTER

[illegible]

# IMAZAMETHABENZ METHYL ESTER

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney																								
Horse, kidney												Salmon												
Deer, kidney												Trout												
Goat, kidney												Other salmonidae												
Rabbit, kidney												Other diadromous fish												
Reindeer, kidney																								
Other terrestrial mammals, kidney												Marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Goat, edible offal excluding liver and kidney												Oyster												
Rabbit, edible offal excluding liver and kidney												Abalone												
Reindeer, edible offal excluding liver and kidney												Other aquatic animals												
Other terrestrial mammals, edible offal excluding liver and kidney																								
												Other animals												
Cattle, milk																								
Sheep , milk												honey												
Goat, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Quail, muscle																								
Goose, muscle																								
Pheasant, muscle																								

[illegible]

# IMAZAMOX-AMMONIUM

[illegible]



### 337. IMAZAPIC-AMMONIUM

[illegible]

## IMAZAPIC-AMMONIUM

[illegible]

### 338. IMAZAPYR

[illegible]

## IMAZAPYR

[illegible]

### 339. IMAZAQUIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
Soybeans (dry)	0.05	FC				0.05					5-1	Other citrus fruits											
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Huckleberry											
Horsradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOHATSUNA												Papaya											
KYONJA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
Burdock												Date											
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
Onion												Other oil seeds											
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle											
Tomato												Pig, muscle											
Pimento (Sweet pepper)												Sheep, muscle											
Egg plant												Horse, muscle											
Other Solanaceous vegetables												Deer, muscle											
Cucumber (including Gherkin)												Goat, muscle											
Pumpkin (including Squash)												Rabbit, muscle											
Oriental pickling melon (vegetable)												Reindeer, muscle											
Water melon												Other terrestrial mammals, muscle											
Melons												Cattle, fat											
Other cucurbitaceous vegetables												Pig, fat											
Spinach												Sheep, fat											
Bamboo shoots												Horse, fat											
Okra												Deer, fat											
King												Goat, fat											
Other												Rabbit, fat											
Peas (with pods, immature)												Reindeer, fat											
Kidney beans (with pods, immature)												Other terrestrial mammals, fat											
Soybeans	0.05	FC				0.05					5-1	Cattle, liver											
Button mushroom												Pig, liver											
SHIITAKE												Sheep, liver											
Other mushrooms												Horse, liver											
Other vegetables												Deer, liver											
												Goat, liver											
												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

## IMAZAQUIN

[illegible]