

340. IMAZETHAPYR AMMONIUM

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	FC				0.2					5-1	UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)	0.08	FC				0.1	0.05				5-1	Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)	0.1	FC				0.1	0.1				5-1												
Beans (dry)	0.1	FC				0.1	0.1				5-1	Apple											
Peas	0.1	FC				0.1	0.1				5-1	Japanese pear											
Broad beans	0.1	FC				0.1	0.1				5-1	Pear											
Peanuts (dry)	0.1	FC				0.1	0.1				5-1	Quince											
Other legumes/pulses	0.1	FC				0.1	0.1				5-1	Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock																							
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle											
												Pig, muscle											
Tomato												Sheep, muscle											
Pimento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other Solanaceous vegetables												Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)												Reindeer, muscle											
Pumpkin (including Squash)												Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat											
Melon												Pig, fat											
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Other terrestrial mammals, fat											
Ginger																							
Peas (with pods, immature)	0.1	FC				0.1	0.1				5-1												
Kidney beans (with pods, immature)	0.1	FC				0.1	0.1				5-1	Cattle, liver	0.1	FC					0.1				5-1
Soybeans	0.1	FC				0.1	0.1				5-1	Pig, liver	0.1	FC					0.1	0.1			5-1
												Sheep, liver	0.1	FC					0.1	0.1			5-1
Button mushroom												Horse, liver	0.1	FC					0.1	0.1			5-1
SHIITAKE												Deer, liver	0.1	FC					0.1	0.1			5-1
Other mushrooms												Goat, liver	0.1	FC					0.1	0.1			5-1
Other vegetables	0.1	FC				0.1	0.1				5-1	Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

[illegible]

341. IMIBENCONAZOLE

[illegible]

IMIBENCONAZOLE

[illegible]

342. IMIDACLOPRID

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	WHL		0.2		0.05	0.05				3-1	UNSHU orange	0.3	WHL		0.3		0.7	0.5	1			3-1
Wheat	0.05	FC				0.05	0.05				5-1	NATSUDAIDAI (flesh)											
Barley	0.1	WHL		0.1		0.05	0.05				3-1	NATSUDAIDAI (peel)											
Rye	0.1	WHL		0.1		0.05	0.05				3-1	NATSUDAIDAI (whole)	1	WHL		1		0.7	0.5	1			3-1
Corn (including Maize, Sweet corn)	0.1	WHL		0.1		0.05	0.05				3-1	Lemon	1	WHL		1		0.7	0.5	1			3-1
Buckwheat	0.1	WHL		0.1		0.05	0.05				3-1	Orange (including Navel)	1	WHL		1		0.7	0.5	1			3-1
Other cereal grains	0.1	WHL		0.1		0.05	0.05				3-1	Grapefruit	1	WHL		1		0.7	0.5	1			3-1
Soybeans (dry)	0.3	FC		0.1		0.3					3-2-1	Other citrus fruits	1	WHL		1		0.7	0.5	1			3-1
Beans (dry)	1	WHL				0.3					3-1	Apple	1	WHL		1		0.6	0.3	0.5			3-1
Peas	1	WHL				0.3					3-1	Japanese pear	1	WHL		1		0.6		0.6			3-1
Broad beans	1	WHL		1		0.3					3-1	Pear	1	WHL		1		0.6		0.6			3-1
Peanuts (dry)	1	WHL									4	Quince	1	WHL		1		0.6					3-1
Other legumes/pulses	1	WHL				0.3	0.05				3-1	Loquat	0.5	WHL		0.5		0.6					3-1
Potato	0.1	WHL		0.1		0.3	0.5	0.3			3-1	Peach	0.5	WHL		0.5			0.5				3-1
Taro	0.1	WHL		0.1		0.3					3-1	Nectarine	1	WHL		1			0.5				3-1
Sweet potato	0.1	WHL		0.1		0.3					3-1	Apricot	3	WHL		3			0.5				3-1
Yam	0.1	WHL		0.1		0.3					3-1	Japanese plum (including Prunes)	3	WHL		3			0.5				3-1
Konjac	0.1	WHL		0.1							4	Mume plum	3	WHL		3			0.5				3-1
Other potatoes	0.1	WHL		0.1		0.3					3-1	Cherry	3	WHL		3			0.5	3			3-1
Sugar beet	0.1	WHL		0.1		0.05					3-1	Strawberry	3	WHL		3							4
Sugarcane												Raspberry	3	WHL		3							4
Japanese radish (including Radish) (root)	0.1	WHL		0.1							4	Blackberry	3	WHL		3					1		4
Japanese radish (including Radish) (leaf)	5	WHL		5							4	Blueberry	3	WHL		3							3-1
Turnip (including Rutabaga) (root)	5	WHL		5		3.5		3.5			3-1	Cranberry	3	WHL		3							4
Turnip (including Rutabaga) (leaf)	5	WHL		5		3.5		3.5			3-1	Other berries	3	WHL		3							4
Horseradish	0.1	WHL		0.1							4	Grape	3	WHL		3		1		1.5			3-1
Watercress	5	WHL		5		3.5	5				3-1	Japanese persimmon	1	WHL		1							4
Chinese cabbage	0.5	WHL		0.5		3.5		3.5			3-1	Banana	1	WHL		1							4
Cabbage	0.5	WHL		0.5		3.5	0.5	3.5			3-1	Kiwifruit	0.5	WHL		0.5							4
Brussels sprouts	5	WHL		5		3.5	0.5	3.5			3-1	Papaya	1	WHL		1							4
Kale	5	WHL		5		3.5		3.5			3-1	Avocado	1	WHL		1							4
KOMATSUNA	5	WHL		5		3.5		3.5			3-1	Pineapple	1	WHL		1							4
KYONA	5	WHL		5		3.5	5	3.5			3-1	Guava	1	WHL		1							4
Qing-geng-cai	5	WHL		5		3.5		3.5			3-1	Mango	1	WHL		1		0.2		0.2			4
Cauliflower	5	WHL		5		3.5	0.5	3.5			3-1	Passion fruit	1	WHL		1							4
Broccoli	5	WHL		5		3.5	0.5	3.5			3-1	Date	3	WHL		3							4
Other cruciferous vegetables	5	WHL		5		3.5	5	3.5			3-1	Other fruits	3	WHL		3		0.6	5				3-1
Burdock	0.1	WHL		0.1							4	Sunflower seeds											
Salsify	0.1	WHL		0.1							4	Sesam seeds											
Artichoke	5	WHL		5							4	Safflower seeds	0.05	FC				0.05					5-1
Chicory	5	WHL		5							4	Cotton seeds	2	FC				6	0.02				5-1
Endive	5	WHL		5		3.5					3-1	Rape seeds	0.05	FC				0.05	0.05	0.05			5-1
SHUNGIKU	5	WHL		5		3.5					3-1	Other oil seeds	3	FC				5	0.05				5-1
Lettuce (Cos lettuce, Leaf lettuce)	5	WHL		5		3.5		3.5			3-1	Ginkgo nut	0.1	WHL		0.1							4
Other composite vegetables	5	WHL		5		3.5	5				3-1	Chestnut	0.1	WHL		0.1							4
Onion											4	Pecan	0.1	WHL		0.1		0.05		0.05			3-1
Welsh (including Leek)	5	WHL		5				5			3-1	Almond	0.1	WHL		0.1							4
Garlic	5	WHL		5							4	Walnut	0.1	WHL		0.1							4
NIRA	5	WHL		5							3-1	Other nuts	0.1	WHL		0.1							4
Asparagus	5	WHL		5							4	Tea (Green, Black, Oolong, Wulong tea)	10	WHL		10							4
Pumpkin (including Squash)	5	WHL		5							4	Coffee beans											
Multiplying onion (including Shallot)	5	WHL		5							4	Cacao beans											
Other liliaceous vegetables	5	WHL		5				5			3-1	Hop	6	FC				6					5-1
Carrot	0.1	WHL		0.1							4	Cattle, muscle	0.2	FC				0.3	0.05				5-1
Parsnip	0.1	WHL		0.1							4	Pig, muscle	0.2	FC				0.3	0.05				5-1
Parsley	5	WHL		5		3.5	5				3-1	Sheep, muscle	0.2	FC				0.3	0.05				5-1
Celery	5	WHL		5		6	5				3-1	Horse, muscle	0.2	FC				0.3	0.05				5-1
MITSUBA	5	WHL		5				5			3-1	Deer, muscle	0.05	FC				0.3	0.05				5-1
Other umbelliferous vegetables	5	WHL		5		6	5				3-1	Goat, muscle	0.2	FC				0.3	0.05				5-1
Tomato	1	WHL		1		1	0.5	1			3-1	Reindeer, muscle	0.05	FC				0.05					5-1
Pimiento (Sweet pepper)	5	WHL		5		1	0.5	1			3-1	Other terrestrial mammals, muscle	0.05	FC				0.05					5-1
Egg plant	1	WHL		1		1	0.5	1			3-1	Cattle, fat	0.3	FC				0.3					5-1
Other Solanaceous vegetables	5	WHL		5		1	0.5	1			3-1	Pig, fat	0.3	FC				0.3					5-1
Cucumber (including Gherkin)	1	WHL		1		0.5	0.2	0.5			3-1	Sheep, fat	0.3	FC				0.3					5-1
Pumpkin (including Squash)	1	WHL		1		0.5	0.2				3-1	Horse, fat	0.3	FC				0.3					5-1
Oriental pickling melon (vegetable)	1	WHL		1		0.5	0.2				3-1	Deer, fat	0.3	FC				0.3					5-1
Water melon	0.5	WHL		0.5		0.5	0.2				3-1	Goat, fat	0.3	FC				0.3					5-1
Melons	0.5	WHL		0.5		0.5	0.2				3-1	Rabbit, fat											
MAKUWAURI	0.5	WHL		0.5		0.5	0.2				3-1	Reindeer, fat											
Other cucurbitaceous vegetables	1	WHL		1		0.5	0.2				3-1	Other terrestrial mammals, fat											
Spinach	5	WHL		5		3.5					3-1	Cattle, liver	0.3	FC				0.3	0.2				5-1
Bamboo shoots	0.1	WHL		0.1							4	Pig, liver	0.3	FC				0.3	0.2				5-1
Okra	5	WHL		5				0.5			3-1	Sheep, liver	0.3	FC				0.3	0.2				5-1
Ginger	0.1	WHL		0.1		0.3					3-1	Horse, liver	0.3	FC				0.3	0.2				5-1
Peas (with pods, immature)	0.5	WHL		0.5		0.3					3-1	Deer, liver	0.2	FC				0.2					5-1
Kidney beans (with pods, immature)	0.5	WHL		0.5		0.3					3-1	Goat, liver	0.3	FC				0.3	0.2				5-1
Soybeans	0.5	WHL		0.5		0.3					3-1	Rabbit, liver	0.2	FC				0.2					5-1
Button mushroom	0.5	FC						0.5			5-1	Reindeer, liver	0.2	FC				0.2					5-1
SHIITAKE	0.5	FC						0.5			5-1	Other terrestrial mammals, liver	0.2	FC				0.2					5-1
Other mushrooms	0.5	FC						0.5			5-1												
Other vegetables	5	WHL		5		6	5				3-1												

The FC MRL is applied for Soybeans (dry), because its importation from the reference countries shares a majority of them.

IMIDACLOPRID

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.3	FC				0.3	0.2				5-1	Catfish											
Pig, kidney	0.3	FC				0.3	0.2				5-1	Other freshwater fish											
Sheep, kidney	0.3	FC				0.3	0.2				5-1	Salmon											
Horse, kidney	0.3	FC				0.3	0.2				5-1	Trout											
Deer, kidney	0.2	FC					0.2				5-1	Other salmonidae											
Goat, kidney	0.3	FC				0.3	0.2				5-1	Other diadromous fish											
Rabbit, kidney	0.2	FC					0.2				5-1	Marine fish											
Reindeer, kidney	0.2	FC					0.2				5-1												
Other terrestrial mammals, kidney	0.2	FC					0.2				5-1												
Cattle, edible offal excluding liver and kidney	0.3	FC				0.3	0.2				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.3	FC				0.3	0.2				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.3	FC				0.3	0.2				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.3	FC				0.3	0.2				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.2	FC					0.2				5-1	Oyster											
Goat, edible offal excluding liver and kidney	0.3	FC				0.3	0.2				5-1	Abalone											
Rabbit, edible offal excluding liver and kidney	0.2	FC					0.2				5-1	Other aquatic animals											
Reindeer, edible offal excluding liver and kidney	0.2	FC					0.2				5-1												
Other terrestrial mammals, edible offal excluding liver and kidney	0.2	FC					0.2				5-1	Other animals											
Cattle, milk	0.08	FC				0.1	0.05				5-1	honey											
Sheep, milk	0.08	FC				0.1	0.05				5-1												
Goat, milk	0.08	FC				0.1	0.05				5-1												
Other terrestrial mammals, milk	0.08	FC				0.1	0.05				5-1												
Chicken, muscle	0.04	FC				0.05	0.02				5-1												
Duck, muscle	0.04	FC				0.05	0.02				5-1												
Turkey, muscle	0.04	FC				0.05	0.02				5-1												
Quail, muscle	0.04	FC				0.05	0.02				5-1												
Goose, muscle	0.04	FC				0.05	0.02				5-1												
Pheasant, muscle	0.04	FC				0.05	0.02				5-1												
Chukar partridge, muscle	0.04	FC				0.05	0.02				5-1												
Other poultry, muscle	0.04	FC				0.05	0.02				5-1												
Chicken, fat	0.05	FC				0.05					5-1												
Duck, fat	0.05	FC				0.05					5-1												
Turkey, fat	0.05	FC				0.05					5-1												
Quail, fat	0.05	FC				0.05					5-1												
Goose, fat	0.05	FC				0.05					5-1												
Pheasant, fat	0.05	FC				0.05					5-1												
Chukar partridge, fat	0.05	FC				0.05					5-1												
Other poultry, fat	0.05	FC				0.05					5-1												
Chicken, liver	0.04	FC				0.05	0.02				5-1												
Duck, liver	0.04	FC				0.05	0.02				5-1												
Turkey, liver	0.04	FC				0.05	0.02				5-1												
Quail, liver	0.04	FC				0.05	0.02				5-1												
Goose, liver	0.04	FC				0.05	0.02				5-1												
Pheasant, liver	0.04	FC				0.05	0.02				5-1												
Chukar partridge, liver	0.04	FC				0.05	0.02				5-1												
Other poultry, liver	0.04	FC				0.05	0.02				5-1												
Chicken, kidney	0.04	FC				0.05	0.02				5-1												
Duck, kidney	0.04	FC				0.05	0.02				5-1												
Turkey, kidney	0.04	FC				0.05	0.02				5-1												
Quail, kidney	0.04	FC				0.05	0.02				5-1												
Goose, kidney	0.04	FC				0.05	0.02				5-1												
Pheasant, kidney	0.04	FC				0.05	0.02				5-1												
Chukar partridge, kidney	0.04	FC				0.05	0.02				5-1												
Other poultry, kidney	0.04	FC				0.05	0.02				5-1												
Chicken, edible offal excluding liver and kidney	0.04	FC				0.05	0.02				5-1												
Duck, edible offal excluding liver and kidney	0.04	FC				0.05	0.02				5-1												
Turkey, edible offal excluding liver and kidney	0.04	FC				0.05	0.02				5-1												
Quail, edible offal excluding liver and kidney	0.04	FC				0.05	0.02				5-1												
Goose, edible offal excluding liver and kidney	0.04	FC				0.05	0.02				5-1												
Pheasant, edible offal excluding liver and kidney	0.04	FC				0.05	0.02				5-1												
Chukar partridge, edible offal excluding liver and kidney	0.04	FC				0.05	0.02				5-1												
Other poultry, edible offal excluding liver and kidney	0.04	FC				0.05	0.02				5-1												
Chicken, eggs	0.02	FC				0.02	0.02				5-1												
Turkey, eggs	0.02	FC				0.02	0.02				5-1												
Other poultry, eggs	0.02	FC				0.02	0.02				5-1												

343. IMIDOCARB

[illegible]

[illegible]

344. IMINOCTADINE

[illegible]

IMINOCTADINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, kidney offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																	</						

345. INDOXACARB

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.02	FC				0.02					5-1	Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)	0.5	FC		0.2		0.8	0.2				3-2-1	Other citrus fruits											
Beans (dry)												Apple	1	FC				1	2			0.5	5-1
Peas												Japanese pear	1	FC					2			0.5	5-1
Broad beans												Pear	0.9	FC			0.2	2			0.5	5-1	
Peanuts (dry)	0.01	FC				0.01					5-1	Quince	1	FC					2			0.5	5-1
Other legumes/pulses	0.2	FC					0.2				5-1	Loquat	1	FC					2			0.5	5-1
Potato	0.1	WHL		0.1		0.01					3-1	Peach	2	FC					2				5-1
Taro	0.1	WHL		0.1							4	Nectarine	2	FC					2				5-1
Sweet potato	0.1	WHL		0.1							4	Apricot	2	FC					2				5-1
Yam	0.1	WHL		0.1							4	Japanese plum (including Prunes)	2	FC					2				5-1
Konjac	0.1	WHL		0.1							4	Mume plum	2	FC					2				5-1
Other potatoes	0.1	WHL		0.1							4	Cherry	2	FC					2				5-1
Sugar beet	0.1	WHL		0.1							4	Strawberry	1	WHL		1							4
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)	0.1	WHL		0.1							4	Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Blackberry											
Turnip (including Rutabaga) (leaf)	0.5	FC								0.5	5-1	Other berries											
Horseradish	0.1	WHL		0.1							4												
Watercress												Grape	1	FC					1				5-1
Chinese cabbage	1	WHL		1		5				0.5	3-1	Japanese persimon	2										
Cabbage	1	WHL		1		5	2			0.5	3-1												
Brussels sprouts	3	FC				5	2			0.5	5-1	Banana											
Kale	0.5	FC								0.5	5-1	Kiwifruit											
KOMATSUNA	0.5	FC								0.5	5-1	Papaya											
KYONA	0.5	FC								0.5	5-1	Avocado											
Qing-geng-cai												Pineapple											
Cauliflower	3	FC				5	2			0.5	5-1	Guava											
Broccoli	0.2	WHL		0.2		5	2			0.5	3-1	Mango											
Other cruciferous vegetables	3	FC				5	2			0.5	5-1	Passion fruit											
												Date											
Burdock	0.1	WHL		0.1							4												
Salsify	0.1	WHL		0.1							4	Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)	1	WHL		1		10	3				3-1	Corn seeds	2	FC				2	1				5-1
Other composite vegetables												Rape seeds											
Onion												Other oil seeds											
Welsh (including Leek)	2	WHL		2							4	Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot	0.1	WHL		0.1							4	Tea (Green, Black, Oolong, Wulong tea)											
Parsnip	0.1	WHL		0.1							4	Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.05	FC				0.05					5-1
												Pig, muscle	0.05	FC				0.05					5-1
Tomato	0.5	WHL		0.5		0.5	0.2				3-1	Sheep, muscle	0.05	FC				0.05					5-1
Pimento (Sweet pepper)	1	WHL		1		0.5	0.5				3-1	Horse, muscle	0.05	FC				0.05					5-1
Egg plant	0.5	WHL		0.5		0.5	0.5				3-1	Deer, muscle											
Other Solanaceous vegetables	0.5	FC				0.5	0.5				5-1	Goat, muscle	0.05	FC				0.05					5-1
												Reindeer, muscle											
Cucumber (including Gherkin)												Other terrestrial mammals, muscle											
Pumpkin (including Squash)																							
Oriental pickling melon (vegetable)												Cattle, fat	1	FC				1.5	0.5				5-1
Water melon												Pig, fat	1	FC				1.5	0.5				5-1
Melons												Sheep, fat	1	FC				1.5	0.5				5-1
MAKUWAURI												Horse, fat	1	FC				1.5	0.5				5-1
Other cucurbitaceous vegetables												Deer, fat	0.5	FC				1.5	0.5				5-1
Spinach												Goat, fat	1	FC				1.5	0.5				5-1
Bamboo shoots	0.1	WHL		0.1							4	Rabbit, fat	0.5	FC					0.5				5-1
Okra												Reindeer, fat	0.5	FC					0.5				5-1
Ginger	0.1	WHL		0.1							4	Other terrestrial mammals, fat	0.5	FC					0.5				5-1
Peas (with pods, immature)	1	WHL		1							4	Cattle, liver	0.02	FC				0.03	0.01				5-1
Kidney beans (with pods, immature)	1	WHL		1							4	Pig, liver	0.02	FC				0.03	0.01				5-1
Soybeans	1	WHL		1							4	Sheep, liver	0.02	FC				0.03	0.01				5-1
												Horse, liver	0.02	FC				0.03	0.01				5-1
Button mushroom												Deer, liver											
SHIITAKE												Goat, liver	0.02	FC				0.03	0.01				5-1
Other mushrooms												Rabbit, liver											
Other vegetables												Other terrestrial mammals, liver											

The FC MRL is applied for Soybeans (dry), because its importation from the reference countries shares a majority of them.

INDOXACARB

[illegible]

346. IODOSULFURON METHYL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Other cereal grains											
Corn (including Maize, Sweet corn)	0.03	FC				0.03					5-f	Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwi fruit											
KOMATSUNAI												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock																							
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle											
												Pig, muscle											
Tomato												Sheep, muscle											
Pimiento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other Solanaceous vegetables												Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)												Reindeer, muscle											
Pumpkin (including Squash)												Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat											
Melons												Pig, fat											
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Ginger												Other terrestrial mammals, fat											
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver											
Soybeans												Pig, liver											
Button mushroom												Sheep, liver											
Other mushrooms												Horse, liver											
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver											
Other vegetables												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

IODOSULFURON METHYL

[illegible]

347. IOXYNIL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange	0.1 WHL		0.1								4
											4	NATSUDAIDAI (fresh)											4
Wheat	0.1 WHL			0.1							4	NATSUDAIDAI (peel)											4
Barley	0.1 WHL			0.1							4	NATSUDAIDAI (whole)	0.1 WHL		0.1								4
Rye	0.1 WHL			0.1							4	Lemon	0.1 WHL		0.1								4
Corn (including Maize, Sweet corn)	0.1 WHL			0.1							4	Orange (including Navel)	0.1 WHL		0.1								4
Buckwheat	0.1 WHL			0.1							4	Grapefruit	0.1 WHL		0.1								4
Other cereal grains	0.1 WHL			0.1							4	Lime	0.1 WHL		0.1								4
											4	Other citrus fruits	0.1 WHL		0.1								4
Soybeans (dry)	0.1 WHL			0.1							4												4
Beans (dry) *	0.1 WHL			0.1							4	Apple	0.1 WHL		0.1								4
Peas	0.1 WHL			0.1							4	Japanese pear	0.1 WHL		0.1								4
Broad beans	0.1 WHL			0.1							4	Pear	0.1 WHL		0.1								4
Peanuts (dry)	0.1 WHL			0.1							4	Quince	0.1 WHL		0.1								4
Other legumes/pulses	0.1 WHL			0.1							4	Loquat	0.1 WHL		0.1								4
Potato	0.1 WHL			0.1							4	Peach	0.1 WHL		0.1								4
Taro	0.1 WHL			0.1							4	Nectarine	0.1 WHL		0.1								4
Sweet potato	0.1 WHL			0.1							4	Apricot	0.1 WHL		0.1								4
Yam	0.1 WHL			0.1							4	Japanese plum (including Prunes)	0.1 WHL		0.1								4
Konjac	0.1 WHL			0.1							4	Mume plum	0.1 WHL		0.1								4
Other potatoes	0.1 WHL			0.1							4	Cherry	0.1 WHL		0.1								4
Sugar beet											4	Strawberry	0.1 WHL		0.1								4
Sugarcane											4	Raspberry	0.1 WHL		0.1								4
											4	Blackberry	0.1 WHL		0.1								4
Japanese radish (including Radish) (root)	0.1 WHL			0.1							4	Blueberry	0.1 WHL		0.1								4
Japanese radish (including Radish) (leaf)	0.1 WHL			0.1							4	Cranberry	0.1 WHL		0.1								4
Turnip (including Rutabaga) (root)	0.1 WHL			0.1							4	Huckleberry	0.1 WHL		0.1								4
Turnip (including Rutabaga) (leaf)	0.1 WHL			0.1							4	Other berries	0.1 WHL		0.1								4
Horseradish	0.1 WHL			0.1							4												4
Watercress	0.1 WHL			0.1							4	Grape	0.1 WHL		0.1								4
Chinese cabbage	0.1 WHL			0.1							4	Japanese persimmon	0.1 WHL		0.1								4
Cabbage	0.1 WHL			0.1							4												4
Brussels sprouts	0.1 WHL			0.1							4	Banana	0.1 WHL		0.1								4
Kale	0.1 WHL			0.1							4	Kiwifruit	0.1 WHL		0.1								4
KOMATSUNA	0.1 WHL			0.1							4	Papaya	0.1 WHL		0.1								4
KYONA	0.1 WHL			0.1							4	Avocado	0.1 WHL		0.1								4
Qing-geng-cai	0.1 WHL			0.1							4	Pineapple	0.1 WHL		0.1								4
Cauliflower	0.1 WHL			0.1							4	Guava	0.1 WHL		0.1								4
Broccoli	0.1 WHL			0.1							4	Mango	0.1 WHL		0.1								4
Other cruciferous vegetables	0.1 WHL			0.1							4	Passion fruit	0.1 WHL		0.1								4
											4	Date	0.1 WHL		0.1								4
Burdock	0.1 WHL			0.1							4												4
Salsify	0.1 WHL			0.1							4	Other fruits	0.1 WHL		0.1								4
Artichoke	0.1 WHL			0.1							4												4
Chicory	0.1 WHL			0.1							4	Sunflower seeds	0.1 WHL		0.1								4
Endive	0.1 WHL			0.1							4	Sesam seeds	0.1 WHL		0.1								4
SHUNGIKU	0.1 WHL			0.1							4	Safflower seeds	0.1 WHL		0.1								4
Lettuce (Cos lettuce, Leaf lettuce)	0.1 WHL			0.1							4	Cotton seeds	0.1 WHL		0.1								4
Other composite vegetables	0.1 WHL			0.1							4	Rape seeds	0.1 WHL		0.1								4
											4	Other oil seeds	0.1 WHL		0.1								4
Onion	0.1 WHL			0.1							4												4
Welsh (including Leek)	0.1 WHL			0.1							4	Ginkgo nut	0.1 WHL		0.1								4
Garlic	0.1 WHL			0.1							4	Chestnut	0.1 WHL		0.1								4
NIRA	0.1 WHL			0.1							4	Pecan	0.1 WHL		0.1								4
Asparagus	0.1 WHL			0.1							4	Almond	0.1 WHL		0.1								4
Multiplying onion (including Shallot)	0.1 WHL			0.1							4	Walnut	0.1 WHL		0.1								4
Other liliaceous vegetables	0.1 WHL			0.1							4	Other nuts	0.1 WHL		0.1								4
Carrot	0.1 WHL			0.1							4												4
Parsnip	0.1 WHL			0.1							4	Tea (Green, Black, Oolong, Wulong tea)											4
Parsley	0.1 WHL			0.1							4	Coffee beans											4
Celery	0.1 WHL			0.1							4	Cacao beans											4
MITSUBA	0.1 WHL			0.1							4	Hop											4
Other umbelliferous vegetables	0.1 WHL			0.1							4												4
Tomato	0.1 WHL			0.1							4	Cattle, muscle											4
Tomato (Sweet pepper)	0.1 WHL			0.1							4	Pig, muscle											4
Water melon	0.1 WHL			0.1							4	Sheep, muscle											4
Melons	0.1 WHL			0.1							4	Horse, muscle											4
MAKUWAURI	0.1 WHL			0.1							4	Deer, muscle											4
Other cucurbitaceous vegetables	0.1 WHL			0.1							4	Goat, muscle											4
											4	Rabbit, muscle											4
Cucumber (including Gherkin)	0.1 WHL			0.1							4	Reindeer, muscle											4
Pumpkin (including Squash)	0.1 WHL			0.1							4	Other terrestrial mammals, muscle											4
Oriental pickling melon (vegetable)	0.1 WHL			0.1							4												4
Water melon	0.1 WHL			0.1							4	Cattle, fat											4
Melons	0.1 WHL			0.1							4	Pig, fat											4
MAKUWAURI	0.1 WHL			0.1							4	Sheep, fat											4
Other cucurbitaceous vegetables	0.1 WHL			0.1							4	Horse, fat											4
											4	Deer, fat											4
Spinach	0.1 WHL			0.1							4	Goat, fat											4
Bamboo shoots	0.1 WHL			0.1							4	Rabbit, fat											4
Okra	0.1 WHL			0.1							4	Reindeer, fat											4
Ginger	0.1 WHL			0.1							4	Other terrestrial mammals, fat											4
Peas (with pods, immature)	0.1 WHL			0.1							4												4
Kidney beans (with pods, immature)	0.1 WHL			0.1							4	Cattle, liver											4
Soybeans	0.1 WHL			0.1							4	Pig, liver											4
											4	Sheep, liver											4
Button mushroom	0.1 WHL			0.1							4	Horse, liver											4
SHIITAKE	0.1 WHL			0.1							4	Deer, liver											4
Other mushrooms	0.1 WHL			0.1							4	Goat, liver											4
Other vegetables	0.1 WHL			0.1							4	Rabbit, liver											4
											4	Reindeer, liver											4
											4	Other terrestrial mammals, liver											4

IOXYNIL

[illegible]

348. IPROBENFOS

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	WHL		0.2							4	UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lime											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horse radish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
COMATSUNA												Papaya											
KYOJA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Cotton seeds											
Broccoli												Guava											
Other cruciferous vegetables												Mango											
												Passion fruit											
Burdock												Date											
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Mullying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot																							
Parsnip												Tea (Green, Black, Oolong, Wulong tea)											
Parsley												Coffee beans											
Celery												Cacao beans											
MITSUBA												Hop											
Other umbelliferous vegetables																							
Tomato												Cattle, muscle											
Pimento (Sweet pepper)												Pig, muscle											
Egg plant												Sheep, muscle											
Other Solanaceous vegetables												Horse, muscle											
												Deer, muscle											
												Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)												Reindeer, muscle											
Pumpkin (including Squash)												Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat											
Melons												Pig, fat											
MUKUNAU												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Other												Other terrestrial mammals, fat											
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver											
Soybeans												Pig, liver											
												Sheep, liver											
Button mushroom												Horse, liver											
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver											
												Rabbit, liver											
Other vegetables												Reindeer, liver											
												Other terrestrial mammals, liver											

IPROBENFOS

[illegible]

349. IPRODIONE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	3	MRL	3									UNSHU orange	10	MRL	10								
												NATSUDAIDAI (flesh)											
Wheat	10	MRL	10									NATSUDAIDAI (peel)											
Barley	10	MRL	10									NATSUDAIDAI (whole)	10	MRL	10								
Rye	10	MRL	10									Lemon	10	MRL	10								
Corn (including Maize, Sweet corn)	10	MRL	10									Orange (including Navel)	10	MRL	10								
Buckwheat	10	MRL	10									Grapefruit	10	MRL	10								
Other cereal grains	10	MRL	10									Lime	10	MRL	10								
												Other citrus fruits	10	MRL	10								
Soybeans (dry)	0.2	MRL	0.2																				
Beans (dry)	1	MRL	1									Apple	10	MRL	10								
Peas	0.2	MRL	0.2									Japanese pear	10	MRL	10								
Broad beans	0.2	MRL	0.2									Pear	10	MRL	10								
Peanuts (dry)	0.5	MRL	0.5									Quince	10	MRL	10								
Other legumes/pulses	0.2	MRL	0.2									Loquat	10	MRL	10								
Potato	0.5	MRL	0.5									Peach	10	MRL	10								
Taro	0.1	MRL	0.1									Nectarine	10	MRL	10								
Sweet potato	0.1	MRL	0.1									Apricot	10	MRL	10								
Yam	0.1	MRL	0.1									Japanese plum (including Prunes)	10	MRL	10								
Konjac	0.1	MRL	0.1									Mume plum	10	MRL	10								
Other potatoes	0.1	MRL	0.1									Cherry	10	MRL	10								
Sugar beet	1	MRL	1									Strawberry	20	MRL	20								
Sugarcane												Raspberry	5	MRL	5								
												Blackberry	12	MRL	12								
Japanese radish (including Radish) (root)	5	MRL	5									Blueberry	15	MRL	15								
Japanese radish (including Radish) (leaf)	5	MRL	5									Cranberry	12	MRL	12								
Turnip (including Rutabaga) (root)	5	MRL	5									Elderberry	12	MRL	12								
Turnip (including Rutabaga) (leaf)	5	MRL	5									Other berries	25	MRL	25								
Horseradish	5	MRL	5																				
Watercress	5	MRL	5									Grape	25	MRL	25								
Chinese cabbage	5	MRL	5									Japanese persimon	10	MRL	10								
Cabbage	5	MRL	5																				
Brussels sprouts	5	MRL	5									Banana	10	MRL	10								
Kale	5	MRL	5									Kiwifruit	5	MRL	5								
KOMATSUNA	5	MRL	5									Papaya	10	MRL	10								
KYONA	5	MRL	5									Avocado	10	MRL	10								
Qing-geng-cai	5	MRL	5									Pineapple	10	MRL	10								
Cauliflower	5	MRL	5									Guava	10	MRL	10								
Broccoli	25	MRL	25									Mango	10	MRL	10								
Other cruciferous vegetables	5	MRL	5									Cassia fruit	10	MRL	10								
												Date	10	MRL	10								
Burdock	5	MRL	5																				
Salsify	5	MRL	5									Other fruits	5	MRL	5								
Artichoke	5	MRL	5																				
Chicory	1	MRL	1									Sunflower seeds	20	MRL	20								
Endive	5	MRL	5									Sesam seeds	10	MRL	10								
SHUNGIKU	5	MRL	5									Safflower seeds	10	MRL	10								
Lettuce (Cos lettuce, Leaf lettuce)	10	MRL	10									Cotton seeds	10	MRL	10								
Other composite vegetables	5	MRL	5									Rape seeds	10	MRL	10								
												Other oil seeds	10	MRL	10								
Onion	0.5	MRL	0.5																				
Welsh (including Leek)	5	MRL	5									Ginkgo nut	10	MRL	10								
Garlic	0.1	MRL	0.1									Chestnut	10	MRL	10								
NIRA	5	MRL	5									Pecan	10	MRL	10								
Asparagus	5	MRL	5									Almond	10	MRL	10								
Multiplying onion (including Shallot)	5	MRL	5									Walnut	10	MRL	10								
Other liliaceous vegetables	5	MRL	5									Other nuts	10	MRL	10								
Carrot	5	MRL	5									Tea (Green, Black, Oolong, Wulong tea)	20	MRL	20								
Parsnip	5	MRL	5									Coffee beans											
Parsley	5	MRL	5									Cacao beans											
Celery	5	MRL	5									Hop											
MITSUBA	5	MRL	5																				
Other umbelliferous vegetables	5	MRL	5									Cattle, muscle	0.2	FC				0.5	0.1		0.05		5-1
												Pig, muscle	0.2	FC				0.5	0.1		0.05		5-1
Tomato	5	MRL	5									Sheep, muscle	0.2	FC				0.5	0.1		0.05		5-1
Pepper (Sweet pepper)	10	MRL	10									Goat, muscle	0.2	FC				0.5	0.1		0.05		5-1
Egg plant	5	MRL	5									Deer, muscle						0.5	0.1		0.05		5-1
Other Solanaceous vegetables	5	MRL	5									Goat, muscle	0.2	FC				0.5	0.1		0.05		5-1
												Rabbit, muscle											
Cucumber (including Gherkin)	5	MRL	5									Reindeer, muscle											
Pumpkin (including Squash)	5	MRL	5									Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)	5	MRL	5																				
Watermelon	10	MRL	10									Cattle, fat	0.3	FC				0.5			0.05		5-1
Melons	10	MRL	10									Pig, fat	0.3	FC				0.5			0.05		5-1
MAKUWAURI	10	MRL	10									Sheep, fat	0.3	FC				0.5			0.05		5-1
Other cucurbitaceous vegetables	5	MRL	5									Horse, fat	0.3	FC				0.5			0.05		5-1
												Deer, fat											
Spinach	5	MRL	5									Goat, fat						0.5			0.05		5-1
Bamboo shoots	20	MRL	20									Rabbit, fat											
Okra	5	MRL	5									Reindeer, fat											
Ginger	5	MRL	5									Other terrestrial mammals, fat											
Peas (with pods, immature)	25	MRL	25																				
Kidney beans (with pods, immature)	5	MRL	5									Cattle, liver	1	FC				3	0.1		0.05		5-1
Soybeans	5	MRL	5									Pig, liver	1	FC				3	0.1		0.05		5-1
												Sheep, liver	1	FC				3	0.1		0.05		5-1
Button mushroom	5	MRL	5									Deer, liver	1	FC				3	0.1		0.05		5-1
SHIITAKE	5	MRL	5									Goat, liver						3	0.1		0.05		5-1
Other mushrooms	5	MRL	5									Rabbit, liver											
Other vegetables	20	MRL	20									Reindeer, liver											
												Other terrestrial mammals, liver											

IPRODIONE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	1FC					3	0.1		0.05		5-1	Catfish											
Pig, kidney	1FC					3	0.1		0.05		5-1	Other freshwater fish											
Sheep, kidney	0.9FC					3	0.1	0.5	0.05		5-1												
Horse, kidney	1FC					3	0.1		0.05		5-1	Salmon											
Deer, kidney	1FC											Trout											
Goat, kidney	1FC					3	0.1		0.05		5-1	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.2FC					0.5	0.1		0.05		5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.2FC					0.5	0.1		0.05		5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.2FC					0.5	0.1		0.05		5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.2FC					0.5	0.1		0.05		5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.2FC					0.5	0.1		0.05		5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk	0.2FC					0.5	0.1		0.05		5-1												
Sheep, milk	0.2FC					0.5	0.1		0.05		5-1	honey											
Goat, milk	0.2FC					0.5	0.1		0.05		5-1												
Other terrestrial mammals, milk	0.2FC					0.5	0.1		0.05		5-1												
Chicken, muscle	0.5FC					1			0.05		5-1												
Duck, muscle	0.5FC					1			0.05		5-1												
Turkey, muscle	0.5FC					1			0.05		5-1												
Quail, muscle	0.5FC					1			0.05		5-1												
Goose, muscle	0.5FC					1			0.05		5-1												
Pheasant, muscle	0.5FC					1			0.05		5-1												
Chukar partridge, muscle	0.5FC					1			0.05		5-1												
Other poultry, muscle	0.5FC					1			0.05		5-1												
Chicken, fat	2FC					3.5			0.05		5-1												
Duck, fat	2FC					3.5			0.05		5-1												
Turkey, fat	2FC					3.5			0.05		5-1												
Quail, fat	2FC					3.5			0.05		5-1												
Goose, fat	2FC					3.5			0.05		5-1												
Pheasant, fat	2FC					3.5			0.05		5-1												
Chukar partridge, fat	2FC					3.5			0.05		5-1												
Other poultry, fat	2FC					3.5			0.05		5-1												
Chicken, liver	3FC					5			0.05		5-1												
Duck, liver	3FC					5			0.05		5-1												
Turkey, liver	3FC					5			0.05		5-1												
Quail, liver	3FC					5			0.05		5-1												
Goose, liver	3FC					5			0.05		5-1												
Pheasant, liver	3FC					5			0.05		5-1												
Chukar partridge, liver	3FC					5			0.05		5-1												
Other poultry, liver	3FC					5			0.05		5-1												
Chicken, kidney	0.5FC					1			0.05		5-1												
Duck, kidney	0.5FC					1			0.05		5-1												
Turkey, kidney	0.5FC					1			0.05		5-1												
Quail, kidney	0.5FC					1			0.05		5-1												
Goose, kidney	0.5FC					1			0.05		5-1												
Pheasant, kidney	0.5FC					1			0.05		5-1												
Chukar partridge, kidney	0.5FC					1			0.05		5-1												
Other poultry, kidney	0.5FC					1			0.05		5-1												
Chicken, edible offal excluding liver and kidney	0.5FC					1			0.05		5-1												
Duck, edible offal excluding liver and kidney	0.5FC					1			0.05		5-1												
Turkey, edible offal excluding liver and kidney	0.5FC					1			0.05		5-1												
Quail, edible offal excluding liver and kidney	0.5FC					1			0.05		5-1												
Goose, edible offal excluding liver and kidney	0.5FC					1			0.05		5-1												
Pheasant, edible offal excluding liver and kidney	0.5FC					1			0.05		5-1												
Chukar partridge, edible offal excluding liver and kidney	0.5FC					1			0.05		5-1												
Other poultry, edible offal excluding liver and kidney	0.5FC					1			0.05		5-1												
Chicken, eggs	0.8FC					1.5			0.05		5-1												
Turkey, eggs	0.8FC					1.5			0.05		5-1												
Other poultry, eggs	0.8FC					1.5			0.05		5-1												
														</									

350. IPROVALICARB

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)											UNSHU orange											
Sweet potato											NATSUDAIDAI (flesh)											
Wheat											NATSUDAIDAI (peel)											
Barley											NATSUDAIDAI (whole)											
Rye											Lemon											
Corn (including Maize, Sweet corn)											Orange (including Navel)											
Buckwheat											Grapefruit											
Other cereal grains											Lime											
Soybeans (dry)											Other citrus fruits											
Beans (dry) *											Apple											
Peas											Japanese pear											
Broad beans											Pear											
Peanuts (dry)											Quince											
Other legumes/pulses											Loquat											
Potato											Peach											
Taro											Nectarine											
Sweet potato											Apricot											
Yam											Japanese plum (including Prunes)											
Konjac											Mume plum											
Other potatoes											Cherry											
Sugar beet											Strawberry											
Sugarcane											Raspberry											
Japanese radish (including Radish) (root)											Blackberry											
Japanese radish (including Radish) (leaf)											Blueberry											
Turnip (including Rutabaga) (root)											Cranberry											
Turnip (including Rutabaga) (leaf)											Huckleberry											
Horse radish											Other berries											
Watercress											Grape	2FC					2					5-1
Chinese cabbage											Japanese persimon											
Cabbage																						
Brussels sprouts											Banana											
Kale											Kiwifruit											
Watercress											Papaya											
KYOKA											Avocado											
Qing-geng-cai											Pineapple											
Cauliflower											Guava											
Broccoli											Mango											
Other cruciferous vegetables											Passion fruit											
Burdock											Date											
Salsify											Other fruits											
Artichoke											Sunflower seeds											
Chicory											Sesam seeds											
Endive											Safflower seeds											
SHUNGIKU											Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)											Rape seeds											
Other composite vegetables											Other oil seeds											
Onion											Ginkgo nut											
Welsh (including Leek)											Chestnut											
Garlic											Pecan											
NIRA											Almond											
Asparagus											Walnut											
Muscadine onion (including Shallot)											Other nuts											
Other liliaceous vegetables																						
Carrot											Tea (Green, Black, Oolong, Wulong tea)											
Parsnip											Coffee beans											
Parsley											Cacao beans											
Celery											Hop											
MITSUBA											Cattle, muscle											
Other umbelliferous vegetables											Pig, muscle											
Tomato											Sheep, muscle											
Pimento (Sweet pepper)											Horse, muscle											
Egg plant											Deer, muscle											
Other Solanaceous vegetables											Goat, muscle											
Cucumber (including Gherkin)											Rabbit, muscle											
Pumpkin (including Squash)											Reindeer, muscle											
Oriental pickling melon (vegetable)											Other terrestrial mammals, muscle											
Water melon											Cattle, fat											
Melons											Pig, fat											
MAKUNAU											Sheep, fat											
Other cucurbitaceous vegetables											Horse, fat											
Spinach											Deer, fat											
Bamboo shoots											Goat, fat											
Okra											Rabbit, fat											
Ginger											Reindeer, fat											
Peas (with pods, immature)											Other terrestrial mammals, fat											
Kidney beans (with pods, immature)											Cattle, liver											
Soybeans											Pig, liver											
Button mushroom											Sheep, liver											
SHIITAKE											Horse, liver											
Other mushrooms											Deer, liver											
Other vegetables											Goat, liver											
											Rabbit, liver											
											Reindeer, liver											
											Other terrestrial mammals, liver											

IPROVALICARB

[illegible]

351. ISAZOPHOS

[illegible]

ISAZOPHOS

[illegible]

352. ISOCYANURATE

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney	0.8	PAL		0.8							4	Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.8	PAL		0.8							4	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.8	PAL		0.8							4	Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney												Oyster											
Goat, edible offal excluding liver and kidney												Abalone											
Rabbit, edible offal excluding liver and kidney												Other aquatic animals											
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk	0.8	PAL		0.8							4												
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.8	PAL		0.8							4												
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	0.8	PAL		0.8																			

353. ISOEUGENOL

[illegible]

[illegible]

354. ISOFENPHOS

[illegible]

ISOFENPHOS

[illegible]