

355. ISOPROTHIOLANE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)		2	WHL		2						4	UNSHU orange		0.1	WHL		0.1							4
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)		0.1	WHL		0.1							4
Corn (including Maize Sweet corn)												Lemon		0.1	WHL		0.1							4
Buckwheat												Orange (including Navel)		0.1	WHL		0.1							4
Other cereal grains												Grapefruit		0.1	WHL		0.1							4
Soybeans (dry)												Lime		0.1	WHL		0.1							4
Beans (dry) *												Other citrus fruits		0.1	WHL		0.1							4
Peas												Apple		0.1	WHL		0.1							4
Broad beans												Japanese pear		0.1	WHL		0.1							4
Peanuts (dry)												Pear		0.1	WHL		0.1							4
Other legumes/pulses												Quince		0.1	WHL		0.1							4
Potato												Loquat		0.1	WHL		0.1							4
Taro												Peach		0.1	WHL		0.1							4
Sweet potato												Nectarine		0.1	WHL		0.1							4
Yam												Apricot		0.1	WHL		0.1							4
Konjac												Japanese plum (including Prunes)		0.1	WHL		0.1							4
Other potatoes												Mume plum		0.1	WHL		0.1							4
Sugar beet												Cherry		0.1	WHL		0.1							4
Sugarcane												Strawberry		0.1	WHL		0.1							4
Japanese radish (including Radish) (root)												Raspberry		0.1	WHL		0.1							4
Japanese radish (including Radish) (leaf)												Blackberry		0.1	WHL		0.1							4
Turnip (including Rutabaga) (root)												Blueberry		0.1	WHL		0.1							4
Turnip (including Rutabaga) (leaf)												Cranberry		0.1	WHL		0.1							4
Horseradish												Huckleberry		0.1	WHL		0.1							4
Watercress												Other berries		0.1	WHL		0.1							4
Chinese cabbage												Grape		0.1	WHL		0.1							4
Cabbage												Japanese persimon		0.1	WHL		0.1							4
Brussels sprouts												Banana		0.1	WHL		0.1							4
Kale												Kiwifruit		0.1	WHL		0.1							4
KOMATSUNA												Papaya		0.1	WHL		0.1							4
KYONA												Avocado		0.1	WHL		0.1							4
Qing-geng-cai												Pineapple		0.1	WHL		0.1							4
Cauliflower												Guava		0.1	WHL		0.1							4
Broccoli												Mango		0.1	WHL		0.1							4
Other cruciferous vegetables												Passion fruit		0.1	WHL		0.1							4
Burdock												Date		0.1	WHL		0.1							4
Salsify												Other fruits		0.1	WHL		0.1							4
Artichoke												Sunflower seeds		0.1	WHL		0.1							4
Chicory												Sesam seeds		0.1	WHL		0.1							4
Endive												Safflower seeds		0.1	WHL		0.1							4
SHINGIKU												Cotton seeds		0.1	WHL		0.1							4
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds		0.1	WHL		0.1							4
Other composite vegetables												Other oil seeds		0.1	WHL		0.1							4
Onion												Ginkgo nut		0.1	WHL		0.1							4
Welsh (including Leek)												Chestnut		0.1	WHL		0.1							4
Garlic												Pecan		0.1	WHL		0.1							4
NIRA												Almond		0.1	WHL		0.1							4
Asparagus												Walnut		0.1	WHL		0.1							4
Multiplying onion (including Shallot)												Other nuts		0.1	WHL		0.1							4
Other liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)												
Carrot												Coffee beans												
Parsnip												Cacao beans												
Parsley												Hop												
Celery												Cattle, muscle		0.02	WHL		0.02							4
MITSUBA												Pig, muscle												
Other umbelliferous vegetables												Sheep, muscle												
Tomato												Horse, muscle												
Pimento (Sweet pepper)												Deer, muscle												
Egg plant												Goat, muscle												
Other solanaceous vegetables												Rabbit, muscle												
Cucumber (including Gherkin)												Reindeer, muscle												
Pumpkin (including Squash)												Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)												Cattle, fat		0.02	WHL		0.02							4
Water melon		0.1	WHL		0.1						4	Pig, fat												
Melons		0.1	WHL		0.1						4	Sheep, fat												
MAKUWAURI		0.1	WHL		0.1						4	Horse, fat												
Other cucurbitaceous vegetables												Deer, fat												
Spinach												Goat, fat												
Bamboo shoots												Rabbit, fat												
Okra												Reindeer, fat												
Ginger												Other terrestrial mammals, fat												
Peas (with pods, immature)												Cattle, liver		0.02	WHL		0.02							4
Kidney beans (with pods, immature)												Pig, liver												
Soybeans												Sheep, liver												
Button mushroom												Horse, liver												
SHIITAKE												Deer, liver												
Other mushrooms												Goat, liver												
Other vegetables												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

# "WHL" for the stock farm and aquatic products show the 'Limit of detection' or 'Limit of determination' under the Pharmaceutical Affairs Law.

## ISOPROTHIOLANE

[illegible]

## 356. ISOURON

[illegible]

## ISOURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, kidney offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

### 357. ISOXADIFEN-ETHYL

[illegible]

# ISOXADIFEN-ETHYL

[illegible]

### 358. ISOXAFLUTOLE

[illegible]

# ISOXAFLUTOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.08	FC				0.1	0.05	0.1			5-1	Catfish											
Pig, kidney	0.08	FC				0.1	0.05	0.1			5-1	Other freshwater fish											
Sheep, kidney	0.08	FC				0.1	0.05				5-1												
Deer, kidney	0.08	FC				0.1	0.05				5-1	Salmon											
Goat, kidney	0.08	FC				0.1	0.05				5-1	Trout											
Rabbit, kidney												Other salmonidae											
Reindeer, kidney												Other diadromous fish											
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.08	FC				0.1	0.05	0.1			5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.08	FC				0.1	0.05	0.1			5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.08	FC				0.1	0.05				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.08	FC				0.1	0.05				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.08	FC				0.1	0.05				5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.03	FC				0.02	0.05	0.02			5-1	Other animals											
Sheep, milk	0.03	FC				0.02	0.05	0.02			5-1	honey											
Goat, milk	0.03	FC				0.02	0.05	0.02			5-1												
Other terrestrial mammals, milk	0.03	FC				0.02	0.05	0.02			5-1												
Chicken, muscle	0.2	FC				0.2		0.2			5-1												
Duck, muscle	0.2	FC				0.2		0.2			5-1												
Turkey, muscle	0.2	FC				0.2		0.2			5-1												
Quail, muscle	0.2	FC				0.2		0.2			5-1												
Goose, muscle	0.2	FC				0.2		0.2			5-1												
Pheasant, muscle	0.2	FC				0.2		0.2			5-1												
Chukar partridge, muscle	0.2	FC				0.2																	



### 359. ISOXATHION

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	WHL		0.2							4	UNSHU orange	0.2	WHL		0.2							4
												NATSUDAIDAI (flesh)											
Wheat	0.02	WHL		0.02							4	NATSUDAIDAI (peel)											
Barley	0.02	WHL		0.02							4	NATSUDAIDAI (whole)	0.2	WHL		0.2							4
Rye	0.02	WHL		0.02							4	Lemon	0.2	WHL		0.2							4
Corn (including Maize, Sweet corn)	0.02	WHL		0.02							4	Orange (including Navel)	0.2	WHL		0.2							4
Buckwheat	0.02	WHL		0.02							4	Grapefruit	0.2	WHL		0.2							4
Other cereal grains	0.02	WHL		0.02							4	Lime	0.2	WHL		0.2							4
												Other citrus fruits	0.2	WHL		0.2							4
Soybeans (dry)	0.05	WHL		0.05							4												
Beans (dry)	0.05	WHL		0.05							4	Apple	0.2	WHL		0.2							4
Peas	0.05	WHL		0.05							4	Japanese pear	0.2	WHL		0.2							4
Broad beans	0.05	WHL		0.05							4	Pear	0.2	WHL		0.2							4
Peanuts (dry)	0.05	WHL		0.05							4	Quince	0.2	WHL		0.2							4
Other legumes/pulses	0.05	WHL		0.05							4	Loquat	0.2	WHL		0.2							4
				0.05							4	Peach	0.2	WHL		0.2							4
Taro	0.05	WHL		0.05							4	Nectarine	0.2	WHL		0.2							4
Sweet potato	0.05	WHL		0.05							4	Apricot	0.2	WHL		0.2							4
Yam	0.05	WHL		0.05							4	Japanese plum (including Prunes)	0.2	WHL		0.2							4
Konjac	0.05	WHL		0.05							4	Mume plum	0.2	WHL		0.2							4
Other potatoes	0.05	WHL		0.05							4	Cherry	0.2	WHL		0.2							4
Sugar beet												Strawberry	0.2	WHL		0.2							4
Sugarcane	0.05	WHL		0.05							4	Raspberry	0.2	WHL		0.2							4
												Blackberry	0.2	WHL		0.2							4
Japanese radish (including Radish) (root)	0.1	WHL		0.1							4	Blueberry	0.2	WHL		0.2							4
Japanese radish (including Radish) (leaf)	0.1	WHL		0.1							4	Cranberry	0.2	WHL		0.2							4
												Huckleberry	0.2	WHL		0.2							4
Turnip (including Rutabaga) (root)	0.1	WHL		0.1							4	Other berries	0.2	WHL		0.2							4
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1							4												
Horseradish	0.1	WHL		0.1							4												
Watercress	0.1	WHL		0.1							4	Grape	0.2	WHL		0.2							4
Chinese cabbage	0.1	WHL		0.1							4	Japanese persimon	0.2	WHL		0.2							4
Cabbage	0.1	WHL		0.1							4												
Brussels sprouts	0.1	WHL		0.1							4	Banana	0.2	WHL		0.2							4
Kale	0.1	WHL		0.1							4	Kiwifruit	0.2	WHL		0.2							4
KOMATSUNIA											4												
KYONA	0.1	WHL		0.1							4	Avocado	0.2	WHL		0.2							4
Qing-geng-cai	0.1	WHL		0.1							4	Pineapple	0.2	WHL		0.2							4
Cauliflower	0.1	WHL		0.1							4	Guava	0.2	WHL		0.2							4
Broccoli	0.1	WHL		0.1							4	Mango	0.2	WHL		0.2							4
Other cruciferous vegetables	0.1	WHL		0.1							4	Passion fruit	0.2	WHL		0.2							4
												Date	0.2	WHL		0.2							4
Burdock	0.1	WHL		0.1							4												
Salsify	0.1	WHL		0.1							4	Other fruits	0.2	WHL		0.2							4
Artichoke	0.1	WHL		0.1							4												
Chicory	0.1	WHL		0.1							4	Sunflower seeds	0.2	WHL		0.2							4
Endive	0.1	WHL		0.1							4	Sesam seeds	0.2	WHL		0.2							4
SHUNGIKU	0.1	WHL		0.1							4	Safflower seeds	0.2	WHL		0.2							4
Lettuce (Cos lettuce, Leaf lettuce)	0.1	WHL		0.1							4	Cotton seeds	0.2	WHL		0.2							4
Other composite vegetables	0.1	WHL		0.1							4	Rape seeds	0.2	WHL		0.2							4
												Other oil seeds	0.2	WHL		0.2							4
Onion	0.1	WHL		0.1							4												
Welsh (including Leek)	0.1	WHL		0.1							4	Ginkgo nut	0.2	WHL		0.2							4
Garlic	0.1	WHL		0.1							4	Chestnut	0.2	WHL		0.2							4
NIRA	0.1	WHL		0.1							4	Pecan	0.2	WHL		0.2							4
Asparagus	0.1	WHL		0.1							4	Almond	0.2	WHL		0.2							4
Multiplication onion (including Shallot)	0.1	WHL		0.1							4	Walnut	0.2	WHL		0.2							4
Other liliaceous vegetables	0.1	WHL		0.1							4	Other nuts	0.2	WHL		0.2							4
Carrot	0.1	WHL		0.1							4	Tea (Green, Black, Oolong, Wulong tea)	5	WHL		5							4
Parsnip	0.1	WHL		0.1							4	Coffee beans											
Parsley	0.1	WHL		0.1							4	Cacao beans											
Celery	0.1	WHL		0.1							4	Hop											
MITSUBA	0.1	WHL		0.1							4												
Other umbelliferous vegetables	0.1	WHL		0.1							4	Cattle, muscle											
												Pig, muscle											
Tomato	0.1	WHL		0.1							4	Sheep, muscle											
Pimento (Sweet pepper)	0.1	WHL		0.1							4	Horse, muscle											
Egg plant	0.1	WHL		0.1							4	Deer, muscle											
Other Solanaceous vegetables	0.1	WHL		0.1							4	Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)	0.1	WHL		0.1							4	Reindeer, muscle											
Pumpkin (including Squash)	0.1	WHL		0.1							4	Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)	0.1	WHL		0.1							4												
Water melon	0.2	WHL		0.2							4	Cattle, fat											
Melons	0.2	WHL		0.2							4	Pig, fat											
RAKUWAKURI	0.2	WHL		0.2							4	Sheep, fat											
Other cucurbitaceous vegetables	0.1	WHL		0.1							4	Horse, fat											
												Deer, fat											
Spinach	0.1	WHL		0.1							4	Goat, fat											
Bamboo shoots	0.1	WHL		0.1							4	Rabbit, fat											
OKRA	0.1	WHL		0.1							4	Reindeer, fat											
Linseed	0.1	WHL		0.1							4	Other terrestrial mammals, fat											
Peas (with pods, immature)	0.1	WHL		0.1							4												
Kidney beans (with pods, immature)	0.1	WHL		0.1							4	Cattle, liver											
Soybeans	0.1	WHL		0.1							4	Pig, liver											
												Sheep, liver											
Button mushroom	0.1	WHL		0.1							4	Horse, liver											
SHIITAKE	0.1	WHL		0.1							4	Deer, liver											
Other mushrooms	0.1	WHL		0.1							4	Goat, liver											
Other vegetables	0.1	WHL		0.1							4	Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

## ISOXATHION

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, kidney offal excluding liver and kidney												Abalone											
Reindeer, kidney offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

### 360. IVERMECTIN

[illegible]

IVERMECTIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney	0.01	FC		0.002			0.01				2	Salmon											
Deer, kidney	0.02	FC					0.01		0.02		5-1	Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney	0.02	FC							0.02		5-1												
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney	0.01	FC		0.002			0.01				3-2-1,6	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.01	FC					0.05			0.01	2	Other animals											
Sheep, milk	0.01	FC								0.01	5-1	Honey											
Goat, milk	0.01	FC								0.01	5-1												
Other terrestrial mammals, milk	0.01	FC								0.01	5-1												
Chicken, muscle	0.01	FC								0.01	5-1												
Duck, muscle	0.01	FC								0.01	5-1												
Turkey, muscle	0.01	FC								0.01	5-1												
Quail, muscle	0.01	FC								0.01	5-1												
Goose, muscle	0.01	FC								0.01	5-1												
Pheasant, muscle	0.01	FC								0.01	5-1												
Chukar partridge, muscle	0.01	FC								0.01	5-1												
Other poultry, muscle	0.01	FC								0.01	5-1												
Chicken, fat	0.02	FC								0.02	5-1												
Duck, fat	0.02	FC								0.02	5-1												
Turkey, fat	0.02	FC								0.02	5-1												
Quail, fat	0.02	FC								0.02	5-1												
Goose, fat	0.02	FC								0.02	5-1												
Pheasant, fat	0.02	FC								0.02	5-1												
Chukar partridge, fat	0.02	FC								0.02	5-1												
Other poultry, fat	0.02	FC								0.02	5-1												
Chicken, liver	0.02	FC								0.015	5-1												
Duck, liver	0.02	FC								0.015	5-1												
Turkey, liver	0.02	FC								0.015	5-1												
Quail, liver	0.02	FC								0.015	5-1												
Goose, liver	0.02	FC								0.015	5-1												
Pheasant, liver	0.02	FC								0.015	5-1												
Chukar partridge, liver	0.02	FC								0.015	5-1												
Other poultry, liver	0.02	FC								0.015	5-1												
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

For deer and reindeer (muscle, fat, and livers), the PR-MRLs were harmonized with the corresponding PR-MRLs for sheep and horses.

### 361. JOSAMYCIN

[illegible]

[illegible]

### 362. KANAMYCIN

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e
Cattle, kidney	0.04	1	PAL		0.04				2.5		3-1	Catfish											
Pig, kidney	0.1	1	PAL		0.1				2.5		3-1	Other freshwater fish											
Sheep, kidney	3		FC						2.5		5-1												
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney	3		FC						2.5		5-1	Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.04	1	PAL		0.04						4	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.2	1	PAL		0.2						4	Crab											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.1	1	PAL		0.03				0.15		3-1	Other animals											
Sheep, milk	0.1	1	FC		0.03				0.15		5-1	Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.1	1	FC						0.1		5-1												
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	0.1	1	FC						0.1		5-1												
Duck, fat																							



### 363. KRESOXIM-METHYL

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)											UNSHU orange		2	MRL	2									
											NATSUDAIDAI (flesh)													
Wheat		0.1	MRL	0.1							NATSUDAIDAI (peel)													
Barley		5	MRL	5							NATSUDAIDAI (whole)		10	MRL	10									
Rye		5	MRL	5							Lemon		10	MRL	10									
Corn (including Maize, Sweet corn)		5	WHL	5							Orange (including Navel)		10	MRL	10									
Buckwheat		5	WHL	5							Grapefruit		10	MRL	10									
Other cereal grains		5	WHL	5							Lime		10	MRL	10									
											Other citrus fruits		10	MRL	10									
Soybeans (dry)		0.1	FC						0.1		5-1													
Beans (dry)											Apple		5	MRL	5									
Peas											Japanese pear		5	MRL	5									
Broad beans											Pear		5	MRL	5									
Peanuts (dry)		0.1	FC						0.1		5-1		0.2	Codex		5	0.2	0.5	0.1	0.5	0.2			1-1
Other legumes/pulses											Loquat		0.2	Codex		1	0.2	0.5	0.1	0.5	0.2			1-1
Potato		0.1	WHL		0.1						4				1									
Taro		0.1	WHL		0.1						4				5									4
Sweet potato		0.1	WHL		0.1						4				15									4
Yam		0.1	WHL		0.1						4				15									4
Konjac		0.1	WHL		0.1						4				5									
Other potatoes		0.1	WHL		0.1						4				15									4
Sugar beet		0.1	MRL		0.1										5									
Sugarcane																								
Japanese radish (including Radish) (root)		0.3	WHL		0.3						4				15									
Japanese radish (including Radish) (leaf)		25	WHL		25						4				15									4
Turnip (including Rutabaga) (root)		0.3	WHL		0.3						4				15									4
Turnip (including Rutabaga) (leaf)		25	WHL		25						4				15									4
Horseradish		0.3	WHL		0.3						4				15									4
Watercress		25	WHL		25						4				15									4
Chinese cabbage		2	WHL		2						4				5					</				

\_\_\_\_\_

### 364. LACTOFEN

[illegible]

## LACTOFEN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Goat, kidney												Salmon											
Rabbit, kidney												Other salmonidae											
Reindeer, kidney												Other diadromous fish											
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep, milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

## 365. LASALOCID

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)											UNSHU orange												
Wheat											NATSUDAIDAI (flesh)												
Barley											NATSUDAIDAI (peel)												
Rye											NATSUDAIDAI (whole)												
Corn (including Maize Sweet corn)											Lemon												
Buckwheat											Orange (including Navel)												
Other cereal grains											Grapefruit												
											Lime												
											Other citrus fruits												
Soybeans (dry)											Apple												
Beans (dry)											Japanese pear												
Peas											Pear												
Broad beans											Quince												
Peanuts (dry)											Loquat												
Other legumes/pulses																							
Potato											Peach												
Taro											Nectarine												
Sweet potato											Apricot												
Yam											Japanese plum (including Prunes)												
Konjac											Yam												
Other potatoes											Cherry												
Sugar beet											Strawberry												
Sugarcane											Raspberry												
											Blackberry												
Japanese radish (including Radish) (root)											Blueberry												
Japanese radish (including Radish) (leaf)											Cranberry												
Turnip (including Rutabaga) (root)											Blackberry												
Turnip (including Rutabaga) (leaf)											Huckleberry												
Horseradish											Other berries												
Watercress											Grape												
Chinese cabbage											Japanese persimon												
Cabbage																							
Brussels sprouts											Banana												
Kale											Kiwifruit												
KOMATSUNA											Papaya												
KYONA											Avocado												
Qing-geng-cai											Pineapple												
Cauliflower											Guava												
Broccoli											Mango												
Other cruciferous vegetables											Passion fruit												
											Date												
Burdock											Other fruits												
Salsify																							
Artichoke											Sunflower seeds												
Chicory											Sesam seeds												
Endive											Safflower seeds												
SHINGIKU											Cotton seeds												
Lettuce (Cos lettuce, Leaf lettuce)											Rape seeds												
Other composite vegetables											Other oil seeds												
Onion											Ginkgo nut												
Welsh (including Leek)											Chestnut												
Garlic											Pecan												
NIRA											Almond												
Asparagus											Walnut												
Multiplying onion (including Shallot)											Other nuts												
Other liliaceous vegetables																							
Carrot											Tea (Green, Black, Oolong, Wulong tea)												
Parsnip											Coffee beans												
Parsley											Cacao beans												
Celery											Hop												
MITSUBA																							
Other umbelliferous vegetables											Cattle, muscle												
											Pig, muscle												
Tomato											Sheep, muscle												
Pimento (Sweet pepper)											Horse, muscle												
Egg plant											Deer, muscle												
Other solanaceous vegetables											Goat, muscle												
											Rabbit, muscle												
Cucumber (including Gherkin)											Reindeer, muscle												
Pumpkin (including Squash)											Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)																							
Water melon											Cattle, fat												
Melons											Pig, fat												
MAKUWAURI											Sheep, fat												
Other cucurbitaceous vegetables											Horse, fat												
											Deer, fat												
Spinach											Goat, fat												
Bamboo shoots											Rabbit, fat												
Okra											Reindeer, fat												
Ginger											Other terrestrial mammals, fat												
Peas (with pods, immature)																							
Kidney beans (with pods, immature)											Cattle, liver	0.7	FC				0.7	0.7	0.65				5-1
Soybeans											Pig, liver	0.7	FC				0.7	0.7					5-1
											Sheep, liver	0.7	FC				0.7						6
Button mushroom											Horse, liver	0.7	FC				0.7						5-1
SHIITAKE											Deer, liver	0.7	FC				0.7						5-1
Other mushrooms											Goat, liver	0.7	FC				0.7						5-1
Other vegetables											Rabbit, liver	0.7	FC				0.7	0.7					5-1
											Reindeer, liver	0.7	FC				0.7						5-1
											Other terrestrial mammals, liver	0.7	FC				0.7						5-1

# LASALOCID

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.7	FC					0.7				5-1	Catfish											
Pig, kidney	0.7	FC					0.7				5-1	Other freshwater fish											
Sheep, kidney	0.7	FC					0.7				5-1	Salmon											
Horse, kidney	0.7	FC					0.7				5-1	Trout											
Deer, kidney	0.7	FC					0.7				5-1	Other salmonidae											
Goat, kidney	0.7	FC					0.7				5-1	Other diadromous fish											
Rabbit, kidney	0.7	FC					0.7				5-1	Marine fish											
Reindeer, kidney	0.7	FC					0.7				5-1	Shrimps or prawns											
Other terrestrial mammals, kidney	0.7	FC					0.7				5-1	Lobster											
Cattle, edible offal excluding liver and kidney	0.7	FC					0.7				5-1	Crayfish											
Pig, edible offal excluding liver and kidney	0.7	FC					0.7				5-1	Other crustaceans											
Sheep, edible offal excluding liver and kidney	0.7	FC					0.7				5-1	Oyster											
Horse, edible offal excluding liver and kidney	0.7	FC					0.7				5-1	Abalone											
Deer, edible offal excluding liver and kidney	0.7	FC					0.7				5-1	Other aquatic animals											
Goat, edible offal excluding liver and kidney	0.7	FC					0.7				5-1	Other animals											
Rabbit, edible offal excluding liver and kidney	0.7	FC					0.7				5-1												
Reindeer, edible offal excluding liver and kidney	0.7	FC					0.7				5-1												
Other terrestrial mammals, edible offal excluding liver and kidney	0.7	FC					0.7				5-1												
Cattle, milk																							
Sheep, milk																							
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	0.8	FC					1.2	0.35			5-1												
Duck, fat																							
Turkey, fat	0.4	FC					0.4				5-1												
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver	0.2	FC					0.4	0.05			5-1												
Duck, liver																							
Turkey, liver	0.2	FC					0.4	0.05			5-1												
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

For sheep livers, the PR-MRL was harmonized with the corresponding PR-MRLs for cattle and pigs.

## 366. LEVAMISOLE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)											UNSHU orange												
Wheat											NATSUDAIDAI (flesh)												
Barley											NATSUDAIDAI (peel)												
Rye											NATSUDAIDAI (whole)												
Corn (including Maize Sweet corn)											Lemon												
Buckwheat											Orange (including Navel)												
Other cereal grains											Grapefruit												
											Lime												
											Other citrus fruits												
Soybeans (dry)											Apple												
Beans (dry)											Japanese pear												
Peas											Pear												
Broad beans											Quince												
Peanuts (dry)											Loquat												
Other legumes/pulses																							
Potato											Peach												
Taro											Nectarine												
Sweet potato											Apricot												
Yam											Japanese plum (including Prunes)												
Konjac											Yam												
Other potatoes											Cherry												
Sugar beet											Strawberry												
Sugarcane											Raspberry												
											Blackberry												
Japanese radish (including Radish) (root)											Blueberry												
Japanese radish (including Radish) (leaf)											Cranberry												
Turnip (including Rutabaga) (root)											Blackberry												
Turnip (including Rutabaga) (leaf)											Huckleberry												
Horseradish											Other berries												
Watercress											Grape												
Chinese cabbage											Japanese persimon												
Cabbage																							
Brussels sprouts											Banana												
Kale											Kiwifruit												
KOMATSUNA											Papaya												
KYONA											Avocado												
Qing-geng-cai											Pineapple												
Cauliflower											Guava												
Broccoli											Mango												
Other cruciferous vegetables											Passion fruit												
											Date												
Burdock											Other fruits												
Salsify																							
Artichoke											Sunflower seeds												
Chicory											Sesam seeds												
Endive											Safflower seeds												
SHINGIKU											Cotton seeds												
Lettuce (Cos lettuce, Leaf lettuce)											Rape seeds												
Other composite vegetables											Other oil seeds												
Onion																							
Welsh (including Leek)											Ginkgo nut												
Garlic											Chestnut												
NIRA											Pecan												
Asparagus											Almond												
Multiplying onion (including Shallot)											Walnut												
Other liliaceous vegetables											Other nuts												
Carrot											Tea (Green, Black, Oolong, Wulong tea)												
Parsnip																							
Parsley											Coffee beans												
Celery											Cacao beans												
MITSUBA											Hop												
Other umbelliferous vegetables																							
Tomato											Cattle, muscle	0.01	MRL	0.01									
Pimento (Sweet pepper)											Pig, muscle	0.01	MRL	0.01									
Egg plant											Sheep, muscle	0.01	MRL	0.01									
Other solanaceous vegetables											Horse, muscle	0.06	FC					0.1				0.01	5-1
											Deer, muscle	0.06	FC					0.1				0.01	5-1
											Goat, muscle	0.06	FC					0.1				0.01	5-1
											Rabbit, muscle	0.06	FC					0.1				0.01	5-1
											Reindeer, muscle	0.06	FC					0.1				0.01	5-1
											Other terrestrial mammals, muscle	0.06	FC					0.1				0.01	5-1
Cucumber (including Gherkin)																							
Pumpkin (including Squash)											Cattle, fat	0.01	MRL	0.01									
Oriental pickling melon (vegetable)											Pig, fat	0.01	MRL	0.01									
Water melon											Sheep, fat	0.01	MRL	0.01									
Melons											Horse, fat	0.01	FC										
MAKUWAURI											Deer, fat	0.01	FC										
Other cucurbitaceous vegetables											Goat, fat	0.01	FC									0.01	5-1
											Rabbit, fat	0.01	FC									0.01	5-1
Spinach											Reindeer, fat	0.01	FC									0.01	5-1
Bamboo shoots											Other terrestrial mammals, fat	0.01	FC									0.01	5-1
Okra											Cattle, liver	0.1	MRL	0.1									
Ginger											Pig, liver	0.1	MRL	0.1									
Peas (with pods, immature)											Sheep, liver	0.1	MRL	0.1									
Kidney beans (with pods, immature)											Horse, liver	0.6	FC					1				0.1	5-1
Soybeans											Deer, liver	0.6	FC					1				0.1	5-1
Button mushroom											Goat, liver	0.6	FC					1				0.1	5-1
SHIITAKE											Rabbit, liver	0.6	FC					1				0.1	5-1
Other mushrooms											Reindeer, liver	0.6	FC					1				0.1	5-1
Other vegetables											Other terrestrial mammals, liver	0.6	FC					1				0.1	5-1

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.01	MRL	0.01									Catfish											
Pig, kidney	0.01	MRL	0.01									Other freshwater fish											
Sheep, kidney	0.01	MRL	0.01																				
Horse, kidney	0.5	FC										Salmon											
Deer, kidney	0.5	FC					1			0.01	5-1	Trout											
Sheep, milk fat	0.5	FC					1			0.01	5-1	Other salmonidae											
Rabbit, kidney	0.5	FC					1			0.01	5-1	Other diadromous fish											
Reindeer, kidney	0.5	FC					1			0.01	5-1												
Other terrestrial mammals, kidney	0.5	FC					1			0.01	5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	0.3	FC				0.1	1	0.1		0.01	5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.3	FC				0.1	1	0.1		0.01	5-1	Crab											
Sheep, edible offal excluding liver and kidney	0.5	FC				0.1	1	0.1		0.01	5-1	Crayfish											
Deer, edible offal excluding liver and kidney	0.5	FC					1			0.01	5-1	Other crustaceans											
Goat, edible offal excluding liver and kidney	0.5	FC					1			0.01	5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.5	FC					1			0.01	5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.5	FC					1			0.01	5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.5	FC					1			0.01	5-1												
Cattle, milk	0.3	FC					0.3				5-1	Other animals											
Sheep, milk	0.3	FC					0.3				5-1	Honey											
Goat, milk	0.1	FC					0.1				5-1												
Other terrestrial mammals, milk	0.3	FC					0.3				5-1												
Chicken, muscle	0.01	MRL	0.01																				
Duck, muscle	0.01	MRL	0.01																				
Turkey, muscle	0.01	MRL	0.01																				
Quail, muscle	0.01	Codex			0.01		0.1		0.01	0.01	2												
Goose, muscle	0.01	Codex			0.01		0.1		0.01	0.01	2												
Pheasant, muscle	0.01	Codex			0.01		0.1		0.01	0.01	2												
Chukar partridge, muscle	0.01	Codex			0.01		0.1		0.01	0.01	2												
Other poultry, muscle	0.01	Codex			0.01		0.1		0.01	0.01	2												
Chicken, fat	0.01	MRL	0.01																				
Duck, fat	0.01	MRL	0.01																				



## 367. LINCOMYCIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
												Lime											
												Other citrus fruits											
Soybeans (dry)												Apple											
Beans (dry)												Japanese pear											
Peas												Pear											
Broad beans												Quince											
Peanuts (dry)												Loquat											
Other legumes/pulses																							
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Lychee											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock																							
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHINGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Cinkaput											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot																							
Parsnip																							
Parsley																							
Celery																							
MITSUBA												Hop											
Other umbelliferous vegetables																							
Tomato												Cattle, muscle	0.2	FC					0.2		0.1		5-1
Pimento (Sweet pepper)												Pig, muscle	0.2	Codex		0.05	0.2	0.1	0.2		0.1		1-1
Egg plant												Sheep, muscle	0.1	FC							0.1		5-1
Other solanaceous vegetables												Horse, muscle	0.2	FC				0.2		0.1			5-1
												Deer, muscle	0.2	FC				0.2		0.1			5-1
												Goat, muscle	0.2	FC				0.2		0.1			5-1
												Other terrestrial mammals, liver	0.2	FC				0.2		0.1			5-1
Cucumber (including Gherkin)												Reindeer, muscle	0.2	FC				0.2		0.1			5-1
Pumpkin (including Squash)												Other terrestrial mammals, muscle	0.2	FC				0.2		0.1			5-1
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat	0.05	FC						0.05			5-1
Melons												Pig, fat	0.1	Codex		0.05	0.1			0.05			1-1
MAKUNAU												Pig skin with adhering fat	0.3	Codex		0.3				0.05			2
Other cucurbitaceous vegetables																							
												Horse, fat	0.05	FC						0.05			5-1
Spinach												Deer, fat	0.05	FC						0.05			5-1
Bamboo shoots												Goat, fat	0.05	FC						0.05			5-1
Okra												Rabbit, fat	0.05	FC						0.05			5-1
Ginger												Reindeer, fat	0.05	FC						0.05			5-1
Peas (with pods, immature)												Other terrestrial mammals, fat	0.05	FC						0.05			5-1
Kidney beans (with pods, immature)																							
Soybeans																							
Button mushroom												Pig, liver	0.5	Codex		0.05	0.5	0.6	0.2		0.5		1-1
SHIITAKE												Sheep, liver	0.5	FC						0.5			5-1
Other mushrooms												Horse, liver	0.4	FC				0.2		0.5			5-1
												Deer, liver	0.4	FC					0.2		0.5		5-1
												Goat, liver	0.4	FC					0.2		0.5		5-1
												Rabbit, liver	0.4	FC					0.2		0.5		5-1
												Reindeer, liver	0.4	FC					0.2		0.5		5-1
Other vegetables												Other terrestrial mammals, liver	0.4	FC					0.2		0.5		5-1

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney		0.9FC					0.2		1.5		5-1	Catfish		0.1FC							0.1		5-1	
Pig, kidney		1.5Codex		0.05	1.5		0.2		1.5		1-1	Other freshwater fish		0.1FC							0.1		5-1	
Sheep, kidney		2FC							1.5		5-1													
Horse, kidney		0.9FC					0.2		1.5		5-1	Salmon		0.1FC							0.1		5-1	
Deer, kidney		0.5FC					0.2		1.5		5-1	Trout		0.1FC							0.1		5-1	
Goat, kidney		0.5FC					0.2		1.5		5-1	Other salmonidae		0.1FC							0.1		5-1	
Rabbit, kidney		0.9FC					0.2		1.5		5-1	Other diadromous fish		0.1FC							0.1		5-1	
Reindeer, kidney		0.9FC					0.2		1.5		5-1													
Other terrestrial mammals, kidney		0.9FC					0.2		1.5		5-1	order Perciformes		0.05PAL		0.05						0.1		3-1
												Other marine fish		0.1FC								0.1		5-1
Cattle, edible offal excluding liver and kidney		0.2FC					0.2				5-1	Shrimps or prawns		0.1FC								0.1		5-1
Pig, edible offal excluding liver and kidney		0.05PAL					0.2				3-1	Lobster		0.1FC								0.1		5-1
Sheep, edible offal excluding liver and kidney		0.2FC									5-1													
Horse, edible offal excluding liver and kidney		0.2FC					0.2				5-1	Crayfish		0.1FC								0.1		5-1
Deer, edible offal excluding liver and kidney		0.2FC					0.2				5-1	Other crustaceans		0.1FC								0.1		5-1
Goat, edible offal excluding liver and kidney		0.2FC					0.2				5-1													
Rabbit, edible offal excluding liver and kidney		0.2FC					0.2				5-1	Oyster		0.1FC								0.1		5-1
Reindeer, edible offal excluding liver and kidney		0.2FC					0.2				5-1	Abalone		0.1FC								0.1		5-1
Other terrestrial mammals, edible offal excluding liver and kidney		0.2FC					0.2				5-1	Other aquatic animals		0.1FC								0.1		5-1
		0.1FC				0.15	0.2		0.15		2	Other animals												
Sheep, milk		0.2FC							0.15		5-1													
Goat, milk		0.1FC					0.1		0.15		5-1	Honey												
Other terrestrial mammals, milk		0.2FC							0.15		5-1													
Chicken, muscle		0.2Codex		0.02	0.2		0.1		0.1		1-1													
Duck, muscle		0.1FC					0.1		0.1		5-1													
Turkey, muscle		0.1FC				</																		

## 368. LINURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	WHL		0.1							4	UNSHU orange	0.2	WHL		0.2							4
Wheat	0.2	FC		0.1		0.25	0.05				3-2-1	NATSUDAIDAI (flesh)											
Barley	0.1	WHL		0.1							4	NATSUDAIDAI (peel)	0.2	WHL		0.2							4
Rye	0.1	WHL		0.1							4	NATSUDAIDAI (whole)	0.2	WHL		0.2							4
Corn (including Maize, Sweet corn)	0.1	WHL		0.1		0.25	0.05				3-1	Lemon	0.2	WHL		0.2							4
Buckwheat	0.1	WHL		0.1							4	Orange (including Navel)	0.2	WHL		0.2							4
Other cereal grains	0.1	WHL		0.1		0.25	0.05				3-1	Grapefruit	0.2	WHL		0.2							4
Soybeans (dry)	0.5	WHL		0.5		1	0.05				3-1	Other citrus fruits	0.2	WHL		0.2							4
Beans (dry)	0.5	WHL		0.5							4	Apple	0.2	WHL		0.2							4
Peas	0.5	WHL		0.5							4	Japanese pear	0.2	WHL		0.2							4
Broad beans	0.5	WHL		0.5							4	Pear	0.2	WHL		0.2							4
Peanuts (dry)	0.5	WHL		0.5							4	Quince	0.2	WHL		0.2							4
Other legumes/pulses	0.5	WHL		0.5							4	Loquat	0.2	WHL		0.2							4
Potato	0.1	WHL		0.1		1	0.05				3-1	Peach	0.2	WHL		0.2							4
Taro	0.1	WHL		0.1							4	Nectarine	0.2	WHL		0.2							4
Sweet potato	0.1	WHL		0.1							4	Apricot	0.2	WHL		0.2							4
Yam	0.1	WHL		0.1							4	Japanese plum (including Prunes)	0.2	WHL		0.2							4
Konjac	0.1	WHL		0.1							4	Mume plum	0.2	WHL		0.2							4
Other potatoes	0.1	WHL		0.1							4	Cherry	0.2	WHL		0.2							4
Sugar beet												Strawberry	0.2	WHL		0.2							4
Sugarcane												Raspberry	0.2	WHL		0.2							4
Japanese radish (including Radish) (root)	0.2	WHL		0.2							4	Blackberry	0.2	WHL		0.2							4
Japanese radish (including Radish) (leaf)	0.2	WHL		0.2							4	Blueberry	0.2	WHL		0.2							4
Turnip (including Rutabaga) (root)	0.2	WHL		0.2							4	Cranberry	0.2	WHL		0.2							4
Turnip (including Rutabaga) (leaf)	0.2	WHL		0.2							4	Other berries	0.2	WHL		0.2							4
Horseradish	0.2	WHL		0.2							4	Grape	0.2	WHL		0.2							4
Watercress	0.2	WHL		0.2							4	Japanese persimon	0.2	WHL		0.2							4
Chinese cabbage	0.2	WHL		0.2							4	Banana	0.2	WHL		0.2							4
Cabbage	0.2	WHL		0.2							4	Kiwifruit	0.2	WHL		0.2							4
Brussels sprouts	0.2	WHL		0.2							4	Papaya	0.2	WHL		0.2							4
Kale	0.2	WHL		0.2							4	Avocado	0.2	WHL		0.2							4
KOMATSUNA	0.2	WHL		0.2							4	Pineapple	0.2	WHL		0.2							4
KYONA	0.2	WHL		0.2							4	Guava	0.2	WHL		0.2							4
Qing-geng-cai	0.2	WHL		0.2							4	Mango	0.2	WHL		0.2							4
Cauliflower	0.2	WHL		0.2							4	Passion fruit	0.2	WHL		0.2							4
Broccoli	0.2	WHL		0.2							4	Date	0.2	WHL		0.2							4
Other cruciferous vegetables	0.2	WHL		0.2							4	Other fruits	0.2	WHL		0.2			0.2				3-1
Burdock	0.2	WHL		0.2							4	Sunflower seeds	0.2	WHL		0.2							4
Salsify	0.2	WHL		0.2							4	Sesam seeds	0.2	WHL		0.2							4
Artichoke	0.2	WHL		0.2							4	Safflower seeds	0.2	WHL		0.2							4
Chicory	0.2	WHL		0.2							4	Cotton seeds	0.2	WHL		0.2			0.25				3-1
Endive	0.2	WHL		0.2							4	Rape seeds	0.2	WHL		0.2							4
SHUNGIKU	0.2	WHL		0.2							4	Other oil seeds	0.2	WHL		0.2							4
Lettuce (Cos lettuce, Leaf lettuce)	0.2	WHL		0.2							4	Almond	0.2	WHL		0.2							4
Other composite vegetables	0.2	WHL		0.2							4	Walnut	0.2	WHL		0.2							4
Onion	0.2	WHL		0.2							4	Other nuts	0.2	WHL		0.2							4
Welsh (including Leek)	0.2	WHL		0.2							4	Tea (Green, Black, Oolong, Wulong tea)											
Garlic	0.2	WHL		0.2							4	Coffee beans											
NIRA	0.2	WHL		0.2							4	Cacao beans											
Asparagus	0.2	WHL		0.2		7	0.05				3-1	Hop											
Multiplying onion (including Shallot)	0.2	WHL		0.2							4	Cattle, muscle	0.5	FC					1	0.05			5-1
Other liliaceous vegetables	0.2	WHL		0.2							4	Pig, muscle	0.5	FC					1	0.05			5-1
Carrot	0.2	WHL		0.2		1	0.05				3-1	Sheep, muscle	0.5	FC					1	0.05			5-1
Parsnip	0.2	WHL		0.2		0.5	0.05				3-1	Horse, muscle	0.5	FC					1	0.05			5-1
Parsley	0.2	WHL		0.2							4	Deer, muscle											
Celery	0.2	WHL		0.2		0.5	0.05				3-1	Goat, muscle	0.5	FC					1	0.05			5-1
MITSUBA	0.2	WHL		0.2							4	Reindeer, muscle											
Other umbelliferous vegetables	0.2	WHL		0.2		0.5	0.05				3-1	Other terrestrial mammals, muscle											
Tomato	0.2	WHL		0.2							4	Cattle, fat	1	FC					1				5-1
Pimento (Sweet pepper)	0.2	WHL		0.2							4	Pig, fat	1	FC					1				5-1
Egg plant	0.2	WHL		0.2							4	Sheep, fat	1	FC					1				5-1
Other Solanaceous vegetables	0.2	WHL		0.2							4	Horse, fat	1	FC					1				5-1
Cucumber (including Gherkin)	0.2	WHL		0.2							4	Deer, fat											
Pumpkin (including Squash)	0.2	WHL		0.2							4	Goat, fat	1	FC					1				5-1
Oriental pickling melon (vegetable)	0.2	WHL		0.2							4	Rabbit, fat											
Water melon	0.2	WHL		0.2							4	Reindeer, fat											
Melons	0.2	WHL		0.2							4	Other terrestrial mammals, fat											
MAKUWAURI	0.2	WHL		0.2							4	Cattle, liver	0.5	FC					1	0.05			5-1
Other cucurbitaceous vegetables	0.2	WHL		0.2							4	Pig, liver	0.5	FC					1	0.05			5-1
Spinach	0.2	WHL		0.2							4	Sheep, liver	0.5	FC					1	0.05			5-1
Bamboo shoots	0.2	WHL		0.2							4	Horse, liver	0.5	FC					1	0.05			5-1
Okra	0.2	WHL		0.2							4	Deer, liver											
Ginger	0.2	WHL		0.2							4	Goat, liver	0.5	FC					1	0.05			5-1
Peas (with pods, immature)	0.2	WHL		0.2							4	Rabbit, liver											
Kidney beans (with pods, immature)	0.2	WHL		0.2							4	Reindeer, liver											
Soybeans	0.2	WHL		0.2		1	0.05				3-1	Other terrestrial mammals, liver											
Button mushroom	0.2	WHL		0.2							4												
SHIITAKE	0.2	WHL		0.2							4												
Other mushrooms	0.2	WHL		0.2							4												
Other vegetables	0.2	WHL		0.2		1	0.05				3-1												

# The FC MRL is applied for Wheat, because its importation from the reference countries shares a majority of them.

# LINURON

[illegible]

### 369. LUFENURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.3	MRL	0.3									
Sweet potato												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	0.3	MRL	0.3									
Rye												Loquat	0.3	MRL	0.3									
Corn (including Maize, Sweet corn)	0.05	MRL	0.05									Orange (including Navel)	0.3	MRL	0.3									
Buckwheat												Grapefruit	0.3	MRL	0.3									
Other cereal grains												Lime	0.3	MRL	0.3									
Soybeans (dry)												Other citrus fruits	0.3	MRL	0.3									
Beans (dry) *												Apple	1	MRL	1									
Peas												Japanese pear	0.5	MRL	0.5									
Broad beans												Pear	0.5	MRL	0.5									
Peanuts (dry)												Quince	0.05	MRL	0.05									
Other legumes/pulses												Loquat	0.05	MRL	0.05									
Potato												Peach												
Taro												Nectarine												
Sweet potato	0.05	MRL	0.05									Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet	0.2	MRL	0.2									Strawberry	1	MRL	1									
Sugarcane												Raspberry												
Japanese radish (including Radish) (root)	0.05	MRL	0.05									Blackberry												
Japanese radish (including Radish) (leaf)	3	MRL	3									Blueberry												
Turnip (including Rutabaga) (root)												Cranberry												
Turnip (including Rutabaga) (leaf)												Huckleberry												
Horseradish												Other berries												
Watercress												Grape	1	MRL	1									
Chinese cabbage	1	MRL	1									Japanese persimon												
Cabbage	1	MRL	1																					
Brussels sprouts	1	MRL	1									Banana												
Kale												Kiwifruit												
KOMATSUNA												Papaya												
KONA												Avocado												
Qing-geng-cai												Pineapple												
Cauliflower												Guava												
Broccoli												Mango												
Other cruciferous vegetables												Passion fruit												
Burdock												Date												
Salsify												Other fruits												
Artichoke												Sunflower seeds												
Chicory												Sesam seeds												
Endive												Safflower seeds												
SHUNGIKU												Cotton seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds	0.2	FC						0.2				5-1
Other composite vegetables												Other oil seeds												
Onion																								
Welsh (including Leek)	3	MRL	3									Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan												
Asparagus												Almond												
Wolffia												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)	10	MRL	10									
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop												
MITSUBA																								
Other umbelliferous vegetables												Cattle, muscle												
Tomato	0.5	MRL	0.5									Pig, muscle												
Pimento (Sweet pepper)	1	MRL	1									Sheep, muscle												
Egg plant	0.5	MRL	0.5									Horse, muscle												
Other Solanaceous vegetables												Deer, muscle												
Cucumber (including Gherkin)												Goat, muscle												
Pumpkin (including Squash)												Rabbit, muscle												
Oriental pickling melon (vegetable)												Reindeer, muscle												
Water melon												Other terrestrial mammals, muscle												
Melons												Cattle, fat	1	FC						1				5-1
MAKUNAJAUZI												Pig, fat	1	FC						1				5-1
Other cucurbitaceous vegetables												Sheep, fat	1	FC						1				5-1
Spinach												Horse, fat	1	FC						1				5-1
Bamboo shoots												Deer, fat	1	FC						1				5-1
Okra												Goat, fat	1	FC						1				5-1
Onion												Rabbit, fat	1	FC						1				5-1
Peas (with pods, immature)												Reindeer, fat	1	FC						1				5-1
Kidney beans (with pods, immature)												Other terrestrial mammals, fat	1	FC										5-1
Soybeans												Cattle, liver												
Button mushroom												Pig, liver												
SHIITAKE												Sheep, liver												
Other mushrooms												Horse, liver												
Other vegetables												Deer, liver												
												Goat, liver												
												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

# LUFENURON

[illegible]