

370. LYSOZYME

[illegible]

[illegible]

371. MADURAMICIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry)												Apple											
Peas												Japanese pear											
												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Canton												Japanese plum (including Prunes)											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Cruciferous sprouts												Banana											
KOMATSUNA												Kiwifruit											
KYONA												Papaya											

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
												Other animals											
Cattle, milk												honey											
Sheep, milk																							
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle		0.1	FC				0.1					5-1											
Duck, muscle		0.1	FC				0.1					5-1											
Turkey, muscle		0.1	FC				0.1					5-1											
Quail, muscle		0.1	FC				0.1					5-1											

372. MAFOPRAZINE

[illegible]

[illegible]

373. MALATHION

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	MRL	0.1	UNSHU orange	0.5	MRL	0.5
Wheat	8	MRL	8	NATSUDAIDAI (flesh)	0.5	MRL	0.5
Barley	2	MRL	2	NATSUDAIDAI (peel)	0.5	MRL	0.5
Rye	2	MRL	2	NATSUDAIDAI (whole)	4	FC	4
Corn (including Maize, Sweet corn)	2	MRL	2	Orange (including Navel)	4	MRL	4
Buckwheat	2	MRL	2	Grapefruit	4	MRL	4
Other cereal grains	2	MRL	2	Lime	4	MRL	4
Soybeans (dry)	0.5	MRL	0.5	Other citrus fruits	4	MRL	4
Beans (dry) *	0.5	MRL	0.5	Apple	0.5	MRL	0.5
Peas	0.5	MRL	0.5	Japanese pear	0.5	MRL	0.5
Broad beans	0.5	MRL	0.5	Pear	0.5	MRL	0.5
Peanuts (dry)	8	MRL	8	Quince	8	MRL	8
Other legumes/pulses	8	MRL	8	Loquat	2	MRL	2
Potato	0.5	MRL	0.5	Peach	0.5	MRL	0.5
Taro	0.5	MRL	0.5	Nectarine	8	MRL	8
Sweet potato	0.5	MRL	0.5	Apricot	8	MRL	8
Yam	0.5	MRL	0.5	Japanese plum (including Prunes)	6	MRL	6
Konjac	0.5	MRL	0.5	Mume plum	2	MRL	2
Other potatoes	0.5	MRL	0.5	Cherry	6	MRL	6
Sugar beet	0.5	MRL	0.5	Strawberry	0.5	MRL	0.5
Sugarcane	0.5	FC	0.5	5-1	Raspberry	8	MRL	8
Japanese radish (including Radish) (root)	0.5	MRL	0.5	Blackberry	8	MRL	8
Japanese radish (including Radish) (leaf)	0.5	MRL	0.5	Blueberry	0.5	MRL	0.5
Turnip (including Rutabaga) (root)	0.5	MRL	0.5	Cranberry	8	MRL	8
Turnip (including Rutabaga) (leaf)	0.5	MRL	0.5																

MALATHION

[illegible]

374. MALEIC HYDRAZIDE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	35	MRL	35									
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	40	MRL	40									
Rye												Lemon	0.2	MRL	0.2									
Corn (including Maize, Sweet corn)	1	FC							1		5-1	Orange (including Navel)	15	MRL	15									
Buckwheat												Grapefruit	0.2	MRL	0.2									
Other cereal grains												Lime	0.2	MRL	0.2									
												Other citrus fruits	40	MRL	40									
Soybeans (dry)																								
Beans (dry)	0.2	MRL	0.2									Apple	0.2	MRL	0.2									
Peas	0.2	MRL	0.2									Japanese pear	0.2	MRL	0.2									
Broad beans	0.2	MRL	0.2									Pear	0.2	MRL	0.2									
Peanuts (dry)	0.2	MRL	0.2									Quince	0.2	MRL	0.2									
Other legumes/pulses	0.2	MRL	0.2									Loquat	0.2	MRL	0.2									
Potato	50	MRL	50									Peach	0.2	MRL	0.2									
Taro	0.2	MRL	0.2									Nectarine	0.2	MRL	0.2									
Sweet potato	10	MRL	10									Apricot	0.2	MRL	0.2									
Yam	0.2	MRL	0.2									Japanese plum (including Prunes)	0.2	MRL	0.2									
Konjac	0.2	MRL	0.2									Mume plum	0.2	MRL	0.2									
Other potatoes	0.2	MRL	0.2									Cherry	0.2	MRL	0.2									
Sugar beet	15	MRL	15									Strawberry	0.2	MRL	0.2									
Sugarcane												Raspberry	0.2	MRL	0.2									
												Blackberry	0.2	MRL	0.2									
Japanese radish (including Radish) (root)	0.2	MRL	0.2									Blueberry	0.2	MRL	0.2									
Japanese radish (including Radish) (leaf)	0.2	MRL	0.2									Cranberry	0.2	MRL	0.2									
Turnip (including Rutabaga) (root)	0.2	MRL	0.2									Other berries	0.2	MRL	0.2									
Turnip (including Rutabaga) (leaf)	0.2	MRL	0.2																					
Horseradish	0.2	MRL	0.2									Grape	25	MRL	25									
Watercress	0.2	MRL	0.2									Japanese persimon	0.2	MRL	0.2									
Chinese cabbage	0.2	MRL	0.2									Banana	0.2	MRL	0.2									
Cabbage	0.2	MRL	0.2									Kiwifruit	20	MRL	20									
Brussels sprouts	0.2	MRL	0.2									Papaya	0.2	MRL	0.2									
Kale	0.2	MRL	0.2									Avocado	0.2	MRL	0.2									
KOMATSUNA	0.2	MRL	0.2									Pineapple	15	MRL	15									
KYONA	0.2	MRL	0.2									Guava	0.2	MRL	0.2									
Qing-geng-cai	1	FC							1		5-1	Mango	0.2	MRL	0.2									
Cauliflower	0.2	MRL	0.2									Passion fruit	0.2	MRL	0.2									
Broccoli	0.2	MRL	0.2									Date	0.2	MRL	0.2									
Other cruciferous vegetables	0.2	MRL	0.2									Other fruits	0.2	MRL	0.2									
Burdock	0.2	MRL	0.2									Sunflower seeds	0.2	MRL	0.2									
Salsify	0.2	MRL	0.2									Sesam seeds	0.2	MRL	0.2									
Artichoke	0.2	MRL	0.2									Safflower seeds	0.2	MRL	0.2									
Chicory	0.2	MRL	0.2									Cotton seeds	0.2	MRL	0.2									
Endive	0.2	MRL	0.2									Rape seeds	0.2	MRL	0.2									
SHUNGIKU	0.2	MRL	0.2									Other oil seeds	0.2	MRL	0.2									
Lettuce (Cos lettuce, Leaf lettuce)	0.2	MRL	0.2									Ginkgo nut	0.2	MRL	0.2									
Other composite vegetables	0.2	MRL	0.2									Chestnut	0.2	MRL	0.2									
												Pecan	0.2	MRL	0.2									
Onion	20	MRL	20									Almond	0.2	MRL	0.2									
Welsh (including Leek)	0.2	MRL	0.2									Walnut	0.2	MRL	0.2									
Garlic	50	MRL	50									Other nuts	0.2	MRL	0.2									
NIRA	1	FC							1		5-1	Tea (Green, Black, Oolong, Wulong tea)	0.2	MRL	0.2									
Asparagus	10	MRL	10									Coffee beans												
Multiplying onion (including Shallot)	15	MRL	15									Cacao beans												
Other liliaceous vegetables	10	MRL	10									Hop	0.2	MRL	0.2									
Carrot	30	MRL	30									Cattle, muscle												
Parsnip	30	MRL	30									Pig, muscle												
Parsley	0.2	MRL	0.2									Sheep, muscle												
Celery	0.2	MRL	0.2									Horse, muscle												
MITSUBA	0.2	MRL	0.2									Deer, muscle												
Other umbelliferous vegetables	0.2	MRL	0.2									Goat, muscle												
												Rabbit, muscle												
Tomato	0.2	MRL	0.2									Reindeer, muscle												
Pimento (Sweet pepper)	0.2	MRL	0.2									Other terrestrial mammals, muscle												
Egg plant	0.2	MRL	0.2									Cattle, fat												
Other Solanaceous vegetables	0.2	MRL	0.2									Pig, fat												
												Sheep, fat												
Cucumber (including Gherkin)	0.2	MRL	0.2									Horse, fat												
Pumpkin (including Squash)	0.2	MRL	0.2									Deer, fat												
Oriental pickling melon (vegetable)	0.2	MRL	0.2									Goat, fat												
Water melon	0.2	MRL	0.2									Rabbit, fat												
Melons	0.2	MRL	0.2									Reindeer, fat												
MAKUWAURI	0.2	MRL	0.2									Other terrestrial mammals, fat												
Other cucurbitaceous vegetables	0.2	MRL	0.2									Cattle, liver												
												Pig, liver												
Spinach	25	MRL	25									Sheep, liver												
Bamboo shoots	1	FC							1		5-1	Horse, liver												
Okra	0.2	MRL	0.2									Deer, liver												
Ginger	0.2	MRL	0.2									Goat, liver												
Peas (with pods, immature)	0.2	MRL	0.2									Rabbit, liver												
Kidney beans (with pods, immature)	0.2	MRL	0.2									Reindeer, liver												
Soybeans	0.2	MRL	0.2																					

The MRL printed on the column of MRL are now under deliberation.

MALEIC HYDRAZIDE

[illegible]

375. MARBOFLOXACIN

[illegible]

[illegible]

376. MCPA

[illegible]

MCPA

[illegible]

MCPB

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Cattle, edible offal excluding liver and kidney												Other freshwater fish											
Pig, kidney																							
Sheep, kidney																							
Goat, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

378. MEBENDAZOLE

[illegible]

[illegible]

379. MECILLINUM

[illegible]

[illegible]

[illegible]

[illegible]

381. MELOXICAM

[illegible]

MELOXICAM

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.07						0.2		0.065	0.035	6	Catfish											
Pig, kidney	0.07	FC							0.065		5-1	Other freshwater fish											
Sheep, kidney																							
Horse, kidney	0.07	FC							0.065		5-1	Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk	0.02	FC								0.015	0.015	5-1	Shrimps or prawns										
Goat, milk	0.02	FC								0.015	0.015	5-1	Honey										
Other terrestrial mammals, milk	0.02	FC								0.015	0.015	5-1											
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

For cattle kidneys, the PR-MRL was harmonized with the corresponding PR-MRLs for pigs and horses.

382. MENBUTONE

[illegible]

[illegible]

383. MEPANIPYRIM

[illegible]

MEPANIPYRIM

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Deer, kidney												Salmon											
Goat, kidney												Trout											
Rabbit, kidney												Other salmonidae											
Reindeer, kidney												Other diadromous fish											
Other terrestrial mammals, kidney																							
Cattle, edible offal excluding liver and kidney												Marine fish											
Pig, edible offal excluding liver and kidney																							
Sheep, edible offal excluding liver and kidney												Shrimps or prawns											
Horse, edible offal excluding liver and kidney												Lobster											
Deer, edible offal excluding liver and kidney												Crayfish											
Goat, edible offal excluding liver and kidney												Other crustaceans											
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
Cattle, milk												Other animals											
Sheep , milk																							
Goat, milk												honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals , milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quial, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quial, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quial, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quial, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quial, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

384. MEPIQUAT-CHLORIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)		2:FC								2	5-1	UNSHU orange		2:WHL		2							4
												NATSUDAIDAI (flesh)											
Wheat		2:FC								2	5-1	NATSUDAIDAI (peel)											4
Barley		2:FC								2	5-1	NATSUDAIDAI (whole)		2:WHL		2							4
Rye		2:FC								2	5-1	Lemon		2:WHL		2							4
Corn (including Maize Sweet corn)		2:FC								2	5-1	Orange (including Navel)		2:WHL		2							4
Buckwheat		2:FC								2	5-1	Grapefruit		2:WHL		2							4
Other cereal grains		2:FC								2	5-1	Lime		2:WHL		2							4
												Other citrus fruits		2:WHL		2							4
Soybeans (dry)												Apple		2:WHL		2							4
Beans (dry)												Japanese pear		2:WHL		2							4
Peas												Pear		2:WHL		2							4
Broad beans												Quince		2:WHL		2							4
Peanuts (dry)												Loquat		2:WHL		2							4
Other legumes/pulses																							
Potato												Peach		2:WHL		2							4
Taro												Nectarine		2:WHL		2							4
Sweet potato												Apricot		2:WHL		2							4
Yam												Japanese plum (including Prunes)		2:WHL		2							4
Konjac												Mume plum		2:WHL		2							4
Other potatoes												Cherry		2:WHL		2							4
Sugar beet												Strawberry		2:WHL		2							4
Sugarcane												Raspberry		2:WHL		2							4
												Blackberry		2:WHL		2							4
Japanese radish (including Radish) (root)												Blueberry		2:WHL		2							4
Japanese radish (including Radish) (leaf)												Cranberry		2:WHL		2							4
Turnip (including Rutabaga) (root)												Muckleberry											4
Turnip (including Rutabaga) (leaf)												Other berries		2:WHL		2							4
Horseradish																							
Watercress												Grape		2:WHL		2		1					4
Chinese cabbage												Japanese persimon		2:WHL		2							4
Cabbage																							
Brussels sprouts												Banana		2:WHL		2							4
Kale												Guava		2:WHL		2							4
KOMATSUNA												Papaya		2:WHL		2							4
KYONA												Avocado		2:WHL		2							4
Qing-geng-cai												Pineapple		2:WHL		2							4
Cauliflower												Guava		2:WHL		2							4
Broccoli												Mango		2:WHL		2							4
Other cruciferous vegetables												Passion fruit		2:WHL		2							4
												Date		2:WHL		2							4
Burdock																							
Salsify												Other fruits		2:WHL		2							4
Artichoke																							
Chicory												Sunflower seeds		2:WHL		2							4
Endive												Sesam seeds		2:WHL		2							4
SHINGIKU												Safflower seeds		2:WHL		2							4
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds		2:WHL		2		2	1				4
Other composite vegetables												Walnut seeds		2:WHL		2							4
												Rape seeds		2:WHL		2							4
Onion												Other oil seeds		2:WHL		2							4
Welsh (including Leek)																							
Garlic												Ginkgo nut		2:WHL		2							4
NIRA												Chestnut		2:WHL		2							4
Asparagus												Pecan		2:WHL		2							4
Multiplying onion (including Shallot)												Almond		2:WHL		2							4
Other liliaceous vegetables												Walnut		2:WHL		2							4
												Other nuts		2:WHL		2							4
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle		0.1:FC				0.1	0.1				5-1
												Pig, muscle		0.1:FC				0.1	0.1				5-1
Tomato												Sheep, muscle		0.1:FC				0.1	0.1				5-1
Pimento (Sweet pepper)												Horse, muscle		0.1:FC				0.1	0.1				5-1
Egg plant												Deer, muscle		0.1:FC					0.1				5-1
Other solanaceous vegetables												Goat, muscle		0.1:FC				0.1	0.1				5-1
												Rabbit, muscle		0.1:FC					0.1				5-1
Cucumber (including Gherkin)												Reindeer, muscle		0.1:FC					0.1				5-1
Pumpkin (including Squash)												Other terrestrial mammals, muscle		0.1:FC					0.1				5-1
Oriental pickling melon (vegetable)																							
Water melon		2:WHL		2						4		Cattle, fat		0.1:FC				0.1					5-1
Melons		2:WHL		2						4		Pig, fat		0.1:FC				0.1					5-1
MAKUWAURI		2:WHL		2						4		Sheep, fat		0.1:FC				0.1					5-1
Other cucurbitaceous vegetables												Horse, fat		0.1:FC				0.1					5-1
												Deer, fat		0.1:FC					0.1				5-1
Spinach												Goat, fat		0.1:FC					0.1				5-1
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Ginger												Other terrestrial mammals, fat											
Peas (with pods, immature)												Cattle, liver		0.1:FC				0.1	0.1				5-1
Kidney beans (with pods, immature)												Pig, liver		0.1:FC				0.1	0.1				5-1
Soybeans												Sheep, liver		0.1:FC				0.1	0.1				5-1
												Horse, liver		0.1:FC				0.1	0.1				5-1
Button mushroom												Deer, liver		0.1:FC					0.1				5-1
SHIITAKE												Goat, liver		0.1:FC				0.1	0.1				5-1
Other mushrooms												Rabbit, liver		0.1:FC					0.1				5-1
Other vegetables												Reindeer, liver		0.1:FC					0.1				5-1
												Other terrestrial mammals, liver		0.1:FC					0.1				5-1

MEPIQUAT-CHLORIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	FC				0.1	0.1				5-1	Catfish											
Pig, kidney	0.1	FC				0.1	0.1				5-1	Other freshwater fish											
Sheep, kidney	0.1	FC				0.1	0.1				5-1												
Horse, kidney	0.1	FC				0.1	0.1				5-1	Salmon											
Deer, kidney	0.1	FC					0.1				5-1	Trout											
Goat, kidney	0.1	FC				0.1	0.1				5-1	Other salmonidae											
Rabbit, kidney	0.1	FC					0.1				5-1	Other diadromous fish											
Reindeer, kidney	0.1	FC					0.1				5-1												
Other terrestrial mammals, kidney	0.1	FC					0.1				5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	0.1	FC				0.1	0.1				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.1	FC				0.1	0.1				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC				0.1	0.1				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	FC				0.1	0.1				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Goat, edible offal excluding liver and kidney	0.1	FC				0.1	0.1				5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
												Other animals											
Cattle, milk	0.05	FC					0.05				5-1												
Sheep, milk	0.05	FC					0.05				5-1	Honey											
Goat, milk	0.05	FC					0.05				5-1												
Other terrestrial mammals, milk	0.05	FC					0.05				5-1												
Chicken, muscle	0.1	FC					0.1				5-1												
Duck, muscle	0.1	FC					0.1				5-1												
Turkey, muscle	0.1	FC					0.1				5-1												
Quail, muscle	0.1	FC					0.1				5-1												
Goose, muscle	0.1	FC					0.1				5-1												