

385. MESOTRIONE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)	0.01	FC				0.01					5-I	Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
Soybeans (dry)												Other citrus fruits											
Beans (dry) *												Apple											
Peas												Cranepear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
OKRA												Papaya											
KYOJA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower																							

MESOTRIONE

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.05	Codex		0.1	0.05	0.1			0.05		1-1	UNSHU orange	5	Codex		1	5	1		5	0.05		1-1
Wheat	0.05	Codex			0.05	0.2		0.2	0.05		2	NATSUDAIDAI (flesh)				1	5	1		5	0.05		1-1
Barley	0.05	Codex			0.05	0.2		0.05	0.05		2	NATSUDAIDAI (peel)				1	5	1		5	0.05		1-1
Rye	0.05	Codex			0.05	0.1			0.05		2	NATSUDAIDAI (whole)				1	5	1		5	0.05		1-1
Corn (including Maize Sweet corn)	0.05	Codex			0.05	0.1	0.1		0.05	0.2	2	Orange (including Navel)				1	5	1		5	0.5		1-1
Buckwheat	0.05	Codex			0.05	0.1			0.05		2	Grapefruit				1	5	1		5	0.5		1-1
Other cereal grains	0.05	Codex			0.05	0.2			0.05		2	Lime				1	5	1		5	0.05		1-1
Soybeans (dry)	0.05	Codex		0.1	0.05	1	0.1	1	0.05		1-1	Other citrus fruits				1	5	1		5	0.05		1-1
Beans (dry) *	0.1	WHL		0.1		0.2	0.1	0.2	0.05		3-1	Apple				1	1	0.2	0.2		1	1	1-1
Broad beans	0.1	WHL		0.1		0.2	0.1	0.2	0.05		3-1	Japanese pear				1	1		0.2		1	1	2
Peanuts (dry)	0.1	Codex		0.1	0.1	0.2		0.2	0.05		1-1	Pear				1	1		0.2		1	1	2
Other legumes/pulses	0.1	WHL		0.1		0.2	0.1	0.2	0.05		3-1	Quince				1	1		0.2		1	1	1-1
Potato	0.05	Codex		0.5	0.05	0.5	0.1	0.5	0.05		1-1	Loquat				1	1		0.2		1	1	1-1
Yam	0.5	WHL		0.5		0.5	0.1		0.05		3-1	Peach				1		1	0.2		1	0.05	3-1
Sweet potato	0.5	WHL		0.5		0.5	0.1		0.05		3-1	Nectarine				1		1	0.2		1	0.05	3-1
Yam	0.5	WHL		0.5		0.5	0.1		0.05		3-1	Apricot				1		1	0.2		1	0.05	3-1
Konjac	0.5	WHL		0.5			0.1		0.05		3-1	Japanese plum (including Prunes)				1		1	0.2		1	0.05	3-1
Other potatoes	0.5	WHL		0.5		0.5	0.1		0.05		3-1	Mume plum				1			0.2		1	0.05	3-1
Sugar beet	0.05	Codex			0.05	0.5	0.1	1	0.05		2	Cherry				1		1	0.2		1	0.05	3-1
Sugarcane	0.1	WHL		0.1							4	Strawberry				1		10	0.5	0.4	0.5	2	3-1
Japanese radish (including Radish) (root)	2	WHL		2		0.5	0.1	0.5	0.05		3-1	Raspberry				1	0.2	0.5	0.5	0.2	0.05	2	1-1
Japanese radish (including Radish) (leaf)	2	WHL		2		15	0.3		0.05		3-1	Blackberry				1			0.5		0.05	2	3-1
Rutabaga (including Rutabaga) (root)	2	WHL		2		0.5	0.1		0.05		3-1	Blueberry				1		2	0.5	2	0.05	2	3-1
Horseradish	2	WHL		2		15	0.3		0.05		3-1	Cranberry				1		4	0.5		0.2	2	3-1
Watercress	2	WHL		2		5	0.3		0.05		3-1	Other berries				1		2					

[illegible]

387. METALDEHYDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	1FC						1					5-1
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)	1FC											
Barley												NATSUDAIDAI (whole)	1FC						1					5-1
Maize												Orange (including Navel)	1FC						1					5-1
Corn (including Maize, Sweet corn)	1FC						1				5-1	Grapefruit	1FC						1					5-1
Buckwheat												Lime	1FC						1					5-1
Other cereal grains												Other citrus fruits	1FC						1					5-1
Soybeans (dry)	1FC										5-1	Apple	1FC						1					5-1
Beans (dry) *	1FC						1				5-1	Japanese pear	1FC											5-1
Broad beans	1FC										5-1	Pear	1FC						1					5-1
Peanuts (dry)												Quince	1FC						1					5-1
Other legumes/pulses	1FC										5-1	Loquat	1FC						1					5-1
Potato	1FC										5-1	Peach	1FC						1					5-1
Taro	1FC										5-1	Nectarine	1FC						1					5-1
Sweet potato	1FC										5-1	Apricot	1FC						1					5-1
Yam	1FC										5-1	Japanese plum (including Prunes)	1FC											5-1
Konjac	1FC										5-1	Mume plum	1FC						1					5-1
Other potatoes	1FC										5-1	Cherry	1FC						1					5-1
Sugar beet	1FC										5-1	Strawberry	1FC						1					5-1
Sugarcane												Raspberry	1FC						1					5-1
												Blackberry	1FC						1					5-1
Japanese radish (including Radish) (root)	1FC										5-1	Blueberry	1FC						1					5-1
Japanese radish (including Radish) (leaf)	1FC										5-1	Cranberry	1FC						1					5-1
Turnip (including Rutabaga) (root)	1FC										5-1	Huckleberry	1FC						1					5-1
Turnip (including Rutabaga) (leaf)	1FC										5-1	Other berries	1FC						1					5-1
Horseradish	1FC										5-1													
Watercress	1FC										5-1	Grape	1FC						1					5-1
Chinese cabbage	1FC										5-1	Japanese persimmon	1FC						1					5-1
Cabbage	1FC										5-1													
Brussels sprouts	1FC										5-1	Banana	1FC											

METALDEHYDE

[illegible]

388. METAMITRON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Loquat											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
Soybeans (dry)												Other citrus fruits											
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet	0.1	WHL		0.1							4	Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower																							

[illegible]

389. METHABENZTHIAZURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.05	MRL	0.05									UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat	0.1	MRL	0.1									NATSUDAIDAI (peel)											
Barley	0.1	MRL	0.1									NATSUDAIDAI (whole)											
Rye	0.1	MRL	0.1									Lemon											
Corn (including Maize, Sweet corn)	0.1	MRL	0.1									Orange (including Navel)											
Buckwheat	0.1	MRL	0.1									Grapefruit											
Other cereal grains	0.1	MRL	0.1									Lime											
Soybeans (dry)	0.05	MRL	0.05									Other citrus fruits											
Beans (dry) *	0.05	MRL	0.05									Apple											
Peas	0.1	MRL	0.1									Japanese pear											
Broad beans	0.05	MRL	0.05									Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato	0.1	MRL	0.1									Peach	0.05	MRL	0.05								
Taro												Nectarine	0.05	MRL	0.05								
Sweet potato												Apricot	0.05	MRL	0.05								
Yam												Japanese plum (including Prunes)	0.05	MRL	0.05								
Konjac												Mume plum	0.05	MRL	0.05								
Other potatoes												Cherry	0.05	MRL	0.05								
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											

METHABENZTHIAZURON

[illegible]

390. METHACRIFOS

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Sweet potato												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry) *												Apple											
Peas									5	0.05	5-1												
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses	3-FC							5	0.05		5-1	Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horse radish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNO												Papaya											
KOMATSUNO																							

METHACRIFOS

[illegible]

391. METHAMIDOPHOS

[illegible]

METHAMIDOPHOS

[illegible]

392. METHIDATHION

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange	5	Codex		0.2	5	6	5	2	2	2	1-1
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)	2			5		2	2	2	2	2	6
Corn (including Maize, Sweet corn)	0.1	Codex			0.1		0.1		0.02		2	Lemon	2	Codex		5	2	2	2	2	2	2	1-1
Buckwheat												Orange (including Navel)	2	Codex		5	2	6	2	2	2	2	1-1
Other cereal grains	0.2	Codex			0.2	0.2	0.01		0.02		2	Grapefruit	2	Codex		5	2	2	2	2	2	2	1-1
Soybeans (dry)	0.1	Codex			0.1		0.1		0.02		2	Other citrus fruits	5	Codex		5	5	2	5	2	2	2	1-1
Beans (dry)	0.1	Codex			0.1		0.1		0.02		2	Apple	0.5	Codex		0.2	0.5	0.05	0.2	0.5	0.3		1-1
Peas	0.1	Codex			0.1		0.1		0.02		2	Japanese pear	1	Codex		0.2	1	0.05	0.2	0.5	0.3		1-1
Broad beans	0.1	Codex			0.1		0.1		0.02		2	Pear	1	Codex		0.2	1	0.05	0.2	0.5	0.3		1-1
Peanuts (dry)	0.1						1		0.02		6	Quince	0.2	WHL		0.2		0.05			0.3		3-1
Other legumes/pulses	0.1	Codex			0.1		0.1		0.02		2	Loquat	0.2	WHL		0.2		0.05			0.3		3-1
Potato	0.02	Codex			0.02						2	Peach	0.2	Codex		0.2		0.05	0.01	0.2	0.2		1-1
Taro												Nectarine	0.2	Codex		0.2		0.05	0.01	0.2	0.2		1-1
Sweet potato												Apricot	0.2	WHL		0.2		0.05	0.01		0.2		3-1
Yam												Japanese plum (including Prunes)	0.2	WHL		0.2	0.2	0.05	0.01	0.2	0.2		1-1
Konjac												Mume plum	0.2	WHL		0.2			0.01		0.2		3-1
Other potatoes												Cherry	0.2	Codex		0.2	0.2	0.05	0.01	0.2	0.02		1-1
Sugar beet	0.05	Codex			0.05						2	Strawberry	0.2	WHL		0.2			0.01		0.02		3-1
Sugarcane												Raspberry	0.2	WHL		0.2							4
Japanese radish (including Radish) (root)	0.05	Codex		0.1	0.05						1-1	Blackberry	0.2	WHL		0.2							4
Japanese radish (including Radish) (leaf)	0.1	WHL		0.1			0.1		0.02		3-1	Blueberry	0.2	WHL		0.2							4
Turnip (including Rutabaga) (root)	0.1	WHL		0.1			0.1		0.02		3-1	Cranberry	0.2	WHL		0.2							4
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1			0.1		0.02		3-1	Other berries	0.2	WHL		0.2				0.05			3-1
Horseradish	0.1	WHL		0.1							4	Grape	1	Codex		0.2	1		0.5	0.2	0.5		1-1
Watercress	0.1	WHL		0.1			0.1		0.02		3-1	Japanese persimon	0.2	WHL		0.2			0.5		0.02		3-1
Chinese cabbage	0.1	WHL		0.1			0.1		0.02		3-1	Banana	0.2	WHL		0.2							4
Cabbage	0.1	Codex		0.1	0.1		0.1		0.02		1-1	Kiwifruit	0.2	WHL		0.2							4
Brussels sprouts	0.1	WHL		0.1			0.1		0.02		3-1	Papaya	0.2	WHL		0.2							4
Kale	0.1	WHL		0.1			0.1		0.02		3-1	Avocado	0.2	WHL		0.2			0.5		0.02		3-1
KOMATSUNA	0.1	WHL		0.1			0.1		0.02		3-1	Pineapple	0.05	Codex		0.2	0.05				0.02		1-1
KYONA	0.1	WHL		0.1			0.1		0.02		3-1	Guava	0.2	WHL		0.2							4
Qing-geng-cai	0.1	WHL		0.1			0.1		0.02		3-1	Mango	0.2	WHL		0.2		0.05	2		0.02		3-1
Caiflower	0.1	WHL		0.1			0.1		0.02		3-1	Passion fruit	0.2	WHL		0.2			0.2		0.02		3-1
Broccoli	0.1	WHL		0.1			0.1		0.02		3-1	Date	0.2	WHL		0.2							4
Other cruciferous vegetables	0.1	WHL		0.1			0.1		0.02		3-1	Other fruits	1	Codex		0.2	1	0.05	1		1		1-1
Burdock	0.1	WHL		0.1							4	Sunflower seeds	0.5	Codex		0.2	0.5	0.5	1		0.02		1-1
Salsify	0.1	WHL		0.1							4	Sesam seeds	0.2	WHL		0.2			1		0.02		3-1
Artichoke	0.05	Codex		0.1	0.05	0.05	0.1		0.02		1-1	Safflower seeds	0.1	Codex		0.2	0.1	0.5	1		0.02		1-1
Chicory	0.1	WHL		0.1			0.1		0.02		3-1	Corn (including Sweet corn)	1	Codex		0.2		0.2	1		0.02		1-1
Endive	0.1	WHL		0.1			0.1		0.02		3-1	Rape seeds	0.1	Codex		0.2			1		0.02		1-1
SHUNGIKU	0.1	WHL		0.1			0.1		0.02		3-1	Other oil seeds	0.2	WHL		0.2			1		0.02		3-1
Lettuce (Cos lettuce, Leaf lettuce)	0.1	WHL		0.1			0.1		0.02		3-1	Onion	0.1	Codex		0.1							
Other composite vegetables	0.1	WHL		0.1			0.1		0.2		3-1	Welsh (including Leek)	0.1	WHL		0.1			0.1		0.02		3-1
Onion	0.1	Codex		0.1	0.1						1-1	Garlic	0.1	WHL		0.1							4
Welsh (including Leek)	0.1	WHL		0.1			0.1		0.02		3-1	NIRA	0.1	WHL		0.1					0.02		3-1
Garlic	0.1	WHL		0.1							4	Asparagus	0.1	WHL		0.1			0.1		0.02		3-1
NIRA	0.1	WHL		0.1					0.02		3-1	Multiplying onion (including Shallot)	0.1	WHL		0.1			0.1		0.02		3-1
Asparagus	0.1	WHL		0.1			0.1		0.02		3-1	Other liliaceous vegetables	0.1	WHL		0.1			0.1		0.02		3-1
Almond	0.05	Codex		0.2	0.05	0.05	0.1		0.02		3-1	Carrot	0.1	WHL		0.1							4
Other nuts	0.05	Codex		0.2	0.05	0.05	0.1		0.02		3-1	Parsnip	0.1	WHL		0.1							4
Tea (Green, Black, Oolong, Wulong tea)	0.5	Codex		1	0.5						1	Parsley	0.1	WHL		0.1							4
Coffee beans	1	FC									4	Celery	0.1	WHL		0.1			0.1		0.02		3-1
Cacao beans											4	Other umbelliferous vegetables	0.1	WHL		0.1			0.1		0.02		3-1
Hop	5	Codex									4	Tomato	0.1	Codex		0.1			0.1		0.02		1-1
Cattle, muscle	0.02	Codex			0.02						2	Pimento (Sweet pepper)	0.1	WHL		0.1			0.1		0.02		3-1
Pig, muscle	0.02	Codex			0.02						2	Egg plant	0.1	WHL		0.1			0.1		0.02		3-1
Sheep, muscle	0.02	Codex			0.02						2	Other Solanaceous vegetables	0.1	WHL		0.1			0.1		0.02		3-1
Horse, muscle												Cucumber (including Gherkin)	0.05	Codex		0.1	0.05		0.1		0.02		1-1
Deer, muscle												Pumpkin (including Squash)	0.1	WHL		0.1			0.1		0.02		3-1
Goat, muscle	0.02	Codex			0.02						2	Oriental pickling melon (vegetable)	0.1	WHL		0.1			0.1		0.02		3-1
Reindeer, muscle												Water melon	0.2	WHL		0.2			0.1		0.02		3-1
Other terrestrial mammals, muscle												Melons	0.2	WHL		0.2			0.1		0.02		3-1
Cattle, fat	0.02	Codex			0.02						2	MAKUWAURI	0.2	WHL		0.2			0.1		0.02		3-1
Pig, fat	0.02	Codex			0.02						2	Other cucurbitaceous vegetables	0.1	WHL		0.1			0.1		0.02		3-1
Sheep, fat	0.02	Codex			0.02						2	Spinach	0.1	WHL		0.1			0.1		0.02		3-1
Horse, fat	0.02	FC			0.02						2	Bamboo shoots	0.1	WHL		0.1			0.1		0.02		3-1
Deer, fat	0.3	FC			0.3						5-1	Okra	0.1	WHL		0.1			0.1		0.02		3-1
Goat, fat	0.02	Codex			0.02						2	Ginger	0.1	WHL		0.1			0.1		0.02		3-1
Rabbit, fat	0.3	FC			0.3						5-1	Peas (with pods, immature)	0.1	WHL		0.1			0.1		0.02		3-1
Reindeer, fat	0.3	FC			0.3						5-1	Kidney beans (with pods, immature)	0.1	WHL		0.1			0.1		0.02		3-1
Other terrestrial mammals, fat	0.3	FC			0.3						5-1	Soybeans	0.1	WHL		0.1			0.1		0.02		3-1
Cattle, liver												Button mushroom	0.1	WHL		0.1			0.1		0.02		3-1
Pig, liver												SHITAKE	0.1	WHL		0.1			0.1		0.02		3-1
Sheep, liver												Other mushrooms	0.1	WHL		0.1			0.1		0.02		3-1
Horse, liver												Other vegetables	0.1	Codex		0.1	0.1		0.1		0.02		1-1
Deer, liver																							
Goat, liver	0.02	Codex			0.02						2												
Rabbit, liver																							
Reindeer, liver																							
Other terrestrial mammals, liver																							

The MRLs of Peanuts (dry) and NATSUDAIDAI (whole) are harmonized with the Codex standards of the similar products.

METHIDATHION

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney	0.02	Code			0.02						2	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney	0.02	Code			0.02						2	Oyster											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.001	Code			0.001						2	Other animals											
Sheep , milk	0.001	Code			0.001						2	honey											
Goat, milk	0.001	Code			0.001						2												
Other terrestrial mammals, milk	0.001	Code			0.001						2												
Chicken, muscle	0.02	Code			0.02						2												
Duck, muscle	0.02	Code			0.02						2												
Turkey, muscle	0.02	Code			0.02						2												
Quail, muscle	0.02	Code			0.02						2												
Goose, muscle	0.02	Code			0.02						2												
Pheasant, muscle	0.02	Code			0.02						2												
Chukar partridge, muscle	0.02	Code			0.02						2												
Other poultry, muscle	0.02	Code			0.02						2												
Chicken, fat	0.02	Code			0.02						2												
Duck, fat	0.02	Code			0.02						2												
Turkey, fat	0.02	Code			0.02						2												
Quail, fat	0.02	Code			0.02						2												
Goose, fat	0.02	Code			0.02						2												
Pheasant, fat	0.02	Code			0.02						2												
Chukar partridge, fat	0.02	Code			0.02						2												
Other poultry, fat	0.02	Code			0.02						2												
Chicken, liver	0.02	Code			0.02						2												
Duck, liver	0.02	Code			0.02						2												
Turkey, liver	0.02	Code			0.02						2												
Quail, liver	0.02	Code			0.02						2												
Goose, liver	0.02	Code			0.02						2												
Pheasant, liver	0.02	Code			0.02						2												
Chukar partridge, liver	0.02	Code			0.02						2												
Other poultry, liver	0.02	Code			0.02						2												
Chicken, kidney	0.02	Code			0.02						2												
Duck, kidney	0.02	Code			0.02						2												
Turkey, kidney	0.02	Code			0.02						2												
Quail, kidney	0.02	Code			0.02						2												
Goose, kidney	0.02	Code			0.02						2												
Pheasant, kidney	0.02	Code			0.02						2												
Chukar partridge, kidney	0.02	Code			0.02						2												
Other poultry, kidney	0.02	Code			0.02						2												
Chicken, edible offal excluding liver and kidney	0.02	Code			0.02						2												
Duck, edible offal excluding liver and kidney	0.02	Code			0.02						2												
Turkey, edible offal excluding liver and kidney	0.02	Code			0.02						2												
Quail, edible offal excluding liver and kidney	0.02	Code			0.02						2												
Goose, edible offal excluding liver and kidney	0.02	Code			0.02						2												
Pheasant, edible offal excluding liver and kidney	0.02	Code			0.02						2												
Chukar partridge, edible offal excluding liver and kidney	0.02	Code			0.02						2												
Other poultry, edible offal excluding liver and kidney	0.02	Code			0.02						2												
Chicken, eggs	0.02	Code			0.02						2												
Turkey, eggs	0.02	Code			0.02						2												
Other poultry, eggs	0.02	Code			0.02						2												

393. METHOMYL, THIODICARB

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.5	WHL		0.5			0.1		0.05	0.2	3-1	UNSHU orange	1	Code		1	1		1	1	1		1-1
Wheat	0.5	Code				1	0.1		0.05	0.2	2	NATSUDAIDAI (flesh)							1	1	1		1-1
Barley	0.5	Code				1	0.1		0.05	0.2	2	NATSUDAIDAI (peel)				10			1	1	0.05		1-1
Rye	0.3	FC				1	0.1		0.05	0.2	5-1	NATSUDAIDAI (whole)	1	Code		10	1	2	1	1	1		1-1
Corn (including Maize Sweet corn)	2	Code				2	2	0.1	0.05	0.2	2	Lemon	1	Code		10	1	2	1	1	0.5		1-1
Buckwheat	0.1	FC						0.1	0.05	0.2	5-1	Orange (including Navel)	1	Code		10	1	2	1	1	0.5		1-1
Other cereal grains	0.5	Code				1	0.5		0.05	0.2	2	Grapefruit	1	Code		10	1	2	1	1	0.5		1-1
Soybeans (dry)	0.2	Code		0.2	0.2	0.2	1		0.1	0.2	1-1	Lime	1	Code		10	1		1	1	1		1-1
Beans (dry) *	0.1	Code		0.1	0.1	0.1	1		0.05	0.2	1-1	Other citrus fruits	1	Code		10	1		1	1	1		1-1
Peas	0.1	WHL		0.1		5	1		0.05	3-1	Apple	2	Code		3	2	1	1	0.5	0.2		1	1-1
Broad beans	0.1	Code		0.1	0.1		1		0.05	0.2	1-1	Japanese pear	2	Code		3	2		3		0.2		1-1
Peanuts (dry)	0.1	WHL		0.1		0.1	0.05		0.1	3-1	Pear	2	Code		3	2	2		3		0.2		1-1
Other legumes/pulses	0.1	Code		0.1	0.1	5	1		0.05	0.2	1-1	Quince	2	Code		3	2				0.2		1-1
											1-1	Loquat	2	Code		2	2				0.2		1-1
	0.1	Code		0.5	0		1		0.05		1-1	Peach	5	Code		2	5	5	1		0.2		1-1
Taro	0.5	WHL		0.5							4	Nectarine	5	Code		3	5	5	1		0.05		1-1
Sweet potato	0.5	WHL		0.5							4	Apricot	1	WHL		1					0.2		3-1
Yam	0.5	WHL		0.5							4	Japanese plum (including Prunes)	1	WHL		1					0.5		3-1
Konjac	0.5	WHL		0.5							4	Mume plum	1	WHL		1							4
Other potatoes	0.5	WHL		0.5							4	Cherry	1	WHL		1		2		0.1		3-1	
Sugar beet	0.5	WHL		0.5		0.2			0.05	3-1	Strawberry	1	WHL		1		2	3	1	0.05	0.5	3-1	
Sugarcane												Raspberry	1	WHL		1					0.05	0.5	3-1
Japanese radish (including Radish) (root)	0.5	WHL		0.5		0.2			0.5	3-1	Blackberry	1	WHL		1			2		0.05	0.5	3-1	
Japanese radish (including Radish) (leaf)	2	WHL		2			1		0.05	1	3-1	Blueberry	1	WHL		1		6	2	6	0.05	0.5	3-1
Turnip (including Rutabaga) (root)	0.5	WHL		0.5		0.2			0.05	3-1	Cranberry	1	WHL		1					0.05	0.5	3-1	
Turnip (including Rutabaga) (leaf)	2	WHL		2		6	1		0.05	1	3-1	Other berries	1	WHL		1			2		0.05	0.5	3-1
Horseradish	0.5	WHL		0.5		0.2			0.05	3-1													
Watercress	2	WHL		2		35	5		0.05	1	3-1	Grape	5	Code		1	5	5	2	4	1		1-1
Chinese cabbage	2	WHL		2		6	1		0.05	1	3-1	Japanese persimon	3	WHL		3							4
Cabbage	5	Code		5		7	1	5	0.05	1	1-1	Banana	3	WHL		3							4
Brussels sprouts	2	WHL		2		2			0.05	1	3-1	Kiwifruit	2	WHL		2							4
Kale	5	Code		5		6	1		0.05	1	1-1	Papaya	3	WHL		3							4
KOMATSUNA	2	WHL		2		6	1		0.05	1	3-1	Avocado	3	WHL		3		2	0.1		0.05		3-1
KYONA	2	WHL		2		6	5		0.05	1	3-1	Pineapple	3	WHL		3							4
Qing-geng-cai	2	WHL		2		5	1		0.05	3-1	Guava	3	WHL		3			3		0.05		3-1	
Cauliflower	2	Code		2		7			0.05	1	1-1	Mango	3	WHL		3							4
Broccoli	2	WHL		2		7			0.05	1	3-1	Passion fruit	3	WHL		3							4
Other cruciferous vegetables	2	WHL		2		6	5		0.05	1	3-1	Date	1	WHL		1							4
Burdock	0.5	WHL		0.5		0.2			0.05	3-1													
Salsify	0.5	WHL		0.5		0.2			0.05	3-1		Other fruits	1	WHL		1		0.2	5		0.1		3-1
Artichoke	2	WHL		2					0.05	1	3-1	Sunflower seeds	1	WHL		1			0.1		0.05		3-1
Chicory	2	WHL		2		35	1		0.05	1	3-1	Sesam seeds	1	WHL		1			0.1		0.05		3-1
Endive	2	WHL		2		35	1		0.05	1	3-1	Safflower seeds	1	WHL		1							4
SHINGIKU	2	WHL		2		35	1		0.05	1	3-1	Cotton seeds	0	Code		0	0.5	0.4	0.1		0.1		1-1
Lettuce (Cos lettuce, Leaf lettuce)	2	Code		2		35	1	2	0.05	1	1-1	Rape seeds	1	WHL		1			0.5		0.05		3-1
Other composite vegetables	2	WHL		2		35	5		0.05	1	3-1	Other oil seeds	1	WHL		1			5		0.1		3-1
Onion	0.2	Code		0.5	0.2						1-1	Ginkgo nut	1	WHL		1							4
Welsh (including Leek)	2	WHL		2		3			0.05	3-1	Chestnut	1	WHL		1								4
Garlic	0.5	WHL		0.5							4	Pecan	1	WHL		1		0.1			0.05		3-1
NIRA	2	WHL		2			5		2	3-1													4
Asparagus	2	Code		2		2			0.5	1	1-1	Walnut	1	WHL		1							4
Multiplying onion (including Shallot)	2	WHL		2							2	Other nuts	1	WHL		1					0.1		3-1
Other liliaceous vegetables	2	WHL		2			5			3-1													
Carrot	0.5	WHL		0.5		0.2			0.05	3-1	Tea (Green, Black, Oolong, Wulong tea)	20	WHL		20								4
Parsnip	0.5	WHL		0.5		0.2			0.05	3-1	Coffee beans	1	FC					1					5-1
Parsley	2	WHL		2		35	5		0.05	3-1	Cacao beans	1	WHL		1								
Celery	2	Code		2		35	5	0.5	2	1	1-1	Hop	8	FC				12	0.5		10		5-1
MITSUBA	2	WHL		2			5		2	3-1													
Other umbelliferous vegetables	2	WHL		2		35	5		2	3-1													
Tomato	1	Code		0.5		1	1	2	0.5	0.5	1-1	Cattle, muscle	0.02	Code		0.02							2
Pimento (Sweet pepper)	1	Code		0.5		2	1		0.05	0.5	1-1	Pig, muscle	0.02	Code		0.02							2
Egg plant	0.5	WHL		0.5		0.2	1		0.05	0.5	1-1	Sheep, muscle	0.02	Code		0.02							2
Other solanaceous vegetables	1	Code		0.5		2	1		0.05	1	1-1	Horse, muscle	0.02	Code		0.02							2
Cucumber (including Gherkin)	0.2	Code		0.5	0.2	0.2	0.2		0.05	0.2	1-1	Deer, muscle	0.02	Code		0.02							2
Pumpkin (including Squash)	0.5	WHL		0.5		0.2	0.2		0.05	0.2	3-1	Goat, muscle	0.02	Code		0.02							2
Oriental pickling melon (vegetable)	0.5	WHL		0.5		0.2	0.2		0.05	0.2	3-1	Rabbit, muscle	0.02	Code		0.02							2
Water melon	0.2	Code		2	0.2	0.2	0.2		0.05	0.2	1-1	Reindeer, muscle	0.02	Code		0.02							2
Melons	0.2	Code		2	0.2	0.2	0.2																

Total of methomyl and thiodicarb expressed as methomyl.

METHOMYL, THIODICARB

[illegible]

394. METHOPRENE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	5	MRL	5									UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat	5	MRL	5									NATSUDAIDAI (peel)											
Barley	5	MRL	5									NATSUDAIDAI (whole)											
Rye	5	MRL	5									Lemon											
Corn (including Maize, Sweet corn)	5	MRL	5									Orange (including Navel)											
Buckwheat	5	MRL	5									Grapefruit											
Other cereal grains	5	MRL	5									Lime											
												Other citrus fruits											
Soybeans (dry)												Apple											
Beans (dry)												Japanese pear											
Peas												Pear											
Broad beans												Quince											
Peanuts (dry)	2	MRL	2									Loquat											
Other legumes/pulses																							
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Jackberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock												Other fruits											
Salsify																							
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Safflower seeds											
SHUNGIKU												Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.1	FC				0.1					5-1
												Pig, muscle	0.1	FC				0.1					5-1
Tomato												Sheep, muscle	0.1	FC				0.1					5-1
Pimento (Sweet pepper)												Horse, muscle	0.1	FC				0.1					5-1
Egg plant												Deer, muscle											
Other Solanaceous vegetables												Goat, muscle	0.1	FC				0.1					5-1
												Rabbit, muscle											
Cucumber (including Gherkin)												Reindeer, muscle											
Pumpkin (including Squash)												Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat	0.2	Codex			0.2	1	0.3				2
Melons												Pig, fat	0.2	Codex			0.2	1	0.3				2
MAKUWAURI												Sheep, fat	0.2	Codex			0.2	1	0.3				2
Other cucurbitaceous vegetables												Horse, fat	0.2	Codex			0.2	1	0.3				2
												Deer, fat	0.2	Codex			0.2	1	0.3				2
Spinach												Goat, fat	0.2	Codex			0.2	1	0.3				2
Bamboo shoots												Rabbit, fat	0.2	Codex			0.2		0.3				2
Okra												Reindeer, fat	0.2	Codex			0.2		0.3				2
Ginger												Other terrestrial mammals, fat	0.2	Codex			0.2		0.3				2
Peas (with pods, immature)												Cattle, liver	0.1	Codex			0.1		0.01				2
Kidney beans (with pods, immature)												Pig, liver	0.1	Codex			0.1		0.01				2
Soybeans												Sheep, liver	0.1	Codex			0.1		0.01				2
												Horse, liver	0.1	Codex			0.1		0.01				2
Button mushroom	0.2	MRL	0.2									Deer, liver	0.1	Codex			0.1		0.01				2
SHIITAKE												Goat, liver	0.1	Codex			0.1		0.01				2
Other mushrooms												Rabbit, liver	0.1	Codex			0.1		0.01				2
Other vegetables												Reindeer, liver	0.1	Codex			0.1		0.01				2
												Other terrestrial mammals, liver	0.1	Codex			0.1						2

METHOPRENE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	Codex			0.1	0.1	0.01				2	Cattfish											
Pig, kidney	0.1	Codex			0.1	0.1	0.01				2	Other freshwater fish											
Sheep, kidney	0.1	Codex			0.1	0.1	0.01				2												
Horse, kidney	0.1	Codex			0.1	0.1	0.01				2	Salmon											
Deer, kidney	0.1	Codex			0.1						2	Trout											
Goat, kidney	0.1	Codex			0.1	0.1	0.01				2	Other salmonidae											
Rabbit, kidney	0.1	Codex			0.1						2	Other diadromous fish											
Reindeer, kidney	0.1	Codex			0.1						2												
Other terrestrial mammals, kidney	0.1	Codex			0.1						2	Marine fish											
Cattle, edible offal excluding liver and kidney	0.1	Codex			0.1	0.1	0.01				2	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.1	Codex			0.1	0.1	0.01				2	Lobster											
Sheep, edible offal excluding liver and kidney	0.1	Codex			0.1	0.1	0.01				2	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	Codex			0.1	0.1	0.01				2	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.1	Codex			0.1						2												
Goat, edible offal excluding liver and kidney	0.1	Codex			0.1	0.1	0.01				2	Oyster											
Rabbit, edible offal excluding liver and kidney	0.1	Codex			0.1						2	Abalone											
Reindeer, edible offal excluding liver and kidney	0.1	Codex			0.1						2	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.1	Codex			0.1						2												
												Other animals											
Cattle, milk	0.05	Codex			0.05	0.1	0.1				2												
Sheep, milk	0.1	FC				0.1					5-1	honey											
Goat, milk	0.1	FC				0.1					5-1												
Other terrestrial mammals, milk	0.1	FC				0.1					5-1												
Chicken, muscle	0.1	FC				0.1					5-1												
Duck, muscle	0.1	FC				0.1					5-1												
Turkey, muscle	0.1	FC				0.1					5-1												
Quail, muscle	0.1	FC				0.1					5-1												
Goose, muscle	0.1	FC				0.1					5-1												
Pheasant, muscle	0.1	FC				0.1					5-1												
Chukar partridge, muscle	0.1	FC				0.1					5-1												
Other poultry, muscle	0.1	FC				0.1					5-1												
Chicken, fat	1	FC				1					5-1												
Duck, fat	1	FC				1					5-1												
Turkey, fat	1	FC				1					5-1												
Quail, fat	1	FC				1					5-1												
Goose, fat	1	FC				1					5-1												
Pheasant, fat	1	FC				1					5-1												
Chukar partridge, fat	1	FC				1					5-1												
Other poultry, fat	1	FC				1					5-1												
Chicken, liver	0.1	FC				0.1					5-1												
Duck, liver	0.1	FC				0.1					5-1												
Turkey, liver	0.1	FC				0.1					5-1												
Quail, liver	0.1	FC				0.1					5-1												
Goose, liver	0.1	FC				0.1					5-1												
Pheasant, liver	0.1	FC				0.1					5-1												
Chukar partridge, liver	0.1	FC				0.1					5-1												
Other poultry, liver	0.1	FC				0.1					5-1												
Chicken, kidney	0.1	FC				0.1					5-1												
Duck, kidney	0.1	FC				0.1					5-1												
Turkey, kidney	0.1	FC				0.1					5-1												
Quail, kidney	0.1	FC				0.1					5-1												
Goose, kidney	0.1	FC				0.1					5-1												
Pheasant, kidney	0.1	FC				0.1					5-1												
Chukar partridge, kidney	0.1	FC				0.1					5-1												
Other poultry, kidney	0.1	FC				0.1					5-1												
Chicken, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Duck, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Turkey, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Quail, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Goose, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Pheasant, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Chukar partridge, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Other poultry, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Chicken, eggs	0.05	Codex			0.05	0.1					2												
Turkey, eggs	0.05	Codex			0.05	0.1					2												
Other poultry, eggs	0.05	Codex			0.05	0.1					2												
																			</				

395. METHOXYCHLOR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)		2:FC						2			5-1	UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat		2:FC						2			5-1	NATSUDAIDAI (peel)											
Barley		2:FC						2			5-1	NATSUDAIDAI (whole)											
Rye		2:FC						2			5-1	Lemon											
Corn (including Maize, Sweet corn)		7:FC						14	0.01		5-1	Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains		2:FC						2			5-1	Lime											
												Other citrus fruits											
Soybeans (dry)		1:FC						2	0.01		5-1												
Beans (dry) *		7:FC						14	0.01		5-1	Apple	7:FC						14	0.01			5-1
Peas		7:FC						14	0.01		5-1	Japanese pear	7:FC						14	0.01			5-1
Broad beans		7:FC						14	0.01		5-1	Pear	7:FC						14	0.01			5-1
Peanuts (dry)		7:FC						14	0.01		5-1	Quince	7:FC						14	0.01			5-1
Other legumes/pulses		7:FC						14	0.01		5-1	Loquat											
Potato												Peach	7:FC						14	0.01			5-1
Taro												Nectarine	7:FC						14	0.01			5-1
Sweet potato												Apricot	7:FC						14	0.01			5-1
Yam												Japanese plum (including Prunes)	7:FC						14	0.01			5-1
Konjac												Mume plum											
Other potatoes												Cherry	7:FC						14	0.01			5-1
Sugar beet												Strawberry	7:FC						14	0.01			5-1
Sugarcane												Raspberry	7:FC						14	0.01			5-1
												Blackberry	7:FC						14	0.01			5-1
Japanese radish (including Radish) (root)		7:FC						14	0.01		5-1	Blueberry	7:FC						14	0.01			5-1
Japanese radish (including Radish) (leaf)												Cranberry	7:FC						14	0.01			5-1
Turnip (including Rutabaga) (root)		7:FC						14	0.01		5-1	Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries	7:FC						14	0.01			5-1
Horseradish																							
Watercress												Grape	7:FC						14	0.01			5-1
Chinese cabbage												Japanese persimmon											
Cabbage		7:FC						14	0.01		5-1												
Brussels sprouts		7:FC						14	0.01		5-1	Banana											
Kale		7:FC						14	0.01		5-1	Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple	7:FC						14	0.01			5-1
Cauliflower		7:FC						14	0.01		5-1	Guava											
Button mushroom		7:FC						14	0.01		5-1	Passion fruit											
Other cruciferous vegetables		7:FC						14	0.01		5-1	Date											
Burdock												Other fruits											
Salsify																							
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)		7:FC						14	0.01		5-1	Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion												Ginkgo nut											
Welsh (including Leek)												Chestnut											
Garlic												Pecan											
NIRA												Almond											
Asparagus		7:FC						14	0.01		5-1	Walnut											
Multiplying onion (including Shallot)												Other nuts											
Other liliaceous vegetables																							
Carrot		7:FC						14	0.01		5-1	Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	2:FC						3	0.01			5-1
												Pig, muscle	2:FC						3	0.01			5-1
Tomato		7:FC						14	0.01		5-1	Sheep, muscle	2:FC						3	0.01			5-1
Shenito (Sweet pepper)		7:FC						14	0.01		5-1	Horse, muscle	2:FC						3	0.01			5-1
Egg plant		7:FC						14	0.01		5-1	Deer, muscle											
Other Solanaceous vegetables		7:FC						14	0.01		5-1	Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)		7:FC						14	0.01		5-1	Reindeer, muscle											
Pumpkin (including Squash)		7:FC						14	0.01		5-1	Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon																							
Melons		7:FC						14	0.01		5-1	Cattle, fat	2:FC						3	0.01			5-1
MAKUWAURI												Pig, fat	2:FC						3	0.01			5-1
Other cucurbitaceous vegetables												Sheep, fat	2:FC						3	0.01			5-1
												Horse, fat											
Spinach		7:FC						14	0.01		5-1	Deer, fat											
Bamboo shoots												Goat, fat											
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)		7:FC						2	0.01		5-1	Cattle, liver	2:FC						3	0.01			5-1
Soybeans		1:FC						14	0.01		5-1	Pig, liver	2:FC						3	0.01			5-1
												Sheep, liver	2:FC						3	0.01			5-1
Button mushroom		7:FC						14	0.01		5-1	Deer, liver											
SHIITAKE												Goat, liver											
Other mushrooms												Rabbit, liver											
Other vegetables		7:FC						14	0.01		5-1	Reindeer, liver											
												Other terrestrial mammals, liver											

METHOXYCHLOR

[illegible]

396. METHOXYFENOZIDE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	WHL		0.1							4	UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.05	FC				0.05					5-1	Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)	0.1	WHL		0.1		0.1					3-1	Lime											
Beans (dry)	0.1	FC				0.1					5-1	Other citrus fruits											
Peas	0.1	FC				0.1					5-1	Apple	2	WHL		2		1.5					3-1
Broad beans	0.1	FC				0.1					5-1	Japanese pear	2	WHL		2		1.5					3-1
Peanuts (dry)	0.1	FC				0.1					5-1	Pear	2	WHL		2		1.5					3-1
Other legumes/pulses	0.1	FC				0.1					5-1	Quince	2	WHL		2		1.5					3-1
												Loquat	2	FC				1.5					5-1
	0.1	FC				0.1					5-1												
Taro	0.1	FC				0.1					5-1	Nectarine	2	WHL		2		3					3-1
Sweet potato	0.1	FC				0.1					5-1	Apricot	2	WHL		2		3					3-1
Yam	0.1	FC				0.1					5-1	Japanese plum (including Prunes)	2	WHL		2		0.3					3-1
Konjac												Mume plum	2	WHL		2							4
Other potatoes	0.1	FC				0.1					5-1	Cherry	2	WHL		2		3					3-1
Sugar beet	0.1	WHL		0.1		0.1					3-1	Strawberry	2	WHL		2							4
Sugarcane												Raspberry	2	WHL		2							4
												Blackberry	2	WHL		2							4
Japanese radish (including Radish) (root)	0.1	FC				0.1					5-1	Blueberry	2	WHL		2							4
Japanese radish (including Radish) (leaf)	10	WHL		10		0.2					3-1	Cranberry	2	WHL		2							4
Turnip (including Rutabaga) (root)	10	WHL		10		0.2					3-1	Raspberr	2	WHL		2							4
Turnip (including Rutabaga) (leaf)	10	WHL		10		0.2					3-1	Other berries	2	WHL		2							4
Horseradish	0.1	FC				0.1					5-1												
Watercress	10	WHL		10		30					3-1	Grape	2	WHL		2		1					3-1
Chinese cabbage	1	WHL		1		7					3-1	Japanese persimon	2	WHL		2		2					4
Cabbage	1	WHL		1		7					3-1												
Brussels sprouts	10	WHL		10		7					3-1	Banana	2	WHL		2							4
Kale	10	WHL		10		30					3-1	Kiwifruit											
KOMATSUNA	10	WHL		10		30					3-1	Papaya	2	WHL		2							4
KYONA	10	WHL		10		30					3-1	Avocado	2	WHL		2							4
Qing-geng-cai	10	WHL		10		30					3-1	Pineapple	2	WHL		2							4
Cauliflower	10	WHL		10		7					3-1	Guava	2	WHL		2							4
Broccoli	10	WHL		10		7					3-1	Mango	2	WHL		2							4
Other cruciferous vegetables	10	WHL		10		30					3-1	Passion fruit	2	WHL		2							4
												Date	2	WHL		2							4
Burdock	0.1	FC				0.1					5-1												
Salsify	0.1	FC				0.1					5-1	Other fruits	2	WHL		2		10					3-1
Artichoke	10	WHL		10		3					3-1												
Chicory	10	WHL		10		0.2					3-1	Sunflower seeds											
Endive	10	WHL		10		30					3-1	Sesam seeds											
SHUNGKU	10	WHL		10		30					3-1	Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)	10	WHL		10		30					3-1	Cotton seeds						2		3			5-1
Other composite vegetables	10	WHL		10		30					3-1	Rape seeds											
												Other oil seeds	10	FC				10					5-1
Onion	0.2	FC				0.2					5-1												
Welsh (including Leek)	10	WHL		10		0.2					3-1	Ginkgo nut											
Garlic	0.2	FC				0.2					5-1	Chestnut	0.1	FC				0.1					5-1
NIRA	10	WHL		10		10					3-1	Pecan	0.1	FC				0.1					5-1
Asparagus	10	WHL		10		30					4	Almond	0.1	FC				0.1					5-1
Multiplying onion (including Shallot)	10	WHL		10		30					4	Walnut	0.1	FC				0.1					5-1
Other liliaceous vegetables	10	WHL		10		0.2					3-1	Other nuts	0.1	FC				0.1					5-1
Carrot	0.1	FC				0.1					5-1	Tea (Green, Black, Oolong, Wulong tea)	20	WHL		20							4
Parsnip	0.1	FC				0.1					5-1	Coffee beans											
Barley	10	WHL		10		30					3-1	Cacao beans											
Celery	10	WHL		10		25					3-1	Hop											
MITSUBA	10	WHL		10		30					4												
Other umbelliferous vegetables	10	WHL		10		25					3-1	Cattle, muscle	0.02	FC				0.02					5-1
												Pig, muscle	0.02	FC				0.02					5-1
Tomato	2	WHL		2		2	3				3-1	Sheep, muscle	0.02	FC				0.02					5-1
Pimento (Sweet pepper)	2	WHL		2		2					3-1	Horse, muscle	0.02	FC				0.02					5-1
Egg plant	2	WHL		2		2					3-1	Goat, muscle	0.02	FC				0.02					5-1
Other Solanaceous vegetables	5	WHL		5		2					3-1	Goat, muscle	0.02	FC				0.02					5-1
												Rabbit, muscle											
Cucumber (including Gherkin)	2	WHL		2							4	Reindeer, muscle											
Pumpkin (including Squash)	2	WHL		2							4	Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)	2	WHL		2							4												
Water melon												Cattle, fat	0.5	FC				0.5	0.01				5-1
Water melon												Goat, fat	0.5	FC				0.5	0.01				5-1
MAKUWAURI												Sheep, fat	0.3	FC				0.5	0.01				5-1
Other cucurbitaceous vegetables	2	WHL		2		0.1					3-1	Horse, fat	0.3	FC				0.5	0.01				5-1
												Deer, fat											
Spinach	10	WHL		10		30					3-1	Goat, fat	0.3	FC				0.5	0.01				5-1
Bamboo shoots												Rabbit, fat											
Okra	5	WHL		5							4	Reindeer, fat											
Ginger	0.1	FC				0.1					5-1	Other terrestrial mammals, fat											
Peas (with pods, immature)	0.1	FC				0.1					5-1												
Kidney beans (with pods, immature)	0.1	FC				0.1					5-1	Cattle, liver	0.2	FC				0.4	0.01				5-1
Soybeans	0.1	FC				0.1					5-1	Pig, liver	0.06	FC				0.5	0.01				5-1
												Sheep, liver	0.2	FC				0.4	0.01				5-1
Button mushroom												Horse, liver	0.2	FC				0.4	0.01				5-1
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver	0.2	FC				0.4	0.01				5-1
Other vegetables	10	WHL		10		30					3-1	Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

[illegible]

397. METHYL-ISOTHIOCYANATE, DAZOMET, METAM

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.1	WHL		0.1								4
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)	0.1	WHL		0.1								4
Rye												NATSUDAIDAI (whole)	0.1	WHL		0.1								4
Corn (including Maize Sweet corn)												Lemon	0.1	WHL		0.1								4
Buckwheat												Orange (including Navel)	0.1	WHL		0.1								4
Other cereal grains												Grapefruit	0.1	WHL		0.1								4
Soybeans (dry)												Lime	0.1	WHL		0.1								4
Beans (dry) *												Other citrus fruits	0.1	WHL		0.1								4
Peas												Apple	0.1	WHL		0.1								4
Broad beans												Japanese pear	0.1	WHL		0.1								4
Peanuts (dry)												Pear	0.1	WHL		0.1								4
Other legumes/pulses												Quince	0.1	WHL		0.1								4
Potato				0.5	WHL						4	Loquat	0.1	WHL		0.1								4
Taro				0.5	WHL						4	Peach				0.1								4
Sweet potato				0.5	WHL						4	Nectarine	0.1	WHL		0.1								4
Yam				0.5	WHL						4	Apricot	0.1	WHL		0.1								4
Konjac				0.5	WHL						4	Japanese plum (including Prunes)	0.1	WHL		0.1								4
Other potatoes				0.5	WHL						4	Mume plum	0.1	WHL		0.1								4
Sugar beet				0.1	WHL						4	Cherry	0.1	WHL		0.1								4
Sugarcane												Strawberry	0.1	WHL		0.1								4
Japanese radish (including Radish) (root)				0.2	WHL						4	Raspberry	0.1	WHL		0.1								4
Japanese radish (including Radish) (leaf)				0.2	WHL						4	Blackberry	0.1	WHL		0.1								4
Turnip (including Rutabaga) (root)				0.2	WHL						4	Blueberry	0.1	WHL		0.1								4
Turnip (including Rutabaga) (leaf)				0.2	WHL						4	Cranberry	0.1	WHL		0.1								4
Horseradish				0.2	WHL						4	Ruckleberry	0.1	WHL		0.1								4
Watercress				0.2	WHL						4	Other berries	0.1	WHL		0.1								4
Chinese cabbage				0.2	WHL						4	Grape	0.1	WHL		0.1								4
Cabbage				0.2	WHL						4	Japanese persimon	0.1	WHL		0.1								4
Brussels sprouts				0.2	WHL						4	Banana	0.1	WHL		0.1								4
Kale				0.2	WHL						4	Kiwifruit	0.1	WHL		0.1								4
KOMATSUNA				0.2	WHL						4	Papaya	0.1	WHL		0.1								4
KYONA				0.2	WHL						4	Avocado	0.1	WHL		0.1								4
Qing-geng-cai				0.2	WHL						4	Pineapple	0.1	WHL		0.1								4
Cauliflower				0.2	WHL						4	Guava	0.1	WHL		0.1								4
Broccoli				0.2	WHL						4	Mango	0.1	WHL		0.1								4
Other cruciferous vegetables				0.2	WHL						4	Passion fruit	0.1	WHL		0.1								4
Burdock				0.2	WHL						4	Date	0.1	WHL		0.1								4
Salsify				0.2	WHL						4	Other fruits	0.1	WHL		0.1								4
Artichoke				0.2	WHL						4	Sunflower seeds	0.1	WHL		0.1								4
Chicory				0.2	WHL						4	Sesam seeds	0.1	WHL		0.1								4
Endive				0.2	WHL						4	Safflower seeds	0.1	WHL		0.1								4
Potato (Shimokiku)				0.2	WHL						4	Cotton seeds	0.1	WHL		0.1								4
Lettuce (Cos lettuce, Leaf lettuce)				0.2	WHL						4	Rape seeds	0.1	WHL		0.1								4
Other composite vegetables				0.2	WHL						4	Other oil seeds	0.1	WHL		0.1								4
Onion				0.2	WHL						4	Ginkgo nut	0.1	WHL		0.1								4
Welsh (including Leek)				0.2	WHL						4	Chestnut	0.1	WHL		0.1								4
Garlic				0.2	WHL						4	Pecan	0.1	WHL		0.1								4
NIRA				0.2	WHL						4	Almond	0.1	WHL		0.1								4
Asparagus				0.2	WHL						4	Walnut	0.1	WHL		0.1								4
Multiplying onion (including Shallot)				0.2	WHL						4	Other nuts	0.1	WHL		0.1								4
Other liliaceous vegetables				0.2	WHL						4	Tea (Green, Black, Oolong, Wulong tea)	0.1	WHL		0.1								4
Carrot				0.2	WHL						4	Coffee beans												
Parsnip				0.2	WHL						4	Cacao beans												
Parsley				0.2	WHL						4	Hop												
Celery				0.2	WHL						4	Cattle, muscle												
MITSUBA				0.2	WHL						4	Pig, muscle												
Other umbelliferous vegetables				0.2	WHL						4	Sheep, muscle												
Tomato				0.2	WHL						4	Horse, muscle												
Pimento (Sweet pepper)				0.5	WHL						4	Deer, muscle												
Egg plant				0.2	WHL						4	Goat, muscle												
Other solanaceous vegetables				0.5	WHL						4	Rabbit, muscle												
Cucumber (including Gherkin)				0.2	WHL						4	Reindeer, muscle												
Pumpkin (including Squash)				0.2	WHL						4	Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)				0.2	WHL						4	Cattle, fat												
Water melon				0.1	WHL						4	Pig, fat												
Melons				0.1	WHL					25	3-1	Sheep, fat												
MAKUWAURI				0.1	WHL					25	3-1	Horse, fat												
Other cucurbitaceous vegetables				0.2	WHL						4	Deer, fat												
Spinach				0.2	WHL						4	Goat, fat												
Bamboo shoots				0.2	WHL						4	Rabbit, fat												
Okra				0.5	WHL						4	Reindeer, fat												
Ginger				0.2	WHL						4	Other terrestrial mammals, fat												
Peas (with pods, immature)				0.5	WHL						4	Cattle, liver												
Kidney beans (with pods, immature)				0.5	WHL						4	Pig, liver												
Soybeans				0.5	WHL						4	Sheep, liver												
Button mushroom				0.5	WHL						4	Horse, liver												
SHIITAKE				0.5	WHL						4	Deer, liver												
Other mushrooms				0.5	WHL						4	Goat, liver												
Other vegetables				0.5	WHL						4	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

Total of methyl-isothiocyanate, dazomet and metam expressed as methyl-isothiocyanate.

METHYL-ISOTHIOCYANATE, DAZOMET, METAM

[illegible]

[illegible]

	P
--	---

[illegible]

399. METHYLPREDNISOLONE

[illegible]

[illegible]