

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.03	PAL		0.025							4	Catfish											
Pig, kidney	0.03	PAL		0.025							4	Other freshwater fish											
Sheep, kidney																							
Horse, kidney																							
Deer, kidney																							
Goat, kidney																							
Rabbit, kidney																							
Reindeer, kidney																							
Other terrestrial mammals, kidney																							
Cattle, edible offal excluding liver and kidney	0.03	PAL		0.025							4	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.03	PAL		0.025							4	Crab											
Sheep, edible offal excluding liver and kidney																							
Horse, edible offal excluding liver and kidney																							
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney																							
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.005	PAL		0.005							4	Other animals											
Sheep, milk																							
Goat, milk																							
Other terrestrial mammals, milk																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							

## 401. METOLACHLOR

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	MRL	0.1									UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat	0.1	MRL	0.1									NATSUDAIDAI (peel)											
Barley	0.1	MRL	0.1									NATSUDAIDAI (whole)											
Rye	0.1	MRL	0.1									Lemon											
Corn (including Maize, Sweet corn)	0.1	MRL	0.1									Orange (including Navel)											
Buckwheat	0.1	MRL	0.1									Grapefruit											
Other cereal grains	0.3	MRL	0.3									Lime											
												Other citrus fruits											
Soybeans (dry)	0.2	MRL	0.2																				
Beans (dry)	0.3	MRL	0.3									Apple	0.1	FC						0.1			5-1
Peas	0.3	MRL	0.3									Japanese pear	0.1	FC						0.1			5-1
Broad beans	0.3	MRL	0.3									Pear	0.1	FC						0.1			5-1
Peanuts (dry)	0.5	MRL	0.5									Quince											
Other legumes/pulses	0.3	MRL	0.3									Loquat											
Potato	0.2	MRL	0.2																				
Taro	0.1	MRL	0.1																				
Sweet potato	0.1	MRL	0.1									Nectarine	0.1	MRL	0.1								
Turnip (including Rutabaga) (root)	0.1	MRL	0.1									Apricot	0.1	MRL	0.1								
Turnip (including Rutabaga) (leaf)	0.1	MRL	0.1									Japanese plum (including Prunes)	0.1	MRL	0.1								
Yam	0.1	WHL		0.1							4	Mume plum	0.1	MRL	0.1								
Konjac	0.1	MRL	0.1									Cherry	0.1	MRL	0.1								
Other potatoes	0.1	WHL		0.1							4												
Sugar beet	0.1	MRL	0.1									Strawberry											
Sugarcane	0.05	MRL	0.05									Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)	0.1	MRL	0.1									Blueberry											
Japanese radish (including Radish) (leaf)	0.1	MRL	0.1									Cranberry											
Turnip (including Rutabaga) (root)	0.1	MRL	0.1									Blackberry											
Turnip (including Rutabaga) (leaf)	0.1	MRL	0.1									Other berries											
Horseradish	0.1	WHL		0.1							4												
Watercress	0.1	WHL		0.1			0.05				3-1	Grape											
Chinese cabbage	0.1	MRL	0.1									Japanese persimon											
Cabbage	1	MRL	1																				
Brussels sprouts	1	MRL	1									Banana											
Kale	0.02	MRL	0.02									Kiwifruit											
KOMATSUNA	0.1	WHL		0.1							4	Papaya											
KYONA	0.1	WHL		0.1			0.05				3-1	Avocado											
Qing-geng-cai	0.1	MRL	0.1									Pineapple											
Cauliflower	0.02	MRL	0.02									Guava											
Broccoli	0.02	MRL	0.02									Mango											
Other cruciferous vegetables	0.1	MRL	0.1									Passion fruit											
												Date											
Burdock	0.1	WHL		0.1							4												
Salsify	0.1	WHL		0.1							4	Other fruits	0.05	FC						0.05			5-1
Artichoke	0.1	WHL		0.1							4												
Chicory	0.1	WHL		0.1							4	Sunflower seeds	0.05	MRL	0.05								
Endive	0.1	WHL		0.1							4	Sesam seeds											
Shungiku	0.1	WHL		0.1							4	Safflower seeds	0.1	MRL	0.1								
Lettuce (Cos lettuce, Leaf lettuce)	0.1	WHL		0.1							4	Cotton seeds	0.1	MRL	0.1								
Other composite vegetables	0.1	WHL		0.1			0.05				3-1	Rape seeds	0.05	MRL	0.05								
												Other oil seeds	0.05	FC						0.05			5-1
Onion	1	MRL	1																				
Welsh (including Leek)	0.1	WHL		0.1							4	Ginkgo nut	0.1	MRL	0.1								
Garlic	1	MRL	1									Chestnut	0.1	MRL	0.1								
NIRA	0.1	WHL		0.1			0.05				3-1	Pecan	0.1	MRL	0.1								
Asparagus	0.1	MRL	0.1									Almond	0.1	MRL	0.1								
Multiplying onion (including Shallot)	1	MRL	1									Walnut	0.1	MRL	0.1								
Other illaceous vegetables	0.1	WHL		0.1			0.05				3-1	Other nuts	0.1	MRL	0.1								
Carrot	0.1	MRL	0.1									Tea (Green, Black, Oolong, Wulong tea)											
Parsnip	0.1	WHL		0.1							4	Coffee beans											
Parsnips	0.1	WHL		0.1			0.05				3-1	Cacao beans											
Celery	0.1	MRL	0.1									Hop											
MITSUBA	0.1	WHL		0.1			0.05				3-1												
Other umbelliferous vegetables	0.1	MRL	0.1									Cattle, muscle	0.03	FC						0.02	0.05	0.02	5-1
												Pig, muscle	0.03	FC						0.02	0.05	0.02	5-1
Tomato	0.1	FC					0.1				5-1	Sheep, muscle	0.03	FC						0.02	0.05	0.02	5-1
Pepper (Sweet pepper)	0.1	MRL	0.1									Goat, muscle	0.03	FC						0.02	0.05	0.02	5-1
Egg plant												Deer, muscle								0.02	0.05	0.02	5-1
Other Solanaceous vegetables	0.5	MRL	0.5									Goat, muscle	0.03	FC						0.02	0.05	0.02	5-1
												Rabbit, muscle											
Cucumber (including Gherkin)	0.05	MRL	0.05									Reindeer, muscle											
Pumpkin (including Squash)	0.05	MRL	0.05									Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)	0.05	MRL	0.05																				
Watermelon	0.05	MRL	0.05									Cattle, fat	0.02	FC						0.02			5-1
Melons	0.05	MRL	0.05									Pig, fat	0.02	FC						0.02			5-1
MAKUWAURI	0.05	MRL	0.05									Sheep, fat	0.02	FC						0.02			5-1
Other cucurbitaceous vegetables	0.05	MRL	0.05									Horse, fat	0.02	FC						0.02			5-1
												Deer, fat											
Spinach	0.3	MRL	0.3									Goat, fat	0.02	FC						0.02			5-1
Bamboo shoots	0.05	MRL	0.05									Rabbit, fat											
Okra												Reindeer, fat											
Ginger	0.1	WHL		0.1							4	Other terrestrial mammals, fat											
Peas (with pods, immature)	0.3	MRL	0.3									Cattle, liver	0.05	FC						0.05	0.05	0.05	5-1
Kidney beans (with pods, immature)	0.3	MRL	0.3									Pig, liver	0.05	FC						0.05	0.05	0.05	5-1
Soybeans	0.3	MRL	0.3									Sheep, liver	0.05	FC						0.05	0.05	0.05	5-1
												Deer, liver	0.05	FC						0.05	0.05	0.05	5-1
Other mushrooms												Goat, liver	0.05	FC						0.05	0.05	0.05	5-1
Other vegetables	0.05	MRL	0.05									Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

# METOLACHLOR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.2	FC				0.2	0.05	0.2			5-1	Catfish											
Cattle, edible offal excluding liver and kidney	0.1	FC				0.2	0.05				5-1	Other freshwater fish											
Pig, kidney	0.1	FC				0.2	0.05				5-1	Salmon											
Sheep, kidney	0.1	FC				0.2	0.05				5-1	Trout											
Horse, kidney	0.2	FC				0.2	0.05				5-1	Other salmonidae											
Deer, kidney												Other diadromous fish											
Goat, kidney	0.1	FC				0.2	0.05				5-1												
Rabbit, kidney																							
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal	0.04	FC				0.02	0.05				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk	0.03	FC				0.02	0.05	0.02			5-1												
Sheep, milk	0.03	FC				0.02	0.05	0.02			5-1	honey											
Goat, milk	0.03	FC				0.02	0.05	0.02			5-1												
Other terrestrial mammals, milk	0.03	FC				0.02	0.05	0.02			5-1												
Chicken, muscle	0.02	FC				0.02	0.01	0.02			5-1												
Duck, muscle	0.02	FC				0.02	0.01	0.02			5-1												
Turkey, muscle	0.02	FC				0.02	0.01	0.02			5-1												
Quail, muscle	0.02	FC				0.02	0.01	0.02			5-1												
Goose, muscle	0.02	FC				0.02	0.01	0.02			5-1												
Pheasant, muscle	0.02	FC				0.02	0.01	0.02			5-1												
Chukar partridge, muscle	0.02	FC				0.02	0.01	0.02			5-1												
Other poultry, muscle	0.02	FC				0.02	0.01	0.02			5-1												
Chicken, fat	0.02	FC				0.02					5-1												
Duck, fat	0.02	FC				0.02					5-1												
Turkey, fat	0.02	FC				0.02					5-1												
Quail, fat	0.02	FC				0.02					5-1												
Goose, fat	0.02	FC				0.02					5-1												
Pheasant, fat	0.02	FC				0.02					5-1												
Chukar partridge, fat	0.02	FC				0.02					5-1												
Other poultry, fat	0.02	FC				0.02					5-1												
Chicken, liver	0.04	FC				0.05	0.01	0.05			5-1												
Duck, liver	0.04	FC				0.05	0.01	0.05			5-1												
Turkey, liver	0.04	FC				0.05	0.01	0.05			5-1												
Quail, liver	0.04	FC				0.05	0.01	0.05			5-1												
Goose, liver	0.04	FC				0.05	0.01	0.05			5-1												
Pheasant, liver	0.04	FC				0.05	0.01	0.05			5-1												
Chukar partridge, liver	0.04	FC				0.05	0.01	0.05			5-1												
Other poultry, liver	0.04	FC				0.05	0.01	0.05			5-1												
Chicken, kidney	0.02	FC				0.02	0.01				5-1												
Duck, kidney	0.02	FC				0.02	0.01				5-1												
Turkey, kidney	0.02	FC				0.02	0.01				5-1												
Quail, kidney	0.02	FC				0.02	0.01				5-1												
Goose, kidney	0.02	FC				0.02	0.01				5-1												
Pheasant, kidney	0.02	FC				0.02	0.01				5-1												
Chukar partridge, kidney	0.02	FC				0.02	0.01				5-1												
Other poultry, kidney	0.02	FC				0.02	0.01				5-1												
Chicken, edible offal excluding liver and kidney	0.02	FC				0.02	0.01				5-1												
Duck, edible offal excluding liver and kidney	0.02	FC				0.02	0.01				5-1												
Turkey, edible offal excluding liver and kidney	0.02	FC				0.02	0.01				5-1												
Quail, edible offal excluding liver and kidney	0.02	FC				0.02	0.01				5-1												
Goose, edible offal excluding liver and kidney	0.02	FC				0.02	0.01				5-1												
Pheasant, edible offal excluding liver and kidney	0.02	FC				0.02	0.01				5-1												
Chukar partridge, edible offal excluding liver and kidney	0.02	FC				0.02	0.01				5-1												
Other poultry, edible offal excluding liver and kidney	0.02	FC				0.02	0.01				5-1												
Chicken, eggs	0.02	FC				0.02	0.01	0.02			5-1												
Turkey, eggs	0.02	FC				0.02	0.01	0.02			5-1												
Other poultry, eggs	0.02	FC				0.02	0.01	0.02			5-1												

## 402. METOMINOSTROBIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)		0.5 WHL		0.5							4	UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize, Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Huckleberry											
Turnip (including Rutabaga) (root)												Other berries											
Turnip (including Rutabaga) (leaf)																							
Horseradish												Grape											
Watercress												Japanese persimon											
Chinese cabbage																							
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Pomelo											
KORONA												Papaya											
Qing-geng-cai												Avocado											
Cauliflower												Pineapple											
Broccoli												Guava											
Other cruciferous vegetables												Mango											
												Passion fruit											
Burdock												Date											
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplication onion (including shallots)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle											
												Pig, muscle											
Tomato												Sheep, muscle											
Pimento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other Solanaceous vegetables												Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)												Reindeer, muscle											
Pumpkin (including Squash)												Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat											
Melons												Pig, fat											
MAKUNAUZU												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Cinno												Other terrestrial mammals, fat											
Peas (with pods, immature)												Cattle, liver											
Kidney beans (with pods, immature)												Pig, liver											
Soybeans												Sheep, liver											
												Horse, liver											
Button mushroom												Deer, liver											
SHIITAKE												Goat, liver											
Other mushrooms												Rabbit, liver											
												Reindeer, liver											
Other vegetables												Other terrestrial mammals, liver											

# METOMINOSTROBIN

[illegible]

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.02	FC				0.02					5-1												
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	0.02	FC				0.02					5-1												



# METRIBUZIN

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.4	FC				0.7	0.05				5-1	Catfish											
Pig, kidney	0.4	FC				0.7	0.05				5-1	Other freshwater fish											
Sheep, kidney	0.4	FC				0.7	0.05				5-1												
Horse, kidney	0.4	FC				0.7	0.05				5-1	Salmon											
Deer, kidney												Trout											
Goat, kidney	0.4	FC				0.7	0.05				5-1	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.05	FC				0.05	0.05				5-1	Other animals											
Sheep , milk	0.05	FC				0.05	0.05				5-1	honey											
Goat, milk	0.05	FC				0.05	0.05				5-1												
Other terrestrial mammals, milk	0.05	FC				0.05	0.05				5-1												
Chicken, muscle	0.4	FC				0.7	0.05				5-1												
Duck, muscle	0.4	FC				0.7	0.05				5-1												
Turkey, muscle	0.4	FC				0.7	0.05				5-1												
Quail, muscle	0.4	FC				0.7	0.05				5-1												
Goose, muscle	0.4	FC				0.7	0.05				5-1												
Pheasant, muscle	0.4	FC				0.7	0.05				5-1												
Chukar partridge, muscle	0.4	FC				0.7	0.05				5-1												
Other poultry, muscle	0.4	FC				0.7	0.05				5-1												
Chicken, fat	0.7	FC				0.7					5-1												
Duck, fat	0.7	FC				0.7					5-1												
Turkey, fat	0.7	FC				0.7					5-1												
Quail, fat	0.7	FC				0.7					5-1												
Goose, fat	0.7	FC				0.7					5-1												
Pheasant, fat	0.7	FC				0.7					5-1												
Chukar partridge, fat	0.7	FC				0.7					5-1												
Other poultry, fat	0.7	FC				0.7					5-1												
Chicken, liver	0.4	FC				0.7	0.05				5-1												
Duck, liver	0.4	FC				0.7	0.05				5-1												
Turkey, liver	0.4	FC				0.7	0.05				5-1												
Quail, liver	0.4	FC				0.7	0.05				5-1												
Goose, liver	0.4	FC				0.7	0.05				5-1												
Pheasant, liver	0.4	FC				0.7	0.05				5-1												
Chukar partridge, liver	0.4	FC				0.7	0.05				5-1												
Other poultry, liver	0.4	FC				0.7	0.05				5-1												
Chicken, kidney	0.4	FC				0.7	0.05				5-1												
Duck, kidney	0.4	FC				0.7	0.05				5-1												
Turkey, kidney	0.4	FC				0.7	0.05				5-1												
Quail, kidney	0.4	FC				0.7	0.05				5-1												
Goose, kidney	0.4	FC				0.7	0.05				5-1												
Pheasant, kidney	0.4	FC				0.7	0.05				5-1												
Chukar partridge, kidney	0.4	FC				0.7	0.05				5-1												
Other poultry, kidney	0.4	FC				0.7	0.05				5-1												
Chicken, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1												
Duck, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1												
Turkey, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1												
Quail, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1												
Goose, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1												
Pheasant, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1												
Chukar partridge, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1												
Other poultry, edible offal excluding liver and kidney	0.4	FC				0.7	0.05				5-1												
Chicken, eggs	0.03	FC				0.01	0.05				5-1												
Turkey, eggs	0.03	FC				0.01	0.05				5-1												
Other poultry, eggs	0.03	FC				0.01	0.05				5-1												

## 405. METSULFURON-METHYL

[illegible]

METSULFURON-METHYL

[illegible]