
[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.7	FC				1	0.1	1			5-1	Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Order Perciformes	0.05	PAL		0.05							4
												Other marine fish											
Cattle, edible offal excluding liver and kidney	0.7	FC				1	0.1	1			5-1												
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
Cattle, milk	0.08	FC				0.1	0.1		0.05		5-1	Other animals											
Sheep, milk	0.1	FC				0.1					5-1												
Goat, milk	0.1	FC				0.1					5-1	Honey											
Other terrestrial mammals, milk	0.1	FC				0.1					5-1												
Chicken, muscle	0.05	PAL		0.05		1		1			3-1												
Duck, muscle	1	FC				1					5-1												
Turkey, muscle	1	FC				1		1			5-1												
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N 7	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.05	PAL		0.05							4												
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	0.05	PAL		0.05							4												

438. OLAQUINDOX

[illegible]

OLAQUINDOX

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney	0.3	FC					0.3				5-1	Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney	0.3	FC					0.3				5-1	Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
												Other animals											
Cattle, milk																							
Sheep, milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.3	FC					0.3				5-1												
Duck, muscle	0.3	FC					0.3				5-1												
Turkey, muscle	0.3	FC					0.3				5-1												
Quail, muscle	0.3	FC					0.3				5-1												
Goose, muscle	0.3	FC	</																				

439 OI FANDOMYCIN

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	PAL		0.05							4	Catfish											
Pig, kidney	0.1	FC				0.15	0.1				5-1	Other freshwater fish											
Sheep, kidney																							
Horse, kidney																							
Deer, kidney																							
Goat, kidney																							
Rabbit, kidney																							
Reindeer, kidney																							
Other terrestrial mammals, kidney																							
Cattle, edible offal excluding liver and kidney	0.05	PAL		0.05							4	Order Perciformes	0.05	PAL		0.05							4
Pig, edible offal excluding liver and kidney	0.1	FC				0.15	0.1				5-1	Other marine fish											
Sheep, edible offal excluding liver and kidney																							
Horse, edible offal excluding liver and kidney																							
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney																							
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk																							
Sheep, milk																							
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.2	FC				0.15					5-1	Shrimps or prawns											
Duck, muscle																							
Turkey, muscle	0.2	FC				0.15					5-1	Lobster											
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	0.2	FC				0.15					5-												

440. OMETHOATE

	P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)												UNSHU orange	1FC							2		0.2	2	5-1	
												NATSUDAIDAI (flesh)													
Wheat												NATSUDAIDAI (peel)													
Barley												NATSUDAIDAI (whole)	1FC							2		0.2	2	5-1	
Rye												Lemon	1FC							2		0.2	2	5-1	
Corn (including Maize, Sweet corn)	2FC						2			2	5-1	Orange (including Navel)	1FC							2		0.2	2	5-1	
Buckwheat												Grapefruit	1FC							2		0.2	2	5-1	
Other cereal grains												Other citrus fruits	1FC							2		0.2	2	5-1	
Soybeans (dry)	2FC							2		2	5-1														
Beans (dry) *	2FC							2		2	5-1	Apple	1FC							2		0.2	2	5-1	
Peas	1FC								0.2	2	5-1	Japanese pear	1FC							2		0.2	2	5-1	
Broad beans	2FC							2		2	5-1	Pear	1FC							2		0.2	2	5-1	
Peanuts (dry)												Quince	1FC							2		0.2	2	5-1	
Other legumes/pulses	2FC						2			2	5-1	Loquat	1FC							2		0.2	2	5-1	
Potato	2FC							2		2	5-1	Peach	1FC							2		0.2	2	5-1	
Taro	1FC							2		0.1	2	5-1	Nectarine	1FC						2		0.2	2	5-1	
Sweet potato	1FC							2		0.1	2	5-1	Apricot	1FC						2		0.2	2	5-1	
Yam	1FC							2		0.1	2	5-1	Japanese plum (including Prunes)	1FC						2		0.2	2	5-1	
Konjac	1FC							2		0.1	2	5-1	Mume plum	1FC						2		0.2	2	5-1	
Other potatoes	1FC							2		0.1	2	5-1	Cherry	1FC						2		0.4	2	5-1	
Sugar beet	1FC							2		0.1	2	5-1	Strawberry	1FC						2		0.1	2	5-1	
Sugarcane												Raspberry	1FC									0.1	2	5-1	
												Blackberry	1FC							2		0.1	2	5-1	
Japanese radish (including Radish) (root)	1FC							2		0.1	2	5-1	Blueberry	1FC						2		0.1	2	5-1	
Japanese radish (including Radish) (leaf)	1FC							2		0.2	2	5-1	Cranberry	1FC						2		0.2	2	5-1	
Turnip (including Rutabaga) (root)	1FC							2		0.1	2	5-1	Huckleberry	1FC						2		0.1	2	5-1	
Turnip (including Rutabaga) (leaf)	1FC							2		0.2	2	5-1	Other berries	1FC						2		0.1	2	5-1	
Horseradish	1FC							2		0.1	2	5-1													
Watercress	1FC							2		0.2	2	5-1	Grape	1FC						2		0.1	2	5-1	
Chinese cabbage	1FC							2		0.2	2	5-1	Japanese persimmon	1FC						2		0.2	2	5-1	
Cabbage	1FC							2		0.2	2	5-1													
Brussels sprouts	1FC							2		0.2	2	5-1	Banana	1FC						2		0.2	2	5-1	
Kale	1FC							2		0.2	2	5-1	Kiwifruit	1FC						2		0.2	2	5-1	
KOMATSUNA	1FC							2		0.2	2	5-1	Papaya	2FC						2			2	5-1	
KYONA	1FC							2		0.2	2	5-1	Avocado	1FC						2		0.2	2	5-1	
Qing-geng-cai	1FC							2		0.2	2	5-1	Pineapple	1FC						2		0.2	2	5-1	
Cauliflower	1FC							2		0.2	2	5-1	Guava	1FC						2		0.2	2	5-1	
Butterbean	2FC							2		0.2	2	5-1	Guava	1FC						2		0.2	2	5-1	
Other cruciferous vegetables	1FC							2		0.2	2	5-1	Passion fruit	1FC						2		0.2	2	5-1	
												Date	2FC							2			2	5-1	
Burdock	1FC							2		0.1	2	5-1													
Salsify	1FC							2		0.1	2	5-1	Other fruits	1FC						2		0.2	2	5-1	
Artichoke	1FC							2		0.4	2	5-1													
Chicory	1FC							2		0.4	2	5-1	Sunflower seeds												
Endive	1FC							2		0.2	2	5-1	Sesam seeds												
SHUNGIKU	1FC							2		0.2	2	5-1	Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)	1FC							2		0.2	2	5-1	Cotton seeds												
Other composite vegetables	1FC							2		0.2	2	5-1	Rape seeds												
												Other oil seeds													
Onion	1FC							2		0.1	2	5-1													
Welsh (including Leek)	1FC							2		0.2	2	5-1	Ginkgo nut	0.2FC								0.2	2	5-1	
Garlic	1FC							2		0.2	2	5-1	Chestnut	0.2FC								0.2	2	5-1	
NIRA	1FC							2		0.2	2	5-1	Pecan	0.2FC								0.2	2	5-1	
Asparagus	1FC							2		0.2	2	5-1	Almond	0.2FC								0.2	2	5-1	
Multiplying onion (including Shallot)	1FC							2		0.2	2	5-1	Walnut	0.2FC								0.2	2	5-1	
Other liliaceous vegetables	1FC							2		0.2	2	5-1	Other nuts	0.1FC							0.05		0.2	2	5-1
Carrot	1FC							2		0.1	2	5-1	Tea (Green, Black, Oolong, Wulong tea)	0.1FC								0.1	2	5-1	
Parsnip	1FC							2		0.1	2	5-1													
Parsley												Cocoa beans													
Celery	1FC							2		0.2	2	5-1	Hop												
MITSUBA	0.2FC								0.2	2	5-1														
Other umbelliferous vegetables	1FC							2		0.2	2	5-1	Cattle, muscle												
Tomato	0.7FC						1		0.2	1	5-1	Pig, muscle													
Shiitake mushroom	1FC							1		0.2	2	5-1	Sheep, muscle												
Chili pepper (Sweet pepper)	1FC							1		0.2	2	5-1	Horse, muscle												
Egg plant	1FC							2		0.2	2	5-1	Deer, muscle												
Other Solanaceous vegetables	1FC							2		0.2	2	5-1	Goat, muscle												
												Rabbit, muscle													
Cucumber (including Gherkin)	1FC							2		0.2	2	5-1	Reindeer, muscle												
Pumpkin (including Squash)	2FC							2		2	5-1	Other terrestrial mammals, muscle													
Oriental pickling melon (vegetable)	2FC							2		2	5-1														
Water melon	1FC							2		0.2	2	5-1	Cattle, fat												
Melons	1FC							2		0.2	2	5-1	Pig, fat												
MAKUWAURI	2FC							2		2	5-1	Sheep, fat													
Other cucurbitaceous vegetables	2FC							2		2	5-1	Horse, fat													
												Deer, fat													
Spinach	1FC							2		0.4	2	5-1	Goat, fat												
Bamboo shoots	2FC							2		2	5-1	Rabbit, fat													
Okra	2FC							2		2	5-1	Reindeer, fat													
Ginger	0.1FC								0.1	2	5-1	Other terrestrial mammals, fat													
Peas (with pods, immature)	2FC							2		2	5-1														
Kidney beans (with pods, immature)	1FC							2		0.2	2	5-1	Cattle, liver												
Soybeans	1FC							2		0.2	2	5-1	Pig, liver												
												Sheep, liver													
Button mushroom	1FC							2		0.2	2	5-1	Horse, liver												
SHIITAKE	1FC							2		0.2	2	5-1	Deer, liver												
Other mushrooms	1FC							2		0.2	2	5-1	Goat, liver												
Other vegetables	1FC							2		0.2	2	5-1	Rabbit, liver												
												Reindeer, liver													
												Other terrestrial mammals, liver													

OMETHOATE

[illegible]

441. ORBIFLOXACIN

[illegible]

	P R	R e f.	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R	R e f.	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.02	I	PAL		0.02						4	Catfish											
Pig, kidney	0.02	I	PAL		0.02						4	Other freshwater fish											
Sheep, kidney																							
Horse, kidney																							
Deer, kidney																							
Goat, kidney																							
Rabbit, kidney																							
Reindeer, kidney																							
Other terrestrial mammals, kidney																							
Cattle, edible offal excluding liver and kidney	0.02	I	PAL		0.02						4	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.02	I	PAL		0.02						4	Lobster											
Sheep, edible offal excluding liver and kidney																							
Horse, edible offal excluding liver and kidney																							
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney																							
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.00	I	PAL		0.00						4	Crayfish											
Sheep, milk	0.00	I	PAL		0.00						4	Oyster											
Goat, milk																							
Other terrestrial mammals, milk																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							

[illegible]

[illegible]

443. ORYZALIN

[illegible]

ORYZALIN

[illegible]

[illegible]

[illegible]

445. OXADIAZON

[illegible]

OXADIAZON

[illegible]

446. OXADIXYL

	P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1FC					0.1					5-1	UNSHU orange	1WHL			1							4
												NATSUDAIDAI (flesh)											
Wheat	0.1FC					0.1					5-1	NATSUDAIDAI (peel)											
Barley	0.1FC					0.1					5-1	NATSUDAIDAI (whole)	1WHL			1							4
Rye	0.1FC					0.1					5-1	Lemon	1WHL			1							4
Corn (including Maize, Sweet corn)	0.1FC					0.1					5-1	Orange (including Navel)	1WHL			1							4
Buckwheat	0.1FC					0.1					5-1	Grapefruit	1WHL			1							4
Other cereal grains	0.1FC					0.1					5-1		1WHL			1							4
												Other citrus fruits	1WHL			1							4
Soybeans (dry)	5WHL			5		0.1					3-1												
Beans (dry) *	5WHL			5							4	Apple	1WHL			1							4
Peas	5WHL			5		0.1					3-1	Japanese pear											
Broad beans	5WHL			5							4	Pear											
Peanuts (dry)	5WHL			5							4	Quince	1WHL			1							4
Other legumes/pulses	5WHL			5		0.1					3-1	Loquat	1WHL			1							4
Potato	1WHL			1		0.1					3-1	Peach	1WHL			1							4
Taro	1WHL			1		0.1					3-1	Nectarine	1WHL			1							4
Sweet potato	1WHL			1		0.1					3-1	Apricot	1WHL			1							4
Yam	1WHL			1		0.1					3-1	Japanese plum (including Prunes)	1WHL			1							4
Konjac	1WHL			1							4	Mume plum	1WHL			1							4
Other potatoes	1WHL			1		0.1					3-1	Cherry	1WHL			1							4
Sugar beet	0.1FC					0.1					5-1	Strawberry	1WHL			1							4
Sugarcane												Raspberry	1WHL			1							4
												Blackberry	1WHL			1							4
Japanese radish (including Radish) (root)	5WHL			5		0.1					3-1	Blueberry	1WHL			1							4
Japanese radish (including Radish) (leaf)	5WHL			5							4	Cranberry	1WHL			1							4
Turnip (including Rutabaga) (root)	5WHL			5		0.1					3-1	Huckleberry	1WHL			1							4
Turnip (including Rutabaga) (leaf)	5WHL			5							4	Other berries	1WHL			1							4
Horseradish	5WHL			5		0.1					3-1												
Watercress	5WHL			5		0.1					3-1	Grape	1WHL			1							
Chinese cabbage	5WHL			5							3-1	Japanese persimmon	1WHL						2				3-1
Cabbage	5WHL			5		0.1					3-1												4
Brussels sprouts	5WHL			5		0.1					3-1	Banana	1WHL			1							4
Kale	5WHL			5		0.1					3-1	Kiwifruit	1WHL			1							4
KOMATSUNA	5WHL			5		0.1					3-1	Papaya	1WHL			1							4
KYONA	5WHL			5		0.1					3-1	Avocado	1WHL			1							4
Qing-geng-cai	5WHL			5		0.1					3-1	Pineapple	1WHL			1							4
Cauliflower	5WHL			5		0.1					3-1	Guava	1WHL			1							4
Broccoli	5WHL			5		0.1					3-1	Mango	1WHL			1							4
Other cruciferous vegetables	5WHL			5		0.1					3-1	Passion fruit	1WHL			1							4
												Date	1WHL			1							4
Burdock	5WHL			5		0.1					3-1												
Salsify	5WHL			5							3-1	Other fruits	1WHL			1							4
Artichoke	5WHL			5							4												
Chicory	5WHL			5							4	Sunflower seeds	1WHL			1			0.1				3-1
Endive	5WHL			5		0.1					3-1	Sesam seeds	1WHL			1							4
SHUNGIKU	5WHL			5		0.1					3-1	Safflower seeds	1WHL			1							4
Lettuce (Cos lettuce, Leaf lettuce)	5WHL			5		0.1	1				3-1	Cotton seeds	1WHL			1			0.1				3-1
Other composite vegetables	5WHL			5		0.1					3-1	Rape seeds	1WHL			1							4
												Other oil seeds	1WHL			1							4
Onion	5WHL			5			0.5				3-1												
Welsh (including Leek)	5WHL			5							4	Ginkgo nut	1WHL			1							4
Garlic	5WHL			5							4	Chestnut	1WHL			1							4
NIRA	5WHL			5							4	Pecan	1WHL			1							4
Asparagus	5WHL			5							4	Almond	1WHL			1							4
Multiplying onion (including Shallot)	5WHL			5							4	Walnut	1WHL			1							4
Other liliaceous vegetables	5WHL			5							4	Other nuts	1WHL			1							4
Carrot	5WHL			5		0.1					3-1	Tea (Green, Black, Oolong, Wulong tea)											
Parsnip	5WHL			5		0.1					3-1												
Parsley	5WHL			5		0.1					3-1	Cocoa beans											
Celery	5WHL			5		0.1					3-1	Hop											
MITSUBA	5WHL			5							4												
Other umbelliferous vegetables	5WHL			5		0.1					3-1	Cattle, muscle											
												Pig, muscle											
Tomato	5WHL			5							4	Sheep, muscle											
Tomato (Sweet pepper)	5WHL			5							4	Horse, muscle											
Egg plant	5WHL			5							4	Deer, muscle											
Other Solanaceous vegetables	5WHL			5							4	Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)	5WHL			5		0.1	0.5				3-1	Reindeer, muscle											
Pumpkin (including Squash)	5WHL			5		0.1	0.5				3-1	Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)	5WHL			5		0.1	0.5				3-1												
Watermelon	1WHL			1		0.1	0.5				3-1	Cattle, fat											
Melons	1WHL			1		0.1	0.5				3-1	Pig, fat											
MAKUWAURI	1WHL			1		0.1	0.5				3-1	Sheep, fat											
Other cucurbitaceous vegetables	5WHL			5		0.1	0.5				3-1	Horse, fat											
												Deer, fat											
Spinach	5WHL			5		0.1					3-1	Goat, fat											
Bamboo shoots	5WHL			5							4	Rabbit, fat											
Okra	5WHL			5							4	Reindeer, fat											
Ginger	5WHL			5							4	Other terrestrial mammals, fat											
Peas (with pods, immature)	5WHL			5		0.1					3-1												
Kidney beans (with pods, immature)	5WHL			5							4	Cattle, liver											
Soybeans	5WHL			5		0.1					3-1	Pig, liver											
												Sheep, liver											
Button mushroom	5WHL			5							4	Horse, liver											
SHITAKE	5WHL			5							4	Deer, liver											
Other mushrooms	5WHL			5							4	Goat, liver											
Other vegetables	5WHL			5		0.1					3-1	Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

OXADIXYL

[illegible]

447. OXAMYL

[illegible]

OXAMYL

[illegible]

448. OXFENDAZOLE / FEBANTEL / FENBENDAZOLE (as oxfendazole sulphone)

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Corn (including Maize Sweet corn)												Lemon												
Buckwheat												Orange (including Navel)												
Other cereal grains												Grapefruit												
												Lime												
												Other citrus fruits												
Soybeans (dry)												Apple												
Beans (dry) *												Japanese pear												
Peas												Pear												
Broad beans												Quince												
Peanuts (dry)												Loquat												
Other legumes/pulses																								
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
												Blackberry												
												Blueberry												
Japanese radish (including Radish) (root)												Cranberry												
Japanese radish (including Radish) (leaf)												Huckleberry												
Turnip (including Rutabaga) (root)												Other berries												
Turnip (including Rutabaga) (leaf)																								
Horseradish												Grape												
Watercress												Japanese persimmon												
Chinese cabbage																								
Cabbage																								
Brussels sprouts												Banana												
Kale												Kiwifruit												
KOMATSUNA												Papaya												
KYONA												Avocado												
Qing-geng-cai												Pineapple												
Cauliflower												Guava												
Broccoli												Mango												
Other cruciferous vegetables												Passion fruit												
												Date												
Burdock												Other fruits												
Salsify																								
Artichoke												Sunflower seeds												
Chicory												Sesam seeds												
Endive												Safflower seeds												
SHINGIKU												Cotton seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds												
Other composite vegetables												Other oil seeds												
Onion																								
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan												
Asparagus												Almond												
Multiplying onion (including Shallot)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)												
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop												
MITSUBA																								
Other umbelliferous vegetables												Cattle, muscle	0.1	Codex			0.1	0.4(*1)	0.1(*2)			0.05	0.03(*4)	2
Tomato												Pig, muscle	0.1	Codex	0.02(*1)		0.1	2(*1)	0.1(*2)			0.05	0.03(*4)	1-1
Pimento (Sweet pepper)												Sheep, muscle	0.1	Codex	0.02(*1)		0.1	0.5(*1)			0.05	0.03(*4)	2	
Egg plant												Deer, muscle	0.07	FC			0.1	0.1(*2)				0.03(*4)	5-1	
Other solanaceous vegetables												Goat, muscle	0.1	Codex		0.1	0.4(*1)	0.5(*1)				0.03(*4)	2	
Cucumber (including Gherkin)												Rabbit, muscle	0.07	FC			0.1	0.1(*2)				0.03(*4)	5-1	
Pumpkin (including Squash)												Reindeer, muscle	0.07	FC			0.1	0.1(*2)				0.03(*4)	5-1	
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle	0.07	FC			0.1	0.1(*2)				0.03(*4)	5-1	
Water melon												Cattle, fat	0.1	Codex			0.1					0.05	2	
Melons												Pig, fat	0.1	Codex	0.02(*1)		0.1						1-1	
MAKUWAI												Sheep, fat	0.1	Codex			0.1					0.05	2	
Other cucurbitaceous vegetables												Horse, fat	0.1	Codex	0.02(*1)		0.1					0.05	1-1	
Spinach												Deer, fat												
Bamboo shoots												Goat, fat	0.1	Codex			0.1						2	
Okra												Rabbit, fat												
Ginger												Reindeer, fat												
Peas (with pods, immature)												Other terrestrial mammals, fat												
Kidney beans (with pods, immature)												Cattle, liver	0.5	Codex		0.5	0.8(*1)	3(*2)	0.45(*1)		0.5	1.5(*4)	2	
Soybeans												Pig, liver	0.5	Codex	0.02(*1)	0.5	6(*1)	3(*2)	4.5(*1)		0.5	1.5(*4)	1-1	
Button mushroom												Sheep, liver	0.5	Codex		0.5	3.5(*3)				0.5	1.5(*4)	2	
SHIITAKE												Horse, liver	0.5	Codex	0.02(*1)	0.5	3(*2)				0.5	1.5(*4)	1-1	
Other mushrooms												Deer, liver	2	FC			3(*2)					1.5(*4)	5-1	
Other vegetables												Goat, liver	0.5	Codex		0.5	0.8(*1)	3.5(*3)				1.5(*4)	2	
												Rabbit, liver	2	FC			3(*2)					1.5(*4)	5-1	
												Reindeer, liver	2	FC			3(*2)					1.5(*4)	5-1	
												Other terrestrial mammals, liver	2	FC			3(*2)					1.5(*4)	5-1	

OXFENDAZOLE / FEBANTEL / FENBENDAZOLE (as oxfendazole sulphone)

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	Codex			0.1		3(*2)		0.05	0.01(*2)	2	Catfish											
Pig, kidney	0.1	Codex			0.1		3(*2)		0.05	0.01(*2)	2	Other freshwater fish											
Sheep, kidney	0.1	Codex			0.1		3.5(*3)		0.05	0.01(*2)	2												
Horse, kidney	0.1	Codex	0.02(*1)		0.1		3(*2)		0.05	0.01(*2)	1-1	Salmon											
Deer, kidney	2	FC					3(*2)			0.01(*2)	5-1	Trout											
Goat, kidney	0.1	Codex			0.1		3.5(*3)			0.01(*2)	2	Other salmonidae											
Rabbit, kidney	2	FC					3(*2)			0.01(*2)	5-1	Other diadromous fish											
Reindeer, kidney	2	FC					3(*2)			0.01(*2)	5-1												
Other terrestrial mammals, kidney	2	FC					3(*2)			0.01(*2)	5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	2	FC					3(*2)			0.01(*2)	5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	2	FC	0.02(*1)				3(*2)			0.01(*2)	3-2-1	Lobster											
Sheep, edible offal excluding liver and kidney	2	FC					3.5(*3)			0.01(*2)	5-1	Crayfish											
Horse, edible offal excluding liver and kidney	2	FC	0.02(*1)				3(*2)			0.01(*2)	3-2-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	2	FC					3(*2)			0.01(*2)	5-1												
Goat, edible offal excluding liver and kidney	2	FC					3.5(*3)			0.01(*2)	5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	2	FC					3(*2)			0.01(*2)	5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	2	FC					3(*2)			0.01(*2)	5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	2	FC					3(*2)			0.01(*2)	5-1												
Cattle, milk	0.1	Codex			0.1	0.6(*1)	0.2(*4)		0.01		2	Other animals											
Sheep, milk	0.1	Codex			0.1		0.2(*4)		0.01		2	Honey											
Goat, milk	0.2	FC					0.2(*4)				5-1												
Other terrestrial mammals, milk	0.2	FC					0.2(*4)				5-1												
Chicken, muscle	0.03	FC								0.03(*4)	5-1												
Duck, muscle	0.03	FC								0.03(*4)	5-1												
Turkey, muscle	1	FC				2(*1)				0.03(*4)	5-1												
Quail, muscle	0.03	FC								0.03(*4)	5-1												
Goose, muscle	0.03	FC								0.03(*4)	5-1												
Pheasant, muscle	0.03	FC								0.03(*4)	5-1												
Chukar partridge, muscle	0.03	FC								0.03(*4)	5-1												
Other poultry, muscle	0.03	FC								0.03(*4)	5-1												
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver	2	FC								1.5(*4)	5-1												
Duck, liver	2	FC								1.5(*4)	5-1												
Turkey, liver	2	FC				2(*1)				1.5(*4)	5-1												
Quail, liver	2	FC								1.5(*4)	5-1												
Goose, liver	2	FC								1.5(*4)	5-1												
Pheasant, liver	2	FC								1.5(*4)	5-1												
Chukar partridge, liver	2	FC								1.5(*4)	5-1												
Other poultry, liver	2	FC								1.5(*4)	5-1												
Chicken, kidney	0.01	FC								0.01(*2)	5-1												
Duck, kidney	0.01	FC								0.01(*2)	5-1												
Turkey, kidney	0.01	FC								0.01(*2)	5-1												
Quail, kidney	0.01	FC								0.01(*2)	5-1												
Goose, kidney	0.01	FC								0.01(*2)	5-1												
Pheasant, kidney	0.01	FC								0.01(*2)	5-1												
Chukar partridge, kidney	0.01	FC								0.01(*2)	5-1												
Other poultry, kidney	0.01	FC								0.01(*2)	5-1												
Chicken, edible offal excluding liver and kidney	0.01	FC								0.01(*2)	5-1												
Duck, edible offal excluding liver and kidney	0.01	FC								0.01(*2)	5-1												
Turkey, edible offal excluding liver and kidney	0.01	FC								0.01(*2)	5-1												
Quail, edible offal excluding liver and kidney	0.01	FC								0.01(*2)	5-1												
Goose, edible offal excluding liver and kidney	0.01	FC								0.01(*2)	5-1												
Pheasant, edible offal excluding liver and kidney	0.01	FC								0.01(*2)	5-1												
Chukar partridge, edible offal excluding liver and kidney	0.01	FC								0.01(*2)	5-1												
Other poultry, edible offal excluding liver and kidney	0.01	FC								0.01(*2)	5-1												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

- *1. Calculated as FENBENDAZOLE.
 *2. Calculated as OXFENDAZOLE..
 *3. 3 ppm for OXFENDAZOLE, 0.5 ppm for FENBENDAZOLE.
 *4. Sum of OXFENDAZOLE, FENBENDAZOLE, and FEBANTEL.

For edible offal, excluding livers and kidneys, of pigs and horses, the PR-MRLs were harmonized with the corresponding PR-MRLs for pigs, horses, and other animal species.

[illegible]

[illegible]

450. OXINE-COPPER

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	2	WHL		2								4
												NATSUDAIDAI (flesh)												
Wheat	0.1	WHL		0.1							4	NATSUDAIDAI (peel)	5	WHL		5								4
Barley				0.1							4	NATSUDAIDAI (whole)												4
Rye	0.1	WHL		0.1							4	Lemon	2	WHL		2								4
Corn (including Maize, Sweet corn)	0.1	WHL		0.1							4	Orange (including Navel)	2	WHL		2								4
Buckwheat	0.1	WHL		0.1							4	Grapefruit	2	WHL		2								4
Other cereal grains	0.1	WHL		0.1							4	Lime	2	WHL		2								4
												Other citrus fruits	2	WHL		2								4
Soybeans (dry)																								
Beans (dry)												Apple	2	WHL		2								4
Peas												Japanese pear	2	WHL		2								4
Broad beans												Pear	2	WHL		2								4
Peanuts (dry)												Quince	2	WHL		2								4
Other legumes/pulses												Loquat	2	WHL		2								4
	0.1	WHL		0.1							4													
Taro	0.1	WHL		0.1							4	Nectarine	2	WHL		2								4
Sweet potato	0.1	WHL		0.1							4	Apricot	2	WHL		2								4
Yam	0.1	WHL		0.1							4	Japanese plum (including Prunes)	2	WHL		2								4
Konjac	0.1	WHL		0.1							4	Mume plum	2	WHL		2								4
Other potatoes	0.1	WHL		0.1							4	Cherry	2	WHL		2								4
Sugar beet												Strawberry	2	WHL		2								4
Sugarcane												Raspberry	2	WHL		2								4
												Blackberry	2	WHL		2								4
Japanese radish (including Radish) (root)	1	WHL		1							4	Blueberry	2	WHL		2								4
Japanese radish (including Radish) (leaf)	1	WHL		1							4	Cranberry	2	WHL		2								4
	1	WHL		1							4	Huckleberry	2	WHL		2								4
Turnip (including Rutabaga) (root)	1	WHL		1							4	Other berries	2	WHL		2								4
Turnip (including Rutabaga) (leaf)	1	WHL		1							4													
Horseradish	1	WHL		1							4	Grape	2	WHL		2								4
Watercress	1	WHL		1							4	Japanese persimon	2	WHL		2								4
Chinese cabbage	1	WHL		1							4													
Cabbage	1	WHL		1							4	Banana	2	WHL		2								4
Brussels sprouts	1	WHL		1							4	Kiwifruit	2	WHL		2								4
Kale	1	WHL		1							4	Avocado	2	WHL		2								4
OHATA SUBA	1	WHL		1							4	Pineapple	2	WHL		2								4
KYONA	1	WHL		1							4	Guava	2	WHL		2								4
Qing-geng-cai	1	WHL		1							4	Mango	2	WHL		2								4
Cauliflower	1	WHL		1							4	Passion fruit	2	WHL		2								4
Broccoli	1	WHL		1							4	Date	2	WHL		2								4
Other cruciferous vegetables	1	WHL		1							4	Other fruits	2	WHL		2								4
Burdock	1	WHL		1							4													
Salsify	1	WHL		1							4	Sunflower seeds	2	WHL		2								4
Artichoke	1	WHL		1							4	Sesam seeds	2	WHL		2								4
Chicory	1	WHL		1							4	Safflower seeds	2	WHL		2								4
Endive	1	WHL		1							4	Cotton seeds	2	WHL		2								4
SHUNGIKU	1	WHL		1							4	Rape seeds	2	WHL		2								4
lettuce (Cos lettuce, Leaf lettuce)	1	WHL		1							4	Other oil seeds	2	WHL		2								4
Other composite vegetables	1	WHL		1							4													
Onion	1	WHL		1							4	Ginkgo nut	2	WHL		2								4
Welsh (including Leek)	1	WHL		1							4	Chestnut	2	WHL		2								4
Garlic	1	WHL		1							4	Pecan	2	WHL		2								4
NIRA	1	WHL		1							4	Almond	2	WHL		2								4
Asparagus	1	WHL		1							4	Walnut	2	WHL		2								4
Multipin onion (including Shallot)	1	WHL		1							4	Other nuts	2	WHL		2								4
Other liliaceous vegetables	1	WHL		1							4													
	1	WHL		1							4	Tea (Green, Black, Oolong, Wulong tea)												
Carrot	1	WHL		1							4	Coffee beans												
Parsnip	1	WHL		1							4	Cacao beans												
Parsley	1	WHL		1							4	Hop	10	WHL		10								4
Celery	1	WHL		1							4													
MITSUBA	1	WHL		1							4	Cattle, muscle												
Other umbelliferous vegetables	1	WHL		1							4	Pig, muscle												
	1	WHL		1							4	Sheep, muscle												
Tomato	1	WHL		1							4	Horse, muscle												
Pimento (Sweet pepper)	1	WHL		1							4	Deer, muscle												
egg plant	1	WHL		1							4	Goat, muscle												
Other Solanaceous vegetables	1	WHL		1							4	Rabbit, muscle												
	1	WHL		1							4	Reindeer, muscle												
Cucumber (including Gherkin)	1	WHL		1							4	Other terrestrial mammals, muscle												
Pumpkin (including Squash)	1	WHL		1							4													
Oriental pickling melon (vegetable)	1	WHL		1							4	Cattle, fat												
Water melon	2	WHL		2							4	Pig, fat												
Melons	2	WHL		2							4	Sheep, fat												
Other cucurbitaceous vegetables	1	WHL		1							4	Horse, fat												
	1	WHL		1							4	Deer, fat												
Spinach	1	WHL		1							4	Goat, fat												
Bamboo shoots	1	WHL		1							4	Rabbit, fat												
Okra	1	WHL		1							4	Reindeer, fat												
ginger	1	WHL		1							4	Other terrestrial mammals, fat												
Peas (with pods, immature)	1	WHL		1							4													
Kidney beans (with pods, immature)	1	WHL		1							4	Cattle, liver												
Soybeans	1	WHL		1							4	Pig, liver												
	1	WHL		1							4	Sheep, liver												
Button mushroom	1	WHL		1							4	Horse, liver												
SHIITAKE	1	WHL		1							4	Deer, liver												
Other mushrooms	1	WHL		1							4	Goat, liver												
Other vegetables	1	WHL		1							4	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

OXINE-COPPER

[illegible]