

[illegible]

## PENETHAMATE

[illegible]

## 467. PENICILLIN

[illegible]

## PENICILLIN

[illegible]

## 468. PERMETHRIN

[illegible]

# "WHL" for the stock farm and aquatic products show the 'Limit of detection' or 'Limit of determination' under the Pharmaceutical Affairs Law

[illegible]

## 469. PHENMEDIPHAM

[illegible]

# PHENMEDIPHAM

[illegible]



## 470. PHENOTHRIN

[illegible]

## PHENOTHRIN

[illegible]

[illegible]

[illegible]

## 472. PHENTHOATE

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.05	MRL	0.05	.....	.....	.....	.....	.....	.....	.....	4	UNSHU orange	0.1	MRL	0.1	.....	.....	.....	.....	.....	.....	.....	4
											4	NATSUDAIDAI (flesh)											4
Wheat	0.4	WHL		0.4							4	NATSUDAIDAI (peel)											4
Barley	0.4	WHL		0.4							4	NATSUDAIDAI (whole)	0.1	WHL		0.1							4
Rye	0.4	WHL		0.4							4	Orange (including Navel)	0.1	WHL		0.1							4
Corn (including Maize, Sweet corn)	0.4	WHL		0.4							4	Grapefruit	0.1	WHL		0.1							4
Buckwheat	0.4	WHL		0.4							4	Lime	0.1	WHL		0.1							4
Other cereal grains	0.4	WHL		0.4							4	Other citrus fruits	0.1	WHL		0.1							4
Soybeans (dry)	0.05	WHL		0.05							4												4
Beans (dry) *	0.05	WHL		0.05							4	Apple	0.1	WHL		0.1							4
Peas	0.05	WHL		0.05							4	Japanese pear	0.1	MRL	0.1	.....							4
Broad beans	0.05	WHL		0.05							4	Pear	0.1	MRL	0.1	.....							4
Peanuts (dry)	0.05	WHL		0.05							4	Quince	0.1	WHL		0.1							4
Other legumes/pulses	0.05	WHL		0.05							4	Loquat	0.1	WHL		0.1							4
Potato	0.05	WHL		0.05							4	Peach	0.1	MRL	0.1	.....							4
Taro	0.05	WHL		0.05							4	Nectarine	0.1	WHL		0.1							4
Sweet potato	0.05	WHL		0.05							4	Apricot	0.1	WHL		0.1							4
Yam	0.05	WHL		0.05							4	Japanese plum (including Prunes)	0.1	WHL		0.1							4
Konjac	0.05	WHL		0.05							4	Mume plum	0.1	WHL		0.1							4
Other potatoes	0.05	WHL		0.05							4	Cherry	0.1	WHL		0.1							4
Sugar beet												Strawberry	0.1	WHL		0.1							4
Sugarcane												Raspberry	0.1	WHL		0.1							4
												Blackberry	0.1	WHL		0.1							4
Japanese radish (including Radish) (root)	0.1	WHL		0.1							4	Blueberry	0.1	WHL		0.1							4
Japanese radish (including Radish) (leaf)	0.1	WHL		0.1							4	Cranberry	0.1	WHL		0.1							4
Turnip (including Rutabaga) (root)	0.1	WHL		0.1							4	Huckleberry	0.1	WHL		0.1							4
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1							4	Other berries	0.1	WHL		0.1							4
Horseradish	0.1	WHL		0.1							4												4
Watercress	0.1	WHL		0.1							4	Grape	0.1	WHL		0.1							4

## PHENTHOATE

[illegible]

### 473. PHORATE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat	0.05	Code			0.05	0.05			0.05		2	NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.05	Code			0.05	0.1	0.5		0.05		2	Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains	0.05	Code			0.05	0.1			0.05		2	Grapefruit											
Soybeans (dry)	0.05	Code			0.05	0.1	0.5		0.05		2	Lime											
Beans (dry)	0.2	FC				0.1	0.5		0.05		5-1	Other citrus fruits											
Peas	0.3	FC					0.5		0.05		5-1	Apple											
Broad beans	0.3	FC					0.5		0.05		5-1	Japanese pear											
Peanuts (dry)	0.1	Code			0.1	0.1			0.1		2	Pear											
Other legumes/pulses	0.3	FC					0.5		0.05		5-1	Quince											
												Loquat											
Potato	0.2	Code			0.2	0.5	0.5		0.05		2	Peach											
Taro	0.3	FC					0.5		0.05		5-1	Nectarine											
Sweet potato	0.3	FC					0.5		0.05		5-1	Apricot											
Yam	0.3	FC					0.5		0.05		5-1	Japanese plum (including Prunes)											
Konjac	0.3	FC					0.5		0.05		5-1	Mume plum											
Other potatoes	0.3	FC					0.5		0.05		5-1	Cherry											
Sugar beet	0.05	Code			0.05	0.3	0.5		0.05		2	Strawberry											
Sugarcane	0.1	FC				0.1					5-1	Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)	0.3	FC					0.5		0.05		5-1	Blueberry											
Japanese radish (including Radish) (leaf)	0.3	FC					0.5		0.05		5-1	Cranberry											
Turnip (including Rutabaga) (root)	0.3	FC					0.5		0.05		5-1	Blackberry											
Turnip (including Rutabaga) (leaf)	0.3	FC					0.5		0.05		5-1	Other berries											
Horseradish	0.3	FC					0.5		0.05		5-1												
Watercress	0.3	FC					0.5		0.05		5-1	Grape											
Chinese cabbage	0.3	FC					0.5		0.05		5-1	Japanese persimon											
Cabbage	0.3	FC					0.5		0.05		5-1												
Brussels sprouts	0.3	FC					0.5		0.05		5-1	Banana											
Kale	0.3	FC					0.5		0.05		5-1	Kiwifruit											
KOMATSUNA	0.3	FC					0.5		0.05		5-1	Papaya											
KYONA	0.3	FC					0.5		0.05		5-1	Avocado											
Qing-geng-cai	0.3	FC					0.5		0.05		5-1	Pineapple											
Cauliflower	0.3	FC					0.5		0.05		5-1	Guava											
Broccoli	0.3	FC					0.5		0.05		5-1	Mango											
Other cruciferous vegetables	0.3	FC					0.5		0.05		5-1	Cassia fruit											
												Date											
Burdock	0.3	FC					0.5		0.05		5-1												
Salsify	0.3	FC					0.5		0.05		5-1	Other fruits	0.3	FC					0.5		0.05		5-1
Artichoke	0.3	FC					0.5		0.05		5-1												
Chicory	0.3	FC					0.5		0.05		5-1	Sunflower seeds											
Endive	0.3	FC					0.5		0.05		5-1	Sesam seeds											
SHIMOKU	0.3	FC					0.5		0.05		5-1	Citric acid											
Lettuce (Cos lettuce, Leaf lettuce)	0.3	FC					0.5		0.05		5-1	Cotton seeds	0.05	Code			0.05	0.05	0.5		0.05		2
Other composite vegetables	0.3	FC					0.5		0.05		5-1	Rape seeds											
												Other oil seeds											
Onion	0.3	FC					0.5		0.05		5-1												
Welsh (including Leek)	0.3	FC					0.5		0.05		5-1	Ginkgo nut											
Garlic	0.3	FC					0.5		0.05		5-1	Chestnut											
NIRA												Pecan											
Asparagus	0.3	FC					0.5		0.05		5-1	Almond											
Multiplying onion (including Shallot)	0.3	FC					0.5		0.05		5-1	Walnut											
Other liliaceous vegetables	0.3	FC					0.5		0.05		5-1	Other nuts											
Carrot	0.3	FC					0.5		0.05		5-1	Tea (Green, Black, Oolong, Wulong tea)											
Parsnip	0.3	FC					0.5		0.05		5-1	Coffee beans	0.05	FC				0.02					5-1
Parsley	0.3	FC										Cacao beans											
Celery	0.3	FC					0.5		0.05		5-1	Hop	0.3	FC				0.5			0.1		5-1
MITSUBA																							
Other umbelliferous vegetables	0.3	FC					0.5		0.05		5-1	Cattle, muscle	0.05	Code			0.05						2
												Pig, muscle	0.05	Code			0.05						2
Tomato	0.3	FC					0.5		0.05		5-1	Sheep, muscle	0.05	Code			0.05						2
Pumpkin (including Squash)	0.3	FC					0.5		0.05		5-1	Goat, muscle	0.05	Code			0.05						2
Other Solanaceous vegetables	0.3	FC					0.5		0.05		5-1	Deer, muscle	0.05	Code			0.05						2
												Goat, muscle	0.05	Code			0.05						2
Cucumber (including Gherkin)	0.3	FC					0.5		0.05		5-1	Rabbit, muscle	0.05	Code			0.05						2
Pumpkin (including Squash)	0.3	FC					0.5		0.05		5-1	Reindeer, muscle	0.05	Code			0.05						2
Oriental pickling melon (vegetable)	0.3	FC					0.5		0.05		5-1	Other terrestrial mammals, muscle	0.05	Code			0.05						2
Watermelon	0.3	FC					0.5		0.05		5-1												
Melons	0.3	FC					0.5		0.05		5-1	Pig, fat											
MAKUWAURI	0.3	FC					0.5		0.05		5-1	Sheep, fat											
Other cucurbitaceous vegetables	0.3	FC					0.5		0.05		5-1	Horse, fat											
												Deer, fat											
Spinach	0.3	FC					0.5		0.05		5-1	Goat, fat											
Bamboo shoots	0.3	FC					0.5		0.05		5-1	Rabbit, fat											
Okra	0.5	FC					0.5				5-1	Reindeer, fat											
Ginger												Other terrestrial mammals, fat											
Peas (with pods, immature)	0.3	FC					0.5		0.05		5-1												
Kidney beans (with pods, immature)	0.1	Code			0.1		0.5		0.05		2	Cattle, liver											
Soybeans	0.2	FC				0.1	0.5		0.05		5-1	Pig, liver											
												Sheep, liver											
Shiitake mushroom	0.3	FC					0.5		0.05		5-1	Horse, liver											
SHIITAKE	0.3	FC					0.5		0.05		5-1	Deer, liver											
Other mushrooms	0.3	FC					0.5		0.05		5-1	Goat, liver											
Other vegetables	1	FC				3	0.5		0.05		5-1	Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

## PHORATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Cattle, edible offal excluding liver and kidney												Other freshwater fish											
Pig, kidney																							
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk	0.05	Codex			0.05						2												
Sheep , milk	0.05	Codex			0.05						2	honey											
Goat, milk	0.05	Codex			0.05						2												
Other terrestrial mammals, milk	0.05	Codex			0.05						2												
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quial, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quial, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quial, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quial, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quial, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs	0.05	Codex			0.05						2												
Turkey, eggs	0.05	Codex			0.05						2												
Other poultry, eggs	0.05	Codex			0.05						2												





# PHOSALONE

[illegible]

## 475. PHOSMET

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	WHL		0.1							4	UNSHU orange	5	Codex		0.1	5	5					10	1-1
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)	2	WHL		2								4
Rye												NATSUDAIDAI (whole)	5	Codex			5	5						10
Corn (including Maize, Sweet corn)												Lemon	5	Codex		0.1	5	5						10
Buckwheat												Orange (including Navel)	5	Codex		0.1	5	5						10
Other cereal grains												Grapefruit	5	Codex		0.1	5	5						10
Soybeans (dry)	0.05	WHL		0.05							4	Lime	5	Codex		0.1	5	5						10
Beans (dry)	0.05	WHL		0.05								Other citrus fruits	5	Codex		0.1	5	5						10
Peas	0.05	WHL		0.05		0.5					3-1	Apple	10	Codex		0.1	10	10	1	10				10
Broad beans	0.05	WHL		0.05								Japanese pear	10	Codex			10		1	10				10
Peanuts (dry)	0.05	WHL		0.05							4	Pear	10	Codex			10	10	1	10				10
Other legumes/pulses	0.05	WHL		0.05		0.5					3-1	Quince	0.1	WHL		0.1			1					10
												Loquat	0.1	WHL		0.1			1					10
Taro	0.05	Codex			0.05	0.1					2	Peach	10	Codex		0.1	10	10	1	10				10
Sweet potato	10	FC				10					5-1	Nectarine	5	Codex		0.1	5	5	1	10				10
Yam												Apricot	5	Codex		0.1	5	5	1					10
Konjac												Japanese plum (including Prunes)	0.1	WHL		0.1		5	1	5				10
Other potatoes												Mume plum	0.1	WHL		0.1			1					10
Sugar beet												Cherry	0.1	WHL		0.1		10	1	7				10
Sugarcane												Strawberry	0.1	WHL		0.1								10
												Raspberry	0.1	WHL		0.1								10
												Blackberry	0.1	WHL		0.1								10
Japanese radish (including Radish) (root)	1	WHL		1							4	Blueberry	10	Codex		0.1	10	10		5				10
Japanese radish (including Radish) (leaf)	1	WHL		1							4	Cranberry	0.1	WHL		0.1		10						10
Turnip (including Rutabaga) (root)	1	WHL		1							4	Huckleberry	10	Codex		0.1	10				0.15			10
Turnip (including Rutabaga) (leaf)	1	WHL		1							4	Other berries	0.1	WHL		0.1								10
Horseradish	1	WHL		1							4													
Watercress	1	WHL		1							4	Grape	10	Codex		0.1	10	10		10				10
Chinese cabbage	1	WHL		1							4	Japanese persimon	0.1	WHL		0.1								10
Cabbage	1	WHL		1							4													10
Brussels sprouts	1	WHL		1							4	Banana	0.1	WHL		0.1								10
Kale	1	WHL		1							4	Kiwifruit	0.1	WHL		0.1		25	15	1				15
KOMATSUNA	1	WHL		1							4													10
KYONA	1	WHL		1							4	Avocado	0.1	WHL		0.1								10
Qing-geng-cai	1	WHL		1							4	Pineapple	0.1	WHL		0.1								10
Cauliflower	1	WHL		1							4	Guava	0.1	WHL		0.1								10
Broccoli	1	WHL		1							4	Mango	0.1	WHL		0.1								10
Other cruciferous vegetables	1	WHL		1							4	Passion fruit	0.1	WHL		0.1								10
												Date	0.1	WHL		0.1								10
Burdock	1	WHL		1							4													
Salsify	1	WHL		1							4	Other fruits	0.1	Codex		0.1	0.1							10
Artichoke	1	WHL		1							4													
Chicory	1	WHL		1							4	Sunflower seeds	0.1	WHL		0.1								4
Endive	1	WHL		1							4	Sesam seeds	0.1	WHL		0.1								4
SHUNGIKU	1	WHL		1							4	Safflower seeds	0.1	WHL		0.1								4
Lettuce (Cos lettuce, Leaf lettuce)	1	WHL		1							4	Cotton seeds	0.05	Codex		0.1	0.05	0.1						4
Other composite vegetables	1	WHL		1							4	Rape seeds	0.1	WHL		0.1								4
												Other oil seeds	0.1	WHL		0.1								4
Onion	1	WHL		1							4													
Welsh (including Leek)	1	WHL		1							4	Ginkgo nut	0.1	Codex		0.1	0.1							1-1
Garlic	1	WHL		1							4	Chestnut	0.1	Codex		0.1	0.1	0.1						1-1
NIRA	1	WHL		1							4	Pecan	0.1	Codex		0.1	0.1	0.1						1-1
Asparagus	1	WHL		1							4	Almond	0.1	Codex		0.1	0.1							1-1
Multipin onion (including Shallot)	1	WHL		1							4	Walnut	0.1	Codex		0.1	0.1							1-1
Other liliaceous vegetables	1	WHL		1							4	Other nuts	0.1	Codex		0.1	0.1							1-1
Carrot	1	WHL		1							4	Tea (Green, Black, Oolong, Wulong tea)	0.5	WHL		0.5								4
Parsnip	1	WHL		1							4	Coffee beans												
Parsley	1	WHL		1							4	Cacao beans												
Celery	1	WHL		1							4	Hop												
MITSUBA	1	WHL		1							4													
Other umbelliferous vegetables	1	WHL		1							4	Cattle, muscle	0.2	FC				0.2						5-1
Pig												Pig, muscle	0.2	FC				0.2	0.1					5-1
Tomato	1	WHL		1							4	Sheep, muscle	0.1	FC				0.2	0.05					5-1
Pimento (Sweet pepper)	1	WHL		1							4	Horse, muscle	0.2	FC				0.2						5-1
Egg plant	1	WHL		1							4	Deer, muscle												
Other Solanaceous vegetables	1	WHL		1							4	Goat, muscle	0.1	FC				0.2	0.05					5-1
												Rabbit, muscle												
Cucumber (including Gherkin)	1	WHL		1							4	Reindeer, muscle												
Pumpkin (including Squash)	1	WHL		1							4	Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)	1	WHL		1							4													
Water melon	0.1	WHL		0.1							4	Cattle, fat	0.6	FC				0.2	1					5-1
Melons	0.1	WHL		0.1							4	Pig, fat	0.2	FC				0.2						5-1
RAKUWAURI	0.1	WHL		0.1							4	Sheep, fat	0.2	FC				0.2						5-1
Other cucurbitaceous vegetables	1	WHL		1							4	Horse, fat	0.2	FC				0.2						5-1
												Deer, fat												
Spinach	1	WHL		1							4	Goat, fat	0.2	FC				0.2						5-1
Bamboo shoots	1	WHL		1							4	Rabbit, fat												
Okra	1	WHL		1							4	Reindeer, fat												
Onions	1	WHL		1							4	Other terrestrial mammals, fat												
Peas (with pods, immature)	1	WHL		1							4													
Kidney beans (with pods, immature)	1	WHL		1							4	Cattle, liver	0.6	FC				0.2	1					5-1
Soybeans	1	WHL		1							4	Pig, liver	0.2	FC				0.2	0.1					5-1
												Sheep, liver	0.1	FC				0.2	0.05					5-1
Button mushroom	1	WHL		1							4	Horse, liver	0.2	FC				0.2						5-1
SHIITAKE	1	WHL		1							4	Deer, liver												
Other mushrooms	1	WHL		1							4	Goat, liver	0.1	FC				0.2	0.05					5-1
Other vegetables	1	WHL		1		0.5					3-1	Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

# PHOSMET

[illegible]

## 476. PHOSPHAMIDON

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	Codex			0.1				0.05		2	UNSHU orange	0.4	Codex				0.4					0.15	2
Wheat	0.1	Codex			0.1				0.05		2	NATSUDAIDAI (flesh)												
Barley	0.1	Codex			0.1				0.05		2	NATSUDAIDAI (peel)	0.4	Codex				0.4					0.15	2
Rye	0.1	Codex			0.1				0.05		2	NATSUDAIDAI (whole)	0.4	Codex				0.4					0.15	2
Corn (including Maize, Sweet corn)	0.1	Codex			0.1				0.05		2	Lemon	0.4	Codex				0.4					0.15	2
Buckwheat	0.1	Codex			0.1				0.05		2	Orange (including Navel)	0.4	Codex				0.4					0.15	2
Other cereal grains	0.1	Codex			0.1				0.05		2	Grapefruit	0.4	Codex				0.4					0.15	2
Soybeans (dry)												Lime	0.4	Codex				0.4					0.15	2
Beans (dry)												Other citrus fruits	0.4	Codex				0.4					0.15	2
Peas	0.2	FC							0.15		5-1	Apple	0.5	Codex				0.5	1				0.15	2
Broad beans												Japanese pear	0.5	Codex				0.5					0.15	2
Peanuts (dry)												Pear	0.5	Codex				0.5					0.15	2
Other legumes/pulses												Quince	0.2	FC									0.15	5-1
												Loquat	0.2	FC									0.15	5-1
Potato												Peach	0.2	Codex				0.2					0.15	2
Taro	0.2	FC							0.15		5-1	Nectarine	0.2	FC									0.15	5-1
Sweet potato	0.2	FC							0.15		5-1	Apricot	0.2	FC									0.15	5-1
Yam	0.2	FC							0.15		5-1	Japanese plum (including Prunes)	0.2	Codex				0.2					0.15	2
Konjac	0.2	FC							0.15		5-1	Mume plum	0.2	FC									0.15	5-1
Other potatoes	0.2	FC							0.15		5-1	Cherry	0.2	Codex				0.2					0.15	2
Sugar beet	0.2	FC							0.15		5-1	Strawberry	0.2	Codex				0.2					0.15	2
Sugarcane												Raspberry	0.2	FC									0.15	5-1
Japanese radish (including Radish) (root)	0.2	FC							0.15		5-1	Blackberry	0.2	FC									0.15	5-1
Japanese radish (including Radish) (leaf)	0.2	FC							0.15		5-1	Blueberry	0.2	FC									0.15	5-1
Turnip (including Rutabaga) (root)	0.2	FC							0.15		5-1	Cranberry	0.2	FC									0.15	5-1
Turnip (including Rutabaga) (leaf)	0.2	FC							0.15		5-1	Huckleberry	0.2	FC									0.15	5-1
Horseradish	0.2	FC							0.15		5-1	Other berries	0.2	FC									0.15	5-1
Watercress	0.2	FC							0.15		5-1													
Chinese cabbage	0.2	FC							0.15		5-1	Grape	0.2	FC									0.15	5-1
Cabbage	0.2	Codex			0.2				0.15		2	Japanese persimon	0.2	FC									0.15	5-1
Brussels sprouts	0.2	Codex			0.2				0.15		2													
Kale	0.2	FC							0.15		5-1	Banana	0.2	FC								0.15	5-1	
OKARA	0.2	FC							0.15		5-1	Kiwifruit	0.2	FC								0.15	5-1	
KYONA	0.2	FC							0.15		5-1	Avocado	0.2	FC								0.15	5-1	
Qing-geng-cai	0.2	FC							0.15		5-1	Pineapple	0.2	FC								0.15	5-1	
Cauliflower	0.2	FC							0.15		5-1	Guava	0.2	FC								0.15	5-1	
Broccoli	0.2	Codex			0.2				0.15		2	Mango	0.2	FC								0.15	5-1	
Other cruciferous vegetables	0.2	FC							0.15		5-1	Passion fruit	0.2	FC								0.15	5-1	
Burdock	0.2	FC							0.15		5-1	Date	0.05	FC								0.05	5-1	
Salsify	0.2	FC							0.15		5-1	Other fruits	0.2	FC								0.15	5-1	
Artichoke	0.2	FC							0.15		5-1													
Chicory	0.2	FC							0.15		5-1	Sunflower seeds												
Endive	0.2	FC							0.15		5-1	Sesam seeds												
SHUNGIKU	0.2	FC							0.15		5-1	Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)	0.2	FC			0.1				0.15		2	Cotton seeds												
Other composite vegetables	0.2	FC							0.15		5-1	Rape seeds												
Onion	0.2	FC							0.15		5-1	Other oil seeds												
Welsh (including Leek)	0.2	FC							0.15		5-1	Ginkgo nut	0.2	FC								0.15	5-1	
Garlic	0.2	FC							0.15		5-1	Chestnut	0.2	FC								0.15	5-1	
NIRA	0.2	FC							0.15		5-1	Pecan	0.2	FC								0.15	5-1	
Asparagus	0.2	FC							0.15		5-1	Almond	0.2	FC								0.15	5-1	
Shiitake mushroom (including Shalloit)	0.2	FC							0.15		5-1	Walnut	0.2	FC								0.15	5-1	
Other liliaceous vegetables	0.2	FC							0.15		5-1	Other nuts	0.2	FC								0.15	5-1	
Carrot	0.2	Codex			0.2				0.15		2	Tea (Green, Black, Oolong, Wulong tea)	0.1	FC								0.1	5-1	
Parsnip	0.2	FC							0.15		5-1	Coffee beans												
Parsley												Cacao beans												
Celery	0.2	FC							0.15		5-1	Hop												
MITSUBA	0.2	FC							0.15		5-1													
Other umbelliferous vegetables	0.2	Codex			0.2				0.15		2	Cattle, muscle												
Tomato	0.1	Codex			0.1				0.15		2	Pig, muscle												
Pimento (Sweet pepper)	0.2	Codex			0.2				0.15		2	Sheep, muscle												
Egg plant	0.2	FC							0.15		5-1	Horse, muscle												
Other Solanaceous vegetables	0.2	Codex			0.2				0.15		2	Deer, muscle												
Cucumber (including Gherkin)	0.1	Codex			0.1				0.15		2	Goat, muscle												
Pumpkin (including Squash)												Rabbit, muscle												
Oriental pickling melon (vegetable)												Reindeer, muscle												
Water melon	0.1	Codex			0.1				0.15		2	Other terrestrial mammals, muscle												
Melons	0.2	FC							0.15		5-1													
Other cucurbitaceous vegetables												Cattle, fat												
Spinach	0.2	Codex			0.2				0.15		2	Pig, fat												
Bamboo shoots												Sheep, fat												
Okra	0.2	FC							0.15		5-1	Horse, fat												
Peas (with pods, immature)	0.2	Codex			0.2				0.15		2	Deer, fat												
Kidney beans (with pods, immature)	0.2	Codex			0.2				0.15		2	Goat, fat												
Soybeans	0.2	FC							0.15		5-1	Rabbit, fat												
Button mushroom	0.2	FC							0.15		5-1	Reindeer, fat												
SHIITAKE	0.2	FC							0.15		5-1	Other terrestrial mammals, fat												
Other mushrooms	0.2	FC							0.15		5-1	Cattle, liver												
Other vegetables	0.2	Codex			0.2				0.15		2	Pig, liver												
												Sheep, liver												
												Horse, liver												
												Deer, liver												
												Goat, liver												
												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

# PHOSPHAMIDON

[illegible]

## 477. PHOXIM

[illegible]

# PHOXIM

[illegible]



## 478. PICLORAM

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	FC					0.2				5-1	UNSHU orange											
Wheat	0.5	MRL	0.5									NATSUDAIDAI (flesh)											
Barley	0.5	MRL	0.5									NATSUDAIDAI (peel)											
Rye	0.2	FC					0.2				5-1	NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.2	FC					0.2				5-1	Lemon											
Buckwheat	0.2	FC					0.2				5-1	Orange (including Navel)											
Other cereal grains	0.5	MRL	0.5									Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane	0.01	FC					0.01				5-1	Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Tump (including Rutabaga) (root)												Cranberry											
Tump (including Rutabaga) (leaf)												Indigo berry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage												Banana											
Brussels sprouts												Kiwifruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits											
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHUNGIKU												Rape seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables																							
Onion												Ginkgo nut											
Welsh (including Leek)												Chestnut											
Garlic												Pecan											
NIRA												Almond											
Asparagus												Walnut											
Multiplying onion (including Shallot)												Other nuts											
Other liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)											
Carrot												Coffee beans											
Parsnip												Cacao beans											
Parsley												Hop											
Celery																							
Other umbelliferous vegetables												Cattle, muscle		0.1	FC			0.2	0.05				5-1
Tomato												Pig, muscle		0.1	FC			0.2	0.05				5-1
Pimento (Sweet pepper)												Sheep, muscle		0.1	FC			0.2	0.05				5-1
Egg plant												Horse, fat		0.1	FC			0.2	0.05				5-1
Other Solanaceous vegetables												Deer, muscle						0.2	0.05				5-1
Cucumber (including Gherkin)												Goat, muscle		0.1	FC								
Pumpkin (including Squash)												Reindeer, muscle											
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle											
Water melon												Cattle, fat		0.2	FC			0.2					5-1
Melons												Pig, fat		0.2	FC			0.2					5-1
MAKUWAURI												Sheep, fat		0.2	FC			0.2					5-1
Other cucurbitaceous vegetables												Horse, fat		0.2	FC			0.2					5-1
Spinach												Deer, fat											
Bamboo shoots												Goat, fat		0.2	FC			0.2					5-1
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver		3	FC			0.5	5				5-1
Soybeans												Pig, liver		3	FC			0.5	5				5-1
Button mushroom												Sheep, liver		3	FC			0.5	5				5-1
SHIITAKE												Horse, liver		3	FC			0.5	5				5-1
Other mushrooms												Deer, liver		5	FC				5				5-1
Other vegetables												Goat, liver		3	FC			0.5	5				5-1
												Rabbit, liver		5	FC				5				5-1
												Reindeer, liver		5	FC				5				5-1
												Other terrestrial mammals, liver		5	FC				5				5-1

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		5 FC				5	5				5-1	Catfish											
Pig, kidney		5 FC				5	5				5-1	Other freshwater fish											
Sheep, kidney		5 FC				5	5				5-1												
Horse, kidney		5 FC				5	5				5-1	Salmon											
Deer, kidney		5 FC				5	5				5-1	Trout											
Goat, kidney		5 FC				5	5				5-1	Other salmonidae											
Rabbit, kidney		5 FC				5	5				5-1	Other diadromou fish											
Reindeer, kidney		5 FC				5	5				5-1												
Other terrestrial mammals, kidney		5 FC				5	5				5-1	Other marine fish											
Cattle, edible offal excluding liver and kidney		5 FC				0.2	5				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney		5 FC				0.2	5				5-1	Lobster											
Sheep, edible offal excluding liver and kidney		3 FC				0.2	5				5-1	Crayfish											
Horse, edible offal excluding liver and kidney		3 FC				0.2	5				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney		5 FC				5	5				5-1												
Goat, edible offal excluding liver and kidney		3 FC				0.2	5				5-1	Oyster											
Rabbit, edible offal excluding liver and kidney		5 FC				5	5				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney		5 FC				5	5				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney		5 FC				5	5				5-1	Other animals											
Cattle, milk		0.05 FC				0.05	0.05				5-1												
Sheep, milk		0.05 FC				0.05	0.05				5-1	honey											
Goat, milk		0.05 FC				0.05	0.05				5-1												
Other terrestrial mammals, milk		0.05 FC				0.05	0.05				5-1												
Chicken, muscle		0.05 FC				0.05					5-1												
Duck, muscle		0.05 FC				0.05					5-1												
Turkey, muscle		0.05 FC				0.05					5-1												
Quail, muscle		0.05 FC				0.05					5-1												
Goose, muscle		0.05 FC				0.05					5-1												
Pheasant, muscle		0.05 FC				0.0																	

## 479. PICOLINAFEN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat	0.04	FC					0.02	0.05			5-1	NATSUDAIDAI (flesh)											
Barley	0.04	FC					0.02	0.05			5-1	NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Tump (including Rutabaga) (root)												Cranberry											
Tump (including Rutabaga) (leaf)												Blackberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage												Banana											
Brussels sprouts												Kiwifruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits											
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHUNGIKU												Rape seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables												Onion											
Onion												Welsh (including Leek)											
Welsh (including Leek)												Garlic											
Garlic												NIRA											
Asparagus												Almond											
Multiplying onion (leaf lettuce)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA												Cattle, muscle											
Other umbelliferous vegetables												Pig, muscle											
Tomato												Sheep, muscle											
Pimento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other Solanaceous vegetables												Goat, muscle											
Cucumber (including Gherkin)												Rabbit, muscle											
Pumpkin (including Squash)												Reindeer, muscle											
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle											
Water melon												Cattle, fat											
Melons												Pig, fat											
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
Spinach												Deer, fat											
Bamboo shoots												Goat, fat											
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver	0.05	FC				0.05					5-1
Soybeans												Pig, liver	0.05	FC				0.05					5-1
Button mushroom												Sheep, liver	0.05	FC				0.05					5-1
SHIITAKE												Horse, liver	0.05	FC				0.05					5-1
Other mushrooms												Deer, liver	0.05	FC				0.05					5-1
Other vegetables												Goat, liver	0.05	FC				0.05					5-1
												Rabbit, liver	0.05	FC				0.05					5-1
												Reindeer, liver	0.05	FC				0.05					5-1
												Other terrestrial mammals, liver	0.05	FC				0.05					5-1

# PICOLINAFEN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	FC					0.05				5-1	Catfish											
Pig, kidney	0.05	FC					0.05				5-1	Other freshwater fish											
Sheep, kidney	0.05	FC					0.05				5-1												
Horse, kidney	0.05	FC					0.05				5-1	Salmon											
Deer, kidney	0.05	FC					0.05				5-1	Trout											
Goat, kidney	0.05	FC					0.05				5-1	Other salmonidae											
Rabbit, kidney	0.05	FC					0.05				5-1	Other diadromou fish											
Reindeer, kidney	0.05	FC					0.05				5-1												
Other terrestrial mammals, kidney	0.05	FC					0.05				5-1	Other marine fish											
Cattle, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Oyster											
Goat, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Other animals											
Cattle, milk												honey											
Sheep , milk																							
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals , milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver											</												

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney	0.6	FC				0.1			1		5-1	Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney	0.1	FC				0.1					5-1	Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney																							
Reindeer, edible offal excluding liver and kidney												Oyster											
Other terrestrial mammals, edible offal excluding liver and kidney												Abalone											
												Other aquatic animals											
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.1	FC				0.1					5-1												
Duck, muscle	0.1	FC				0.1					5-1												
Turkey, muscle	0.1	FC				0.1					5-1												
Quail, muscle	0.1	FC				0.1					5-1												
Goose, muscle	0.1	FC				0.1					5-1												
Pheasant, muscle	0.1	FC				0.1					5-1												
Chukar partridge, muscle	0.1	FC				0.1					5-1												
Other poultry, muscle	0.1	FC																					