

502. PROPAPHOS


[illegible]

PROPAPHOS

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Cattfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals , milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quial, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat					</																		

503. PROPARGITE, BPPS

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)												UNSHU orange	5	Codex		3	5			5			3	1-1	
Wheat												NATSUDAIDAI (flesh)													
Barley												NATSUDAIDAI (peel)	5	Codex						5			3	1-1	
Rye												NATSUDAIDAI (whole)	5	Codex					5				3	1-1	
Corn (including Maize, Sweet corn)	0.1	Codex			0.1	0.1	3				2	Lemon	5	Codex				5	5				3	1-1	
Buckwheat												Orange (including Navel)	5	Codex				5	5				3	1-1	
Other cereal grains	5	Codex			5	10					2	Grapefruit	5	Codex				5	5				3	1-1	
Soybeans (dry)	0.2	Codex			0.2		3				2	Lime	5	Codex				5	5				3	1-1	
Beans (dry)	0.2	Codex			0.2	0.2	3	5			2	Other citrus fruits	5	Codex				5	5				3	1-1	
Peas	3	FC					3				5-1	Apple	5	Codex	1	3	5		3	3			3	1-1	
Broad beans	0.2	Codex			0.2		3	5			2	Japanese pear	5	Codex				5	3	2			3	2	
Peanuts (dry)	0.1	Codex			0.1	0.1					2	Pear	5	Codex				5	3	2			3	2	
Other legumes/pulses	0.2	Codex			0.2		3	5			2	Quince	3	WHL		3							3	3-1	
											2	Loquat	3	WHL		3							3	3-1	
	0.1	FC			0.1	0.1	3				2						7			3	7		3	1-1	
Taro	3	FC					3				5-1	Nectarine	7	Codex				7	4		3	7		3	1-1
Sweet potato	3	FC					3				5-1	Apricot	7	Codex				7			3	7		3	1-1
Yam	3	FC					3				5-1	Japanese plum (including Prunes)	7	Codex				7			3	5		3	1-1
Konjac	3	FC					3				5-1	Mume plum	3	WHL		3					3		3	3-1	
Other potatoes	3	FC					3				5-1	Cherry	3	WHL		3					3		3	3-1	
Sugar beet	3	FC					3				5-1	Strawberry	7	Codex		3	7		7	7			3	1-1	
Sugarcane												Raspberry	3	WHL		3							3	3-1	
												Blackberry	3	WHL		3							3	3-1	
Japanese radish (including Radish) (root)	3	FC					3				5-1	Blueberry	3	WHL		3							3	3-1	
Japanese radish (including Radish) (leaf)	3	FC					3				5-1	Cranberry	10	Codex		10			5				3	1-1	
Turnip (including Rutabaga) (root)	3	FC					3				5-1	Huckleberry	3	WHL		3							3	3-1	
Turnip (including Rutabaga) (leaf)	3	FC					3				5-1	Other berries	3	WHL		3				3	0.05		3	3-1	
Horseradish	3	FC																							



[illegible]

PROPETAMPHOS

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.02	PAL		0.02							4	Cattish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Goat, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.02	PAL		0.02							4	Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat					</																		

505. PROPHAM

[illegible]

PROPHAM

[illegible]

506. PROPICONAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	MRL	0.1									UNSHU orange	0.05	MRL	0.05								
Wheat	1	MRL	1									NATSUDAIDAI (flesh)											
Barley	1	MRL	1									NATSUDAIDAI (peel)											
Rye	0.05	MRL	0.05									NATSUDAIDAI (whole)	0.05	MRL	0.05								
Corn (including Maize, Sweet corn)	1	MRL	1									Lemon	0.05	MRL	0.05								
Buckwheat	1	MRL	1									Orange (including Navel)	0.05	MRL	0.05								
Other cereal grains	0.05	MRL	0.05									Grapefruit	0.05	MRL	0.05								
Soybeans (dry)	0.05	MRL	0.05									Lime	0.05	MRL	0.05								
Beans (dry)	0.05	MRL	0.05									Other citrus fruits	0.05	MRL	0.05								
Peas	0.05	MRL	0.05									Apple	0.05	MRL	0.05								
Broad beans	0.05	MRL	0.05									Japanese pear	0.05	MRL	0.05								
Peanuts (dry)	0.05	MRL	0.05									Pear	0.05	MRL	0.05								
Other legumes/pulses	0.05	MRL	0.05									Quince	0.05	MRL	0.05								
Potato	0.05	MRL	0.05									Loquat											
Taro												Peach	1	MRL	1								
Sweet potato	0.05	MRL	0.05									Nectarine	1	MRL	1								
Yam												Apricot	1	MRL	1								
Konjac												Japanese plum (including Prunes)	1	MRL	1								
Other potatoes												Mume plum	1	MRL	1								
Sugar beet	0.05	MRL	0.05									Cherry	1	MRL	1								
Sugarcane	0.05	MRL	0.05									Strawberry	0.05	MRL	0.05								
Japanese radish (including Radish) (root)	0.05	MRL	0.05									Raspberry	0.05	MRL	0.05								
Japanese radish (including Radish) (leaf)												Blackberry	0.05	MRL	0.05								
Turnip (including Rutabaga) (root)												Blueberry	1	FC					2		0.05		5-1
Turnip (including Rutabaga) (leaf)												Cranberry	0.05	MRL	0.05				2		0.05		5-1
Horseradish	0.05	MRL	0.05									Other berries											
Watercress												Grape	0.5	MRL	0.5								
Chinese cabbage	0.05	MRL	0.05									Japanese persimmon	0.1	FC					0.2		0.05		5-1
Cabbage	0.05	MRL	0.05									Banana	0.1	MRL	0.1								
Brussels sprouts	0.05	MRL	0.05									Kiwifruit	0.05	MRL	0.05								
Kale	0.05	MRL	0.05									Papaya											
KOMATSUNA												Avocado	0.05	MRL	0.05								
KYONA												Pineapple	0.05	MRL	0.05								
Qing-geng-cai	0.05	MRL	0.05									Guava											
Cauliflower	0.05	MRL	0.05									Mango	0.05	MRL	0.05								
Broccoli	0.05	MRL	0.05									Passion fruit	0.05	MRL	0.05								
Other cruciferous vegetables	0.05	MRL	0.05									Date	0.05	MRL	0.05								
Burdock												Other fruits	0.1	FC					0.2		0.05		5-1
Salsify												Sunflower seeds	0.05	MRL	0.05								
Artichoke												Sesam seeds	0.05	MRL	0.05								
Chicory	0.05	MRL	0.05									Safflower seeds											
Endive	0.05	MRL	0.05									Cotton seeds	0.05	MRL	0.05								
SHUNGIKU												Rape seeds	0.05	FC	0.05								
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds	0.05	MRL	0.05								
Other composite vegetables												Ginkgo nut	0.1	FC					0.2		0.05		5-1
Onion	0.05	MRL	0.05									Chestnut	0.1	FC					0.2		0.05		5-1
Welsh (including Leek)	0.05	MRL	0.05									Pecan	0.05	MRL	0.05								
Garlic	0.05	MRL	0.05									Almond	0.05	MRL	0.05								
NIRA												Walnut	0.05	MRL	0.05								
Asparagus	0.05	MRL	0.05									Other nuts	0.05	MRL	0.05								
Pumpkin (including Squash)	0.05	MRL	0.05									Tea (Green, Black, Oolong, Wulong tea)	0.1	MRL	0.1								
Other liliaceous vegetables												Coffee beans	0.1	MRL	0.1								
Carrot	0.05	MRL	0.05									Cacao beans											
Parsnip												Hop	0.1	MRL	0.1								
Parsley	0.05	MRL	0.05									Cattle, muscle	0.05	Code		0.05		0.1	0.1		0.05		2
Celery	1	MRL	1									Pig, muscle	0.05	Code		0.05		0.1	0.1		0.05		2
MITSUBA	0.05	MRL	0.05									Sheep, muscle	0.05	Code		0.05		0.1	0.1		0.05		2
Other umbelliferous vegetables												Horse, muscle	0.05	Code		0.05		0.1	0.1		0.05		2
Tomato	0.05	MRL	0.05									Deer, muscle	0.05	Code		0.05		0.1	0.1		0.05		2
Pimiento (Sweet pepper)	0.1	MRL	0.1									Goat, muscle	0.05	Code		0.05		0.1	0.1		0.05		2
Egg plant	0.05	MRL	0.05									Rabbit, muscle	0.05	Code		0.05		0.1	0.1		0.05		2
Other Solanaceous vegetables												Other terrestrial mammals, muscle	0.05	Code		0.05		0.1	0.1		0.05		2
Cucumber (including Gherkin)	0.05	MRL	0.05									Cattle, fat	0.08	FC				0.1			0.05		5-1
Pumpkin (including Squash)	0.05	MRL	0.05									Pig, fat	0.08	FC				0.1			0.05		5-1
Oriental pickling melon (vegetable)												Sheep, fat	0.08	FC				0.1			0.05		5-1
Water melon	0.05	MRL	0.05									Horse, fat	0.05	FC				0.1			0.05		5-1
Melons	0.05	MRL	0.05									Deer, fat						0.1			0.05		5-1
MAKUWAURI												Goat, fat	0.08	FC				0.1			0.05		5-1
Other cucurbitaceous vegetables	0.05	MRL	0.05									Rabbit, fat											
Spinach	0.05	MRL	0.05									Reindeer, fat											
Bamboo shoots												Other terrestrial mammals, fat											
Okra												Cattle, liver	0.05	Code		0.05		2	1	2	0.1		2
Ginger												Pig, liver	0.05	Code		0.05		2	1		0.1		2
Peas (with pods, immature)	0.05	MRL	0.05									Sheep, liver	0.05	Code		0.05		2	1		0.1		2
Kidney beans (with pods, immature)	0.05	MRL	0.05									Horse, liver	0.05	Code		0.05		2	1		0.1		2
Soybeans												Deer, liver	0.05	Code		0.05		2	1		0.1		2
Button mushroom	0.1	MRL	0.1									Goat, liver	0.05	Code		0.05		2	1		0.1		2
SHITAKE												Rabbit, liver	0.05	Code		0.05		2	1		0.1		2
Other mushrooms												Reindeer, liver	0.05	Code		0.05		2	1		0.1		2
Other vegetables												Other terrestrial mammals, liver	0.05	Code		0.05		2	1		0.1		2

PROPICONAZOLE

[illegible]

507. PROPOXUR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	1	WHL		1							4	UNSHU orange	1	WHL		1						0.3	3-1
Wheat	0.5	WHL		0.5							4	NATSUDAIDAI (flesh)											
Barley	0.5	WHL		0.5							4	NATSUDAIDAI (peel)											4
Rye	0.5	WHL		0.5							4	NATSUDAIDAI (whole)	1	WHL		1							4
Corn (including Maize, Sweet corn)	0.5	WHL		0.5							4	Lemon	1	WHL		1					0.3		3-1
Buckwheat	0.5	WHL		0.5							4	Orange (including Navel)	1	WHL		1							4
Other cereal grains	0.5	WHL		0.5							4	Grapefruit	1	WHL		1							4
Soybeans (dry)												Other citrus fruits	1	WHL		1					0.3		3-1
Beans (dry)												Apple	1	WHL		1							4
Peas												Japanese pear	1	WHL		1							4
Broad beans												Pear	1	WHL		1							4
Peanuts (dry)												Quince	1	WHL		1							4
Other legumes/pulses												Loquat	1	WHL		1							4
Potato	0.5	WHL		0.5			10		0.05		3-1	Peach	1	WHL		1							4
Taro	0.5	WHL		0.5							4	Nectarine	1	WHL		1							4
Sweet potato	0.5	WHL		0.5							4	Apricot	1	WHL		1							4
Yam	0.5	WHL		0.5							4	Japanese plum (including Prunes)	1	WHL		1							4
Konjac	0.5	WHL		0.5							4	Mume plum	1	WHL		1							4
Other potatoes	0.5	WHL		0.5							4	Cherry	1	WHL		1							4
Sugar beet												Strawberry	1	WHL		1							4
Sugarcane												Raspberry	1	WHL		1							4
Japanese radish (including Radish) (root)	2	WHL		2							4	Blackberry	1	WHL		1							4
Japanese radish (including Radish) (leaf)	2	WHL		2							4	Blueberry	1	WHL		1							4
Turnip (including Rutabaga) (root)	2	WHL		2							4	Cranberry	1	WHL		1							4
Turnip (including Rutabaga) (leaf)	2	WHL		2							4	Other berries	1	WHL		1					0.2		3-1
Horseradish	2	WHL		2							4	Grape	1	WHL		1							4
Watercress	2	WHL		2							4	Japanese persimon	1	WHL		1							4
Chinese cabbage	2	WHL		2							4												
Cabbage	2	WHL		2					0.5		3-1	Banana	1	WHL		1							4
Brussels sprouts	2	WHL		2							4	Kiwifruit	1	WHL		1							4
Kale	2	WHL		2							4	Papaya	1	WHL		1							4
KOMATSUNA	2	WHL		2							4	Avocado	1	WHL		1							4
KYONA	2	WHL		2							4	Pineapple	1	WHL		1							4
Qing-geng-cai	2	WHL		2							4	Guava	1	WHL		1							4
Cauliflower	2	WHL		2					0.5		3-1	Mango	1	WHL		1							4
Broccoli	2	WHL		2					0.5		3-1	Passion fruit	1	WHL		1							4
Other cruciferous vegetables	2	WHL		2					0.5		3-1	Date	1	WHL		1							4
Burdock	2	WHL		2							4	Other fruits	1	WHL		1							4
Salsify	2	WHL		2							4												
Artichoke	2	WHL		2							4	Sunflower seeds	1	WHL		1							4
Chicory	2	WHL		2							4	Sesam seeds	1	WHL		1							4
Endive	2	WHL		2							4	Safflower seeds	1	WHL		1							4
SHUNGIKU	2	WHL		2							4	Cotton seeds	1	WHL		1							4
Lettuce (Cos lettuce, Leaf lettuce)	2	WHL		2							4	Rape seeds	1	WHL		1							4
Other composite vegetables	2	WHL		2							4	Other oil seeds	1	WHL		1							4
Onion	2	WHL		2							4												
Welsh (including Leek)	2	WHL		2					1		3-1	Ginkgo nut	1	WHL		1							4
Garlic	2	WHL		2							4	Chestnut	1	WHL		1							4
NIRA	2	WHL		2							4	Pecan	1	WHL		1							4
Asparagus	2	WHL		2							4	Almond	1	WHL		1							4
Multiplying onion (immature)	2	WHL		2							4	Walnut	1	WHL		1							4
Other liliaceous vegetables	2	WHL		2							4	Other nuts	1	WHL		1							4
Carrot	2	WHL		2							4	Tea (Green, Black, Oolong, Wulong tea)											
Parsnip	2	WHL		2							4	Coffee beans											
Parsley	2	WHL		2							4	Cacao beans											
Celery	2	WHL		2							4	Hop											
MITSUBA	2	WHL		2							4												
Other umbelliferous vegetables	2	WHL		2							4	Cattle, muscle											
Tomato	2	WHL		2					0.05		3-1	Pig, muscle	0.01	WHL		0.01							4
Pimento (Sweet pepper)	2	WHL		2					0.05		3-1	Sheep, muscle											
Egg plant	2	WHL		2					0.05		3-1	Horse, muscle											
Other Solanaceous vegetables	2	WHL		2					0.05		3-1	Deer, muscle											
Cucumber (including Gherkin)	2	WHL		2					0.05		3-1	Goat, muscle											
Pumpkin (including Squash)	2	WHL		2					0.05		3-1	Reindeer, muscle											
Oriental pickling melon (vegetable)	2	WHL		2					0.05		3-1	Other terrestrial mammals, muscle											
Water melon	1	WHL		1					0.05		3-1	Cattle, fat											
Melons	1	WHL		1					0.05		3-1	Pig, fat	0.01	WHL		0.01							4
MAKUWAURI	1	WHL		1					0.05		3-1	Sheep, fat											
Other cucurbitaceous vegetables	2	WHL		2					0.05		3-1	Horse, fat											
Spinach	2	WHL		2					0.05		3-1	Deer, fat											
Bamboo shoots	2	WHL		2					0.05		3-1	Goat, fat											
Okra	2	WHL		2							4	Rabbit, fat											
Ginger	2	WHL		2					0.05		3-1	Reindeer, fat											
Peas (with pods, immature)	2	WHL		2					0.05		3-1	Other terrestrial mammals, fat											
Kidney beans (with pods, immature)	2	WHL		2					0.05		3-1	Cattle, liver											
Soybeans	2	WHL		2					0.05		3-1	Pig, liver	0.01	WHL		0.01							4
Button mushroom	2	WHL		2					0.05		3-1	Sheep, liver											
SHITAKE	2	WHL		2					0.05		3-1	Horse, liver											
Other mushrooms	2	WHL		2					0.05		3-1	Deer, liver											
Other vegetables	2	WHL		2					0.05		3-1	Goat, liver											
												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

"WHL" for the stock farm and aquatic products show the "Limit of detection" or "Limit of determination" under the Pharmaceutical Affairs Law.

PROPOXUR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney	0.01	WHL		0.01							4	Other freshwater fish											
Sheep, kidney																							
Horse, kidney																							
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.01	WHL		0.01							4	Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
												Other animals											
Cattle, milk																							
Sheep, milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle					</																		

508. PROPYZAMIDE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple	0.06FC					0.1			0.02		5-1
Peas												Japanese pear											
Broad beans												Pear	0.06FC					0.1			0.02		5-1
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach	0.06FC					0.1			0.02		5-1
Taro												Nectarine	0.06FC					0.1			0.02		5-1
Sweet potato												Apricot	0.06FC					0.1			0.02		5-1
Yam												Japanese plum (including Prunes)	0.06FC					0.1			0.02		5-1
Konjac												Mume plum											
Other potatoes												Cherry	0.06FC					0.1			0.02		5-1
Sugar beet												Strawberry											
Sugarcane												Raspberry	0.04FC					0.05			0.02		5-1
Japanese radish (including Radish) (root)	0.1	WHL		0.1							4	Blackberry	0.04FC					0.05			0.02		5-1
Japanese radish (including Radish) (leaf)	0.1	WHL		0.1					0.02	1	3-1	Blueberry	0.04FC					0.05			0.02		5-1
Turnip (including Rutabaga) (root)	0.1	WHL		0.1							4	Cranberry											
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1					0.02	1	3-1	Other berries	0.04FC					0.05			0.02		5-1
Horseradish	0.1	WHL		0.1							4												
Watercress	0.1	WHL		0.1					1	1	3-1	Grape	0.06FC					0.1			0.02		5-1
Chinese cabbage	0.1	WHL		0.1					0.02	1	3-1	Japanese persimon											
Cabbage	0.1	WHL		0.1							4												
Brussels sprouts	0.1	WHL		0.1							4	Banana											
Kale	0.1	WHL		0.1					0.02	1	3-1	Kiwifruit											
KOMATSUNA	0.1	WHL		0.1					0.02	1	3-1	Papaya											
KYONA	0.1	WHL		0.1					0.02	1	3-1	Avocado											
Qing-geng-cai	0.1	WHL		0.1							4	Pineapple											
Cauliflower	0.1	WHL		0.1							4	Guava											
Broccoli	0.1	WHL		0.1							4	Mango											
Other cruciferous vegetables	0.1	WHL		0.1					1	1	3-1	Passion fruit											
Burdock	0.1	WHL		0.1							4	Date											
Salsify	0.1	WHL		0.1							4	Other fruits	0.05FC							0.05			5-1
Artichoke	0.1	WHL		0.1			0.1		0.02	1	3-1												
Chicory	0.1	WHL		0.1					0.02	1	3-1	Sunflower seeds	0.05FC								0.05		5-1
Endive	0.1	WHL		0.1			1	0.2	1	1	3-1	Sesame seeds	0.05FC								0.05		5-1
SHUNGIKU	0.1	WHL		0.1					1	1	3-1	Safflower seeds	0.05FC								0.05		5-1
Lettuce (Cos lettuce, Leaf lettuce)	0.1	WHL		0.1			1		1	1	3-1	Cotton seeds	0.05FC								0.05		5-1
Other composite vegetables	0.1	WHL		0.1			2		1	1	3-1	Rape seeds	0.05FC								0.1		5-1
Onion	0.1	WHL		0.1							4	Other oil seeds	0.05FC								0.05		5-1
Welsh (including Leek)	0.1	WHL		0.1							4												
Garlic	0.1	WHL		0.1							4	Ginkgo nut											
NIRA	0.1	WHL		0.1					1	1	3-1	Chestnut											
Asparagus	0.1	WHL		0.1							4	Pecan											
Multiplying onion (including Shallot)	0.1	WHL		0.1							4	Almond											
Other liliaceous vegetables	0.1	WHL		0.1					1	1	3-1	Walnut											
Carrot	0.1	WHL		0.1							4	Other nuts											
Parsnip	0.1	WHL		0.1							4	Tea (Green, Black, Oolong, Wulong tea)											
Parsley	0.1	WHL		0.1							4	Coffee beans											
Celery	0.1	WHL		0.1					1	1	3-1	Cacao beans											
MITSUBA	0.1	WHL		0.1							3-1	Hop											
Other umbelliferous vegetables	0.1	WHL		0.1					1	1	3-1	Cattle, muscle	0.03FC					0.02	0.05		0.02		5-1
Tomato	0.1	WHL		0.1					0.02	1	3-1	Pig, muscle	0.02FC					0.02			0.02		5-1
Pimento (Sweet pepper)	0.1	WHL		0.1					0.02	1	3-1	Sheep, muscle	0.02FC					0.02			0.02		5-1
Egg plant	0.1	WHL		0.1					0.02	1	3-1	Horse, muscle	0.02FC					0.02			0.02		5-1
Other Solanaceous vegetables	0.1	WHL		0.1					0.02	1	3-1	Deer, muscle	0.05FC								0.05		5-1
Cucumber (including Gherkin)	0.1	WHL		0.1							4	Goat, muscle	0.02FC					0.02			0.02		5-1
Pumpkin (including Squash)	0.1	WHL		0.1							4	Reindeer, muscle	0.05FC								0.05		5-1
Oriental pickling melon (vegetable)	0.1	WHL		0.1							4	Other terrestrial mammals, muscle	0.05FC								0.05		5-1
Water melon												Cattle, fat	0.02FC					0.02			0.02		5-1
Melons												Pig, fat	0.04FC					0.02			0.05		5-1
MAKUWAURI												Sheep, fat	0.02FC					0.02			0.02		5-1
Other cucurbitaceous vegetables	0.1	WHL		0.1					0.02	1	3-1	Horse, fat	0.02FC					0.02			0.02		5-1
Spinach	0.1	WHL		0.1					0.02	1	3-1	Deer, fat	0.05FC								0.05		5-1
Bamboo shoots	0.1	WHL		0.1							4	Goat, fat	0.02FC					0.02			0.02		5-1
Okra	0.1	WHL		0.1							4	Rabbit, fat	0.05FC								0.05		5-1
Ginger	0.1	WHL		0.1							4	Reindeer, fat	0.05FC								0.05		5-1
Peas (with pods, immature)	0.1	WHL		0.1							4	Other terrestrial mammals, fat	0.05FC								0.05		5-1
Kidney beans (with pods, immature)	0.1	WHL		0.1							4	Cattle, liver	0.2FC					0.4	0.2		0.05		5-1
Soybeans	0.1	WHL		0.1							4	Pig, liver	0.2FC								0.05		5-1
Button mushroom	0.1	WHL		0.1							4	Sheep, liver	0.2FC					0.4			0.05		5-1
SHITAKE	0.1	WHL		0.1							4	Horse, liver	0.2FC					0.4			0.05		5-1
Other mushrooms	0.1	WHL		0.1							4	Deer, liver	0.05FC								0.05		5-1
Other vegetables	0.1	WHL		0.1						1	1	3-1	Goat, liver	0.2FC				0.4			0.05		5-1
												Rabbit, liver	0.05FC								0.05		5-1
												Reindeer, liver	0.05FC								0.05		5-1
												Other terrestrial mammals, liver	0.05FC								0.05		5-1

	P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
	P R	- M R L	L										P R	- M R L	L								
Cattle, kidney	0.2	FC				0.4	0.2		0.05		5-1	Catfish											
Pig, kidney	0.2	FC				0.4			0.05		5-1	Other freshwater fish											
Sheep, kidney	0.2	FC				0.4			0.05		5-1												
Horse, kidney	0.2	FC				0.4			0.05		5-1	Salmon											
Deer, kidney	0.05	FC							0.05		5-1	Trout											
Goat, kidney	0.2	FC				0.4			0.05		5-1	Other salmonidae											
Rabbit, kidney	0.05	FC							0.05		5-1	Other diadromou fish											
Reindeer, kidney	0.05	FC							0.05		5-1												
Other terrestrial mammals, kidney	0.05	FC							0.05		5-1	Other marine fish											
Cattle, edible offal excluding liver and kidney	0.09	FC				0.02	0.2		0.05		5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.04	FC				0.02			0.05		5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.04	FC				0.02			0.05		5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.04	FC				0.02			0.05		5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.05	FC							0.05		5-1												
Goat, edible offal excluding liver and kidney	0.05	FC				0.02			0.05		5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.05	FC							0.05		5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.05	FC							0.05		5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.05	FC							0.05		5-1												
												Other animals											
Cattle, milk	0.01	FC				0.02	0.01		0.01		5-1												
Sheep , milk	0.01	FC				0.02	0.01		0.01		5-1	honey											
Goat, milk	0.01	FC				0.02	0.01		0.01		5-1												
Other terrestrial mammals, milk	0.01	FC				0.02	0.01		0.01		5-1												
Chicken, muscle	0.04	FC				0.02	0.05		0.05		5-1												
Duck, muscle	0.04	FC				0.02	0.05		0.05		5-1												
Turkey, muscle	0.04	FC				0.02	0.05</																

509. PROSULFURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.01	FC						0.01			5-1	Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Blackberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
Burdock												Date											
Salsify												Other fruits											
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Safflower seeds											
SHUNGIKU												Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
Onion												Other oil seeds											
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.05	FC						0.05			5-1
Tomato												Pig, muscle	0.05	FC						0.05			5-1
Pimento (Sweet pepper)												Sheep, muscle	0.05	FC						0.05			5-1
Egg plant												Horse, muscle	0.05	FC						0.05			5-1
Other Solanaceous vegetables												Deer, muscle	0.05	FC						0.05			5-1
Cucumber (including Gherkin)												Goat, muscle	0.05	FC						0.05			5-1
Pumpkin (including Squash)												Rabbit, muscle	0.05	FC						0.05			5-1
Oriental pickling melon (vegetable)												Reindeer, muscle	0.05	FC						0.05			5-1
Water melon												Other terrestrial mammals, muscle	0.05	FC						0.05			5-1
Melons												Cattle, fat											
MAKUWAURI												Pig, fat											
Other cucurbitaceous vegetables												Sheep, fat											
Spinach												Horse, fat											
Bamboo shoots												Deer, fat											
Okra												Goat, fat											
Ginger												Rabbit, fat											
Peas (with pods, immature)												Reindeer, fat											
Kidney beans (with pods, immature)												Other terrestrial mammals, fat											
Soybeans												Cattle, liver	0.05	FC						0.05			5-1
Button mushroom												Pig, liver	0.05	FC						0.05			5-1
SHIITAKE												Sheep, liver	0.05	FC						0.05			5-1
Other mushrooms												Horse, liver	0.05	FC						0.05			5-1
Other vegetables												Deer, liver	0.05	FC						0.05			5-1
												Goat, liver	0.05	FC						0.05			5-1
												Rabbit, liver	0.05	FC						0.05			5-1
												Reindeer, liver	0.05	FC						0.05			5-1
												Other terrestrial mammals, liver	0.05	FC						0.05			5-1

PROSULFURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	FC						0.05			5-1	Catfish											
Pig, kidney	0.05	FC						0.05			5-1	Other freshwater fish											
Sheep, kidney	0.05	FC						0.05			5-1												
Horse, kidney	0.05	FC						0.05			5-1	Salmon											
Deer, kidney	0.05	FC						0.05			5-1	Trout											
Goat, kidney	0.05	FC						0.05			5-1	Other salmonidae											
Rabbit, kidney	0.05	FC						0.05			5-1	Other diadromou fish											
Reindeer, kidney	0.05	FC						0.05			5-1												
Other terrestrial mammals, kidney	0.05	FC						0.05			5-1	Other marine fish											
Cattle, edible offal excluding liver and kidney	0.05	FC						0.05			5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.05	FC						0.05			5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.05	FC						0.05			5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.05	FC						0.05			5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.05	FC						0.05			5-1												
Goat, edible offal excluding liver and kidney	0.05	FC						0.05			5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.05	FC						0.05			5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.05	FC						0.05			5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.05	FC						0.05			5-1												
												Other animals											
Cattle, milk	0.05	FC						0.05			5-1												
Sheep, milk	0.05	FC						0.05			5-1	honey											
Goat, milk	0.05	FC						0.05			5-1												
Other terrestrial mammals, milk	0.05	FC						0.05			5-1												
Chicken, muscle	0.05	FC						0.05			5-1												
Duck, muscle	0.05	FC						0.05			5-1												
Turkey, muscle	0.05	FC						0.05			5-1												
Quail, muscle	0.05	FC						0.05			5-1												
Goose, muscle	0.05	FC						0.05			5-1</												

510. PYMETROZINE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.1	MRL	0.1									UNSHU orange	0.3	FC									0.3	5-1
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)	0.3	FC									0.3	5-1
Rye												NATSUDAIDAI (whole)	0.3	FC									0.3	5-1
Corn (including Maize, Sweet corn)												Lemon	0.3	FC									0.3	5-1
Buckwheat												Orange (including Navel)	0.3	FC									0.3	5-1
Other cereal grains												Grapefruit	0.3	FC									0.3	5-1
Soybeans (dry)	0.02	MRL	0.02									Lime	0.3	FC									0.3	5-1
Beans (dry)	0.02	MRL	0.02									Other citrus fruits	0.3	FC									0.3	5-1
Peas	0.02	MRL	0.02									Apple	0.1	WHL		0.1								4
Broad beans	0.02	MRL	0.02									Japanese pear	0.1	MRL		0.1								
Peanuts (dry)												Pear	0.1	MRL		0.1								
Other legumes/pulses	0.02	MRL	0.02									Quince	0.1	WHL			0.1							4
Potato			0.1									Loquat	0.1	WHL			0.1							4
Taro	0.1	WHL		0.1		0.02			0.02		3-1	Potato	0.1	MRL		0.1								
Sweet potato	0.1	WHL		0.1		0.02			0.02		3-1	Nectarine	0.1	WHL			0.1							4
Yam	0.1	WHL		0.1		0.02			0.02		3-1	Apricot	1	WHL			1						0.05	3-1
Konjac	0.1	WHL		0.1							4	Japanese plum (including Prunes)	2	WHL			2							4
Other potatoes	0.1	WHL		0.1		0.02			0.02		3-1	Mume plum	2	WHL			2							
Sugar beet												Cherry	1	WHL			1							4
Sugarcane												Strawberry	2	MRL		2								
Japanese radish (including Radish) (root)												Raspberry	1	WHL			1							4
Japanese radish (including Radish) (leaf)	0.3	FC					0.5		0.02		5-1	Blackberry	1	WHL			1							4
Turnip (including Rutabaga) (root)												Blueberry	1	WHL			1							4
Turnip (including Rutabaga) (leaf)	0.3	FC				0.25	0.5		0.02		5-1	Cranberry	1	WHL			1							4
Horseradish												Huckleberry	1	WHL			1						0.05	3-1
Watercress	0.7	FC				0.6	0.5		1		5-1</													

PYMETROZINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Goat, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
Cattle, milk												Other animals											
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals , milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quial, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat					</																		

511. PYRACLOFOS

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)	1	MRL	1								
Corn (including Maize, Sweet corn)												Lemon	1	MRL	1								
Buckwheat												Orange (including Navel)	1	MRL	1								
Other cereal grains												Grapefruit	1	MRL	1								
Soybeans (dry)												Lime	1	MRL	1								
Beans (dry)	0.5	MRL	0.5									Other citrus fruits	1	MRL	1								
Peas												Apple											
Broad beans												Japanese pear											
Peanuts (dry)												Pear											
Other legumes/pulses												Quince											
												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato	0.05	MRL	0.05									Apricot											
Yam	0.05	MRL	0.05									Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet	0.05	MRL	0.05									Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)	0.1	MRL	0.1									Blueberry											
Japanese radish (including Radish) (leaf)	0.1	MRL	0.1									Cranberry											
Turnip (including Rutabaga) (root)												Blackberry											
Turnip (including Rutabaga) (leaf)	0.05	WHL		0.05							4	Other berries											
Horseradish																							
Watercress	0.05	WHL		0.05							4	Grape											
Chinese cabbage	0.1	MRL	0.1									Japanese persimon											
Cabbage	0.1	MRL	0.1																				
Brussels sprouts	0.1	MRL	0.1									Banana											
Kale	0.05	WHL		0.05							4	Lawson fruit											
KOMATSUNA	0.05	WHL		0.05							4	Papaya											

PYRACLOFOS

[illegible]

512. PYRACLOSTROBIN

[illegible]

PYRACLOSTROBIN

[illegible]

513. PYRAFLUFEN ETHYL

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	MRL	0.1								4	UNSHU orange	0.1	MRL	0.1								4
Wheat	0.1	MRL	0.1								4	NATSUDAIDAI (flesh)	0.1	MRL	0.1								4
Barley	0.1	MRL	0.1								4	NATSUDAIDAI (peel)	0.1	MRL	0.1								4
Rye	0.1	WHL		0.1							4	NATSUDAIDAI (whole)	0.1	MRL	0.1								4
Corn (including Maize, Sweet corn)	0.1	WHL		0.1							4	Lemon	0.1	MRL	0.1								4
Buckwheat	0.1	WHL		0.1							4	Orange (including Navel)	0.1	MRL	0.1								4
Other cereal grains	0.1	WHL		0.1							4	Grapefruit	0.1	MRL	0.1								4
Soybeans (dry)												Lime	0.1	MRL	0.1								4
Beans (dry)												Other citrus fruits	0.1	MRL	0.1								4
Peas												Apple	0.1	MRL	0.1								4
Broad beans												Japanese pear	0.1	MRL	0.1								4
Peanuts (dry)												Pear	0.1	MRL	0.1								4
Other legumes/pulses												Quince	0.1	WHL		0.1							4
Potato											4	Loquat	0.1	WHL		0.1							4
Taro	0.1	WHL		0.1							4	Peach				0.1							4
Sweet potato	0.1	WHL		0.1							4	Nectarine	0.1	WHL		0.1							4
Yam	0.1	WHL		0.1							4	Apricot	0.1	WHL		0.1							4
Konjac	0.1	WHL		0.1							4	Japanese plum (including Prunes)	0.1	WHL		0.1							4
Other potatoes	0.1	WHL		0.1							4	Mume plum	0.1	MRL	0.1								4
Sugar beet												Cherry	0.1	WHL		0.1							4
Sugarcane												Strawberry	0.1	WHL		0.1							4
Japanese radish (including Radish) (root)	0.1	WHL		0.1							4	Raspberry	0.1	WHL		0.1							4
Japanese radish (including Radish) (leaf)	0.1	WHL		0.1							4	Blackberry	0.1	WHL		0.1							4
Turnip (including Rutabaga) (root)	0.1	WHL		0.1							4	Blueberry	0.1	WHL		0.1							4
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1							4	Cranberry	0.1	WHL		0.1		</					

PYRAFLUFEN ETHYL

[illegible]

514. PYRANTEL

[illegible]

PYRANTEL

[illegible]

515. PYRAZOLYNATE

[illegible]

PYRAZOLYNATE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney																								
Horse, kidney												Salmon												
Goat, kidney												Trout												
Rabbit, kidney												Other salmonidae												
Reindeer, kidney												Other diadromou fish												
Other terrestrial mammals, kidney																								
												Other marine fish												
Cattle, edible offal excluding liver and kidney																								
Pig, edible offal excluding liver and kidney												Shrimps or prawns												
Sheep, edible offal excluding liver and kidney												Lobster												
Horse, edible offal excluding liver and kidney												Crayfish												
Deer, edible offal excluding liver and kidney												Other crustaceans												
Goat, edible offal excluding liver and kidney																								
Rabbit, edible offal excluding liver and kidney												Oyster												
Reindeer, edible offal excluding liver and kidney												Abalone												
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals												
Cattle, milk												Other animals												
Sheep , milk																								
Goat, milk												honey												
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals , milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Quial, muscle																								
Goose, muscle																								
Pheasant, muscle				</																				

516. PYRAZOPHOS

[illegible]

PYRAZOPHOS

[illegible]