

547. SODIUM TCA

[illegible]

SODIUM TCA

[illegible]

[illegible]

SPECTINOMYCIN

[illegible]

549. SPINOSAD

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)		0.1	WHL		0.1		1				3-1	UNSHU orange		0.3	MRL	0.3								
												NATSUDAIDAI (flesh)												
Wheat		0.02	MRL	0.02								NATSUDAIDAI (peel)												
Barley		0.02	MRL	0.02								NATSUDAIDAI (whole)		0.3	MRL	0.3								
Rye		0.02	MRL	0.02								Lemon		0.3	MRL	0.3								
Corn (including Maize, Sweet corn)		0.02	MRL	0.02								Orange (including Navel)		0.3	MRL	0.3								
Buckwheat		0.02	MRL	0.02								Grapefruit		0.3	MRL	0.3								
Other cereal grains		1	MRL	1								Other citrus fruits		0.3	MRL	0.3								
Soybeans (dry)		0.02	MRL	0.02								Apple		0.5	MRL	0.5								
Beans (dry) *		0.02	MRL	0.02								Japanese pear		0.5	WHL		0.5		0.2	0.2			3-1	
Peas		0.02	MRL	0.02								Pear		0.5	WHL		0.5		0.2	0.2			3-1	
Broad beans		0.02	MRL	0.02								Quince		0.5	WHL		0.5		0.2	0.2			3-1	
Peanuts (dry)		0.02	FC			0.02					5-1	Loquat		0.2	WHL		0.2		0.2	0.2			3-1	
Other legumes/pulses		0.02	MRL	0.02																				
Potato		0.02	MRL	0.02								Peach		0.2	MRL	0.2								
Taro		0.02	MRL	0.02								Nectarine		0.2	MRL	0.2								
Sweet potato		0.02	MRL	0.02								Apricot		0.2	MRL	0.2								
Yam		0.02	MRL	0.02								Japanese plum (including Prunes)		0.2	MRL	0.2								
Konjac												Mume plum		0.2	MRL	0.2								
Other potatoes		0.02	MRL	0.02								Cherry		0.2	MRL	0.2								
Sugar beet		0.1	FC				0.1				5-1	Strawberry		1	WHL		1		1	0.5			3-1	
Sugarcane												Raspberry		1	WHL		1		0.7	0.5			3-1	
												Blackberry		1	WHL		1		0.7	0.5			3-1	
Japanese radish (including Radish) (root)		0.2	MRL	0.2								Blueberry		1	WHL		1		0.25	0.5			3-1	
Japanese radish (including Radish) (leaf)		1	MRL									Cranberry		1	WHL		1		0.01	0.5			3-1	
Turnip (including Rutabaga) (root)		0.2	WHL		0.2		0.1				3-1	Huckleberry		1	WHL		1		0.25	0.5			3-1	
Turnip (including Rutabaga) (leaf)		5	WHL		5		10	5			3-1	Other berries		1	WHL		1		0.7	0.5			3-1	
Horseradish		0.2	WHL		0.2		0.1				3-1													
Watercress		8	MRL		8							Grape		1	WHL		1		0.5	0.5			3-1	
Chinese cabbage		8	MRL		8							Japanese persimmon		0.5	WHL		0.5			0.5			3-1	
Cabbage		2	MRL		2																			
Besseis sprouts		1	MRL		1							Banana		0.5	WHL		0.5			0.5			3-1	
Kale		10	MRL		10							Kiwifruit		0.2	WHL		0.2			0.5			0.2 3-1	
KOMATSUNA		5	MRL		5							Papaya		0.3	MRL	0.3								
KYONA		5	MRL		5							Avocado		0.3	MRL	0.3								
Qing-geng-cai		2	MRL		2							Pineapple		0.5	WHL		0.5			0.5			3-1	
Cauliflower		2	MRL		2						3-1	Guava		0.3	MRL	0.3								
Broccoli		2	MRL		2							Mango		0.3	MRL	0.3								
Other cruciferous vegetables		2	MRL		2							Passion fruit		0.3	MRL	0.3								
												Date		1	WHL		1						4	
Burdock		0.2	WHL		0.2		0.1				3-1													
Salsify		0.2	WHL		0.2		0.1				3-1	Other fruits		0.3	MRL	0.3								
Artichoke		5	WHL		5		0.3				3-1													
Chicory		8	MRL		8							Sunflower seeds												
Endive		8	MRL		8							Sesam seeds												
Watermelon		5	WHL		5		8	5			3-1	Cashew nuts												
Lettuce (Cos lettuce, Leaf lettuce)		8	MRL		8							Cotton seeds		0.02	MRL	0.02								
Other composite vegetables		8	MRL		8							Rape seeds												
												Other oil seeds		5	FC					5			5-1	
Onion																								
Welsh (including Leek)		5	WHL		5						4	Ginkgo nut												
Garlic												Chestnut		0.02	FC				0.02	0.01			5-1	
NIRA		5	WHL		5		3	5			3-1	Peanut		0.02	FC				0.02	0.01			5-1	
Asparagus		5	WHL		5		0.02				3-1	Almond		0.02	MRL	0.02								
Multiplying onion (including Shallot)		5	WHL		5						4	Walnut		0.02	FC				0.02	0.01			5-1	
Other liliaceous vegetables		5	WHL		5			5			3-1	Other nuts		0.02	MRL	0.02								
Carrot		0.2	WHL		0.2		0.1				3-1	Tea (Green, Black, Oolong, Wulong tea)		2	MRL	2								
Parsnip		0.2	WHL		0.2		0.1				3-1													
Parsley		8	MRL		8							Green beans												
Celery		8	MRL		8							Hop												
MITSUBA		5	WHL		5						3-1													
Other umbelliferous vegetables		5	WHL		5		10	5			3-1	Cattle, muscle		0.5	FC				0.5				5-1	
												Pig, muscle		0.2	FC				0.15				5-1	
Tomato		0.5	MRL	0.5								Sheep, muscle		0.1	FC				0.15			0.05	5-1	
Okra (Sweet pepper)		2	MRL		2							Goat, muscle		0.2	FC				0.15				5-1	
Egg plant		2	MRL		2							Deer, muscle												
Other Solanaceous vegetables		0.4	MRL	0.4								Goat, muscle		0.2	FC				0.15				5-1	
												Rabbit, muscle												
Cucumber (including Gherkin)		0.5	MRL	0.5								Reindeer, muscle												
Pumpkin (including Squash)		0.3	MRL	0.3								Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)		0.3	MRL	0.3								Cattle, fat		3	FC				6.5	0.2			5-1	
Water melon		0.3	MRL	0.3								Pig, fat		3	FC				6.5	0.2			5-1	
Melons		0.3	MRL	0.3								Sheep, fat		1	FC				3.5	0.2		0.2	5-1	
MAKUWAURI		0.3	MRL	0.3								Horse, fat		2	FC				3.5	0.2			5-1	
Other cucurbitaceous vegetables		0.3	MRL	0.3								Deer, fat		0.2	FC					0.2			5-1	
Spinach		8	MRL		8							Goat, fat		2	FC				3.5	0.2			5-1	
Bamboo shoots		0.2	WHL		0.2						4	Rabbit, fat		0.2	FC					0.2			5-1	
Okra		2	WHL		2		0.4				3-1	Other terrestrial mammals, fat		0.2	FC					0.2			5-1	
Ginger		0.02	MRL	0.02																				
Peas (with pods, immature)		0.3	MRL	0.3								Cattle, liver		1	FC				2	0.05			5-1	
Kidney beans (with pods, immature)		0.3	MRL	0.3								Pig, liver		0.5	FC				1	0.05			5-1	
Soybeans		0.3	MRL	0.3								Sheep, liver		0.4	FC				1	0.05		0.05	5-1	
Button mushroom												Horse, liver		0.5	FC					0.05			5-1	
SHIITAKE												Goat, liver		0.05	FC				1	0.05			5-1	
Other mushrooms												Goat, liver		0.5	FC				1	0.05			5-1	
Other vegetables		5	WHL		5		10	5			3-1	Rabbit, liver		0.05	FC					0.05			5-1	
												Reindeer, liver		0.05	FC					0.05			5-1	
												Other terrestrial mammals, liver		0.05	FC					0.05			5-1	

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	1	FC				2	0.05				5-1	Catfish											
Pig, kidney	0.5	FC				1	0.05				5-1	Other freshwater fish											
Sheep, kidney	0.4	FC				1	0.05			0.05	5-1												
Horse, kidney	0.2	FC				1	0.05				5-1	Salmon											
Deer, kidney	0.05	FC					0.05				5-1	Trout											
Goat, kidney	0.5	FC				1	0.05				5-1	Other salmonidae											
Rabbit, kidney	0.05	FC					0.05				5-1	Other diadromou fish											
Reindeer, kidney	0.05	FC					0.05				5-1												
Other terrestrial mammals, kidney	0.05	FC					0.05				5-1	Other marine fish											
Cattle, edible offal excluding liver and kidney	1	FC				2	0.05				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.5	FC				1	0.05				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.5	FC				1	0.05				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	FC				0.15	0.05				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Goat, edible offal excluding liver and kidney	0.5	FC				1	0.05				5-1	Oyster											
Horse, edible offal excluding liver and kidney	0.1	FC					0.05				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
												Other animals											
Cattle, milk	1	FC				2.5	0.02				5-1												
Sheep, milk	1	FC				2.5	0.02				5-1	honey											
Goat, milk	1	FC				2.5	0.02				5-1												
Other terrestrial mammals, milk	1	FC				2.5	0.02				5-1												
Chicken, muscle	0.02	FC				0.02	0.01				5-1												
Duck, muscle	0.02	FC				0.02	0.01				5-1												
Turkey, muscle	0.02	FC				0.02	0.01				5-1												
Quail, muscle	0.02	FC				0.02	0.01				5-1												
Goose, muscle	0.02	FC				0.02	0.01				5-1												
Pheasant, muscle	0.02	FC				0.02	0.01				5-1												
Chukar partridge, muscle	0.02	FC				0.02	0.01				5-1												
Other poultry, muscle	0.02	FC				0.02	0.01				5-1												
Chicken, fat	0.2	FC				0.2	0.2				5-1												
Duck, fat	0.2	FC				0.2	0.2				5-1												
Turkey, fat	0.2	FC				0.2	0.2				5-1												
Quail, fat	0.2	FC				0.2	0.2				5-1												
Goose, fat	0.2	FC				0.2	0.2				5-1												
Pheasant, fat	0.2	FC				0.2	0.2				5-1												
Chukar partridge, fat	0.2	FC				0.2	0.2				5-1												
Other poultry, fat	0.2	FC				0.2	0.2				5-1												
Chicken, liver	0.04	FC				0.02	0.05				5-1												
Duck, liver	0.04	FC				0.02	0.05				5-1												
Turkey, liver	0.04	FC				0.02	0.05				5-1												
Quail, liver	0.04	FC				0.02	0.05				5-1												
Goose, liver	0.04	FC				0.02	0.05				5-1												
Pheasant, liver	0.04	FC				0.02	0.05				5-1												
Chukar partridge, liver	0.04	FC				0.02	0.05				5-1												
Other poultry, liver	0.04	FC				0.02	0.05				5-1												
Chicken, kidney	0.04	FC				0.02	0.05				5-1												
Duck, kidney	0.04	FC				0.02	0.05				5-1												
Turkey, kidney	0.04	FC				0.02	0.05				5-1												
Quail, kidney	0.04	FC				0.02	0.05				5-1												
Goose, kidney	0.04	FC				0.02	0.05				5-1												
Pheasant, kidney	0.04	FC				0.02	0.05				5-1												
Chukar partridge, kidney	0.04	FC				0.02	0.05				5-1												
Other poultry, kidney	0.04	FC				0.02	0.05				5-1												
Chicken, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1												
Duck, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1												
Turkey, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1												
Quail, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1												
Goose, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1												
Pheasant, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1												
Chukar partridge, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1												
Other poultry, edible offal excluding liver and kidney	0.04	FC				0.02	0.05				5-1												
Chicken, eggs	0.04	FC				0.02	0.05				5-1												
Turkey, eggs	0.04	FC				0.02	0.05				5-1												
Other poultry, eggs	0.04	FC				0.02	0.05				5-1												

550. SPIROXAMINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley	0.3	FC							0.3		5-1	NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains	0.3	FC							0.3		5-1	Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Tump (including Rutabaga) (root)												Other berries											
Tump (including Rutabaga) (leaf)																							
Horseradish												Grape	2	FC					2		1		5-1
Watercress												Japanese persimon											
Chinese cabbage												Banana											
Cabbage												Kiwifruit											
Brussels sprouts												Papaya											
Kale												Avocado											
KOMATSUNA												Pineapple											
KYONA												Guava											
Qing-geng-cai												Mango											
Cauliflower												Passion fruit											
Broccoli												Date											
Other cruciferous vegetables												Other fruits											
Burdock												Sunflower seeds											
Salsify												Sesam seeds											
Artichoke												Safflower seeds											
Chicory												Other oil seeds											
Endive																							
SHUNGIKU												Ginkgo nut											
Lettuce (Cos lettuce, Leaf lettuce)												Chestnut											
Other composite vegetables												Pecan											
Onion												Almond											
Welsh (including Leek)												Walnut											
Garlic												Other nuts											
NIRA																							
Asparagus												Tea (Green, Black, Oolong, Wulong tea)											
Multiplying onion (including Shallot)												Coffee beans											
Other liliaceous vegetables												Cacao beans											
Carrot												Hop											
Parsnip												Cattle, muscle	0.05	FC					0.05		0.05		5-1
Parsley												Pig, muscle	0.05	FC					0.05		0.05		5-1
Celery												Sheep, muscle	0.05	FC					0.05		0.05		5-1
MITSUBA												Horse, muscle	0.05	FC					0.05		0.05		5-1
Other umbelliferous vegetables												Deer, muscle	0.05	FC					0.05		0.05		5-1
Tomato												Goat, muscle	0.05	FC					0.05		0.05		5-1
Pimento (Sweet pepper)												Rabbit, muscle	0.05	FC					0.05		0.05		5-1
Egg plant												Reindeer, muscle	0.05	FC					0.05		0.05		5-1
Other Solanaceous vegetables												Other terrestrial mammals, muscle	0.05	FC					0.05		0.05		5-1
Cucumber (including Gherkin)												Cattle, fat	0.05	FC					0.05		0.05		5-1
Pumpkin (including Squash)												Pig, fat	0.05	FC					0.05		0.05		5-1
Oriental pickling melon (vegetable)												Sheep, fat	0.05	FC					0.05		0.05		5-1
Water melon												Horse, fat	0.05	FC					0.05		0.05		5-1
Melons												Deer, fat	0.05	FC					0.05		0.05		5-1
MAKUWAURI												Goat, fat	0.05	FC					0.05		0.05		5-1
Other cucurbitaceous vegetables												Rabbit, fat	0.05	FC					0.05		0.05		5-1
Spinach												Reindeer, fat	0.05	FC					0.05		0.05		5-1
Bamboo shoots												Other terrestrial mammals, fat	0.05	FC					0.05		0.05		5-1
Okra												Cattle, liver	0.4	FC					0.5		0.2		5-1
Ginger												Pig, liver	0.4	FC					0.5		0.2		5-1
Peas (with pods, immature)												Sheep, liver	0.4	FC					0.5		0.2		5-1
Kidney beans (with pods, immature)												Horse, liver	0.4	FC					0.5		0.2		5-1
Soybeans												Deer, liver	0.3	FC					0.5		0.05		5-1
Button mushroom												Goat, liver	0.4	FC					0.5		0.2		5-1
SHIITAKE												Rabbit, liver	0.3	FC					0.5		0.05		5-1
Other mushrooms												Reindeer, liver	0.3	FC					0.5		0.05		5-1
Other vegetables												Other terrestrial mammals, liver	0.3	FC					0.5		0.05		5-1

SPIROXAMINE

[illegible]

551. SULFABENZAMIDE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimmon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock																							
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHINGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Turnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.1	FC						0.1			5-1
												Pig, muscle											
Tomato												Sheep, muscle	0.1	FC						0.1			5-1
Pumpkin (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other solanaceous vegetables												Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)												Reindeer, muscle											
Pumpkin (including Squash)												Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat								0.1			5-1
Melons												Pig, fat											
MAKUWAURI												Sheep, fat	0.1	FC						0.1			5-1
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Ginger												Other terrestrial mammals, fat											
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver	0.1	FC						0.1			5-1
Soybeans												Pig, liver											
												Sheep, liver	0.1	FC						0.1			5-1
Suton mushroom												Horse, liver											
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver											
												Rabbit, liver											
Other vegetables												Reindeer, liver											
												Other terrestrial mammals, liver											

SULFABENZAMIDE

[illegible]

552. SULFABROMOMETHAZINE SODIUM

[illegible]

SULFABROMOMETHAZINE SODIUM

[illegible]

553. SULFACETAMIDE

[illegible]

SULFACETAMIDE

[illegible]

554. SULFACHLORPYRIDAZINE

[illegible]

SULFACHLORPYRIDAZINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		0.1	FC					0.1			5-1	Cattfish											
Pig, kidney		0.05	PAL		0.05		0.1	0.1			3-1	Other freshwater fish											
Sheep, kidney												Salmon											
Horse, kidney												Trout											
Deer, kidney												Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney																							
Reindeer, kidney																							
Calf, kidney		0.1	FC				0.1				5-1	Marine fish											
Other terrestrial mammals, kidney												Shrimps or prawns											
Cattle, edible offal excluding liver and kidney		0.1	FC					0.1			5-1	Lobster											
Pig, edible offal excluding liver and kidney		0.05	PAL		0.05		0.1	0.1			3-1	Crayfish											
Sheep, edible offal excluding liver and kidney												Other crustaceans											
Horse, edible offal excluding liver and kidney																							
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Abalone											
Rabbit, edible offal excluding liver and kidney												Other aquatic animals											
Reindeer, edible offal excluding liver and kidney																							
Calf, edible offal excluding liver and kidney		0.1	FC				0.1				5-1	Other animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Honey											
Cattle, milk																							
Other poultry, fat																							
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Note: Although the EU establishes a MRL of 0.1 ppm for the muscle, the fat, the liver, the kidney, (sulfonamide compounds), and the milk of an animal as the sum of all substances categorized as sulfa drugs, Japan will establish PR-MRLs for individual substances, standards taking into consideration Codex and other country's standards.

555. SULFADIAZINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)												Blackberry											
Japanese radish (including Radish) (leaf)												Blueberry											
Turnip (including Rutabaga) (root)												Cranberry											
Turnip (including Rutabaga) (leaf)												Huckleberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Guava											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
Burdock												Date											
Salsify												Other fruits											
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Safflower seeds											
SHINGIKU												Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Peanut seeds											
Other composite vegetables												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shalot)																							
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.1	FC					0.1	0.1			5-1
Tomato												Pig, muscle	0.1	FC					0.1	0.1			5-1
Pimento (Sweet pepper)												Sheep, muscle	0.1	FC					0.1				5-1
Egg plant												Horse, muscle	0.1	FC					0.1	0.1			5-1
Other solanaceous vegetables												Deer, muscle	0.1	FC					0.1				5-1
Cucumber (including Gherkin)												Goat, muscle	0.1	FC					0.1				5-1
Pumpkin (including Squash)												Rabbit, muscle	0.1	FC					0.1				5-1
Oriental pickling melon (vegetable)												Reindeer, muscle	0.1	FC					0.1				5-1
Water melon												Lamb, muscle	0.1	FC					0.1	0.1			5-1
Melons												Other terrestrial mammals, muscle	0.1	FC					0.1				5-1
MAKUWAURI												Cattle, fat	0.1	FC						0.1			5-1
Other cucurbitaceous vegetables												Pig, fat	0.1	FC						0.1			5-1
Spinach												Sheep, fat	0.1	FC									5-1
Bamboo shoots												Horse, fat	0.1	FC						0.1			5-1
Okra												Deer, fat											
Ginger												Goat, fat											
Peas (with pods, immature)												Rabbit, fat											
Kidney beans (with pods, immature)												Reindeer, fat											
Soybeans												Other terrestrial mammals, fat	0.1	FC						0.1			5-1
Button mushroom												Cattle, liver	0.1	FC						0.1	0.1		5-1
SHIITAKE												Pig, liver	0.1	FC						0.1	0.1		5-1
Other mushrooms												Sheep, liver	0.1	FC						0.1			5-1
Other vegetables												Horse, liver	0.1	FC						0.1	0.1		5-1
												Deer, liver	0.1	FC						0.1			5-1
												Goat, liver	0.1	FC						0.1			5-1
												Rabbit, liver	0.1	FC						0.1			5-1
												Reindeer, liver	0.1	FC						0.1			5-1
												Lamb, liver	0.1	FC						0.1	0.1		5-1
												Other terrestrial mammals, liver	0.1	FC						0.1			5-1

SULFADIAZINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	FC					0.1	0.1			5-1	Cattfish											
Pig, kidney	0.1	FC					0.1	0.1			5-1	Other freshwater fish											
Sheep, kidney	0.1	FC					0.1				5-1												
Horse, kidney	0.1	FC					0.1	0.1			5-1	Salmon	0.1	FC						0.1			5-1
Deer, kidney	0.1	FC					0.1				5-1	Trout											
Goat, kidney	0.1	FC					0.1				5-1	Other salmonidae											
Rabbit, kidney	0.1	FC					0.1				5-1	Other diadromous fish											
Reindeer, kidney	0.1	FC					0.1				5-1	Oyster											
Lamb, kidney	0.1	FC					0.1	0.1			5-1	Marine fish											
Other terrestrial mammals, kidney	0.1	FC					0.1				5-1												
Cattle, edible offal excluding liver and kidney	0.1	FC					0.1	0.1			5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.1	FC					0.1	0.1			5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	FC					0.1	0.1			5-1	Other crustaceans											
Reindeer, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Goat, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Abalone											
Rabbit, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Other aquatic animals											
Reindeer, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Lamb, edible offal excluding liver and kidney	0.1	FC					0.1	0.1			5-1	Other animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Honey											
Cattle, milk	0.07	PAL		0.07			0.1				3-1												
Sheep, milk																							
Goat, milk																							
Other terrestrial mammals, milk																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.1	FC					0.1				5-1												
Duck, muscle	0.1	FC					0.1				5-1												
Turkey, muscle	0.1	FC					0.1				5-1												
Quail, muscle	0.1	FC					0.1				5-1												
Goose, muscle	0.1	FC					0.1				5-1												
Pheasant, muscle	0.1	FC					0.1				5-1												
Chukar partridge, muscle	0.1	FC					0.1				5-1												
Other poultry, muscle	0.1	FC					0.1				5-1												
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver	0.1	FC					0.1				5-1												
Duck, liver	0.1	FC					0.1				5-1												
Turkey, liver	0.1	FC					0.1				5-1												
Quail, liver	0.1	FC					0.1				5-1												
Goose, liver	0.1	FC					0.1				5-1												
Pheasant, liver	0.1	FC					0.1				5-1												
Chukar partridge, liver	0.1	FC					0.1				5-1												
Other poultry, liver	0.1	FC					0.1				5-1												
Chicken, kidney	0.1	FC					0.1				5-1												
Duck, kidney	0.1	FC					0.1				5-1												
Turkey, kidney	0.1	FC					0.1				5-1												
Quail, kidney	0.1	FC					0.1				5-1												
Goose, kidney	0.1	FC					0.1				5-1												
Pheasant, kidney	0.1	FC					0.1				5-1												
Chukar partridge, kidney	0.1	FC					0.1				5-1												
Other poultry, kidney	0.1	FC					0.1				5-1												
Chicken, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Duck, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Turkey, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Quail, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Goose, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Pheasant, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Chukar partridge, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Other poultry, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Note: Although the EU establishes a MRL of 0.1 ppm for the muscle, the fat, the liver, the kidney, (sulfonamide compounds), and the milk of an animal as the sum of all substances categorized as sulfa drugs, Japan will establish PR-MRLs for individual substances, standards taking into consideration Codex and other country's standards.

[illegible]

SULFADIMETHOXINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	PAL		0.05		0.1		0.1			3-1	Cattfish	0.1	FC				0.1					5-1
Pig, kidney	0.1	PAL		0.12							4	Other freshwater fish											
Sheep, kidney												Salmon	0.1	FC				0.1		0.1			5-1
Horse, kidney												Trout											
Deer, kidney												Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney																							
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.05	PAL		0.05		0.1		0.1			3-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.1	PAL		0.14							4	Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.02	PAL		0.02		0.01		0.01			3-1	Other animals											
Sheep, milk	0.01	FC						0.01			5-1	Honey											
Goat, milk	0.01	FC						0.01			5-1												
Other terrestrial mammals, milk	0.01	FC						0.01			5-1												
Chicken, muscle	0.05	PAL		0.05		0.1		0.1			3-1												
Duck, muscle	0.1	FC				0.1					5-1												
Turkey, muscle	0.1	FC				0.1		0.1			5-1												
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle	0.1	FC				0.1					5-1												
Other poultry, muscle																							
Chicken, fat	0.05	PAL		0.05		0.1		0.1			3-1												
Duck, fat	0.1	FC				0.1					5-1												
Turkey, fat	0.1	FC				0.1		0.1			5-1												
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat	0.1	FC				0.1					5-1												
Other poultry, fat																							
Chicken, liver	0.05	PAL		0.05		0.1		0.1			3-1												
Duck, liver	0.1	FC				0.1					5-1												
Turkey, liver	0.1	FC				0.1		0.1			5-1												
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver	0.1	FC				0.1					5-1												
Other poultry, liver																							
Chicken, kidney	0.05	PAL		0.05		0.1		0.1			3-1												
Duck, kidney	0.1	FC				0.1					5-1												
Turkey, kidney	0.1	FC				0.1		0.1			5-1												
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney	0.1	FC				0.1					5-1												
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney	0.05	PAL		0.05		0.1		0.1			3-1												
Duck, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Turkey, edible offal excluding liver and kidney	0.1	FC				0.1		0.1			5-1												
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney	0.1	FC				0.1					5-1												
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs	1	PAL		1							4												
Turkey eggs																							
Other poultry eggs																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Note: Although the EU establishes a MRL of 0.1 ppm for the muscle, the fat, the liver, the kidney, (sulfonamide compounds), and the milk of an animal as the sum of all substances categorized as sulfa drugs, Japan will establish PR-MRLs for individual substances, standards taking into consideration Codex and other country's standards.

557. SULFADIMIDINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Lime											
Beans (dry)												Other citrus fruits											
Peas												Apple											
Broad beans												Japanese pear											
Peanuts (dry)												Pear											
Other legumes/pulses												Quince											
Potato												Loquat											
Taro												Peach											
Sweet potato												Nectarine											
Yam												Apricot											
Konjac												Japanese plum (including Prunes)											
Other potatoes												Mume plum											
Sugar beet												Cherry											
Sugarcane												Strawberry											
Japanese radish (including Radish) (root)												Raspberry											
Japanese radish (including Radish) (leaf)												Blackberry											
Tumip (including Rutabaga) (root)												Blueberry											
Tumip (including Rutabaga) (leaf)												Cranberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage												Banana											
Brussels sprouts												Citrusfruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits											
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHINGIKU												Peanut seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables												Onion											
Welsh (including Leek)												Welsh (including Leek)											
Garlic												Garlic											
NIRA												Ginkgo nut											
Asparagus												Chestnut											
Multiplying onion (including Shalot)												Pecan											
Other liliaceous vegetables												Almond											
Carrot												Other nuts											
Parsnip												Tea (Green, Black, Oolong, Wulong tea)											
Parsley												Coffee beans											
Celery												Cacao beans											
MITSUBA												Hop											
Other umbelliferous vegetables												Cattle, muscle	0.1	MRL	0.1								
Tomato												Pig, muscle	0.1	MRL	0.1								
Pimento (Sweet pepper)												Sheep, muscle	0.1	MRL	0.1								
Egg plant												Horse, muscle	0.1	MRL	0.1								
Other solanaceous vegetables												Deer, muscle	0.1	CodeX			0.1			0.1			2
Cucumber (including Gherkin)												Goat, muscle	0.1	CodeX			0.1			0.1			2
Pumpkin (including Squash)												Rabbit, muscle	0.1	CodeX			0.1			0.1			2
Oriental pickling melon (vegetable)												Reindeer, muscle	0.1	CodeX			0.1			0.1			2
Water melon												Other terrestrial mammals, muscle	0.1	CodeX			0.1			0.1			2
Melons												Cattle, fat	0.1	MRL	0.1								
MAKUWAURI												Pig, fat	0.1	MRL	0.1								
Other cucurbitaceous vegetables												Sheep, fat	0.1	MRL	0.1								
Spinach												Horse, fat	0.1	MRL	0.1								
Bamboo shoots												Deer, fat	0.1	CodeX			0.1						2
Okra												Goat, fat	0.1	CodeX			0.1						2
Ginger												Rabbit, fat	0.1	CodeX			0.1						2
Peas (with pods, immature)												Reindeer, fat	0.1	CodeX			0.1						2
Kidney beans (with pods, immature)												Other terrestrial mammals, fat	0.1	CodeX			0.1						2
Soybeans												Cattle, liver	0.1	MRL	0.1								
Button mushroom												Pig, liver	0.1	MRL	0.1								
SHIITAKE												Sheep, liver	0.1	MRL	0.1								
Other mushrooms												Horse, liver	0.1	MRL	0.1								
Other vegetables												Deer, liver	0.1	CodeX			0.1			0.1			2
												Goat, liver	0.1	CodeX			0.1			0.1			2
												Rabbit, liver	0.1	CodeX			0.1			0.1			2
												Reindeer, liver	0.1	CodeX			0.1			0.1			2
												Other terrestrial mammals, liver	0.1	CodeX			0.1			0.1			2

SULFADIMIDINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	MRL	0.1									Cattfish											
Pig, kidney	0.1	MRL	0.1									Other freshwater fish											
Sheep, kidney	0.1	MRL	0.1									Salmon											
Horse, kidney	0.1	MRL	0.1									Trout											
Deer, kidney	0.1	Code			0.1		0.1				2	Other salmonidae											
Goat, kidney	0.1	Code			0.1		0.1				2	Other diadromous fish											
Rabbit, kidney	0.1	Code			0.1		0.1				2												
Reindeer, kidney	0.1	Code			0.1		0.1				2												
Other terrestrial mammals, kidney	0.1	Code			0.1		0.1				2	Marine fish											
Cattle, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.05	PAL		0.05			0.1				3-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Goat, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Rabbit, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
												Other animals											
Cattle, milk	0.025	MRL	0.025																				
Sheep, milk	0.025	MRL	0.025									Honey											
Goat, milk	0.025	MRL	0.025																				
Other terrestrial mammals, milk																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.1	MRL	0.1																				
Duck, muscle	0.1	MRL	0.1																				
Turkey, muscle	0.1	MRL	0.1																				
Quail, muscle	0.1	Code				0.1	0.1				2												
Goose, muscle	0.1	Code				0.1	0.1				2												
Pheasant, muscle	0.1	Code				0.1	0.1				2												
Chukar partridge, muscle	0.1	Code				0.1	0.1				2												
Other poultry, muscle	0.1	Code				0.1	0.1				2												
Chicken, fat	0.1	MRL	0.1																				
Duck, fat	0.1	MRL	0.1																				
Turkey, fat	0.1	MRL	0.1																				
Quail, fat	0.1	Code				0.1					2												
Goose, fat	0.1	Code				0.1					2												
Pheasant, fat	0.1	Code				0.1					2												
Chukar partridge, fat	0.1	Code				0.1					2												
Other poultry, fat	0.1	Code				0.1					2												
Chicken, liver	0.1	MRL	0.1																				
Duck, liver	0.1	MRL	0.1																				
Turkey, liver	0.1	MRL	0.1																				
Quail, liver	0.1	Code				0.1	0.1				2												
Goose, liver	0.1	Code				0.1	0.1				2												
Pheasant, liver	0.1	Code				0.1	0.1				2												
Chukar partridge, liver	0.1	Code				0.1	0.1				2												
Other poultry, liver	0.1	Code				0.1	0.1				2												
Chicken, kidney	0.1	MRL	0.1																				
Duck, kidney	0.1	MRL	0.1																				
Turkey, kidney	0.1	MRL	0.1																				
Quail, kidney	0.1	Code				0.1	0.1				2												
Goose, kidney	0.1	Code				0.1	0.1				2												
Pheasant, kidney	0.1	Code				0.1	0.1				2												
Chukar partridge, kidney	0.1	Code				0.1	0.1				2												
Other poultry, kidney	0.1	Code				0.1	0.1				2												
Chicken, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Duck, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Turkey, edible offal excluding liver and kidney	0.2	FC					0.2				5-1												
Quail, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Goose, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Pheasant, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Chukar partridge, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Other poultry, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Note: Although the EU establishes a MRL of 0.1 ppm for the muscle, the fat, the liver, the kidney, (sulfonamide compounds), and the milk of an animal as the sum of all substances categorized as sulfa drugs, Japan will establish PR-MRLs for individual substances, standards taking into consideration Codex and other country's standards.

[illegible]

SULFADOXINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	FC					0.1	0.1			5-1	Cattfish											
Pig, kidney	0.1	PAL		0.1			0.1	0.1			3-1	Other freshwater fish											
Sheep, kidney												Salmon											
Horse, kidney												Trout											
Deer, kidney												Other salmonidae											
Goat, kidney												Other diadromous fish											
Rabbit, kidney																							
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.1	FC					0.1	0.1			5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.02	PAL		0.02			0.1	0.1			3-1	Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.06	FC					0.1	0.01			5-1	Other animals											
Sheep, milk	0.01	FC						0.01			5-1	Honey											
Goat, milk	0.01	FC						0.01			5-1												
Other terrestrial mammals, milk	0.01	FC						0.01			5-1												
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

Note: Although the EU establishes a MRL of 0.1 ppm for the muscle, the fat, the liver, the kidney, (sulfonamide compounds), and the milk of an animal as the sum of all substances categorized as sulfa drugs, Japan will establish PR-MRLs for individual substances, standards taking into consideration Codex and other country's standards.

[illegible]

SULFAETHOXPYRIDAZINE

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)											UNSHU orange												
											NATSUDAIDAI (flesh)												
Wheat											NATSUDAIDAI (root)												
Barley											NATSUDAIDAI (whole)												
Rye											Lemon												
Corn (including Maize Sweet corn)											Orange (including Navel)												
Buckwheat											Grapefruit												
Other cereal grains											Lime												
											Other citrus fruits												
Soybeans (dry)											Apple												
Beans (dry)											Japanese pear												
Peas											Pear												
Broad beans											Quince												
Peanuts (dry)											Loquat												
Other legumes/pulses																							
Potato											Peach												
Taro											Nectarine												
Sweet potato											Apricot												
Yam											Japanese plum (including Prunes)												
Konjac											Mume plum												
Other potatoes											Cherry												
Sugar beet											Strawberry												
Sugarcane											Raspberry												
											Blackberry												
Japanese radish (including Radish) (root)											Blueberry												
Japanese radish (including Radish) (leaf)											Cranberry												
Tump (including Rutabaga) (root)											Huckleberry												
Tump (including Rutabaga) (leaf)											Other berries												
Horseradish																							
Watercress											Grape												
Chinese cabbage											Japanese persimmon												
Cabbage																							
Brussels sprouts											Banana												
Kale											Kiwifruit												
KOMATSUNA											Papaya					</							

SULFAGUANIDINE

[illegible]

561. SULFAMERAZINE

[illegible]

SULFAMERAZINE

[illegible]