

583. TEFLUBENZURON

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.05	MRL	0.05	UNSHU orange	0.1	MRL	0.1
Wheat	0.05	MRL	0.05	NATSUDAIDAI (flesh)	1	MRL	1
Barley	0.05	MRL	0.05	NATSUDAIDAI (peel)	1	MRL	1
Rye	0.05	MRL	0.05	NATSUDAIDAI (whole)	1	MRL	1
Corn (including Maize, Sweet corn)	0.1	MRL	0.1	Lemon	1	MRL	1
Buckwheat	0.05	MRL	0.05	Orange (including Navel)	1	MRL	1
Other cereal grains	0.05	MRL	0.05	Grapefruit	1	MRL	1
Soybeans (dry)	0.1	MRL	0.1	Lime	1	MRL	1
Beans (dry)	1	MRL	1	Other citrus fruits	1	MRL	1
Peas	1	MRL	1	Apple	0.5	MRL	0.5
Broad beans	1	MRL	1	Japanese pear	0.5	MRL	0.5
Peanuts (dry)	1	MRL	1	Pear	1	MRL	1
Other legumes/pulses	1	MRL	1	Quince	0.5	MRL	0.5
Potato	0.1	MRL	0.1	Loquat	1	Codex	0.1	1	1-1
Taro	0.1	WHL	0.1	4	Peach	0.3	MRL	0.3
Sweet potato	0.1	MRL	0.1	4	Nectarine	1	MRL	1
Yam	0.1	WHL	0.1	4	Apricot	0.3	MRL	0.3
Konjac	0.1	WHL	0.1	4	Japanese plum (including Prunes)	0.3	MRL	0.3
Other potatoes	0.1	WHL	0.1	4	Mume plum	0.3	MRL	0.3
Sugar beet	0.5	MRL	0.5	Cherry	0.3	MRL	0.3
Sugarcane	1	MRL	1	Strawberry	1	MRL	1
Japanese radish (including Radish) (root)	0.1	MRL	0.1	Raspberry	1	WHL	1	4
Japanese radish (including Radish) (leaf)	1	MRL	1	Blackberry	1	WHL	1	4
Turnip (including Rutabaga) (root)	0.1	WHL	0.1																	

TEFLUBENZURON

[illegible]

584. TEFLUTHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)												
Rye												Common												
Corn (including Maize, Sweet corn)	0.1	MRL	0.1									Orange (including Navel)												
Buckwheat												Grapefruit												
Other cereal grains												Lime												
												Other citrus fruits												
Soybeans (dry)																								
Beans (dry) *	0.1	WHL		0.1							4	Apple												
Peas	0.1	WHL		0.1							4	Japanese pear												
Broad beans	0.1	WHL		0.1							4	Pear												
Peanuts (dry)	0.1	MRL	0.1									Quince												
Other legumes/pulses	0.1	WHL		0.1							4	Loquat												
Potato	0.1	WHL		0.1							4	Peach												
Taro	0.1	WHL		0.1							4	Nectarine												
Sweet potato	0.1	MRL	0.1									Apricot	0.1	WHL		0.1								4
Yam	0.1	WHL		0.1							4	Japanese plum (including Prunes)	0.1	WHL		0.1								4
Konjac	0.1	WHL		0.1							4	Mume plum	0.1	WHL		0.1								4
Other potatoes	0.1	WHL		0.1							4	Cherry	0.1	WHL		0.1								4
Sugar beet												Strawberry	0.1	MRL	0.1									
Sugarcane	0.1	MRL	0.1									Raspberry	0.1	WHL										4
												Blackberry	0.1	WHL		0.1								4
Japanese radish (including Radish) (root)	0.1	MRL	0.1									Blueberry	0.1	WHL		0.1								4
Japanese radish (including Radish) (leaf)	0.5	MRL	0.5									Cranberry	0.1	WHL		0.1								4
Turnip (including Rutabaga) (root)	0.1	WHL		0.1							4	Huckleberry	0.1	WHL		0.1								4
Turnip (including Rutabaga) (leaf)	0.1	WHL		0.1							4	Other berries	0.1	WHL		0.1								4
Horseradish	0.1	WHL		0.1							4													
Watercress	0.5	WHL		0.5							4	Grape	0.1	WHL		0.1								4
Chinese cabbage	0.1	MRL	0.1									Japanese persimon												

[illegible]

Rice (brown rice)
Wheat
Barley
Rye
Corn (including Maize Sweet corn)
Buckwheat
Other cereal grains
Soybeans (dry)
Beans (dry)
Peas
Broad beans
Peanuts (dry)
Other legumes/pulses
Yam
Taro
Sweet potato
Turnip (including Rutabaga) (root)
Turnip (including Rutabaga) (leaf)
Horseradish
Watercress
Chinese cabbage
Cabbage
Brussels sprouts
Kale
OKRA
KYONA
Qing-gong-cai
Chinese Cauliflower
Broccoli
Other cruciferous vegetables
Burdock
Salsify
Artichoke
Chicory
Endive
SHINGIKU
Other composite vegetables
Onion
Welsh (including Leek)
Garlic
NIRA
Other liliaceous vegetables
Carrot
Parsnip
Parsley
Celery
MITSUBA
Other umbelliferous vegetables
Tomato
Pimento (Sweet pepper)
Other solanaceous vegetables
Cucumber (including Gherkin)
Pumpkin (including Squash)
Oriental pickling melon (vegetable)
Water melon
Other cucurbitaceous vegetables
Spinach
Bamboo shoots
OKRA
Peas (with pods, immature)
Kidney beans (with pods, immature)
Soybeans
Button mushroom
SHIITAKE
Other mushrooms
Other vegetables

[illegible]

TEMEPHOS

[illegible]

586. TEPRALOXYDIM

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)	0.1MRL		0.1									Lime											
Beans (dry)	0.2MRL		0.2									Other citrus fruits											
Peas	0.2MRL		0.2								4	Apple											
Broad beans	0.2MRL		0.2								4	Japanese pear											
Peanuts (dry)	0.2MRL		0.2								4	Pear											
Other legumes/pulses	0.2MRL		0.2								4	Quince											
Potato	0.2MRL		0.2								4	Loquat											
Taro	0.2MRL		0.2								4	Peach											
Sweet potato	0.2MRL		0.2								4	Nectarine											
Yam	0.2MRL		0.2								4	Apricot											
Konjac	0.2MRL		0.2								4	Japanese plum (including Prunes)											
Other potatoes	0.2MRL		0.2								4	Mume plum											
Sugar beet	0.2MRL		0.2									Cherry											
Sugarcane	0.2MRL		0.2									Strawberry											
Japanese radish (including Radish) (root)	0.2MRL		0.2								4	Raspberry											
Japanese radish (including Radish) (leaf)	0.2MRL		0.2								4	Blackberry											
Tump (including Rutabaga) (root)	0.2MRL		0.2								4	Blueberry											
Tump (including Rutabaga) (leaf)	0.2MRL		0.2								4	Cranberry											
Horseradish	0.2MRL		0.2								4	Blackberry											
Watercress	0.2MRL		0.2								4	Other berries											
Chinese cabbage	0.2MRL		0.2								4	Grape											
Cabbage	0.2MRL		0.2								4	Japanese persimon											
Brussels sprouts	0.2MRL		0.2								4	Banana											
Kale	0.2MRL		0.2								4	Kiwifruit											
KOMATSUNA	0.2MRL		0.2								4	Papaya											
KYONA	0.2MRL		0.2								4	Avocado											
Qing-geng-cai	0.2MRL		0.2								4	Pineapple											
Cauliflower	0.2MRL		0.2								4	Guava											
Broccoli	0.2MRL		0.2								4	Mango											
Other cruciferous vegetables	0.2MRL		0.2								4	Passion fruit											
Burdock	0.2MRL		0.2								4	Date											
Salsify	0.2MRL		0.2								4	Other fruits											
Artichoke	0.2MRL		0.2								4	Sunflower seeds											
Chicory	0.2MRL		0.2								4	Sesam seeds											
Endive	0.2MRL		0.2								4	Safflower seeds											
SHUNGIKU	0.2MRL		0.2								4	Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)	0.2MRL		0.2								4	Rapeseeds											
Other composite vegetables	0.2MRL		0.2								4	Other oil seeds											
Onion	0.5MRL		0.5								4	Ginkgo nut											
Welsh (including Leek)	0.5MRL		0.5								4	Chestnut											
Garlic	0.5MRL		0.5								4	Pecan											
NIRA	0.5MRL		0.5								4	Almond											
Asparagus	0.5MRL		0.5								4	Walnut											
Multiplying onion (including Shallot)	0.5MRL		0.5								4	Other nuts											
Other liliaceous vegetables	0.5MRL		0.5								4	Tea (Green, Black, Oolong, Wulong tea)											
Carrot	0.2MRL		0.2								4	Coffee beans											
Parsnip	0.2MRL		0.2								4	Cacao beans											
Parsley	0.2MRL		0.2								4	Hop											
Celery	0.2MRL		0.2								4	Cattle, muscle	0.2FC					0.2					5-1
MITSUBA	0.2MRL		0.2								4	Pig, muscle	0.2FC					0.2					5-1
Other umbelliferous vegetables	0.2MRL		0.2								4	Sheep, muscle	0.2FC					0.2					5-1
Tomato	0.2MRL		0.2								4	Horse, muscle	0.2FC					0.2					5-1
Pimento (Sweet pepper)	0.2MRL		0.2								4	Deer, muscle	0.2FC					0.2					5-1
Egg plant	0.2MRL		0.2								4	Goat, muscle	0.2FC					0.2					5-1
Other Solanaceous vegetables	0.2MRL		0.2								4	Reindeer, muscle	0.2FC					0.2					5-1
Cucumber (including Gherkin)	0.2MRL		0.2								4	Other terrestrial mammals, muscle	0.2FC					0.2					5-1
Pumpkin (including Squash)	0.2MRL		0.2								4	Cattle, fat	0.2FC					0.15					5-1
Oriental pickling melon (vegetable)	0.2MRL		0.2								4	Pig, fat	0.2FC					0.15					5-1
Water melon	0.2MRL		0.2								4	Sheep, fat	0.2FC					0.15					5-1
Melons	0.2MRL		0.2								4	Horse, fat	0.2FC					0.15					5-1
MAKUWAURI	0.2MRL		0.2								4	Deer, fat	0.2FC					0.15					5-1
Other cucurbitaceous vegetables	0.2MRL		0.2								4	Goat, fat	0.2FC					0.15					5-1
Spinach	0.2MRL		0.2								4	Rabbit, fat	0.2FC					0.15					5-1
Bamboo shoots	0.2MRL		0.2								4	Reindeer, fat	0.2FC					0.15					5-1
Okra	0.2MRL		0.2								4	Other terrestrial mammals, fat	0.2FC					0.15					5-1
Ginger	0.2MRL		0.2								4	Cattle, liver	0.2FC					0.2					5-1
Peas (with pods, immature)	0.2MRL		0.2								4	Pig, liver	0.2FC					0.2					5-1
Kidney beans (with pods, immature)	0.2MRL		0.2								4	Sheep, liver	0.2FC					0.2					5-1
Soybeans	0.2MRL		0.2								4	Horse, liver	0.2FC					0.2					5-1
Button mushroom	0.2MRL		0.2								4	Deer, liver	0.2FC					0.2					5-1
SHIITAKE	0.2MRL		0.2								4	Goat, liver	0.2FC					0.2					5-1
Other mushrooms	0.2MRL		0.2								4	Rabbit, liver	0.2FC					0.2					5-1
Other vegetables	0.2MRL		0.2								4	Reindeer, liver	0.2FC					0.2					5-1
												Other terrestrial mammals, liver											

The MRLs printed on the column of MRL are now under deliberation.

	- M R L	f .	L	L	d e x					p e		- M R L	f .	L	L	d e x					p e
Cattle, kidney	0.5	FC				0.5				5-1	Catfish										
Pig, kidney	0.5	FC				0.5				5-1	Other freshwater fish										
Sheep, kidney	0.5	FC				0.5				5-1											
Horse, kidney	0.5	FC				0.5				5-1	Salmon										
Deer, kidney											Trout										
Goat, kidney	0.5	FC				0.5				5-1	Other salmonidae										
Rabbit, kidney											Other diadromou fish										
Reindeer, kidney																					
Other terrestrial mammals, kidney											Other marine fish										
Cattle, edible offal excluding liver and kidney	0.2	FC				0.2				5-1	Shrimps or prawns										
Pig, edible offal excluding liver and kidney	0.2	FC				0.2				5-1	Lobster										
Sheep, edible offal excluding liver and kidney	0.2	FC				0.2				5-1	Crayfish										
Horse, edible offal excluding liver and kidney	0.2	FC				0.2				5-1	Other crustaceans										
Deer, edible offal excluding liver and kidney																					
Goat, edible offal excluding liver and kidney	0.2	FC				0.2				5-1	Oyster										
Rabbit, edible offal excluding liver and kidney											Abalone										
Reindeer, edible offal excluding liver and kidney											Other aquatic animals										
Other terrestrial mammals, edible offal excluding liver and kidney																					
Cattle, milk	0.1	FC				0.1				5-1											
Sheep, milk	0.1	FC				0.1				5-1	honey										
Goat, milk	0.1	FC				0.1				5-1											
Other terrestrial mammals, milk	0.1	FC				0.1				5-1											
Chicken, muscle	0.2	FC				0.2				5-1											
Duck, muscle	0.2	FC				0.2				5-1											
Turkey, muscle	0.2	FC				0.2				5-1											
	0.2	FC				0.2				5-1											
Goose, muscle	0.2	FC				0.2				5-1											
Pheasant, muscle	0.2	FC				0.2				5-1											
Chukar partridge, muscle	0.2	FC				0.2				5-1											
Other poultry, muscle	0.2	FC				0.2				5-1											
Chicken, fat	0.3	FC				0.3				5-1											
Duck, fat	0.3	FC				0.3				5-1											
Turkey, fat	0.3	FC																			

587. TERBACIL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.1	MRL	0.1									
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	0.1	MRL	0.1									
Rye												Lemon	0.1	MRL	0.1									
Corn (including Maize, Sweet corn)												Orange (including Navel)	0.1	MRL	0.1									
Buckwheat												Grapefruit	0.1	MRL	0.1									
Other cereal grains												Lime	0.1	MRL	0.1									
												Other citrus fruits	0.1	MRL	0.1									
Soybeans (dry)																								
Beans (dry)												Apple	0.1	MRL	0.1									
Peas												Japanese pear	0.1	MRL	0.1									
Broad beans												Pear	0.1	MRL	0.1									
Peanuts (dry)												Quince	0.04	MRL	0.04									
Other legumes/pulses												Loquat	0.04	MRL	0.04									
Potato												Peach	0.1	MRL	0.1									
Taro												Nectarine	0.1	MRL	0.1									
Sweet potato												Apricot	0.1	MRL	0.1									
Yam												Japanese plum (including Prunes)	0.1	MRL	0.1									
Konjac												Mume plum	0.04	MRL	0.04									
Other potatoes												Cherry	0.04	MRL	0.04									
Sugar beet												Strawberry	0.1	MRL	0.1									
Sugarcane	0.1	MRL	0.1									Raspberry	0.1	MRL	0.1									
												Blackberry	0.1	MRL	0.1									
Japanese radish (including Radish) (root)												Blueberry	0.1	MRL	0.1									
Japanese radish (including Radish) (leaf)												Cranberry												
												Huckleberry												
Turnip (including Rutabaga) (root)												Other berries	0.1	MRL	0.1									
Turnip (including Rutabaga) (leaf)																								
Horseradish																								
Watercress												Grape	0.1	MRL	0.1									
Chinese cabbage												Japanese persimon	0.1	WHL		0.1								4
Cabbage																								
Brussels sprouts												Banana	0.1	WHL		0.1								4
Kale												Kiwifruit												
OKARA												Papaya	0.1	WHL		0.1								4
KYONA												Avocado	0.1	WHL		0.1								4
Qing-geng-cai												Pineapple	0.1	WHL		0.1								4
Cauliflower												Guava	0.1	WHL		0.1								4
Broccoli												Mango	0.1	WHL		0.1								4
Other cruciferous vegetables												Passion fruit	0.1	WHL		0.1								4
												Date												
Burdock																								
Salsify												Other fruits	0.1	WHL		0.1								4
Artichoke																								
Chicory												Sunflower seeds												
Endive												Sesam seeds												
SHUNGIKU												Safflower seeds												
Leafy greens (leafy greens)												Cotton seeds												
Leafy greens (leafy greens)												Rapeseeds												
Other composite vegetables												Other oil seeds												
Onion																								
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan	0.1	MRL	0.1									
Asparagus	0.1	MRL	0.2									Almond	0.1	MRL	0.1									
Multipurpose onion (including Shallot)												Walnut	0.1	MRL	0.1									
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)												
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop												
MITSUBA																								
Other umbelliferous vegetables												Cattle, muscle												
												Pig, muscle												
Tomato												Sheep, muscle												
Pimento (Sweet pepper)												Horse, muscle												
Egg plant												Deer, muscle												
Other Solanaceous vegetables												Goat, muscle												
												Rabbit, muscle												
Cucumber (including Gherkin)												Reindeer, muscle												
Pumpkin (including Squash)												Other terrestrial mammals, muscle												
Oriental pickling melon (vegetable)																								
Water melon												Cattle, fat												
Melons												Pig, fat												
												Sheep, fat												
Other cucurbitaceous vegetables												Horse, fat												
												Deer, fat												
Spinach												Goat, fat												
Bamboo shoots	0.05	MRL	0.05									Rabbit, fat												
OKRA												Reindeer, fat												
Other vegetables												Other terrestrial mammals, fat												
Peas (with pods, immature)												Cattle, liver												
Kidney beans (with pods, immature)												Pig, liver												
Soybeans												Sheep, liver												
												Horse, liver												
Button mushroom												Deer, liver												
SHIITAKE												Goat, liver												
Other mushrooms												Rabbit, liver												
Other vegetables	0.05	MRL	0.05									Reindeer, liver												
												Other terrestrial mammals, liver												

	P R - M R L	R e f. 	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Fish, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excludng liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edble offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals , milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat					</																		

588. TERBUFOS

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.005	MRL	0.005		UNSHU orange											
Potato												Each											
Wheat	0.01	MRL	0.01		NATSUDAIDAI (flesh)											
Barley	0.01	MRL	0.01		NATSUDAIDAI (peel)											
Rye	0.005	MRL	0.005		NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.01	MRL	0.01		Lemon											
Buckwheat	0.005	MRL	0.005		Orange (including Navel)											
Other cereal grains	0.05	MRL	0.05		Grapefruit											
Soybeans (dry)	0.05	Codex			0.05						2	Lime											
Beans (dry)												Other citrus fruits											
Peas												Apple											
Broad beans												Japanese pear											
Peanuts (dry)	0.05	Codex			0.05						2	Pear											
Other legumes/pulses												Quince											
												Loquat											
Taro												Peach											
Sweet potato												Nectarine											
Yam												Apricot											
Konjac												Japanese plum (including Prunes)											
Other potatoes												Mume plum											
												Cherry											
Sugar beet	0.05	MRL	0.05		Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage	0.05	Codex			0.05																		

[illegible]

589. TERBUTRYN

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Cattfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
												Other animals											
												honey											
Cattle, milk fat	0.1	FC					0.1				5-1												
Sheep, milk fat	0.1	FC					0.1				5-1												
Goat, milk fat	0.1	FC					0.1				5-1												
Other terrestrial mammals , milk fat	0.1	FC					0.1				5-1												
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	0.1	FC					0.1				5-1												

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)													UNSHU orange										
Potato													Peach										
Wheat													NATSUDAIDAI (flesh)										
Barley													NATSUDAIDAI (peel)										
Barley													NATSUDAIDAI (whole)										
Rye													Lemon										
Corn (including Maize Sweet corn)													Orange (including Navel)										
Buckwheat													Grapefruit										
Other cereal grains													Lime										
													Other citrus fruits										
Soybeans (dry)																							
Beans (dry)													Apple										
Peas													Japanese pear										
Broad beans													Pear										
Peanuts (dry)													Quince										
Other legumes/pulses													Loquat										
Taro													Nectarine										
Sweet potato													Apricot										
Yam													Japanese plum (including Prunes)										
Konjac													Mume plum										
Other potatoes													Cherry										
Sugar beet													Strawberry										
Sugarcane													Raspberry										
													Blackberry										
Japanese radish (including Radish) (root)													Blueberry										
Japanese radish (including Radish) (leaf)													Cranberry										
Turnip (including Rutabaga) (root)													Blackberry										
Turnip (including Rutabaga) (leaf)													Other berries										
Horseradish																							
Watercress													Grape										
Chinese cabbage													Japanese persimon										
Cabbage																							
Brussels sprouts													Banana					</					

TERDECAMYCIN

[illegible]

591. TETRACHLORVINPHOS

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.3	WHL		0.3							4	UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple	10	FC						10			5-1
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
Japanese radish (including Radish) (root)	0.3	WHL		0.3							4	Blackberry											
Japanese radish (including Radish) (leaf)	0.3	WHL		0.3			2				3-1	Blueberry											
Tump (including Rutabaga) (root)	0.3	WHL		0.3							4	Cranberry											
Tump (including Rutabaga) (leaf)	0.3	WHL		0.3			2				3-1	Other berries											
Horseradish	0.3	WHL		0.3							4												
Watercress	0.3	WHL		0.3			2				3-1	Grape	10	FC						10			5-1
Chinese cabbage	0.3	WHL		0.3			2				3-1	Japanese persimon											
Cabbage	0.3	WHL		0.3							4												
Brussels sprouts	0.3	WHL		0.3							4	Banana											
Kale	0.3	WHL		0.3			2				3-1	Kiwifruit											
KOMATSUNA	0.3	WHL		0.3			2				3-1	Papaya											
KYONA	0.3	WHL		0.3			2				3-1	Avocado											
Qing-geng-cai	0.3	WHL		0.3			2				3-1	Pineapple											
Cauliflower	0.3	WHL		0.3							4	Guava											
Broccoli	0.3	WHL		0.3							4	Mango											
Other cruciferous vegetables	0.3	WHL		0.3			2				3-1	Passion fruit											
Burdock	0.3	WHL		0.3							4	Date											
Salsify	0.3	WHL		0.3							4	Other fruits											
Artichoke	0.3	WHL		0.3							4												
Chicory	0.3	WHL		0.3			2				3-1	Sunflower seeds											
Endive	0.3	WHL		0.3			2				3-1	Sesam seeds											
SHUNGIKU	0.3	WHL		0.3			2				3-1	Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)	0.3	WHL		0.3			2				3-1	Cotton seeds											
Other composite vegetables	0.3	WHL		0.3			2				3-1	Rape seeds											
Onion	0.3	WHL		0.3							4	Other oil seeds											
Welsh (including Leek)	0.3	WHL		0.3							4												
Garlic	0.3	WHL		0.3							4	Ginkgo nut											
NIRA	0.3	WHL		0.3							4	Chestnut											
Asparagus	0.3	WHL		0.3							4	Pecan											
Multiplying onion (including Shallot)	0.3	WHL		0.3							4	Almond											
Other liliaceous vegetables	0.3	WHL		0.3							4	Walnut											
Carrot	0.3	WHL		0.3							4	Other nuts											
Parsnip	0.3	WHL		0.3							4	Tea (Green, Black, Oolong, Wulong tea)											
Parsley	0.3	WHL		0.3							4	Coffee beans											
Celery	0.3	WHL		0.3							4	Cacao beans											
MITSUBA	0.3	WHL		0.3							4	Hop											
Other umbelliferous vegetables	0.3	WHL		0.3			2				3-1	Cattle, muscle	0.8	FC					0.05	1.5			5-1
Tomato	0.3	WHL		0.3							4	Pig, muscle	0.8	FC					0.05	1.5			5-1
Pimento (Sweet pepper)	0.3	WHL		0.3							4	Sheep, muscle	0.05	FC					0.05				5-1
Egg plant	0.3	WHL		0.3							4	Horse, muscle	0.05	FC					0.05				5-1
Other Solanaceous vegetables	0.3	WHL		0.3			2				3-1	Deer, muscle	0.05	FC					0.05				5-1
Cucumber (including Gherkin)	0.3	WHL		0.3							4	Goat, muscle	0.05	FC					0.05				5-1
Pumpkin (including Squash)	0.3	WHL		0.3							4	Reindeer, muscle	0.05	FC					0.05				5-1
Oriental pickling melon (vegetable)	0.3	WHL		0.3							4	Other terrestrial mammals, muscle	0.05	FC					0.05				5-1
Water melon												Cattle, fat	2	FC					1.5		1.5		5-1
Melons												Pig, fat	2	FC					1.5		1.5		5-1
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables	0.3	WHL		0.3			2				3-1	Horse, fat	0.5	FC					0.5				5-1
Spinach	0.3	WHL		0.3			2				3-1	Goat, fat	0.5	FC					0.5				5-1
Bamboo shoots	0.3	WHL		0.3							4	Rabbit, fat											
Okra	0.3	WHL		0.3							4	Reindeer, fat											
Ginger	0.3	WHL		0.3							4	Other terrestrial mammals, fat											
Peas (with pods, immature)	0.3	WHL		0.3							4	Cattle, liver	0.8	FC					0.05	1.5			5-1
Kidney beans (with pods, immature)	0.3	WHL		0.3							4	Pig, liver	0.8	FC					0.05	1.5			5-1
Soybeans	0.3	WHL		0.3							4	Sheep, liver	0.05	FC					0.05				5-1
Button mushroom	0.3	WHL		0.3							4	Horse, liver	0.05	FC					0.05				5-1
SHIITAKE	0.3	WHL		0.3							4	Deer, liver	0.05	FC					0.05				5-1
Other mushrooms	0.3	WHL		0.3							4	Goat, liver	0.05	FC					0.05				5-1
Other vegetables	0.3	WHL		0.3			2				3-1	Rabbit, liver	0.05	FC					0.05				5-1
												Reindeer, liver	0.05	FC					0.05				5-1
												Other terrestrial mammals, liver	0.05	FC					0.05				5-1

	P
	P

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney	0.8	FC					0.05	1.5			5-1	Catfish												
Pig, kidney	0.8	FC					0.05	1.5			5-1	Other freshwater fish												
Sheep, kidney	0.05	FC					0.05				5-1													
Horse, kidney	0.05	FC					0.05				5-1	Salmon												
Deer, kidney	0.05	FC					0.05				5-1	Trout												
Goat, kidney	0.05	FC					0.05				5-1	Other salmonidae												
Rabbit, kidney	0.05	FC					0.05				5-1	Other diadromou fish												
Reindeer, kidney	0.05	FC					0.05				5-1													
Other terrestrial mammals, kidney	0.05	FC					0.05				5-1	Other marine fish												
Cattle, edible offal excluding liver and kidney	0.8	FC					0.05	1.5			5-1	Shrimps or prawns												
Pig, edible offal excluding liver and kidney	0.8	FC					0.05	1.5			5-1	Lobster												
Sheep, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Crayfish												
Horse, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Other crustaceans												
Deer, edible offal excluding liver and kidney	0.05	FC					0.05				5-1													
Goat, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Oyster												
Rabbit, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Salone												
Reindeer, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Other aquatic animals												
Other terrestrial mammals, edible offal excluding liver and kidney	0.05	FC					0.05				5-1													
												Other animals												
												honey												
Cattle, milk fat	0.3	FC					0.5	0.05			5-1													
Sheep, milk fat	0.3	FC					0.5	0.05			5-1													
Goat, milk fat	0.3	FC					0.5	0.05			5-1													
Other terrestrial mammals , milk fat	0.3	FC					0.5	0.05			5-1													
Chicken, muscle	0.8	FC						0.75			5-1													
Duck, muscle	0.8	FC						0.75			5-1													
Turkey, muscle	0.8	FC						0.75			5-1													
	0.8	FC						0.75			5-1													
Goose, muscle	0.8	FC																						

592. TETRACONAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																								UNSHU orange
																								NATSUDAIDAI (flesh)
Wheat	0.05	MRL	0.05																					NATSUDAIDAI (peel)
Barley	0.2	MRL	0.2																					NATSUDAIDAI (whole)
Rye																								Lemon
Corn (including Maize, Sweet corn)																								Orange (including Navel)
Buckwheat																								Grapefruit
Other cereal grains	0.1	MRL	0.1																					Lime
Soybeans (dry)																								Other citrus fruits
Beans (dry) *														0.5	MRL	0.5								Apple
Peas														0.5	MRL	0.5								Japanese pear
Broad beans														0.5	MRL	0.5								Pear
Peanuts (dry)														0.5	MRL	0.5								Quince
Other legumes/pulses														0.5	MRL	0.5								Loquat
Potato														0.3	MRL	0.3								Peach
Taro														0.2	MRL	0.2								Nectarine
Sweet potato														0.2	MRL	0.2								Apricot
Yam														0.2	MRL	0.2								Japanese plum (including Prunes)
Konjac														0.2	MRL	0.2								Mume plum
Other potatoes														0.2	MRL	0.2								Cherry
Sugar beet	0.5	MRL	0.5											2	MRL	2								Strawberry
Sugarcane														2	WHL	2								Raspberry
Japanese radish (including Radish) (root)														2	WHL	2								Blackberry
Japanese radish (including Radish) (leaf)														2	WHL	2								Blueberry
Turnip (including Rutabaga) (root)														2	WHL	2								Cranberry
Turnip (including Rutabaga) (leaf)														2	WHL	2								Huckleberry
Horseradish														2	WHL	2								Other berries
Watercress														0.5	MRL	0.5								Grape
Chinese cabbage																								Japanese persimon
Cabbage																								Banana
Brussels sprouts																								Kiwi fruit
Kale																								Papaya
KOMATSUNO																								

TETRACONAZOLE

[illegible]

593. TETRADIFON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange	1	WHL		1			5	2			3-1
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)	1	WHL		1			5	2			3-1
Corn (including Maize, Sweet corn)	5	FC					5				5-1	Lemon	1	WHL		1		2	5	2			3-1
Buckwheat												Orange (including Navel)	1	WHL		1		2	5	2			3-1
Other cereal grains												Grapefruit	1	WHL		1		2	5	2			3-1
Soybeans (dry)	5	FC					5				5-1	Lime	1	WHL		1		2	5	2			3-1
Beans (dry)	5	FC					5				5-1	Other citrus fruits	1	WHL		1			5	2			3-1
Peas	5	FC					5				5-1	Apple	1	WHL		1		5	5	5			3-1
Broad beans	5	FC					5				5-1	Japanese pear	5	FC				5	5	5			5-1
Peanuts (dry)												Pear	5	FC				5	5	5			5-1
Other legumes/pulses	5	FC					5				5-1	Quince	1	WHL		1		5	5	5			3-1
Potato	5	FC					5				5-1	Loquat	1	WHL		1			5				3-1
Taro	5	FC					5				5-1	Peach	1	WHL		1		5	5	5			3-1
Sweet potato	5	FC					5				5-1	Nectarine	1	WHL		1		5	5	5			3-1
Yam	5	FC					5				5-1	Apricot	1	WHL		1		5	5	5			3-1
Konjac	5	FC					5				5-1	Japanese plum (including Prunes)	1	WHL		1		5	5	5			3-1
Other potatoes	5	FC					5				5-1	Mume plum	1	WHL		1			5				3-1
Sugar beet	5	FC					5				5-1	Cherry	1	WHL		1		5	5	5			3-1
Sugarcane												Strawberry	1	WHL		1		5	5	5			3-1
Japanese radish (including Radish) (root)	1	WHL		1			5				3-1	Raspberry	1	WHL		1			5				3-1
Japanese radish (including Radish) (leaf)	1	WHL		1			5				3-1	Blackberry	1	WHL		1			5				3-1
Tump (including Rutabaga) (root)	1	WHL		1			5				3-1	Blueberry	1	WHL		1			5				3-1
Tump (including Rutabaga) (leaf)	1	WHL		1			5				3-1	Cranberry	1	WHL		1			5				3-1
Horseradish	1	WHL		1			5				3-1	Other berries	1	WHL		1			5				3-1
Watercress	1	WHL		1			5				3-1	Grape	1	WHL		1		5	5	5			3-1
Chinese cabbage	1	WHL		1			5				3-1	Japanese persimon	1	WHL		1			5				3-1
Cabbage	1	WHL		1			5				3-1	Banana	1	WHL		1			5				3-1
Brussels sprouts	1	WHL		1			5				3-1	Kiwifruit	1	WHL		1			5				3-1
Kale	1	WHL		1			5				3-1	Papaya	1	WHL		1			5				3-1
KOMATSUNA	1	WHL		1			5				3-1	Avocado	1	WHL		1			5				3-1
KYONA	1	WHL		1			5				3-1	Pineapple	1	WHL		1			5				3-1
Qing-geng-cai	1	WHL		1			5				3-1	Guava	1	WHL		1			5				3-1
Cauliflower	1	WHL		1			5				3-1	Mango	1	WHL		1			5				3-1
Broccoli	1	WHL		1			5				3-1	Passion fruit	1	WHL		1			5				3-1
Other cruciferous vegetables	1	WHL		1			5				3-1	Date	1	WHL		1			5				3-1
Burdock	1	WHL		1			5				3-1	Other fruits	1	WHL		1		6	5	15			3-1
Salsify	1	WHL		1			5				3-1	Sunflower seeds	1	WHL		1							4
Artichoke	1	WHL		1			5				3-1	Sesam seeds	1	WHL		1							4
Chicory	1	WHL		1			5				3-1	Safflower seeds	1	WHL		1							4
Endive	1	WHL		1			5				3-1	Corn seeds	1	WHL		1			5				3-1
SHUNGIKU	1	WHL		1			5				3-1	Rape seeds	1	WHL		1							4
Lettuce (Cos lettuce, Leaf lettuce)	1	WHL		1			5				3-1	Other oil seeds	1	WHL		1							4
Other composite vegetables	1	WHL		1			5				3-1												
Onion	1	WHL		1			5				3-1	Ginkgo nut	1	WHL		1							4
Welsh (including Leek)	1	WHL		1			5				3-1	Chestnut	1	WHL		1							4
Garlic	1	WHL		1			5				3-1	Pecan	1	WHL		1							4
NIRA	1	WHL		1			5				4	Almond	1	WHL		1							4
Asparagus	1	WHL		1			5				3-1	Walnut	1	WHL		1							4
Multiplying onion (immature)	1	WHL		1			5				3-1	Other nuts	1	WHL		1							4
Other liliaceous vegetables	1	WHL		1			5				3-1	Tea (Green, Black, Oolong, Wulong tea)	1	WHL		1		8					3-1
Carrot	1	WHL		1			5				3-1	Coffee beans											
Parsnip	1	WHL		1			5				3-1	Cacao beans											
Parsley	1	WHL		1			5				4	Hop	60	FC				120	5				5-1
Celery	1	WHL		1			5				3-1												
MITSUBA	1	WHL		1			5				4	Cattle, muscle											
Other umbelliferous vegetables	1	WHL		1			5				3-1	Pig, muscle											
Tomato	1	WHL		1			1	5	1		3-1	Sheep, muscle											
Pimento (Sweet pepper)	1	WHL		1			1	5	1		3-1	Horse, muscle											
Egg plant	1	WHL		1			1	5	1		3-1	Deer, muscle											
Other Solanaceous vegetables	1	WHL		1			1	5	1		3-1	Goat, muscle											
Cucumber (including Gherkin)	1	WHL		1			1	5	1		3-1	Rabbit, muscle											
Pumpkin (including Squash)	1	WHL		1			1	5	1		3-1	Reindeer, muscle											
Oriental pickling melon (vegetable)	1	WHL		1			1	5	1		3-1	Other terrestrial mammals, muscle											
Water melon	1	WHL		1			1	5	1		3-1	Cattle, fat											
Melons	1	WHL		1			1	5	1		3-1	Pig, fat											
MAKUWAURI	1	WHL		1			1	5	1		3-1	Sheep, fat											
Other cucurbitaceous vegetables	1	WHL		1			1	5	1		3-1	Horse, fat											
Spinach	1	WHL		1			1	5	1		3-1	Deer, fat											
Bamboo shoots	1	WHL		1			1	5	1		3-1	Goat, fat											
Okra	1	WHL		1			1	5	1		3-1	Rabbit, fat											
Ginger	1	WHL		1			1	5	1		4	Reindeer, fat											
Peas (with pods, immature)	1	WHL		1			1	5	1		3-1	Other terrestrial mammals, fat											
Kidney beans (with pods, immature)	1	WHL		1			1	5	1		3-1	Cattle, liver											
Soybeans	1	WHL		1			1	5	1		3-1	Pig, liver											
Button mushroom	1	WHL		1			1	5	1		3-1	Sheep, liver											
SHITAKE	1	WHL		1			1	5	1		3-1	Horse, liver											
Other mushrooms	1	WHL		1			1	5	1		3-1	Deer, liver											
Other vegetables	1	WHL		1			100	5	100		3-1	Goat, liver											
												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

100ppm as MRL is applied for Peppermint and Spearmint, which are in the category of "Other vegetables".

TETRADIFON

[illegible]

594. THIABENDAZOLE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	2FC					3			0.05		5-1	UNSHU orange											
Wheat	0.5FC					1			0.05		5-1	NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)	0.05FC					0.1			0.05		5-1	Other citrus fruits											
Beans (dry)	0.05FC					0.1			0.05		5-1	Apple	3FCodex		3	3	10	10		5			1-1
Peas												Japanese pear	10FCodex		3	10		10		5			1-1
Broad beans												Pear	10FCodex		3	10	10	10		5			1-1
Peanuts (dry)												Quince	3FCodex		3	3							1-1
Other legumes/pulses												Loquat	3FCodex		3	3							1-1
Potato	15Codex				15	10	5		15	10	2	Peach	3WHL		3								4
Taro												Nectarine	3WHL		3								4
Sweet potato	0.04FC					0.02			0.05		5-1	Apricot	3WHL		3								4
Yam												Japanese plum (including Prunes)	3WHL		3								4
Konjac												Mume plum	3WHL		3								4
Other potatoes												Cherry	3WHL		3								4
Sugar beet	0.1WHL		0.1			0.25			0.05		3-1	Strawberry	3WHL		3		5			0.05			3-1
Sugarcane												Raspberry	3WHL		3								4
Japanese radish (including Radish) (root)	2WHL		2						0.05		3-1	Blackberry	3WHL		3								4
Japanese radish (including Radish) (leaf)	2WHL		2						0.05		3-1	Blueberry	3WHL		3								4
Tump (including Rutabaga) (root)	2WHL		2						0.05		3-1	Cranberry	3WHL		3								4
Tump (including Rutabaga) (leaf)	2WHL		2						0.05		3-1	Other berries	3WHL		3				3				3-1
Horseradish	2WHL		2						0.05		3-1	Grape	3WHL		3								4
Watercress	2WHL		2						0.05		3-1	Japanese persimon	3WHL		3								4
Chinese cabbage	2WHL		2						0.05		3-1												
Cabbage	2WHL		2						0.05		3-1	Banana											
Brussels sprouts	2WHL		2						0.05		3-1	Kiwifruit	3WHL		3								4
Kale	2WHL		2						0.05		3-1	Papaya	10FCodex		3	10	5			10			1-1
KOMATSUNA	2WHL		2						0.05		3-1	Avocado	15FCodex		3	15	10			15			1-1
KYONA	2WHL		2						0.05		3-1	Pineapple	3WHL		3								4
Qing-geng-cai	2WHL		2						0.05		3-1	Guava	3WHL		3								4
Cauliflower	2WHL		2						0.05		3-1	Mango	5FCodex		3	5	10		5			1-1	
Broccoli	2WHL		2					5			3-1	Passion fruit	3WHL		3								4
Other cruciferous vegetables	2WHL		2								4	Date	3WHL		3								4
Burdock	2WHL		2								4	Other fruits	3WHL		3				10				3-1
Salsify	2WHL		2								4	Sunflower seeds	3WHL		3								4
Artichoke	2WHL		2								4	Sesam seeds	3WHL		3								4
Chicory	0.05FCodex		2	0.05							1-1	Safflower seeds	3WHL		3								4
Endive	2WHL		2								4	Cotton seeds	3WHL		3								4
SHUNGIKU	2WHL		2								4	Rape seeds	3WHL		3								4
Lettuce (Cos lettuce, Leaf lettuce)	2WHL		2								4	Other oil seeds	3WHL		3								4
Other composite vegetables	2WHL		2								4												
Onion	2WHL		2								4												
Welsh (including Leek)	2WHL		2								4	Ginkgo nut	3WHL		3					0.1			3-1
Garlic	2WHL		2								4	Chestnut	3WHL		3					0.1			3-1
NIRA	2WHL		2								4	Pecan	3WHL		3					0.1			3-1
Asparagus	2WHL		2								4	Almond	3WHL		3					0.1			3-1
Multiplying onion (including Shallot)	2WHL		2								4	Walnut	3WHL		3					0.1			3-1
Other liliaceous vegetables	2WHL		2								4	Other nuts	3WHL		3					0.1			3-1
Carrot	2WHL		2			10			0.05		3-1	Tea (Green, Black, Oolong, Wulong tea)											
Parsnip	2WHL		2								4	Coffee beans											
Parsley	2WHL		2						10		3-1	Cacao beans											
Celery	2WHL		2								4	Hop											
MITSUBA	2WHL		2								4	Cattle, muscle	0.1MRL	0.1									
Other umbelliferous vegetables	2WHL		2								4	Pig, muscle	0.1MRL	0.1									
Tomato	2WHL		2								4	Sheep, muscle	0.1MRL	0.1									
Pimento (Sweet pepper)	2WHL		2								4	Horse, muscle	0.1FC				0.1	0.2			0.1		5-1
Egg plant	2WHL		2								4	Deer, muscle	0.1FC					0.2			0.1		5-1
Other Solanaceous vegetables	2WHL		2								4	Goat, muscle	0.1FCodex			0.1	0.1	0.2	0.1		0.1		2
Cucumber (including Gherkin)	2WHL		2								4	Reindeer, muscle	0.1FC					0.2			0.1		5-1
Pumpkin (including Squash)	2WHL		2			1			0.05		3-1	Other terrestrial mammals, muscle	0.1FC					0.2			0.1		5-1
Oriental pickling melon (vegetable)	2WHL		2								4												
Water melon	3WHL		3								4	Cattle, fat	0.1MRL	0.1									
Melons	3WHL		3			15			0.05		3-1	Pig, fat	0.1MRL	0.1									
MAKUWAURI	3WHL		3								4	Sheep, fat	0.1MRL	0.1									
Other cucurbitaceous vegetables	2WHL		2								4	Horse, fat	0.1FC				0.1						5-1
Spinach	2WHL		2								4	Goat, fat	0.1FC								0.1		5-1
Bamboo shoots	2WHL		2								4	Rabbit, fat	0.1FC								0.1		5-1
Okra	2WHL		2								4	Reindeer, fat	0.1FC								0.1		5-1
Ginger	2WHL		2								4	Other terrestrial mammals, fat	0.1FC								0.1		5-1
Peas (with pods, immature)	2WHL		2								4	Cattle, liver	0.1MRL	0.1									
Kidney beans (with pods, immature)	2WHL		2								4	Pig, liver	0.1MRL	0.1									
Soybeans	2WHL		2			0.1			0.05		3-1	Sheep, liver	0.1MRL	0.1									
Button mushroom	2WHL		2			40	0.5		10		3-1	Horse, liver	0.1FC				0.1	0.2			0.1		5-1
SHITAKE	2WHL		2						10		3-1	Deer, liver	0.2FC					0.2			0.1		5-1
Other mushrooms	2WHL		2						10		3-1	Goat, liver	0.1FCodex			0.1	0.1	0.2	0.1		0.1		2
Other vegetables	2WHL		2			10			0.05		3-1	Rabbit, liver	0.2FC					0.2			0.1		5-1
												Reindeer, liver	0.2FC					0.2			0.1		5-1
												Other terrestrial mammals, liver	0.2FC					0.2			0.1		5-1

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.1	MRL	0.1									Cattfish											
Pig, kidney	0.1	MRL	0.1									Other freshwater fish											
Sheep, kidney	0.1	MRL	0.1																				
Horse, kidney	0.1	FC				0.1	0.2		0.1		5-1	Salmon											
Deer, kidney	0.2	FC					0.2		0.1		5-1	Trout											
Goat, kidney	0.1	Codex			0.1	0.1	0.2	0.1	0.1		2	Other salmonidae											
Rabbit, kidney	0.2	FC					0.2		0.1		5-1	Other diadromou fish											
Reindeer, kidney	0.2	FC					0.2		0.1		5-1												
Other terrestrial mammals, kidney	0.2	FC					0.2		0.1		5-1	Other marine fish											
Cattle, edible offal excluding liver and kidney	0.1	FC				0.1	0.2		0.1	0.1	5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.1	FC				0.1	0.2		0.1		5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC				0.1	0.2		0.1	0.1	5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	FC				0.1	0.2		0.1		5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.2	FC					0.2		0.1		5-1												
Goat, edible offal excluding liver and kidney	0.1	FC				0.1	0.2		0.1		5-1	Oyster											
Rabbit, edible offal excluding liver and kidney	0.2	FC					0.2		0.1		5-1	Abalone											
Reindeer, edible offal excluding liver and kidney	0.2	FC					0.2		0.1		5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney	0.2	FC					0.2		0.1		5-1												
												Other animals											
Cattle, milk	0.1	MRL	0.1																				
Sheep, milk	0.1	MRL	0.1									honey											
Goat, milk	0.1	MRL	0.1																				
Other terrestrial mammals, milk	0.05	FC				0.05	0.05	0.05			5-1												
Chicken, muscle	0.05	Codex			0.05	0.1			0.1	0.1	2												
Duck, muscle	0.05	Codex			0.05	0.1			0.1	0.1	2												
Turkey, muscle	0.05	Codex			0.05	0.1			0.1	0.1	2												
	0.05	Codex			0.05	0.1			0.1	0.1	2												
Goose, muscle	0.05	Codex			0.05	0.1			0.1	0.1	2												
Pheasant, muscle	0.05	Codex			0.05	0.1			0.1	0.1	2												
Chukar partridge, muscle	0.05	Codex			0.05	0.1			0.1	0.1	2												
Other poultry, muscle	0.05	Codex			0.05	0.1			0.1	0.1	2												
Chicken, fat	0.1	FC				0.1			0.1		5-1												
Duck, fat	0.1	FC				0.1			0.1		5-1												
Turkey, fat	0.1	FC				0.1			0.1		5-1												
	0.1	FC				0.1			0.1		5-1												
Goose, fat	0.1	FC				0.1			0.1		5-1												
Pheasant, fat	0.1	FC				0.1			0.1		5-1												
Chukar partridge, fat	0.1	FC				0.1			0.1		5-1												
Other poultry, fat	0.1	FC				0.1			0.1		5-1												
Chicken, liver	0.1	FC				0.1			0.1		5-1												
Duck, liver	0.1	FC				0.1			0.1		5-1												
Turkey, liver	0.1	FC				0.1			0.1		5-1												
	0.1	FC				0.1			0.1		5-1												
Goose, liver	0.1	FC				0.1			0.1		5-1												
Pheasant, liver	0.1	FC				0.1			0.1		5-1												
	0.1	FC				0.1			0.1		5-1												
Chukar partridge, liver	0.1	FC				0.1			0.1		5-1												
Other poultry, liver	0.1	FC				0.1			0.1		5-1												
Chicken, kidney	0.1	FC				0.1			0.1		5-1												
Duck, kidney	0.1	FC				0.1			0.1		5-1												
Turkey, kidney	0.1	FC				0.1			0.1		5-1												
	0.1	FC				0.1			0.1		5-1												
Goose, kidney	0.1	FC				0.1			0.1		5-1												
Pheasant, kidney	0.1	FC				0.1			0.1		5-1												
Chukar partridge, kidney	0.1	FC				0.1			0.1		5-1												
Other poultry, kidney	0.1	FC				0.1			0.1		5-1												
Chicken, edible offal excluding liver and kidney	0.1	FC				0.1			0.1		5-1												
Duck, edible offal excluding liver and kidney	0.1	FC				0.1			0.1		5-1												
Turkey, edible offal excluding liver and kidney	0.1	FC				0.1			0.1		5-1												
Quail, edible offal excluding liver and kidney	0.1	FC				0.1			0.1		5-1												
Goose, edible offal excluding liver and kidney	0.1	FC				0.1			0.1		5-1												
Pheasant, edible offal excluding liver and kidney	0.1	FC				0.1			0.1		5-1												
Chukar partridge, edible offal excluding liver and kidney	0.1	FC				0.1			0.1		5-1												
Other poultry, edible offal excluding liver and kidney	0.1	FC				0.1			0.1		5-1												
						0.1	0.1		0.1		2	Chicken, eggs											
Turkey, eggs	0.1	Codex			0.1	0.1			0.1		2												
Other poultry, eggs	0.1	Codex			0.1	0.1			0.1		2												
						</																	

595. THIACLOPRID

[illegible]

[illegible]

596. THIAMETHOXAM, CLOTHIANIDIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.5	WHL		0.5							4	UNSHU orange	1	WHL		1							4
												NATSUDAIDAI (flesh)	1	WHL		1							4
Wheat	0.02	FC				0.02					5-1	NATSUDAIDAI (peel)	1	WHL		1							4
Barley	0.02	FC				0.02					5-1	NATSUDAIDAI (whole)	2	WHL		2							4
Rye												Lemon	2	WHL		2							4
Corn (including Maize Sweet corn)	0.02	FC				0.02	0.02				5-1	Orange (including Navel)	2	WHL		2							4
Buckwheat												Grapefruit	2	WHL		2							4
Other cereal grains	0.02	FC				0.02	0.02				5-1	Other citrus fruits	2	WHL		2							4
Soybeans (dry)																							
Beans (dry)	0.5	WHL		0.5							4	Apple	1	WHL		1		0.2					3-1
Peas	0.5	WHL		0.5							4	Japanese pear	1	WHL		1		0.2					3-1
Broad beans	0.5	WHL		0.5							4	Pear	1	WHL		1		0.2					3-1
Peanuts (dry)	0.5	WHL		0.5							4	Quince	1	WHL		1		0.2					3-1
Other legumes/pulses	0.5	WHL		0.5							4	Loquat	0.5	WHL		0.5		0.2					3-1
Potato	0.5	WHL		0.5		0.02					3-1	Peach	0.5	WHL		0.5							4
Taro	0.5	WHL		0.5		0.02					3-1	Nectarine	1	WHL		1							4
Sweet potato	0.5	WHL		0.5		0.02					3-1	Apricot	5	WHL		5							4
Yam	0.5	WHL		0.5		0.02					3-1	Japanese plum (including Prunes)	5	WHL		5							4
Konjac	0.5	WHL		0.5							4	Mume plum	5	WHL		5							4
Other potatoes	0.5	WHL		0.5		0.02					3-1	Cherry	5	WHL		5							4
Sugar beet	0.1	WHL		0.1							4	Strawberry	5	WHL		5							4
Sugarcane												Raspberry	5	WHL		5							4
												Blackberry	5	WHL		5							4
Japanese radish (including Radish) (root)	0.1	WHL		0.1							4	Blueberry	5	WHL		5							4
Japanese radish (including Radish) (leaf)	5	WHL		5							4	Cranberry	5	WHL		5							4
Turnip (including Rutabaga) (root)	0.1	WHL		0.1							4	Huckleberry	5	WHL		5							4
Turnip (including Rutabaga) (leaf)	5	WHL		5							4	Other berries	5	WHL		5							4
Horseradish	0.1	WHL		0.1							4												
Watercress	5	WHL		5							4	Grape	5	WHL		5							4
Chinese cabbage	1	WHL		1							4	Japanese persimon	1	WHL		1							4
Cabbage	1	WHL		1							4												
Brussels sprouts	5	WHL		5							4	Banana	1	WHL		1							4
Kale	5	WHL		5							4	Guava	0.5	WHL		0.5							4
KOMATSUNA	5	WHL		5							4	Papaya	1	WHL		1							4
KYONA	5	WHL		5							4	Avocado	1	WHL		1							4
Qing-geng-cai	5	WHL		5							4	Pineapple	1	WHL		1							4
Cauliflower	5	WHL		5							4	Guava	1	WHL		1							4
Broccoli	5	WHL		5							4	Mango	1	WHL		1							4
Other cruciferous vegetables	5	WHL		5							4	Passion fruit	1	WHL		1							4
Burdock	0.1	WHL		0.1							4	Date	5	WHL		5							4
Salsify	0.1	WHL		0.1							4	Other fruits	5	WHL		5		0.2					3-1
Artichoke	5	WHL		5							4												
Chicory	5	WHL		5							4	Sunflower seeds											
Endive	5	WHL		5							4	Sesam seeds											
SHINGIKU	5	WHL		5							4	Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)	5	WHL		5							4	Corn seeds	0.02	FC				0.1	0.02				5-1
Other composite vegetables	5	WHL		5							4	Rape seeds	0.02	FC				0.02		0.02			5-1
												Other oil seeds	0.02	FC						0.02			5-1
Onion																							
Welsh (including Leek)	5	WHL		5							4	Ginkgo nut											
Garlic												Chestnut											
NIRA	5	WHL		5							4	Pecan											
Asparagus	5	WHL		5							4	Almond											
Multiplying onion (including Shallot)	5	WHL		5							4	Walnut											
Other liliaceous vegetables	5	WHL		5							4	Other nuts											
Carrot	0.1	WHL		0.1							4	Tea (Green, Black, Oolong, Wulong tea)	50	WHL		50							4
Parsnip	0.1	WHL		0.1							4	Coffee beans											
Parsley	5	WHL		5							4	Cacao beans											
Celery	5	WHL		5							4	Hop											
MITSUBA	5	WHL		5							4												
Other umbelliferous vegetables	5	WHL		5							4	Cattle, muscle	0.02	FC				0.02		0.02			5-1
												Pig, muscle	0.02	FC				0.02		0.02			5-1
Tomato	2	WHL		2		0.25					3-1	Sheep, muscle	0.02	FC				0.02		0.02			5-1
Pimento (Sweet pepper)	1	WHL		1		0.25					3-1	Horse, muscle	0.02	FC				0.02		0.02			5-1
Egg plant	2	WHL		2		0.25					3-1	Deer, muscle											
Other solanaceous vegetables	1	WHL		1		0.25					3-1	Goat, muscle	0.02	FC				0.02					5-1
												Rabbit, muscle											
Cucumber (including Gherkin)	2	WHL		2		0.2					3-1	Reindeer, muscle											
Pumpkin (including Squash)	2	WHL		2		0.2					3-1	Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)	2	WHL		2		0.2					3-1												
Water melon	0.5	WHL		0.5		0.2					3-1	Cattle, fat											
Melons	0.5	WHL		0.5		0.2					3-1	Pig, fat											
MAKUWAURI	0.5	WHL		0.5		0.2					3-1	Sheep, fat											
Other cucurbitaceous vegetables	2	WHL		2		0.2					3-1	Horse, fat											
												Deer, fat											
Spinach	5	WHL		5							4	Goat, fat											
Bamboo shoots	0.1	WHL		0.1							4	Rabbit, fat											
Okra	1	WHL		1							4	Reindeer, fat											
Ginger	0.1	WHL		0.1		0.02					3-1	Other terrestrial mammals, fat											
Peas (with pods, immature)	0.5	WHL		0.5							4												
Kidney beans (with pods, immature)	0.5	WHL		0.5							4	Cattle, liver	0.02	FC				0.02		0.02			5-1
Soybeans	0.5	WHL		0.5							4	Pig, liver	0.02	FC				0.02		0.02			5-1
												Sheep, liver	0.02	FC				0.02		0.02			5-1
Button mushroom												Horse, liver	0.02	FC				0.02					5-1
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver	0.02	FC				0.02					5-1
Other vegetables	5	WHL		5							4	Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

Total of thiamethoxam and clothianidine expressed as thiamethoxam.

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.02	FC				0.02		0.02			5-1	Catfish											
Pig, kidney	0.02	FC				0.02		0.02			5-1	Other freshwater fish											
Sheep, kidney	0.02	FC				0.02		0.02			5-1												
Goat, kidney	0.02	FC				0.02					5-1	Salmon											
Deer, kidney												Trout											
Goat, kidney	0.02	FC				0.02					5-1	Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.02	FC				0.02		0.02			5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.02	FC				0.02		0.02			5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.02	FC				0.02		0.02			5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.02	FC				0.02					5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.02	FC				0.02					5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk	0.02	FC				0.02		0.01			5-1												
Sheep, milk	0.02	FC				0.02		0.01			5-1	Honey											
Goat, milk	0.02	FC				0.02		0.01			5-1												
Other terrestrial mammals, milk	0.02	FC				0.02		0.01			5-1												
Chicken, muscle	0.02	FC						0.02			5-1												
Duck, muscle	0.02	FC						0.02			5-1												
Turkey, muscle	0.02	FC						0.02			5-1												
Quail, muscle	0.02	FC						0.02			5-1												
Goose, muscle	0.02	FC						0.02			5-1												
Pheasant, muscle	0.02	FC						0.02			5-1												
Chukar partridge, muscle	0.02	FC						0.02															

597. THIAMPHENICOL

[illegible]

THIAMPHENICOL

[illegible]