

613. TRIADIMEFON

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.3	FC					0.5		0.1		5-1	UNSHU orange	0.5	WHL		0.5								4
												NATSUDAIDAI (flesh)												
Wheat		0.5	WHL		0.5		1	0.5		0.2	3-1	NATSUDAIDAI (peel)												
Barley		0.5	Code		0.5			0.5		0.2	1-1	NATSUDAIDAI (whole)		0.5	WHL		0.5							4
Rye		0.1	Code		0.5	0.1		0.5		0.2	1-1	Lemon		0.5	WHL		0.5							4
Corn (including Maize, Sweet corn)		0.5	WHL		0.5			0.5		0.1	3-1	Orange (including Navel)		0.5	WHL		0.5							4
Buckwheat		0.5	WHL		0.5			0.5		0.1	3-1	Grapefruit		0.5	WHL		0.5							4
Other cereal grains		0.1	Code		0.5	0.1		0.5		0.2	1-1	Lime		0.5	WHL		0.5							4
												Other citrus fruits		0.5	WHL		0.5							4
Soybeans (dry)																								
Beans (dry)												Apple		0.5	Code		0.5	0.5	1	1		0.2		1-1
Peas		0.1	FC					0.1		0.1	5-1	Japanese pear		0.5	Code		0.5	0.5						1-1
Broad beans												Pear		0.5	Code		0.5	0.5	1			0.1		1-1
Peanuts (dry)												Quince		0.5	Code		0.5	0.5						1-1
Other legumes/pulses		0.05	Code			0.05	0.1	0.1		0.1	2	Loquat		0.5	Code		0.5	0.5						1-1
Potato		0.2	WHL		0.2						4	Peach		0.5	WHL		0.5							4
Taro		0.2	WHL		0.2						4	Nectarine		0.5	WHL		0.5		4			0.1		3-1
Sweet potato		0.2	WHL		0.2						4	Apricot		0.5	WHL		0.5							4
Yam		0.2	WHL		0.2						4	Japanese plum (including Prunes)		0.5	WHL		0.5							4
Konjac		0.2	WHL		0.2						4	Mume plum		0.5	WHL		0.5							4
Other potatoes		0.2	WHL		0.2						4	Cherry		0.5	WHL		0.5							4
Sugar beet		0.3	FC				0.5			0.1	5-1	Strawberry		0.5	WHL		0.5					0.5		3-1
Sugarcane		0.5	WHL		0.5			0.05			3-1	Raspberry		1	Code		0.5	1						1-1
												Blackberry		0.5	WHL		0.5							4
Japanese radish (including Radish) (root)		1	WHL		1						4	Blueberry		0.5	WHL		0.5							4
Japanese radish (including Radish) (leaf)		1	WHL		1						4	Cranberry		0.5	WHL		0.5				1			3-1
Turnip (including Rutabaga) (root)		1	WHL		1						4	Elderberry		0.5	WHL		0.5							4
Turnip (including Rutabaga) (leaf)		1	WHL		1						4	Other berries		0.2	Code		0.5	0.2						1-1
Horseradish		1	WHL		1						4													
Watercress		1	WHL		1						4	Grape		0.5	Code		0.5	0.5	1	1		2		1-1
Chinese cabbage		1	WHL		1						4	Japanese persimon		0.5	WHL		0.5							4
Cabbage		1	WHL		1						4													
Brussels sprouts		1	WHL		1						4	Banana		0.5	WHL		0.5					0.2		3-1
Kale		1	WHL		1						4	Kiwifruit		0.5	WHL		0.5							4
KOMATSUNA		1	WHL		1						4	Papaya		0.5	WHL		0.5							4
KYONA		1	WHL		1						4	Avocado		0.5	WHL		0.5							4
Qing-geng-cai		1	WHL		1						4	Pineapple		2	Code		0.5	2	3			3		1-1
Cauliflower		1	WHL		1						4	Guava		0.5	WHL		0.5							4
Broccoli		1	WHL		1						4	Mango		0.05	Code		0.5	0.05						1-1
Other cruciferous vegetables		1	WHL		1						4	Cassia fruit		0.5	WHL		0.5							4
												Date		0.5	WHL		0.5					0.2		3-1
Burdock		1	WHL		1						4													
Salsify		1	WHL		1						4	Other fruits		0.5	WHL		0.5			0.2		0.2		3-1
Artichoke		1	WHL		1						3-1													
Chicory		1	WHL		1				1		4	Sunflower seeds		0.5	WHL		0.5							4
Endive		1	WHL		1						4	Sesam seeds		0.5	WHL		0.5							4
SHUNGIKU		1	WHL		1						4	Safflower seeds		0.5	WHL		0.5							4
Lettuce (Cos lettuce, Leaf lettuce)		1	WHL		1						4	Cotton seeds		0.5	WHL		0.5							4
Other composite vegetables		1	WHL		1						4	Rape seeds		0.5	WHL		0.5							4
												Other oil seeds		0.5	WHL		0.5							4
Onion		1	WHL		1					0.5	3-1													
Welsh (including Leek)		0.05	Code		1	0.05				1	1-1	Ginkgo nut		0.5	WHL		0.5							4
Garlic		1	WHL		1						4	Chestnut		0.5	WHL		0.5							4
NIRA		1	WHL		1						4	Pecan		0.5	WHL		0.5							4
Asparagus		1	WHL		1						4	Almond		0.5	WHL		0.5							4
Multiplying onion (including Shallot)		1	WHL		1						4	Walnut		0.5	WHL		0.5							4
Other liliaceous vegetables		1	WHL		1						4	Other nuts		0.5	WHL		0.5							4
Carrot		1	WHL		1						4	Tea (Green, Black, Oolong, Wulong tea)		20	WHL		20							4
Parsnip		1	WHL		1						4	Coffee beans		0.05	Code		0.05	0.05						2
Parsley		1	WHL		1						4	Cacao beans		10	Code		10							2
Celery		1	WHL		1						4	Hop		10	Code		10					10		2
MITSUBA		1	WHL		1						4													
Other umbelliferous vegetables		1	WHL		1						4	Cattle, muscle		0.05	Code			0.05	1	0.05		0.1		2
												Pig, muscle		0.05	Code			0.05	0.04	0.05		0.1		2
Tomato		1	WHL		1			0.2		0.3	3-1	Sheep, muscle		0.05	Code			0.05	1	0.05		0.1		2
Pepper (Sweet pepper)		0.1	Code		1			0.2		0.5	1-1	Sheep, muscle		0.05	Code			0.05	1	0.05		0.1		2
Egg plant		1	WHL		1			0.2		0.1	3-1	Deer, muscle		0.05	Code			0.05						2
Other Solanaceous vegetables		1	WHL		1			0.2		0.5	3-1	Goat, muscle		0.05	Code			0.05	1	0.05		0.1		2
												Rabbit, muscle		0.05	Code			0.05						2
Cucumber (including Gherkin)		0.1	Code		1	0.1	0.3	0.2		0.1	1-1	Reindeer, muscle		0.05	Code			0.05						2
Pumpkin (including Squash)		0.1	Code		1	0.1	0.3	0.2		0.1	1-1	Other terrestrial mammals, muscle		0.05	Code			0.05						2
Oriental pickling melon (vegetable)		0.1	Code		1	0.1	0.3	0.2		0.1	1-1													
Watermelon		0.1	Code		1	0.1	0.3	0.2		0.1	1-1	Cattle, fat		0.5	FC				1	0.25		0.1		5-1
Melons		0.1	Code		0.5	0.1	0.3	0.2		0.1	1-1	Pig, fat		0.5	FC				1	0.25		0.1		5-1
MAKUWAURI		0.1	Code		0.5	0.1	0.3	0.2		0.1	1-1	Sheep, fat		0.5	FC				1	0.25		0.1		5-1
Other cucurbitaceous vegetables		0.1	Code		1	0.1	0.3	0.2		0.1	1-1	Horse, fat		0.5	FC				1	0.25		0.1		5-1
												Deer, fat												
Spinach		1	WHL		1						4	Goat, fat		0.5	FC				1	0.25		0.1		5-1
Bamboo shoots		1	WHL		1						4	Rabbit, fat												
Okra		1	WHL		1			0.2			3-1	Reindeer, fat												
Ginger		1	WHL		1						4	Other terrestrial mammals, fat												
Peas (with pods, immature)		0.05	Code		1	0.05					1-1													
Kidney beans (with pods, immature)		1	WHL		1						4	Cattle, liver		0.4	FC				1	0.05		0.1		5-1
Soybeans		1	WHL		1						4	Pig, liver		0.06	FC				0.04	0.05		0.1		5-1
												Sheep, liver		0.4	FC				1	0.05		0.1		5-1
Shiitake		1	WHL		1			0.2		0.1	3-1	Deer, liver							1	0.05		0.1		5-1
Other mushrooms		1	WHL		1			0.2		0.1	3-1	Goat, liver		0.4	FC				1	0.05		0.1		5-1
Other vegetables		0.05	Code		1	0.05	3	0.1		0.2	1-1	Rabbit, liver												

[illegible]

614. TRIADIMENOL

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.5	FC					0.01			1	5-1	UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat	0.2	Codex			0.2	0.05	0.01			1	2	NATSUDAIDAI (peel)											
Barley	0.2	Codex			0.2	0.05	0.01			1	2	NATSUDAIDAI (whole)											
Rye	0.2	Codex			0.2	0.05	0.01			1	2	Other cereal grains											
Corn (including Maize, Sweet corn)	0.4	FC				0.05	0.01			1	5-1	Orange (including Navel)											
Buckwheat	0.5	FC					0.01			1	5-1	Grapefruit											
Other cereal grains	0.2	Codex			0.2	0.05	0.01			1	2	Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry) *												Apple	0.5	Codex			0.5						2
Peanuts	0.2	FC								0.2	5-1	Japanese pear	0.5	Codex			0.5						2
Broad beans												Pear	0.5	Codex			0.5						2
Peanuts (dry)												Quince	0.5	Codex			0.5						2
Other legumes/pulses	0.05	Codex			0.05					0.2	2	Loquat	0.5	Codex			0.5						2
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet	0.1	Codex			0.1						2	Strawberry	0.1	Codex			0.1		0.5				2
Sugarcane	0.5	MRL	0.5									Raspberry	0.5	Codex			0.5						
												Blackberry	0.5	FC					0.5				5-1
Japanese radish (including Radish) (root)												Blueberry	0.5	FC					0.5				5-1
Japanese radish (including Radish) (leaf)												Cranberry	0.5	FC					0.5				5-1
Turnip (including Rutabaga) (root)												Huckleberry	0.5	FC					0.5				5-1
Turnip (including Rutabaga) (leaf)												Other berries	0.5	Codex			0.5		0.5				2
Horseradish																							
Watercress												Grape	0.5	MRL	0.5								
Chinese cabbage												Japanese persimon											
Cabbage	1	FC					1				5-1	Banana	0.2	Codex			0.2		0.2				2
Brussels sprouts	1	FC					1				5-1	Kiwifruit	0.2	MRL	0.2								
Kale												Guava	0.5	FC									
KOMATSUNAI												Avocado	0.5	FC									
KYONA												Pineapple	1	Codex			1						2
Qing-geng-cai												Guava	0.5	FC									
Cauliflower	1	FC					1				5-1	Mango	0.05	Codex			0.05						2
Broccoli	1	FC					1				5-1	Passion fruit											
Other cruciferous vegetables	1	FC					1				5-1	Date											
Burdock												Other fruits											
Salsify																							
Salsify												Other fruits											
Artichoke	1	Codex			1						2	Sunflower seeds											
Chicory												Sesam seeds											
Endive												Safflower seeds											
SHUNGIKU												Cotton seeds						0.02	0.01				5-1
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds											
Other composite vegetables												Other oil seeds											
Onion	0.2	FC								0.2	5-1												
Welsh (including Leek)	0.05	Codex			0.05					0.2	2	Ginkgo nut											
Garlic	0.2	FC								0.2	5-1	Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)	0.2	FC								0.2	5-1	Walnut											
Other liliaceous vegetables	0.2	FC								0.2	5-1	Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans	0.1	Codex			0.1						2
Parsnip												Cacao beans											
Celery												Hop	5	Codex			5						2
MITSUBA																							
Other umbelliferous vegetables	0.2	FC								0.2	5-1	Cattle, muscle	0.05	Codex			0.05		0.1	0.01			2
Tomato	0.5	Codex			0.5		0.2				2	Pig, muscle	0.05	Codex			0.05		0.1	0.01			2
Pimento (Sweet pepper)	0.1	Codex			0.1		0.5				2	Sheep, muscle	0.05	Codex			0.05		0.1	0.01			2
Egg plant												Goat, muscle	0.05	Codex			0.05		0.1	0.01			2
Other Solanaceous vegetables	0.5	FC					0.5				5-1	Rabbit, muscle	0.05	Codex			0.05						2
Cucumber (including Gherkin)	0.5	MRL	0.5									Reindeer, muscle	0.05	Codex			0.05						2
Pumpkin (including Squash)	2	Codex			2		0.5				2	Other terrestrial mammals, muscle	0.05	Codex			0.05						2
Oriental pickling melon (vegetable)	2	Codex			2		0.5				2												
Melons							0.5				2	Pig, fat	0.1	FC				0.1					5-1
Melons	0.5	MRL	0.5									Pig, fat	0.1	FC				0.1					5-1
MAKUWAURI	0.5	MRL	0.5									Sheep, fat	0.1	FC				0.1					5-1
Other cucurbitaceous vegetables	2	Codex			2		0.5				2	Horse, fat	0.1	FC				0.1					5-1
Spinach												Deer, fat											
Bamboo shoots												Goat, fat	0.1	FC				0.1					5-1
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Ginger												Other terrestrial mammals, fat											
Peas (with pods, immature)	0.1	Codex			0.1						2	Cattle, liver	0.06	FC				0.1	0.01				5-1
Kidney beans (with pods, immature)												Pig, liver	0.06	FC				0.1	0.01				5-1
Soybeans												Sheep, liver	0.06	FC				0.1	0.01				5-1
Button mushroom												Deer, liver	0.1	FC				0.1	0.01				5-1
SHIITAKE												Goat, liver	0.06	FC				0.1	0.01				5-1
Other mushrooms												Rabbit, liver											
Other vegetables	0.1	Codex			0.1					0.2	2	Reindeer, liver											
												Other terrestrial mammals, liver											

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.06	FC				0.1	0.01				5-1	Catfish											
Pig, kidney	0.06	FC				0.1	0.01				5-1	Other freshwater fish											
Sheep, kidney	0.06	FC				0.1	0.01				5-1												
Salmon, kidney	0.06	FC				0.1	0.01				5-1	Salmon											
Deer, kidney												Trout											
Goat, kidney	0.06	FC				0.1	0.01				5-1	Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney	0.06	FC				0.1	0.01				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.06	FC				0.1	0.01				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.06	FC				0.1	0.01				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.06	FC				0.1	0.01				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney	0.06	FC				0.1	0.01				5-1	Oyster											
Abalone																							
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Other animals																							
Cattle, milk	0.01	Codex			0.01	0.01	0.01				2												
Sheep, milk	0.01	Codex			0.01	0.01	0.01				2	honey											
Goat, milk	0.01	Codex			0.01	0.01	0.01				2												
Other terrestrial mammals, milk	0.01	Codex			0.01	0.01	0.01				2												
Chicken, muscle	0.05	Codex			0.05	0.01	0.01				2												
Duck, muscle	0.05	Codex			0.05	0.01	0.01				2												
Turkey, muscle	0.05	Codex			0.05	0.01	0.01				2												
	0.05	Codex			0.05	0.01	0.01				2												
Goose, muscle	0.05	Codex			0.05	0.01	0.01				2												

615. TRI-ALLATE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	0.1	FC										5-1
												NATSUDAIDAI (flesh)												5-1
Wheat	0.05	FC				0.05	0.05				5-1	NATSUDAIDAI (peel)												5-1
Barley	0.05	FC				0.05	0.05				5-1	NATSUDAIDAI (whole)	0.1	FC										5-1
Rye												Lemon	0.1	FC										5-1
Corn (including Maize, Sweet corn)												Orange (including Navel)	0.1	FC										5-1
Buckwheat												Grapefruit	0.1	FC										5-1
Other cereal grains												Lime	0.1	FC										5-1
												Other citrus fruits	0.1	FC										5-1
Soybeans (dry)																								5-1
Beans (dry)	0.05	FC				0.05	0.05				5-1	Apple	0.1	FC										5-1
Peas	0.07	FC				0.05	0.05		0.1		5-1	Japanese pear	0.1	FC										5-1
Broad beans												Pear	0.1	FC										5-1
Peanuts (dry)												Quince	0.1	FC										5-1
Other legumes/pulses	0.05	FC				0.05	0.05				5-1	Loquat	0.1	FC										5-1
Potato												Peach	0.1	FC										5-1
Taro	0.1	FC							0.1		5-1	Nectarine	0.1	FC										5-1
Sweet potato	0.1	FC							0.1		5-1	Apricot	0.1	FC										5-1
Yam	0.1	FC							0.1		5-1	Japanese plum (including Prunes)	0.1	FC										5-1
Konjac	0.1	FC							0.1		5-1	Mume plum	0.1	FC										5-1
Other potatoes	0.1	FC							0.1		5-1	Cherry	0.1	FC										5-1
Sugar beet	0.1	FC							0.1		5-1	Strawberry	0.1	FC										5-1
Sugarcane												Raspberry	0.1	FC										5-1
												Blackberry	0.1	FC										5-1
Japanese radish (including Radish) (root)	0.1	FC							0.1		5-1	Blueberry	0.1	FC										5-1
Japanese radish (including Radish) (leaf)	0.1	FC							0.1		5-1	Cranberry	0.1	FC										5-1
Turnip (including Rutabaga) (root)	0.1	FC							0.1		5-1	Elderberry	0.1	FC										5-1
Turnip (including Rutabaga) (leaf)	0.1	FC							0.1		5-1	Other berries	0.1	FC										5-1
Horseradish	0.1	FC							0.1		5-1													5-1
Watercress	0.1	FC							0.1		5-1	Grape	0.1	FC										5-1
Chinese cabbage	0.1	FC							0.1		5-1	Japanese persimon	0.1	FC										5-1
Cabbage	0.1	FC							0.1		5-1													5-1
Brussels sprouts	0.1	FC							0.1		5-1	Banana	0.1	FC										5-1
Kale	0.1	FC							0.1		5-1	Kiwifruit	0.1	FC										5-1
KOMATSUNA	0.1	FC							0.1		5-1	Papaya												5-1
KYONA	0.1	FC							0.1		5-1	Avocado	0.1	FC										5-1
Qing-geng-cai	0.1	FC							0.1		5-1	Pineapple	0.1	FC										5-1
Cauliflower	0.1	FC							0.1		5-1	Guava	0.1	FC										5-1
Broccoli	0.1	FC							0.1		5-1	Mango	0.1	FC										5-1
Other cruciferous vegetables	0.1	FC							0.1		5-1	Cassia fruit	0.1	FC										5-1
												Date												5-1
Burdock	0.1	FC							0.1		5-1													5-1
Salsify	0.1	FC							0.1		5-1	Other fruits	0.1	FC										5-1
Artichoke	0.1	FC							0.1		5-1													5-1
Chicory	0.1	FC							0.1		5-1	Sunflower seeds												5-1
Endive	0.1	FC							0.1		5-1	Sesam seeds												5-1
SHUNGIKU	0.1	FC							0.1		5-1	Cauliflower seeds												5-1
Lettuce (Cos lettuce, Leaf lettuce)	0.1	FC							0.1		5-1	Cotton seeds												5-1
Other composite vegetables	0.1	FC							0.1		5-1	Rape seeds												5-1
												Other oil seeds												5-1
Onion	0.1	FC							0.1		5-1													5-1
Welsh (including Leek)	0.1	FC							0.1		5-1	Ginkgo nut	0.1	FC										5-1
Garlic	0.1	FC							0.1		5-1	Chestnut	0.1	FC										5-1
NIRA	0.1	FC							0.1		5-1	Pecan	0.1	FC										5-1
Asparagus	0.1	FC							0.1		5-1	Almond	0.1	FC										5-1
Multiplying onion (including Shallot)	0.1	FC							0.1		5-1	Walnut	0.1	FC										5-1
Other liliaceous vegetables	0.1	FC							0.1		5-1	Other nuts	0.08	FC						0.05				5-1
Carrot	0.1	FC							0.1		5-1	Tea (Green, Black, Oolong, Wulong tea)												5-1
Parsnip	0.1	FC							0.1		5-1	Coffee beans												5-1
Parsley	0.1	FC							0.1		5-1	Cacao beans												5-1
Celery	0.1	FC							0.1		5-1	Hop												5-1
mitsuba	0.1	FC							0.1		5-1													5-1
Other umbelliferous vegetables	0.1	FC							0.1		5-1	Cattle, muscle												5-1
												Pig, muscle												5-1
Tomato	0.1	FC							0.1		5-1	Sheep, muscle												5-1
Pepper (including Sweet pepper)	0.1	FC							0.1		5-1	Horse, muscle												5-1
Egg plant	0.1	FC							0.1		5-1	Deer, muscle												5-1
Other Solanaceous vegetables	0.1	FC							0.1		5-1	Goat, muscle												5-1
												Rabbit, muscle												5-1
Cucumber (including Gherkin)	0.1	FC							0.1		5-1	Reindeer, muscle												5-1
Pumpkin (including Squash)												Other terrestrial mammals, muscle												5-1
Oriental pickling melon (vegetable)																								5-1
Watermelon	0.1	FC							0.1		5-1	Cattle, fat												5-1
Melons	0.1	FC							0.1		5-1	Pig, fat												5-1
MAKUWAURI												Sheep, fat												5-1
Other cucurbitaceous vegetables												Horse, fat												5-1
												Deer, fat												5-1
Spinach	0.1	FC							0.1		5-1	Goat, fat												5-1
Bamboo shoots												Rabbit, fat												5-1
Okra												Reindeer, fat												5-1
Ginger	0.1	FC							0.1		5-1	Other terrestrial mammals, fat												5-1
Peas (with pods, immature)	0.05	FC				0.05	0.05				5-1													5-1
Kidney beans (with pods, immature)	0.08	FC					0.05		0.1		5-1	Cattle, liver												5-1
Soybeans	0.08	FC					0.05		0.1		5-1	Pig, liver												5-1
												Sheep, liver												5-1
Button mushroom	0.1	FC							0.1		5-1	Horse, liver												5-1
SHIITAKE	0.1	FC							0.1		5-1	Deer, liver												5-1
Other mushrooms	0.1	FC							0.1		5-1	Goat, liver												5-1
Other vegetables	0.07	FC				0.05	0.05		0.1		5-1	Rabbit, liver												5-1
												Reindeer, liver												5-1
												Other terrestrial mammals, liver												5-1

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
												Other animals											
Cattle, milk																							
Sheep, milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Other poultry, muscle																							
Chicken, fat		0.2	FC				0.2					5-1											
Duck, fat		0.2	FC				0.2					5-1											

616. TRIASULFURON

[illegible]

[illegible]

617. TRIAZOPHOS

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Cattfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.01	Codex			0.01						2	Other animals											
Sheep, milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Turkey, fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals , milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

618. TRIBENURON-METHYL

[illegible]

TRIBENURON-METHYL

[illegible]

[illegible]

TRIBROMSALAN

[illegible]

620. TRIBUPHOS

[illegible]

TRIBUPHOS

[illegible]

621. TRICHLORFON(METRIFONATE)

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.2	MRL	0.2									UNSHU orange	0.1	MRL	0.1								
Wheat	0.1	MRL	0.1									NATSUDAIDAI (flesh)											
Barley	0.1	MRL	0.1									NATSUDAIDAI (peel)											
Rye	0.1	MRL	0.1									NATSUDAIDAI (whole)	0.1	MRL	0.1								
Corn (including Maize, Sweet corn)	0.1	MRL	0.1									Lemon	0.1	MRL	0.1								
Buckwheat	0.1	MRL	0.1									Orange (including Navel)	0.1	MRL	0.1								
Other cereal grains	0.1	MRL	0.1									Grapefruit	0.1	MRL	0.1								
Soybeans (dry)	0.1	MRL	0.1									Lime	0.1	MRL	0.1								
Beans (dry)	0.1	MRL	0.1									Other citrus fruits	0.1	MRL	0.1								
Peas												Apple	2	MRL	2								
Broad beans												Japanese pear	0.5	MRL	0.5								
Peanuts (dry)	0.1	MRL	0.1									Pear	0.5	MRL	0.5								
Other legumes/pulses	0.1	MRL	0.1									Quince	0.5	MRL	0.5								
Potato	0.5	MRL	0.5									Loquat	0.5	MRL	0.5								
Taro	0.5	MRL	0.5									Peach	0.2	MRL	0.2								
Sweet potato	0.5	MRL	0.5									Nectarine	0.5	MRL	0.5								
Yam	0.5	MRL	0.5									Apricot	0.5	MRL	0.5								
Konjac	0.5	MRL	0.5									Japanese plum (including Prunes)	0.5	MRL	0.5								
Other potatoes	0.5	MRL	0.5									Mume plum	0.5	MRL	0.5								
Sugar beet	0.1	MRL	0.1									Cherry	0.1	MRL	0.1								
Sugarcane	0.5	MRL	0.5									Strawberry	1	MRL	1								
Japanese radish (including Radish) (root)	0.2	MRL	0.2									Raspberry	0.5	MRL	0.5								
Japanese radish (including Radish) (leaf)	0.5	MRL	0.5									Blackberry	0.5	MRL	0.5								
Turnip (including Rutabaga) (root)	0.1	MRL	0.1									Blueberry	0.5	MRL	0.5								
Turnip (including Rutabaga) (leaf)	0.5	MRL	0.5									Cranberry	0.5	MRL	0.5								
Horseradish	0.5	MRL	0.5									Huckleberry	0.5	MRL	0.5								
Watercress	0.5	MRL	0.5									Other berries	0.5	MRL	0.5								
Chinese cabbage	0.5	MRL	0.5									Grape	0.5	MRL	0.5								
Cabbage	0.5	MRL	0.5									Japanese persimon	0.5	MRL	0.5								
Brussels sprouts	0.5	MRL	0.5									Banana	1	MRL	1								
Kale	0.2	MRL	0.2									Kiwifruit	0.5	MRL	0.5								
KOMATSUNA	0.5	MRL	0.5									Papaya	0.5	MRL	0.5								
KYONA	0.5	MRL	0.5									Avocado	0.5	MRL	0.5								
Qing-geng-cai	0.1	MRL	0.1									Pineapple	0.5	MRL	0.5								
Cauliflower	0.5	MRL	0.5									Guava	0.5	MRL	0.5								
Broccoli	0.5	MRL	0.5									Mango	0.5	MRL	0.5								
Other cruciferous vegetables	0.1	MRL	0.1									Passion fruit	0.5	MRL	0.5								
Burdock	0.5	MRL	0.5									Date	0.5	MRL	0.5								
Salsify	0.5	MRL	0.5									Other fruits	0.5	MRL	0.5								
Artichoke	0.1	MRL	0.1									Sunflower seeds	0.5	MRL	0.5								
Chicory	0.5	MRL	0.5									Sesam seeds	0.5	MRL	0.5								
Endive	0.5	MRL	0.5									Safflower seeds	0.1	MRL	0.1								
SHUNGIKU	0.5	MRL	0.5									Cotton seeds	0.1	MRL	0.1								
Lettuce (Cos lettuce, Leaf lettuce)	0.5	MRL	0.5									Rapeseeds	0.1	MRL	0.1								
Other composite vegetables	0.5	MRL	0.5									Other oil seeds	0.1	MRL	0.1								
Onion	0.5	MRL	0.5									Ginkgo nut	0.5	MRL	0.5								
Welsh (including Leek)	0.5	MRL	0.5									Chestnut	0.5	MRL	0.5								
Garlic	0.5	MRL	0.5									Pecan	0.5	MRL	0.5								
NIRA	0.5	MRL	0.5									Almond	0.5	MRL	0.5								
Asparagus	0.5	MRL	0.5									Walnut	0.5	MRL	0.5								
Multiplying onion (including Shallot)	0.5	MRL	0.5									Other nuts	0.5	MRL	0.5								
Other liliaceous vegetables	0.5	MRL	0.5									Tea (Green, Black, Oolong, Wulong tea)	0.5	MRL	0.5								
Carrot	0.5	MRL	0.5									Coffee beans											
Parsnip	0.5	MRL	0.5									Cacao beans											
Parsley	0.05	MRL	0.05									Hop											
Celery	0.2	MRL	0.2									Cattle, muscle	0.1	WHL	0.1			0.1	0.1				3-5
MITSUBA	0.5	MRL	0.5									Pig, muscle	0.1	FC				0.1					5-7
Other umbelliferous vegetables	0.5	MRL	0.5									Sheep, muscle											
Tomato	0.2	MRL	0.2									Horse, muscle											
Pimento (Sweet pepper)	1	MRL	1									Deer, muscle											
Egg plant	1	MRL	1									Goat, muscle											
Other Solanaceous vegetables	1	MRL	1									Rabbit, muscle											
Cucumber (including Gherkin)	1	MRL	1									Other terrestrial mammals, muscle											
Pumpkin (including Squash)	0.1	MRL	0.1									Cattle, fat	0.1	WHL	0.1			0.1	0.1				3-5
Oriental pickling melon (vegetable)	0.5	MRL	0.5									Pig, fat	0.1	FC				0.1	0.1				5-7
Water melon	0.5	MRL	0.5									Sheep, fat											
Melons	0.5	MRL	0.5									Horse, fat											
MAKUWAURI	0.5	MRL	0.5									Deer, fat											
Other cucurbitaceous vegetables	0.5	MRL	0.5									Goat, fat											
Spinach	0.5	MRL	0.5									Rabbit, fat											
Bamboo shoots	0.5	MRL	0.5									Reindeer, fat											
Okra	0.5	MRL	0.5									Other terrestrial mammals, fat											
Ginger	0.5	MRL	0.5									Cattle, liver	0.1	MRL	0.1			0.1	0.1				3-5
Peas (with pods, immature)	0.5	MRL	0.5									Pig, liver	0.1	FC				0.1					5-7
Kidney beans (with pods, immature)	0.1	MRL	0.1									Sheep, liver											
Soybeans	0.5	MRL	0.5									Horse, liver											
Button mushroom	0.5	MRL	0.5									Deer, liver											
SHIITAKE	0.5	MRL	0.5									Goat, liver											
Other mushrooms	0.5	MRL	0.5									Rabbit, liver											
Other vegetables	0.5	MRL	0.5									Other terrestrial mammals, liver											

"WHL" for the stock farm and aquatic products, shows the 'Limit of detection' or 'Limit of determination' under the Pharmaceutical Affairs Law.

[illegible]

622. TRICLABENDAZOLE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Lime											
Beans (dry)												Other citrus fruits											
Peas												Apple											
Broad beans												Japanese pear											
Peanuts (dry)												Pear											
Other legumes/pulses												Quince											
Potato												Loquat											
Taro												Peach											
Sweet potato												Nectarine											
Yam												Apricot											
Konjac												Japanese plum (including Prunes)											
Other potatoes												Mume plum											
Sugar beet												Cherry											
Sugarcane												Strawberry											
Japanese radish (including Radish) (root)												Raspberry											
Japanese radish (including Radish) (leaf)												Blackberry											
Tump (including Rutabaga) (root)												Blueberry											
Tump (including Rutabaga) (leaf)												Cranberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage												Banana											
Brussels sprouts												Lowfruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits											
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHINGIKU												Peanut seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables												Onion											
Welsh (including Leek)												Welsh (including Leek)											
Garlic												Garlic											
NIRA												Ginkgo nut											
Asparagus												Chestnut											
Multiplying onion (including Shalot)												Pecan											
Other liliaceous vegetables												Almond											
Carrot												Other nuts											
Parsnip												Tea (Green, Black, Oolong, Wulong tea)											
Parsley												Coffee beans											
Celery												Cacao beans											
MITSUBA												Hop											
Other umbelliferous vegetables												Cattle, muscle	0.2	MRL	0.2								
Tomato												Pig, muscle	0.5	FC					0.5				5-1
Pimento (Sweet pepper)												Sheep, muscle	0.1	MRL	0.1								
Egg plant												Horse, muscle	0.5	FC				0.5					5-1
Other solanaceous vegetables												Deer, muscle	0.5	FC				0.5					5-1
Cucumber (including Gherkin)												Goat, muscle	0.5	FC				0.5					5-1
Pumpkin (including Squash)												Rabbit, muscle	0.5	FC				0.5					5-1
Oriental pickling melon (vegetable)												Reindeer, muscle	0.5	FC				0.5					5-1
Water melon												Other terrestrial mammals, muscle	0.5	FC				0.5					5-1
Melons												Cattle, fat	0.1	MRL	0.1								
MAKUWAURI												Pig, fat											
Other cucurbitaceous vegetables												Sheep, fat	0.1	MRL	0.1								
Spinach												Horse, fat											
Bamboo shoots												Goat, fat											
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver	0.3	MRL	0.3								
Soybeans												Pig, liver	0.5	FC				0.5					5-1
Button mushroom												Sheep, liver	0.1	MRL	0.1								
SHIITAKE												Horse, liver	0.5	FC				0.5					5-1
Other mushrooms												Deer, liver	0.5	FC				0.5					5-1
Other vegetables												Goat, liver	0.5	FC				0.5					5-1
												Rabbit, liver	0.5	FC				0.5					5-1
												Reindeer, liver	0.5	FC				0.5					5-1
												Other terrestrial mammals, liver	0.5	FC				0.5					5-1

TRICLABENDAZOLE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.3	MRL	0.3									Catfish											
Pig, kidney	0.5	FC					0.5				5-1	Other freshwater fish											
Sheep, kidney	0.1	MRL	0.1																				
Goat, kidney	0.5	FC					0.5				5-1	Salmon											
Goat, kidney	0.5	FC					0.5				5-1	Trout											
Goat, kidney	0.5	FC					0.5				5-1	Other salmonidae											
Rabbit, kidney	0.5	FC					0.5				5-1	Other diadromous fish											
Reindeer, kidney	0.5	FC					0.5				5-1												
Other terrestrial mammals, kidney	0.5	FC					0.5				5-1	Marine fish											
Cattle, edible offal excluding liver and kidney	0.3	FC								0.3	5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC								0.1	5-1	Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

623. TRICLOPYR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)		0.3	FC			0.3					5-1	UNSHU orange											
Wheat												Peach											
Barley												NATSUDAIDAI (flesh)											
Rye												NATSUDAIDAI (peel)											
Corn (including Maize, Sweet corn)												NATSUDAIDAI (whole)											
Buckwheat												Lemon											
Other cereal grains												Orange (including Navel)											
Soybeans (dry)												Grapefruit											
Beans (dry)												Lime											
Peas												Other citrus fruits											
Broad beans												Apple											
Peanuts (dry)												Japanese pear											
Other legumes/pulses												Pear											
Potato												Quince											
Taro												Loquat											
Sweet potato																							
Yam												Nectarine											
Konjac												Apricot											
Other potatoes												Japanese plum (including Prunes)											
Sugar beet												Mume plum											
Sugarcane												Cherry											
Japanese radish (including Radish) (root)												Strawberry											
Japanese radish (including Radish) (leaf)												Raspberry											
Turnip (including Rutabaga) (root)												Blackberry											
Turnip (including Rutabaga) (leaf)												Blueberry											
Horseradish												Cranberry											
Watercress												Blackberry											
Chinese cabbage												Other berries											
Cabbage												Grape											
Brussels sprouts												Japanese persimon											
Kale																							
KOMATSUNA												Banana											
KYONA												Kiwifruit											
Qing-geng-cai												Papaya											
Cauliflower												Avocado											
Broccoli												Pineapple											
Other cruciferous vegetables												Guava											
Burdock												Mango											
Salsify												Passion fruit											
Artichoke												Date											
Chicory												Other fruits											
Endive												Sunflower seeds											
SHUNGIKU												Sesam seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Safflower seeds											
Other composite vegetables												Cotton seeds											
Onion												Rape seeds											
Welsh (including Leek)												Other oil seeds											
Garlic												Ginkgo nut											
NIRA												Chestnut											
Asparagus												Pecan											
Multiplying onion (including Shallot)												Almond											
Other liliaceous vegetables												Walnut											
Carrot												Other nuts											
Parsnip												Tea (Green, Black, Oolong, Wulong tea)											
Parsley												Coffee beans											
Celery												Cacao beans											
MITSUBA												Hop											
Other umbelliferous vegetables												Cattle, muscle	0.05	FC				0.05					5-1
Tomato												Pig, muscle	0.05	FC				0.05					5-1
Pimento (Sweet pepper)												Sheep, muscle	0.05	FC				0.05					5-1
Egg plant												Goat, muscle	0.05	FC				0.05					5-1
Other Solanaceous vegetables												Deer, fat	0.05	FC				0.05					5-1
Cucumber (including Gherkin)												Goat, muscle	0.05	FC				0.05					5-1
Pumpkin (including Squash)												Rabbit, muscle											
Oriental pickling melon (vegetable)												Reindeer, muscle											
Water melon												Other terrestrial mammals, muscle											
Melon												Cattle, fat	0.1	FC				0.05	0.2				5-1
MAKUWAURI												Pig, fat	0.05	FC				0.05					5-1
Other cucurbitaceous vegetables												Sheep, fat	0.1	FC				0.05	0.2				5-1
Spinach												Horse, fat	0.05	FC				0.05					5-1
Bamboo shoots												Deer, fat											
Okra												Goat, fat	0.1	FC				0.05	0.2				5-1
Ginger												Rabbit, fat											
Peas (with pods, immature)												Reindeer, fat											
Kidney beans (with pods, immature)												Other terrestrial mammals, fat											
Soybeans												Cattle, liver	2	FC				0.5	5	0.5			5-1
Button mushroom												Pig, liver	0.5	FC				0.5		0.5			5-1
SHIITAKE												Sheep, liver	2	FC				0.5	5	0.5			5-1
Other mushrooms												Deer, liver	0.5	FC				0.5		0.5			5-1
Other vegetables												Goat, liver	2	FC				0.5	5	0.5			5-1
												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

[illegible]

624. TRIDEMORPH

[illegible]

625. TRIDIPHANE

[illegible]

TRIDIPHANE

[illegible]

626. TRIFLOXYSTROBIN

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	4	FC				3.5					5-1	UNSHU orange	0.3	FC				0.3					5-1
Wheat	0.05	FC				0.05					5-1	NATSUDAIDAI (flesh)											5-1
Barley												NATSUDAIDAI (peel)											5-1
Rye												NATSUDAIDAI (whole)	0.3	FC				0.3					5-1
Corn (including Maize, Sweet corn)	0.05	FC				0.05					5-1	Lemon	0.3	FC				0.3					5-1
Buckwheat												Orange (including Navel)	0.3	FC				0.3					5-1
Other cereal grains												Grapefruit	0.3	FC				0.3					5-1
Soybeans (dry)												Lime	0.3	FC				0.3					5-1
Beans (dry)												Other citrus fruits	0.3	FC				0.3					5-1
Peas												Apple	5	WHL		5		0.5	0.3				3-1
Broad beans												Japanese pear	5	WHL		5		0.5	0.3				3-1
Peanuts (dry)	0.05	FC				0.05					5-1	Pear	5	WHL		5		0.5	0.3				3-1
Other legumes/pulses												Quince	5	WHL		5		0.5	0.3				3-1
Potato	0.04	FC				0.04					5-1	Loquat	0.4	FC				0.5	0.3				5-1
Taro																							5-1
Sweet potato												Nectarine	5	WHL		5		2					3-1
Yam												Apricot	2	FC				2					5-1
Konjac												Japanese plum (including Prunes)	2	FC				2					5-1
Other potatoes												Mume plum											5-1
Sugar beet	0.1	FC				0.1					5-1	Cherry	2	FC				2					5-1
Sugarcane												Strawberry											
Japanese radish (including Radish) (root)												Raspberry											
Japanese radish (including Radish) (leaf)												Blackberry											
Turnip (including Rutabaga) (root)												Blueberry											
Turnip (including Rutabaga) (leaf)												Cranberry											
Horseradish												Blackberry											
Watercress												Other berries											
Chinese cabbage												Grape	1	FC				2	0.5				5-1
Cabbage												Japanese persimon	5	WHL		5							4
Brussels sprouts												Banana	5	WHL		5		0.1	0.1				3-1
Kale												Kiwifruit											
KOMATSUNA												Papaya	5	WHL		5							4
KYONA												Avocado	5	WHL		5							4
Qing-geng-cai												Pineapple	5	WHL		5							4
Cauliflower												Guava	5	WHL		5							4
Broccoli												Mango	5	WHL		5							4
Other cruciferous vegetables												Passion fruit	5	WHL		5							4
Burdock												Date											
Salsify												Other fruits	5	WHL		5		0.5					3-1
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHUNGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
Onion												Other oil seeds											
Welsh (including Leek)																							
Garlic												Ginkgo nut											
NIRA												Chestnut	0.04	FC				0.04					5-1
Asparagus												Pecan	0.04	FC				0.04					5-1
Multiplying onion (including Shallot)												Almond	0.04	FC				0.04					5-1
Other liliaceous vegetables												Walnut	0.04	FC				0.04					5-1
Carrot												Other nuts	0.04	FC				0.04					5-1
Parsnip												Tea (Green, Black, Oolong, Wulong tea)	5	WHL		5							4
Parsley												Coffee beans											
Celery												Cacao beans											
MITSUBA												Hop	10	FC				11					5-1
Other umbelliferous vegetables												Cattle, muscle	0.05	FC				0.05	0.05				5-1
Tomato	1	WHL				0.5					3-1	Pig, muscle	0.05	FC				0.05	0.05				5-1
Pepper (Sweet pepper)	0.5	FC				0.5					3-1	Sheep, muscle	0.05	FC				0.05	0.05				5-1
Egg plant	1	WHL				0.5					3-1	Goat, muscle	0.05	FC				0.05	0.05				5-1
Other Solanaceous vegetables	1	WHL				0.5					3-1	Deer, muscle											
Cucumber (including Gherkin)	1	WHL				0.5					3-1	Rabbit, muscle	0.05	FC				0.05	0.05				
Pumpkin (including Squash)	1	WHL				0.5					3-1	Reindeer, muscle											
Oriental pickling melon (vegetable)	1	WHL				0.5					3-1	Other terrestrial mammals, muscle											
Watermelon	0.5	FC				0.5					3-1	Cattle, fat	0.05	FC				0.05					5-1
Melons	0.5	FC				0.5					5-1	Pig, fat	0.05	FC				0.05					5-1
MAKUWAURI	0.5	FC				0.5					5-1	Sheep, fat	0.05	FC				0.05					5-1
Other cucurbitaceous vegetables	1	WHL				0.5					3-1	Horse, fat	0.05	FC				0.05					5-1
Spinach												Deer, fat											
Bamboo Shoots												Goat, fat	0.05	FC				0.05					5-1
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver	0.05	FC				0.05	0.05				5-1
Soybeans												Pig, liver	0.05	FC				0.05	0.05				5-1
Button mushroom												Sheep, liver	0.05	FC				0.05	0.05				5-1
SHIITAKE												Horse, liver	0.05	FC				0.05	0.05				5-1
Other mushrooms												Deer, liver											
Other vegetables	1	WHL				4					3-1	Goat, liver	0.05	FC				0.05	0.05				5-1
												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

	- M R L	f .	L	L	d e x			p e		- M R L	f .	L	L	d e x			p e
Cattle, kidney	0.05	FC				0.05	0.05			5-1	Catfish						
Pig, kidney	0.05	FC				0.05	0.05			5-1	Other freshwater fish						
Sheep, kidney	0.05	FC				0.05	0.05			5-1							
Horse, kidney	0.05	FC				0.05	0.05			5-1	Salmon						
Deer, kidney											Trout						
Goat, kidney	0.05	FC				0.05	0.05			5-1	Other salmonidae						
Rabbit, kidney											Other diadromou fish						
Reindeer, kidney																	
Other terrestrial mammals, kidney											Other marine fish						
Cattle, edible offal excluding liver and kidney	0.05	FC				0.05	0.05			5-1	Shrimps or prawns						
Pig, edible offal excluding liver and kidney	0.05	FC				0.05	0.05			5-1	Lobster						
Sheep, edible offal excluding liver and kidney	0.05	FC				0.05	0.05			5-1	Crayfish						
Horse, edible offal excluding liver and kidney	0.05	FC				0.05	0.05			5-1	Other crustaceans						
Deer, edible offal excluding liver and kidney																	
Goat, edible offal excluding liver and kidney	0.05	FC				0.05	0.05			5-1	Oyster						
Rabbit, edible offal excluding liver and kidney											Abalone						
Reindeer, edible offal excluding liver and kidney											Other aquatic animals						
Other terrestrial mammals, edible offal excluding liver and kidney																	
											Other animals						
Cattle, milk	0.02	FC				0.02	0.02			5-1							
Sheep, milk	0.02	FC				0.02	0.02			5-1	honey						
Goat, milk	0.02	FC				0.02	0.02			5-1							
Other terrestrial mammals, milk	0.02	FC				0.02	0.02			5-1							
Chicken, muscle	0.04	FC				0.04				5-1							
Duck, muscle	0.04	FC				0.04				5-1							
Turkey, muscle	0.04	FC				0.04				5-1							
Goat, muscle	0.04	FC				0.04				5-1							
Goose, muscle	0.04	FC				0.04				5-1							
Pheasant, muscle	0.04	FC				0.04				5-1							
Chukar partridge, muscle	0.04	FC				0.04				5-1							
Other poultry, muscle	0.04	FC				0.04				5-1							
Chicken, fat	0.04	FC				0.04				5-1							
Duck, fat	0.04	FC				0.04				5-1							
Turkey, fat	0.04	FC				0.04				5-1							
Goose, fat	0.04	FC				0.04				5-1							
Goose, fat	0.04	FC				0.04				5-1							
Pheasant, fat	0.04	FC				0.04				5-1							
Chukar partridge, fat	0.04	FC				0.04				5-1							
Other poultry, fat	0.04	FC				0.04				5-1							
Chicken, liver	0.04	FC				0.04				5-1							
Duck, liver	0.04	FC				0.04				5-1							
Turkey, liver	0.04	FC				0.04				5-1							
Goose, liver	0.04	FC				0.04				5-1							
Goose, liver	0.04	FC				0.04				5-1							
Pheasant, liver	0.04	FC				0.04				5-1							
Chukar partridge, liver	0.04	FC				0.04				5-1							
Other poultry, liver	0.04	FC				0.04				5-1							
Chicken, kidney	0.04	FC				0.04				5-1							
Duck, kidney	0.04	FC				0.04				5-1							
Turkey, kidney	0.04	FC				0.04				5-1							
Goose, kidney	0.04	FC				0.04				5-1							
Goose, kidney	0.04	FC				0.04				5-1							
Pheasant, kidney	0.04	FC				0.04				5-1							
Chukar partridge, kidney	0.04	FC				0.04				5-1							
Other poultry, kidney	0.04	FC				0.04				5-1							
Chicken, edible offal excluding liver and kidney	0.04	FC				0.04				5-1							
Duck, edible offal excluding liver and kidney	0.04	FC				0.04				5-1							
Turkey, edible offal excluding liver and kidney	0.04	FC				0.04				5-1							
Quail, edible offal excluding liver and kidney	0.04	FC				0.04				5-1							
Goose, edible offal excluding liver and kidney	0.04	FC				0.04				5-1							
Pheasant, edible offal excluding liver and kidney	0.04	FC				0.04				5-1							
Chukar partridge, edible offal excluding liver and kidney	0.04	FC				0.04				5-1							
Other poultry, edible offal excluding liver and kidney	0.04	FC				0.04				5-1							
Chicken, eggs	0.04	FC				0.04				5-1							
Turkey, eggs	0.04	FC				0.04				5-1							
Other poultry, eggs	0.04	FC				0.04				5-1							

627. TRIFLUMIZOLE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange	2	MRL	2									
												NATSUDAIDAI (flesh)												
Wheat		1	MRL	1								NATSUDAIDAI (peel)												
Barley		1	MRL	1								NATSUDAIDAI (whole)												
Rye		1	MRL	1								Lemon	2	MRL	2									
Corn (including Maize, Sweet corn)		1	MRL	1								Orange (including Navel)	2	MRL	2									
Buckwheat		1	MRL	1								Grapefruit	2	MRL	2									
Other cereal grains		1	MRL	1								Lime	2	MRL	2									
												Other citrus fruits	2	MRL	2									
Soybeans (dry)																								
Beans (dry)												Apple	2	MRL	2									
Peas												Japanese pear	2	MRL	2									
Broad beans												Pear	2	MRL	2									
Peanuts (dry)												Quince	2	MRL	2									
Other legumes/pulses												Loquat	2	MRL	2									
Potato																								
Taro												Nectarine	2	MRL	2									
Sweet potato												Apricot	2	MRL	2									
Yam												Japanese plum (including Prunes)	2	MRL	2									
Konjac	1		MRL	1								Mume plum	2	MRL	2									
Other potatoes												Cherry	3	MRL	3									
Sugar beet												Strawberry	2	MRL	2									
Sugarcane												Raspberry	2	MRL	2									
												Blackberry	2	MRL	2									
Japanese radish (including Radish) (root)	1		MRL	1								Blueberry	2	MRL	2									
Japanese radish (including Radish) (leaf)	1		MRL	1								Cranberry	2	MRL	2									
Turnip (including Rutabaga) (root)	1		MRL	1								Other berries	2	MRL	2									
Turnip (including Rutabaga) (leaf)	1		MRL	1																				
Horseradish	1		MRL	1																				
Watercress	1		MRL	1								Grape	2	MRL	2									
Chinese cabbage	1		MRL	1								Japanese persimon	2	MRL	2									
Cabbage	1		MRL	1																				
Brussels sprouts	1		MRL	1								Banana	2	MRL	2									
Kale	1		MRL	1								Kiwifruit	2	MRL	2									
KOMATSUNA	1		MRL	1								Papaya	2	MRL	2									
KYONA	1		MRL	1								Avocado	2	MRL	2									
Qing-geng-cai	1		MRL	1								Pineapple	2	MRL	2									
Cauliflower	1		MRL	1								Guava	2	MRL	2									
Broccoli	1		MRL	1								Mango	2	MRL	2									
Other cruciferous vegetables	1		MRL	1								Passion fruit	2	MRL	2									
												Date	2	MRL	2									
Burdock	1		MRL	1																				
Salsify	1		MRL	1								Other fruits	2	MRL	2									
Artichoke	1		MRL	1																				
Chicory	1		MRL	1								Sunflower seeds	2	MRL	2									
Endive	1		MRL	1								Sesam seeds	2	MRL	2									
SHUNGIKU	1		MRL	1								Safflower seeds	2	MRL	2									
Lettuces (Cos lettuce, Leaf lettuce)	1		MRL	1								Cotton seeds	2	MRL	2									
Other composite vegetables	1		MRL	1								Rape seeds	2	MRL	2									
												Other oil seeds	2	MRL	2									
Onion	1		MRL	1																				
Welsh (including Leek)	1		MRL	1								Ginkgo nut	2	MRL	2									
Garlic	1		MRL	1								Chestnut	2	MRL	2									
NIRA	5		MRL	5								Pecan	2	MRL	2									
Asparagus	1		MRL	1								Almond	2	MRL	2									
Multiplying onion (including Shallot)	1		MRL	1								Walnut	2	MRL	2									
Other liliaceous vegetables	5		MRL	5								Other nuts	2	MRL	2									
Onions																								
Carrot	1		MRL	1								Tea (Green, Black, Oolong, Wulong tea)	15	MRL	15									
Parsnip	1		MRL	1								Coffee beans												
Parsley	1		MRL	1								Cacao beans												
Celery	1		MRL	1								Hop												
MITSUBA	1		MRL	1																				
Other umbelliferous vegetables	1		MRL	1								Cattle, muscle	0.05	FC				0.05						5-1
												Pig, muscle	0.05	FC				0.05						5-1
Tomato	2		MRL	2								Sheep, muscle	0.05	FC				0.05						5-1
Pimiento (Sweet pepper)	5		MRL	5								Other muscle	0.05	FC				0.05						5-1
Egg plant	1		MRL	1								Goat, muscle	0.05	FC				0.05						5-1
Other Solanaceous vegetables	1		MRL	1								Rabbit, muscle												
												Reindeer, muscle												
Cucumber (including Gherkin)	1		MRL	1								Other terrestrial mammals, muscle												
Pumpkin (including Squash)	1		MRL	1																				
Oriental pickling melon (vegetable)	1		MRL	1								Cattle, fat	0.5	FC				0.5						5-1
Water melon	2		MRL	2								Goat, fat	0.5	FC				0.5						5-1
MAKUWAURI	2		MRL	2								Sheep, fat	0.5	FC				0.5						5-1
Other cucurbitaceous vegetables	1		MRL	1								Deer, fat	0.5	FC				0.5						5-1
												Goat, fat	0.5	FC				0.5						5-1
Spinach	1		MRL	1								Rabbit, fat												
Bamboo shoots	1		MRL	1								Reindeer, fat												
Okra	1		MRL	1								Other terrestrial mammals, fat												
Ginger	1		MRL	1																				
Peas (with pods, immature)	5		MRL	5								Cattle, liver	0.5	FC				0.5						5-1
Kidney beans (with pods, immature)	1		MRL	1								Pig, liver	0.5	FC				0.5						5-1
Soybeans	1		MRL	1								Sheep, liver	0.5	FC				0.5						5-1
												Deer, liver	0.5	FC				0.5						5-1
Button mushroom	1		MRL	1								Goat, liver	0.5	FC				0.5						5-1
SHIITAKE	1		MRL	1								Rabbit, liver												
Other mushrooms	1		MRL	1								Reindeer, liver												
Other vegetables	1		MRL	1								Other terrestrial mammals, liver												

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		0.5:FC				0.5					5-1	Catfish											
Pig, kidney		0.5:FC				0.5					5-1	Other freshwater fish											
Sheep, kidney		0.5:FC				0.5					5-1												
Horse, kidney		0.5:FC				0.5					5-1	Salmon											
Deer, kidney																							
Goat, kidney		0.5:FC				0.5					5-1	Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney		0.5:FC				0.5					5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney		0.5:FC				0.5					5-1	Lobster											
Sheep, edible offal excluding liver and kidney		0.5:FC				0.5					5-1	Crayfish											
Horse, edible offal excluding liver and kidney		0.5:FC				0.5					5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney		0.5:FC				0.5					5-1	Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk		0.05:FC				0.05					5-1	Other animals											
Sheep, milk		0.05:FC				0.05					5-1	honey											
Goat, milk		0.05:FC				0.05					5-1												
Other terrestrial mammals, milk		0.05:FC				0.05					5-1												
Chicken, muscle		0.05:FC				0.05					5-1												
Duck, muscle		0.05:FC				0.05					5-1												
Turkey, muscle		0.05:FC				0.05					5-1	Trout											
		0.05:FC				0.05					5-1												
Goose, muscle		0.05:FC				0.05					5-1												
Pheasant, muscle		0.05:FC				0.05					5-1												
Chukar partridge, muscle		0.05:FC				0.05					5-1												
Other poultry, muscle		0.05:FC				0.05					5-1												
Chicken, fat		0.05:FC				0.05					5-1												
Duck, fat		0.05:FC				0.05					5-1												
Turkey, fat		0.05:FC				0.05					5-1												
		0.05:FC				0.05					5-1												
Goose, fat		0.05:FC				0.05					5-1												
Pheasant, fat		0.05:FC				0.05					5-1												
Chukar partridge, fat		0.05:FC				0.05					5-1												
Other poultry, fat		0.05:FC				0.05					5-1												
Chicken, liver		0.1:FC				0.1					5-1												
Duck, liver		0.1:FC				0.1					5-1												
Turkey, liver		0.1:FC				0.1					5-1												
		0.1:FC				0.1					5-1												
Goose, liver		0.1:FC				0.1					5-1												
Pheasant, liver		0.1:FC				0.1					5-1												
Chukar partridge, liver		0.1:FC				0.1					5-1												
Other poultry, liver		0.1:FC				0.1					5-1												
Chicken, kidney		0.1:FC				0.1					5-1												
Duck, kidney		0.1:FC				0.1					5-1												
Turkey, kidney		0.1:FC				0.1					5-1												
		0.1:FC				0.1					5-1												
Goose, kidney		0.1:FC				0.1					5-1												
Pheasant, kidney		0.1:FC				0.1					5-1												
Chukar partridge, kidney		0.1:FC				0.1					5-1												
Other poultry, kidney		0.1:FC				0.1					5-1												
Chicken, edible offal excluding liver and kidney		0.1:FC				0.1					5-1												
Duck, edible offal excluding liver and kidney		0.1:FC				0.1					5-1												
Turkey, edible offal excluding liver and kidney		0.1:FC				0.1					5-1												
Quail, edible offal excluding liver and kidney		0.1:FC				0.1					5-1												
Goose, edible offal excluding liver and kidney		0.1:FC				0.1					5-1												
Pheasant, edible offal excluding liver and kidney		0.1:FC				0.1					5-1												
Chukar partridge, edible offal excluding liver and kidney		0.1:FC				0.1					5-1												
Other poultry, edible offal excluding liver and kidney		0.1:FC				0.1					5-1												
Chicken, eggs		0.05:FC				0.05					5-1												
Turkey, eggs		0.05:FC				0.05					5-1												
Other poultry, eggs		0.05:FC				0.05					5-1												