

628. TRIFLUMURON

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)												
Rye												Lemon												
Corn (including Maize, Sweet corn)												Orange (including Navel)												
Buckwheat												Grapefruit												
Other cereal grains												Lime												
												Other citrus fruits												
Soybeans (dry)																								
Beans (dry) *												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts (dry)												Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish (including Radish) (root)												Blueberry												
Japanese radish (including Radish) (leaf)												Cranberry												
Turnip (including Rutabaga) (root)												Huckleberry												
Turnip (including Rutabaga) (leaf)												Other berries												
Horseradish																								
Watercress												Grape												
Chinese cabbage												Japanese persimon												
Cabbage																								
Brussels sprouts												Banana												
Kale												Kiwifruit												
OKRA																								

629. TRIFLURALIN

	P R	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.05	MRL	0.05									UNSHU orange	0.05	MRL	0.05									
												NATSUDAIDAI (flesh)												
Wheat	0.1	MRL	0.1									NATSUDAIDAI (peel)	0.05	MRL	0.05									
Barley	0.1	MRL	0.1									NATSUDAIDAI (whole)	0.05	MRL	0.05									
Rye	0.1	MRL	0.1									Lemon	0.05	MRL	0.05									
Corn (including Maize, Sweet corn)	0.05	MRL	0.05									Orange (including Navel)	0.05	MRL	0.05									
Buckwheat	0.05	MRL	0.05									Grapefruit	0.05	MRL	0.05									
Other cereal grains	0.1	MRL	0.1									Lime	0.05	MRL	0.05									
Soybeans (dry)	0.2	MRL	0.15									Other citrus fruits	0.05	MRL	0.05									
Beans (dry)	0.05	MRL	0.05									Apple	0.05	MRL	0.05									
Peas	0.05	MRL	0.05									Japanese pear	0.05	MRL	0.05									
Broad beans	0.05	MRL	0.05									Pear	0.05	MRL	0.05									
Peanuts (dry)	0.2	MRL	0.15									Quince	0.05	MRL	0.05									
Other legumes/pulses	0.05	MRL	0.05									Loquat	0.05	MRL	0.05									
Potato	0.2	MRL	0.15									Peach	0.05	MRL	0.05									
Taro	0.05	MRL	0.05									Nectarine	0.05	MRL	0.05									
Sweet potato	0.05	MRL	0.05									Apricot	0.05	MRL	0.05									
Yam	0.05	MRL	0.05									Japanese plum (including Prunes)	0.05	MRL	0.05									
Konjac	0.05	MRL	0.05									Mume plum	0.05	MRL	0.05									
Other potatoes	0.05	MRL	0.05									Cherry	0.05	MRL	0.05									
Sugar beet	0.05	MRL	0.05									Strawberry	0.05	MRL	0.05									
Sugarcane	0.05	MRL	0.05									Raspberry	0.05	MRL	0.05									
												Blackberry	0.05	MRL	0.05									
Japanese radish (including Radish) (root)	0.05	MRL	0.05									Blueberry	0.05	MRL	0.05									
Japanese radish (including Radish) (leaf)	0.1	MRL	0.1									Cranberry	0.05	MRL	0.05									
Turnip (including Rutabaga) (root)	0.1	MRL	0.1									Huckleberry	0.05	MRL	0.05									
Turnip (including Rutabaga) (leaf)	0.05	MRL	0.05									Other berries	0.05	MRL	0.05									
Horseradish	0.05	MRL	0.05																					
Watercress	0.05	MRL	0.05									Grape	0.05	MRL	0.05									

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Cattfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns	0.001	FC					0.001				5-1
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep , milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals , milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

630. TRIFLUSULFURON-METHYL

[illegible]

[illegible]

631. TRIFORINE

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		
Rice (brown rice)	0.1	Codex			0.1				0.05	0.5	2	UNSHU orange	2	WHL		2								4	
												NATSUDAIDAI (flesh)													
Wheat	0.1	Codex			0.1				0.1	0.5	2	NATSUDAIDAI (peel)		WHL		2								4	
Barley	0.1	Codex			0.1						2	NATSUDAIDAI (whole)		WHL		2								4	
Rye	0.1	Codex			0.1				0.1	0.5	2	Lemon		WHL		2								4	
Corn (including Maize, Sweet corn)	0.1	Codex			0.1				0.05	0.5	2	Orange (including Navel)		WHL		2								4	
Buckwheat	0.1	Codex			0.1				0.05	0.5	2	Grapefruit		WHL		2								4	
Other cereal grains	0.1	Codex			0.1				0.1	0.5	2	Lime		WHL		2								4	
												Other citrus fruits		WHL		2								4	
Soybeans (dry)																									
Beans (dry)																	2	0.01	1			2	0.5	1-1	
Peas																			1			2	0.5	3-1	
Broad beans																			1			2	0.5	3-1	
Peanuts (dry)																			1			2	0.5	3-1	
Other legumes/pulses																			1			2	0.5	3-1	
Taro																	5	8	10			2	2	3	1-1
Sweet potato																		8	10		0.05		2	3	3-1
Yam																		8	10				2	3	3-1
Konjac																	2	3	10				1	3	1-1
Other potatoes																			10		0.05		3	3	3-1
																	2	3	10			2	3	1-1	
Sugar beet																	1	2				0.05	10	1-1	
Sugarcane																					0.05		10	3-1	
																					0.05		10	3-1	
																					0.05		10	3-1	
Japanese radish (including Radish) (root)	2	WHL		2							4	Blueberry	1	Codex		2	1	0.1			0.05	10	1-1		
Japanese radish (including Radish) (leaf)	2	WHL		2							4	Cranberry	2	WHL		2		0.1		0.05	10	3-1			
Turnip (including Rutabaga) (root)	2	WHL		2							4														

[illegible]

632. TRIMETHOPRIM

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Lime											
Beans (dry)												Other citrus fruits											
Peas												Apple											
Broad beans												Japanese pear											
Peanuts (dry)												Pear											
Other legumes/pulses												Quince											
Potato												Loquat											
Taro												Peach											
Sweet potato												Nectarine											
Yam												Apricot											
Konjac												Japanese plum (including Prunes)											
Other potatoes												Mume plum											
Sugar beet												Cherry											
Sugarcane												Strawberry											
Japanese radish (including Radish) (root)												Raspberry											
Japanese radish (including Radish) (leaf)												Blackberry											
Tump (including Rutabaga) (root)												Blueberry											
Tump (including Rutabaga) (leaf)												Cranberry											
Horseradish												Other berries											
Watercress												Grape											
Chinese cabbage												Japanese persimon											
Cabbage												Banana											
Brussels sprouts												Guavafruit											
Kale												Papaya											
KOMATSUNA												Avocado											
KYONA												Pineapple											
Qing-geng-cai												Guava											
Cauliflower												Mango											
Broccoli												Passion fruit											
Other cruciferous vegetables												Date											
Burdock												Other fruits											
Salsify												Sunflower seeds											
Artichoke												Sesam seeds											
Chicory												Safflower seeds											
Endive												Cotton seeds											
SHINGIKU												Peanut seeds											
lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds											
Other composite vegetables												Onion											
Welsh (including Leek)												Welsh (including Leek)											
Garlic												Garlic											
NIRA												Ginkgo nut											
Asparagus												Chestnut											
Multiplying onion (Shallot)												Pecan											
Other liliaceous vegetables												Almond											
Carrot												Almond											
Parsnip												Other nuts											
Parsley												Tea (Green, Black, Oolong, Wulong tea)											
Celery												Coffee beans											
MITSUBA												Cacao beans											
Other umbelliferous vegetables												Hop											
Tomato												Cattle, muscle	0.05	FC				0.05		0.05			5-1
Pimento (Sweet pepper)												Pig, muscle	0.1	PAL		0.1		0.05		0.05			3-1
Egg plant												Sheep, muscle	0.05	FC				0.05		0.05			5-1
Other solanaceous vegetables												Horse, muscle	0.05					0.05		0.1			6
Cucumber (including Gherkin)												Deer, muscle	0.05	FC				0.05		0.05			5-1
Pumpkin (including Squash)												Goat, muscle	0.05	FC				0.05		0.05			5-1
Oriental pickling melon (vegetable)												Rabbit, muscle	0.05	FC				0.05		0.05			5-1
Water melon												Reindeer, muscle	0.05	FC				0.05		0.05			5-1
Melons												Other terrestrial mammals, muscle	0.05	FC				0.05		0.05			5-1
MAKUWAURI												Cattle, fat	0.05	FC						0.05			5-1
Other cucurbitaceous vegetables												Pig, fat	0.1	PAL		0.1				0.05			3-1
Spinach												Sheep, fat	0.05	FC						0.05			5-1
Bamboo shoots												Horse, fat	0.05							0.1			6
Okra												Goat, fat	0.05	FC						0.05			5-1
Ginger												Deer, fat	0.05	FC						0.05			5-1
Peas (with pods, immature)												Goat, fat	0.05	FC						0.05			5-1
Kidney beans (with pods, immature)												Rabbit, fat	0.05	FC						0.05			5-1
Soybeans												Reindeer, fat	0.05	FC						0.05			5-1
Button mushroom												Other terrestrial mammals, fat	0.05	FC						0.05			5-1
SHIITAKE												Cattle, liver	0.05	FC					0.05		0.05		5-1
Other mushrooms												Pig, liver	0.1	PAL		0.1				0.05			3-1
Other vegetables												Sheep, liver	0.05	FC						0.05			5-1
												Horse, liver	0.05							0.1			6
												Deer, liver	0.05	FC						0.05			5-1
												Goat, liver	0.05	FC						0.05			5-1
												Rabbit, liver	0.05	FC						0.05			5-1
												Reindeer, liver	0.05	FC						0.05			5-1
												Other terrestrial mammals, liver	0.05	FC						0.05			5-1

TRIMETHOPRIM

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	FC					0.05		0.05		5-1	Cattfish	0.05	FC							0.05		5-1
Pig, kidney	0.1	PAL		0.1			0.05		0.05		3-1	Other freshwater fish	0.05	FC							0.05		5-1
Sheep, kidney	0.05	FC					0.05		0.05		5-1												
Horse, kidney	0.05						0.05		0.1		6	Salmon	0.08	FC						0.1	0.05		5-1
Deer, kidney	0.05	FC					0.05		0.05		5-1	Trout	0.05	FC							0.05		5-1
Goat, kidney	0.05	FC					0.05		0.05		5-1	Other salmonidae	0.05	FC							0.05		5-1
Rabbit, kidney	0.05	FC					0.05		0.05		5-1	Other diadromous fish	0.05	FC							0.05		5-1
Reindeer, kidney	0.05	FC					0.05		0.05		5-1												
Other terrestrial mammals, kidney	0.05	FC					0.05		0.05		5-1	Marine fish	0.05	FC							0.05		5-1
Cattle, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Shrimps or prawns	0.05	FC							0.05		5-1
Pig, edible offal excluding liver and kidney	0.05	PAL		0.05			0.05				3-1	Oyster	0.05	FC								0.05	5-1
Sheep, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Lobster	0.05	FC								0.05	5-1
Horse, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Crayfish	0.05	FC							0.05		5-1
Deer, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Other crustaceans	0.05	FC							0.05		5-1
Reindeer, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Rabbit, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Abalone	0.05	FC							0.05		5-1
Goat, edible offal excluding liver and kidney	0.05	FC					0.05				5-1	Other aquatic animals	0.05	FC							0.05		5-1
Other terrestrial mammals, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Cattle, milk	0.05	FC					0.05		0.05		5-1	Other animals											
Sheep, milk	0.05	FC					0.05		0.05		5-1	Honey											
Goat, milk	0.05	FC							0.05		5-1												
Other terrestrial mammals, milk	0.05	FC							0.05		5-1												
Chicken, muscle	0.05	PAL		0.05			0.05		0.05		3-1												
Duck, muscle	0.05	FC					0.05		0.05		5-1												
Turkey, muscle	0.05	FC					0.05		0.05		5-1												
Quail, muscle	0.05	FC					0.05		0.05		5-1												
Goose, muscle	0.05	FC					0.05		0.05		5-1												
Pheasant, muscle	0.05	FC					0.05		0.05		5-1												
Chukar partridge, muscle	0.05	FC					0.05		0.05		5-1												
Other poultry, muscle	0.05	FC					0.05		0.05		5-1												
Chicken, fat	0.05	FC							0.05		5-1												
Duck, fat	0.05	FC							0.05		5-1												
Turkey, fat	0.05	FC							0.05		5-1												
Quail, fat	0.05	FC							0.05		5-1												
Goose, fat	0.05	FC							0.05		5-1												
Pheasant, fat	0.05	FC							0.05		5-1												
Chukar partridge, fat	0.05	FC							0.05		5-1												
Other poultry, fat	0.05	FC							0.05		5-1												
Chicken, liver	0.05	PAL		0.05			0.05		0.05		3-1												
Duck, liver	0.05	FC					0.05		0.05		5-1												
Turkey, liver	0.05	FC					0.05		0.05		5-1												
Quail, liver	0.05	FC					0.05		0.05		5-1												
Goose, liver	0.05	FC					0.05		0.05		5-1												
Pheasant, liver	0.05	FC					0.05		0.05		5-1												
Chukar partridge, liver	0.05	FC					0.05		0.05		5-1												
Other poultry, liver	0.05	FC					0.05		0.05		5-1												
Chicken, kidney	0.05	PAL		0.05			0.05		0.05		3-1												
Duck, kidney	0.05	FC					0.05		0.05		5-1												
Turkey, kidney	0.05	FC					0.05		0.05		5-1												
Quail, kidney	0.05	FC					0.05		0.05		5-1												
Goose, kidney	0.05	FC					0.05		0.05		5-1												
Pheasant, kidney	0.05	FC					0.05		0.05		5-1												
Chukar partridge, kidney	0.05	FC					0.05		0.05		5-1												
Other poultry, kidney	0.05	FC					0.05		0.05		5-1												
Chicken, edible offal excluding liver and kidney	0.05	PAL		0.05			0.05				3-1												
Duck, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Turkey, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Quail, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Goose, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Pheasant, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Chukar partridge, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Other poultry, edible offal excluding liver and kidney	0.05	FC					0.05				5-1												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

For horses (muscle, fat, livers, and kidneys), the PR-MRLs were harmonized with the corresponding PR-MRLs for other animal species.

633. TRIMETHYLSULFONIUM

[illegible]

TRIMETHYLSULFONIUM

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		0.5FC						0.5			5-1	Cattfish											
Pig, kidney		0.5FC						0.5			5-1	Other freshwater fish											
Sheep, kidney		0.5FC						0.5			5-1												
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney		0.5FC						0.5			5-1	Other salmonidae											
Rabbit, kidney												Other diadromou fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Other marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk												honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals , milk fat																							
Chicken, muscle		0.05FC						0.05			5-1												
Duck, muscle		0.05FC						0.05			5-1												
Turkey, muscle		0.05FC						0.05			5-1												
Goose, muscle		0.05FC						0.05			5-1												
Pheasant, muscle		0.05FC						0.05			5-1												
Chukar partridge, muscle		0.05FC						0.05			5-1												
Other poultry, muscle		0.05FC						0.05			5-1												
Chicken, fat		0.05FC						0.05			5-1												
Duck, fat		0.05FC						0.05			5-1												
Turkey, fat		0.05FC						0.05			5-1												
Goose, fat		0.05FC						0.05			5-1												
Pheasant, fat		0.05FC						0.05			5-1												
Chukar partridge, fat		0.05FC						0.05			5-1												
Other poultry, fat		0.05FC						0.05			5-1												
Chicken, liver		0.05FC						0.05			5-1												
Duck, liver		0.05FC						0.05			5-1												
Turkey, liver		0.05FC						0.05			5-1												
Goose, liver		0.05FC						0.05			5-1												
Pheasant, liver		0.05FC						0.05			5-1												
Chukar partridge, liver		0.05FC						0.05			5-1												
Other poultry, liver		0.05FC						0.05			5-1												
Chicken, kidney		0.05FC						0.05			5-1												
Duck, kidney		0.05FC						0.05			5-1												
Turkey, kidney		0.05FC						0.05			5-1												
Goose, kidney		0.05FC						0.05			5-1												
Pheasant, kidney		0.05FC						0.05			5-1												
Chukar partridge, kidney		0.05FC						0.05			5-1												
Other poultry, kidney		0.05FC						0.05			5-1												
Chicken, edible offal excluding liver and kidney		0.05FC						0.05			5-1												
Duck, edible offal excluding liver and kidney		0.05FC						0.05			5-1												
Turkey, edible offal excluding liver and kidney		0.05FC						0.05			5-1												
Quail, edible offal excluding liver and kidney		0.05FC						0.05			5-1												
Goose, edible offal excluding liver and kidney		0.05FC						0.05			5-1												
Pheasant, edible offal excluding liver and kidney		0.05FC						0.05			5-1												
Chukar partridge, edible offal excluding liver and kidney		0.05FC						0.05			5-1												
Other poultry, edible offal excluding liver and kidney		0.05FC						0.05			5-1												
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

634. TRIPELENNAMINE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)																							
Beans (dry) *												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Grape											
Chinese cabbage												Japanese persimmon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock																							
Salsify												Other fruits											
Artichoke																							
Chicory												Sunflower seeds											
Endive												Sesam seeds											
SHINGIKU												Safflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parasit												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.2	FC				0.2					5-1
												Pig, muscle											
Tomato												Sheep, muscle											
Pumpkin												Horse, muscle											
Pimento (Sweet pepper)												Deer, muscle											
Egg plant												Goat, muscle											
Other solanaceous vegetables												Rabbit, muscle											
												Reindeer, muscle											
Cucumber (including Gherkin)												Other terrestrial mammals, muscle											
Pumpkin (including Squash)																							
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat						0.2					5-1
Melons												Pig, fat											
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
												Deer, fat											
Spinach												Goat, fat											
Bamboo shoots												Rabbit, fat											
Okra												Reindeer, fat											
Ginger												Other terrestrial mammals, fat											
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver	0.2	FC				0.2					5-1
Soybeans												Pig, liver											
												Sheep, liver											
Button mushroom												Horse, liver											
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver											
												Rabbit, liver											
Other vegetables												Reindeer, liver											
												Other terrestrial mammals, liver											

TRIPLENNAMINE

[illegible]

635. TRITICONAZOLE

[illegible]

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney	0.05	FC					0.05	0.05			5-1	Cattfish												
Pig, kidney	0.05	FC					0.05	0.05			5-1	Other freshwater fish												
Sheep, kidney	0.05	FC					0.05	0.05			5-1	Salmon												
Horse, kidney	0.05	FC					0.05	0.05			5-1	Trout												
Deer, kidney												Other salmonidae												
Goat, kidney	0.05	FC					0.05	0.05			5-1	Other diadromou fish												
Rabbit, kidney																								
Reindeer, kidney																								
Other terrestrial mammals, kidney												Other marine fish												
Cattle, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1	Shrimps or prawns												
Pig, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1	Lobster												
Sheep, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1	Crayfish												
Horse, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1	Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Goat, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1	Oyster												
Rabbit, edible offal excluding liver and kidney												Abalone												
Reindeer, edible offal excluding liver and kidney												Other aquatic animals												
Other terrestrial mammals, edible offal excluding liver and kidney																								
Cattle, milk	0.01	FC					0.01	0.01			5-1	Other animals												
Sheep, milk	0.01	FC					0.01	0.01			5-1	honey												
Goat, milk	0.01	FC					0.01	0.01			5-1													
Other terrestrial mammals, milk	0.01	FC					0.01	0.01			5-1													
Chicken, muscle	0.05	FC					0.05	0.05			5-1													
Duck, muscle	0.05	FC					0.05	0.05			5-1													
Turkey, muscle	0.05	FC					0.05	0.05			5-1													
Goose, muscle	0.05	FC					0.05	0.05			5-1													
Pheasant, muscle	0.05	FC					0.05	0.05			5-1													
Chukar partridge, muscle	0.05	FC					0.05	0.05			5-1													
Other poultry, muscle	0.05	FC					0.05	0.05			5-1													
Chicken, fat																								
Duck, fat																								
Turkey, fat																								
Goose, fat																								
Pheasant, fat																								
Chukar partridge, fat																								
Other poultry, fat																								
Chicken, liver	0.05	FC					0.05	0.05			5-1													
Duck, liver	0.05	FC					0.05	0.05			5-1													
Turkey, liver	0.05	FC					0.05	0.05			5-1													
Goose, liver	0.05	FC					0.05	0.05			5-1													
Pheasant, liver	0.05	FC					0.05	0.05			5-1													
Chukar partridge, liver	0.05	FC					0.05	0.05			5-1													
Other poultry, liver	0.05	FC					0.05	0.05			5-1													
Chicken, kidney	0.05	FC					0.05	0.05			5-1													
Duck, kidney	0.05	FC					0.05	0.05			5-1													
Turkey, kidney	0.05	FC					0.05	0.05			5-1													
Goose, kidney	0.05	FC					0.05	0.05			5-1													
Pheasant, kidney	0.05	FC					0.05	0.05			5-1													
Chukar partridge, kidney	0.05	FC					0.05	0.05			5-1													
Other poultry, kidney	0.05	FC					0.05	0.05			5-1													
Chicken, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1													
Duck, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1													
Turkey, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1													
Quail, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1													
Goose, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1													
Pheasant, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1													
Chukar partridge, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1													
Other poultry, edible offal excluding liver and kidney	0.05	FC					0.05	0.05			5-1													
Chicken, eggs							0.05	0.05			5-1													
Turkey, eggs	0.05	FC					0.05	0.05			5-1													
Other poultry, eggs	0.05	FC					0.05	0.05			5-1													

[illegible]

TULATHROMYCIN

[illegible]

[illegible]

TYLOSIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.05	PAL		0.05		0.2	0.1	0.2	0.1		3-1	Catfish	0.1	FC								0.1	5-1
Pig, kidney	0.05	PAL		0.05		0.2	0.2	0.2	0.1		3-1	Other freshwater fish	0.1	FC								0.1	5-1
Sheep, kidney	0.1	FC							0.1		5-1												
Horse, kidney	0.1	FC							0.1		5-1	Salmon	0.1	FC								0.1	5-1
Deer, kidney	0.1	FC							0.1		5-1	Trout	0.1	FC								0.1	5-1
Goat, kidney	0.1	FC							0.1		5-1	Other salmonidae	0.1	FC								0.1	5-1
Rabbit, kidney	0.1	FC							0.1		5-1	Other diadromous fish	0.1	FC								0.1	5-1
Reindeer, kidney	0.1	FC							0.1		5-1												
Other terrestrial mammals, kidney	0.1	FC							0.1		5-1	Marine fish	0.1	FC								0.1	5-1
Cattle, edible offal excluding liver and kidney	0.05	PAL		0.05							4	Shrimps or prawns	0.1	FC									5-1
Pig, edible offal excluding liver and kidney	0.05	PAL		0.05							4	Lobster	0.1	FC								0.1	5-1
Sheep, edible offal excluding liver and kidney												Crayfish	0.1	FC								0.1	5-1
Horse, edible offal excluding liver and kidney												Other crustaceans	0.1	FC								0.1	5-1
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster	0.1	FC								0.1	5-1
Rabbit, edible offal excluding liver and kidney												Abalone	0.1	FC								0.1	5-1
Reindeer, edible offal excluding liver and kidney												Other aquatic animals	0.1	FC								0.1	5-1
Other terrestrial mammals, edible offal excluding liver and kidney																							
												Other animals											
Cattle, milk	0.05	PAL		0.05		0.05	0.05		0.05		3-1												
Sheep, milk	0.05	FC				0.05	0.05		0.05		5-1	Honey											
Goat, milk						0.05	0.05		0.05		5-1												
Other terrestrial mammals, milk	0.05	FC				0.05	0.05		0.05		5-1												
Chicken, muscle	0.05	PAL		0.05		0.2	0.2	0.2	0.1		3-1												
Duck, muscle	0.2	FC					0.2		0.1		5-1												
Turkey, muscle	0.2	FC				0.2	0.2	0.2	0.1		5-1												
Quail, muscle	0.2	FC					0.2		0.1														

638. UNICONAZOLE P

[illegible]

UNICONAZOLE P

[illegible]

[illegible]

VALNEMULIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney	0.05	PAL		0.05					0.1		3-1	Other freshwater fish											
Sheep, kidney																							
Horse, kidney																							
Deer, kidney												Salmon											
Goat, kidney												Trout											
Rabbit, kidney												Other salmonidae											
Reindeer, kidney												Other diadromous fish											
Other terrestrial mammals, kidney																							
												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney	0.05	PAL		0.05							4	Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
												Other animals											
Cattle, milk																							
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							

640. VAMIDOTHION

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)	0.2	MRL	0.2	UNSHU orange	0.05	FC									0.05	5-1
Potato	0.5	MRL	0.5	NATSUDAIDAI (flesh)												
Wheat	0.2	MRL	0.2	NATSUDAIDAI (peel)												
Barley	0.2	MRL	0.2	NATSUDAIDAI (whole)	0.05	FC									0.05	5-1
Rye	0.2	MRL	0.2	Lemon	0.05	FC									0.05	5-1
Corn (including Maize, Sweet corn)	0.2	MRL	0.2	Orange (including Navel)	0.05	FC									0.05	5-1
Buckwheat	0.2	MRL	0.2	Grapefruit	0.05	FC									0.05	5-1
Other cereal grains	0.2	MRL	0.2	Lime	0.05	FC									0.05	5-1
Soybeans (dry)												Other citrus fruits	0.05	FC									0.05	5-1
Beans (dry)												Apple	3	MRL	3	
Peas												Japanese pear	2	MRL	2	
Broad beans	0.05	FC							0.05		5-1	Pear	2	MRL	2	
Peanuts (dry)	0.05	FC							0.05		5-1	Quince	1	MRL	1	
Other legumes/pulses												Loquat	1	MRL	1	
Potato	0.5	MRL	0.5	Plum	0.5	MRL	0.5	
Taro	0.05	FC							0.05		5-1	Nectarine	0.05	FC									0.05	5-1
Sweet potato	0.05	FC							0.05		5-1	Apricot	0.05	FC									0.05	5-1
Yam	0.05	FC							0.05		5-1	Japanese plum (including Prunes)	0.05	FC									0.05	5-1
Konjac	0.05	FC							0.05		5-1	Mume plum	2	MRL	2	
Other potatoes	0.05	FC							0.05		5-1	Cherry	0.05	FC									0.05	5-1
Sugar beet	0.5	MRL	0.5	Strawberry	0.05	FC									0.05	5-1
Sugarcane												Raspberry	0.05	FC									0.05	5-1
Japanese radish (including Radish) (root)	0.05	FC							0.05		5-1	Blackberry	0.05	FC									0.05	5-1
Japanese radish (including Radish) (leaf)	0.05	FC							0.05		5-1	Blueberry	0.05	FC									0.05	5-1
Turnip (including Rutabaga) (root)	0.05	FC							0.05		5-1	Cranberry	0.05	FC									0.05	5-1
Turnip (including Rutabaga) (leaf)	0.05	FC							0.05		5-1	Huckleberry	0.05	FC									0.05	5-1
Horseradish	0.05	FC																						

VAMIDOTHION

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney												Catfish												
Pig, kidney												Other freshwater fish												
Sheep, kidney																								
Goat, kidney												Salmon												
Deer, kidney												Trout												
Goat, kidney												Other salmonidae												
Rabbit, kidney												Other diadromou fish												
Reindeer, kidney																								
Other terrestrial mammals, kidney												Other marine fish												
Cattle, edible offal excluding liver and kidney												Shrimps or prawns												
Pig, edible offal excluding liver and kidney												Lobster												
Sheep, edible offal excluding liver and kidney												Crayfish												
Horse, edible offal excluding liver and kidney												Other crustaceans												
Deer, edible offal excluding liver and kidney																								
Goat, edible offal excluding liver and kidney												Oyster												
Rabbit, edible offal excluding liver and kidney												Abalone												
Reindeer, edible offal excluding liver and kidney												Other aquatic animals												
Other terrestrial mammals, edible offal excluding liver and kidney																								
												Other animals												
Cattle, milk																								
Sheep, milk												honey												
Goat, milk																								
Other terrestrial mammals, milk																								
Cattle, milk fat																								
Sheep, milk fat																								
Goat, milk fat																								
Other terrestrial mammals, milk fat																								
Chicken, muscle																								
Duck, muscle																								
Turkey, muscle																								
Goose, muscle																								
Pheasant, muscle																								

[illegible]

VEDAPROFEN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Cattfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney		FC								1	5/1	Salmon											
Goat, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney												Other animals											
Cattle, milk																							
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

642. VINCLOZOLIN

	P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)												
Rye												Lemon												
Corn (including Maize, Sweet corn)												Orange (including Navel)												
Buckwheat												Grapefruit												
Other cereal grains												Lime												
												Other citrus fruits												
Soybeans (dry)	0.3	FC							0.05	0.5	5-1													
Beans (dry)	0.2	FC						1	0.5	0.5	5-1		Apple	1	CodeX			1		7		1	2	
Peas	0.5	FC							0.5		5-1		Japanese pear	1	CodeX			1				1	2	
Broad beans	0.7	FC						1	0.5	0.5	5-1		Pear	1	CodeX			1				1	2	
Peanuts (dry)													Quince	1	CodeX			1				1	2	
Other legumes/pulses	0.7	FC						1	0.5	0.5	5-1		Loquat	1	CodeX			1				1	2	
Potato	0.1	CodeX				0.1					2							5				2	0.05	
Taro													Nectarine							2	0.05		2	
Sweet potato													Apricot	4	FC				5		2		5-1	
Yam													Japanese plum (including Prunes)	2	FC					1		2	5-1	
Konjac													Mume plum											
Other potatoes													Cherry	5	CodeX			5			3	0.5	2	
Sugar beet													Strawberry	10	CodeX			10		10		5	5	2
Sugarcane													Raspberry	5	CodeX			5	10			5	2	
													Blackberry	5	CodeX			5				5	2	
Japanese radish (including Radish) (root)													Blueberry	5	CodeX			5					2	
Japanese radish (including Radish) (leaf)													Cranberry	1	FC						1		5-1	
Turnip (including Rutabaga) (root)													Huckleberry	2	CodeX								2	
Turnip (including Rutabaga) (leaf)													Other berries	5	CodeX			5			10		2	
Horseradish																								
Watercress	5	FC							5		5-1		Grape	5	CodeX			5	6		5	5	5	2
Chinese cabbage	2	FC							2		5-1		Japanese persimon											
Cabbage	1	CodeX				1					2													
Brussels sprouts																								

[illegible]