

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)		0.1	MRL	0.1								UNSHU Orange											
Potato												Peach											
Wheat		0.05	MRL	0.05								NATSUDAIDAI (flesh)											
Barley		0.05	MRL	0.05								NATSUDAIDAI (peel)											
Rye		0.05	MRL	0.05								NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)		0.05	MRL	0.05								Lemon											
Buckwheat		0.05	MRL	0.05								Orange (including Navel)											
Other cereal grains		0.05	MRL	0.05								Grapefruit											
Soybeans (dry)												Lime											
Beans (dry)												Other Citrus fruits											
Peas												Apple											
Broad beans												Japanese pear											
Peanuts (dry)												Pear											
Other Legumes/pulses												Quince											
												Loquat											
												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other Potatoes												Cherry											
Sugar beet												Strawberry											
Sugercane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Blackberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress	0.3	FC				0.25					5-1	Grape											
Chinese cabbage	1	FC				1					5-1	Japanese persimon											
Cabbage	1	FC				1					5-1												
Brussels sprouts	1	FC				1					5-1	Banana						0.1					5-1
Kale	1	FC				1																	

[illegible]

17. ACIFLUORFEN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.1	FC				0.1					5-1	UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)	0.1	FC				0.1	0.1				5-1	Other citrus fruits											
Beans (dry)	0.1	FC					0.1				5-1	Apple											
Peas	0.1	FC					0.1				5-1	Japanese pear											
Broad beans	0.1	FC					0.1				5-1	Pear											
Peanuts (dry)	0.08	FC				0.1	0.05				5-1	Quince											
Other legumes/pulses	0.1	FC					0.1				5-1	Loquat											
Potato												Peach											
Taro												Lime											
Sweet potato												Nectarine											
Yam												Apricot											
Konjac												Japanese plum (including Prunes)											
Other potatoes												Mume plum											
Sugar beet												Cherry											
Sugarcane												Strawberry	0.05	FC				0.05					5-1
Japanese radish (including Radish) (root)												Raspberry											
Japanese radish (including Radish) (leaf)												Blackberry											
Turnip (including Rutabaga) (root)												Blueberry											
Turnip (including Rutabaga) (leaf)												Cranberry											
Horseradish												Huckleberry											
Watercress												Other berries											
Chinese cabbage												Grape											
Cabbage												Japanese persimon											
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Qing-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
Burdock												Date											
Salsify												Other fruits											
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Safflower seeds											
SHINGIKU												Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds											
Other composite vegetables												Other oil seeds											
Onion												Ginkgo nut											
Welsh (including Leek)												Chestnut											
Garlic												Pecan											
NIRA												Almond											
Asparagus												Walnut											
Multiplying onion (including Shallot)												Other nuts											
Other liliaceous vegetables												Tea (Green, Black, Oolong, Wulong tea)											
Carrot												Coffee beans											
Parsnip												Cacao beans											
Parsley												Hop											
Celery																							
MITSUBA												Cattle, muscle											
Other umbelliferous vegetables												Pig, muscle											
Tomato												Sheep, muscle											
Pimento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other solanaceous vegetables												Goat, muscle											
Cucumber (including Gherkin)												Rabbit, muscle											
Pumpkin (including Squash)												Reindeer, muscle											
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle											
Water melon												Cattle, fat											
Melons												Pig, fat											
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat											
Spinach												Deer, fat											
Bamboo shoots												Goat, fat											
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)	0.1	FC					0.1				5-1	Other terrestrial mammals, fat											
Kidney beans (with pods, immature)	0.1	FC					0.1				5-1	Cattle, liver	0.06	FC				0.02	0.1				5-1
Soybeans	0.1	FC				0.1	0.1				5-1	Pig, liver	0.06	FC				0.02	0.1				5-1
Button mushroom												Sheep, liver	0.06	FC				0.02	0.1				5-1
SHIITAKE												Horse, liver	0.06	FC				0.02	0.1				5-1
Other mushrooms												Deer, liver	0.06	FC				0.02	0.1				5-1
Other vegetables	0.1	FC					0.1				5-1	Goat, liver	0.06	FC				0.02	0.1				5-1
												Rabbit, liver	0.06	FC				0.02	0.1				6
												Reindeer, liver	0.06	FC				0.02	0.1				6
												Other terrestrial mammals, liver	0.06	FC				0.02	0.1				6

The MRLs of Deer, Rabbit etc. liver etc. are harmonized with the MRLs of the similar products.

ACIFLUORFEN

	P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.06	FC				0.02	0.1				5-1	Catfish											
Pig, kidney	0.06	FC				0.02	0.1				5-1	Other freshwater fish											
Sheep, kidney	0.06	FC				0.02	0.1				5-1												
Horse, kidney	0.06	FC				0.02	0.1				5-1	Salmon											
Deer, kidney	0.06						0.1				6	Trout											
Goat, kidney	0.06	FC				0.02	0.1				5-1	Other salmonidae											
Rabbit, kidney	0.06						0.1				6	Other diadromous fish											
Reindeer, kidney	0.06						0.1				6												
Other terrestrial mammals, kidney	0.06						0.1				6	Marine fish											
Cattle, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Crayfish											
Horse, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Oyster											
Goat, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Abalone											
Rabbit, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Other aquatic animals											
Reindeer, edible offal excluding liver and kidney	0.1	FC					0.1				5-1												
Other terrestrial mammals, edible offal excluding liver and kidney	0.1	FC					0.1				5-1	Other animals											
Cattle, milk	0.02	FC				0.02	0.01				5-1												
Sheep, milk	0.02	FC				0.02	0.01				5-1	Honey											
Goat, milk	0.02	FC				0.02	0.01				5-1												
Other terrestrial mammals, milk	0.02	FC				0.02	0.01				5-1												
Chicken, muscle	0.02	FC				0.02	0.01				5-1												
Duck, muscle	0.02	FC				0.02	0.01				5-1												
Turkey, muscle	0.02	FC				0.02	0.01				5-1												
Quail, muscle	0.02	FC				0.02	0.01				5-1												
Goose, muscle	0.02	FC				0.02	0.01				5-1												
Pheasant, muscle	0.02	FC				0.02	0.01				5-1												
Chukar partridge, muscle	0.02	FC																					

	P R -	R e f. M R L	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f. M R L	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU Orange	2 MRL	2										
Potato												Peach	0.5 MRL	0.5										
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)	2 MRL	2										
Corn (including Maize, Sweet corn)	0.1	MRL	0.1									Lemon	2 MRL	2										
Buckwheat												Orange (including Navel)	2 MRL	2										
Other cereal grains												Grapefruit	2 MRL	2										
Soybeans (dry)	0.1	MRL	0.1									Lime	2 MRL	2										
Beans (dry)												Other Citrus Fruits	2 MRL	2										
Peas												Apple	0.5 MRL	0.5										
Broad beans												Japanese pear	0.5 MRL	0.5										
Peanuts (dry)												Pear	0.5 MRL	0.5										
Other Legumes/pulses												Quince	0.1 MRL	0.1										
Taro												Loquat	0.1 MRL	0.1										
Sweet potato												Peach	0.5 MRL	0.5										
Yam												Nectarine	2 MRL	2										
Konjac												Apricot	2 MRL	2										
Other Potatoes												Japanese plum (including Prunes)	2 MRL	2										
Sugar beet												Mume plum	2 MRL	2										
Supercane												Cherry	2 MRL	2										
Japanese radish (including Radish) (root)												Strawberry	2 MRL	2										
Japanese radish (including Radish) (leaf)	2	WHL		2							4	Raspberry	2 WHL		2									4
Turnip (including Rutabaga) (root)												Blackberry	2 WHL		2									4
Turnip (including Rutabaga) (leaf)	2	WHL		2							4	Blueberry	2 WHL		2									4
Horseradish												Cranberry	2 WHL		2									4
Watercress	2	WHL		2							4	Elderberry	2 WHL		2									4
Chinese cabbage												Other berries	2 WHL		2									4
Cabbage												Grape	2 MRL	2										
Brussels sprouts	2	WHL		2							4	Japanese persimon	1 MRL	1										
Kale	2	WHL																						

ACRINATHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (seed)												
Rye												NATSUDAIDAI (whole)												
Corn (including Maize Sweet corn)												Lemon												
Buckwheat												Orange (including Navel)												
Other cereal grains												Grapefruit												
												Lime												
												Other citrus fruits												
Soybeans (dry)																								
Beans (dry)												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts (dry)												Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Rasperry												
Japanese radish (including Radish) (root)												Blackberry												
Japanese radish (including Radish) (leaf)												Blueberry												
Turnip (including Rutabaga) (root)												Cranberry												
Turnip (including Rutabaga) (leaf)												Huckleberry												
Horseradish												Other berries												
Watercress																								
Chinese cabbage												Grape												
Cabbage												Japanese persimon												
Russells sprouts												Mangana												
Kale												Lewfruit												
KOMATSUNA												Papaya												
KYONA					</																			

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Labster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
Cattle, milk												Other animals											
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	5	FC				4.5					5-1												
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	3	FC				3					5-1												

20. ALACHLOR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU Orange											
Wheat												NATSUDAIDAI (flesh)											
Barley	0.05	1WHL		0.05							4	NATSUDAIDAI (peel)											
Rye	0.05	1WHL		0.05							4	NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)	0.2	1MRL	0.2									Lemon											
Buckwheat	0.05	1WHL		0.05							4	Orange (including Navel)											
Other cereal grains	0.1	1MRL	0.1									Grapefruit											
Soybeans (dry)	0.2	1MRL										Lime											
Beans (dry)	0.1	1MRL	0.1									Other Citrus fruits											
Peas	0.05	1WHL		0.05							4	Apple	0.01	1WHL		0.01							4
Broad beans	0.1	1MRL	0.1									Japanese pear	0.01	1MRL	0.01								
Peanuts (dry)	0.05	1MRL	0.05									Pear	0.01	1WHL		0.01							4
Other Legumes/pulses	0.1	1MRL	0.1									Quince	0.01	1WHL		0.01							4
Potato	0.01	1MRL	0.01									Loquat											
Taro	0.01	1WHL		0.01							4	Peach											
Sweet potato	0.01	1WHL		0.01								Nectarine	0.01	1WHL		0.01							4
Yam	0.01	1WHL		0.01							4	Apricot	0.01	1WHL		0.01							4
Konjac	0.01	1WHL		0.01							4	Japanese plum (including Prunes)	0.01	1WHL		0.01							4
Other Potatoes	0.01	1WHL		0.01							4	Mume plum	0.01	1WHL		0.01							4
Sugar beet	0.01	1MRL	0.01									Cherry	0.01	1WHL		0.01							4
Sugarcane	0.01	1MRL	0.01									Strawberry	0.01	1MRL	0.01								
Japanese radish (including Radish) (root)	0.01	1MRL	0.01									Raspberry	0.01	1WHL		0.01							4
Japanese radish (including Radish) (leaf)	0.01	1MRL	0.01									Blackberry	0.01	1WHL		0.01							4
Turnip (including Rutabaga) (root)	0.01	1WHL		0.01							4	Blueberry	0.01	1WHL		0.01							4
Turnip (including Rutabaga) (leaf)	0.01	1WHL		0.01							4	Cranberry	0.01	1WHL		0.01							4
Horseradish	0.01	1WHL		0.01							4	Huckleberry	0.01	1WHL		0.01							4
Watercress	0.01	1WHL		0.01							4	Other berries	0.01	1WHL		0.01							4
Chinese cabbage	0.01	1MRL	0.01									Grape	0.01	1MRL	0.01								
Cabbage	0.01	1MRL	0.01									Japanese persimon	0.01	1WHL		0.01							4
Brussels sprouts	0.01	1MRL	0.01									Banana	0.01	1WHL		0.01							4
Kale	0.01	1WHL		0.01							4	Kiwifruit											
KOMATSUNA	0.01	1WHL		0.01							4	Papaya	0.01	1WHL		0.01							4
KYONA	0.01	1WHL		0.01							4	Avocado	0.01	1WHL		0.01							4
Qing-geng-cai	0.01	1WHL		0.01							4	Pineapple	0.01	1WHL		0.01							4
Cauliflower	0.01	1WHL		0.01							4	Guava	0.01	1WHL		0.01							4
Broccoli	0.01	1WHL		0.01							4	Mango	0.01	1WHL		0.01							4
Other cruciferous vegetables	0.01	1WHL		0.01							4	Passion fruit	0.01	1WHL		0.01							4
Burdock	0.01	1WHL		0.01							4	Date	0.01	1WHL		0.01							4
Salsify	0.01	1WHL		0.01							4	Other fruits	0.01	1WHL		0.01							4
Artichoke	0.01	1WHL		0.01							4	Sunflower seeds											
Chicory	0.01	1WHL		0.01							4	Sesam seed											
Endive	0.01	1WHL		0.01							4	Safflower seeds											
SHUNGIKU	0.01	1WHL		0.01							4	Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)	0.01	1WHL		0.01							4	Rape seeds											
Other Composite vegetables	0.01	1WHL		0.01							4	Other oil seeds											
Onion												Ginkgo nut											
Welsh (including Leek)	0.01	1WHL		0.01							4	Chestnut											
Garlic												Pecan											
NIRA	0.01	1WHL		0.01							4	Almond											
Asparagus												Walnut											
Multiplying onion (including Shallot)											4	Other nuts											
Other Liliaceous vegetables	0.01	1WHL		0.01							4	Tea (Green, Black, Oolong, Wulong tea)											
Carrot	0.01	1WHL		0.01							4	Coffee beans											
Parsnip	0.01	1WHL		0.01							4	Cacao beans											
Parsley	0.01	1WHL		0.01							4	Hop											
Celery	0.01	1WHL		0.01							4	Cattle, muscle	0.01	1FC				0.02		0.001			5-1
MITSUBA	0.01	1WHL		0.01							4	Pig, muscle	0.01	1FC				0.02		0.001			5-1
Other Umbelliferous vegetables	0.01	1WHL		0.01							4	Sheep, muscle	0.01	1FC				0.02		0.001			5-1
Tomato												Horse, muscle	0.01	1FC				0.02		0.001			5-1
Pimento (Sweet pepper)												Deer, muscle	0.01						0.001				6
Egg plant												Goat, muscle	0.01	1FC				0.02		0.001			5-1
Other Solanaceous vegetables												Rabbit, muscle	0.01						0.001				6
Cucumber (including Gherkin)												Reindeer, muscle	0.01						0.001				6
Pumpkin (including Squash)												Other terrestrial mammals, muscle	0.01						0.001				6
Oriental pickling melon (vegetable)												Cattle, fat	0.02	1FC				0.02					5-1
Water melon												Pig, fat	0.02	1FC				0.02					5-1
Melons												Sheep, fat	0.02	1FC				0.02					5-1
MAKUWAURI												Horse, fat	0.02	1FC				0.02					5-1
Other cucurbitaceous vegetables												Deer, fat	0.02	1FC				0.02					5-1
Spinach	0.01	1MRL	0.01									Goat, fat	0.02	1FC				0.02					5-1
Bamboo shoots	0.01	1WHL		0.01							4	Rabbit, fat											
Okra												Reindeer, fat											
Ginger	0.01	1WHL		0.01							4	Other terrestrial mammals, fat											
Peas (with pods, immature)												Cattle, liver	0.02	1FC				0.02					5-1
Kidney beans (with pods, immature)												Pig, liver	0.02	1FC				0.02					5-1
Soybeans												Sheep, liver	0.02	1FC				0.02					5-1
Button mushrooms												Horse, liver	0.02	1FC				0.02					5-1
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver	0.02	1FC				0.02					5-1
Other vegetables	0.01	1WHL		0.01		0.1					3-1	Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

For Rabbits, deers, and reindeers muscle, the PR-MRLs were harmonized with the corresponding PR-MRLs for other animal species.

ALACHLOR

[illegible]

	P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R -	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)											4	UNSHU Orange		2	WHL		2						4
Beans (dry) *												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)		2	WHL		2						4
Rye												Lemon		2	WHL		2						4
Corn (including Maize, Sweet corn)												Orange (including Navel)		2	WHL		2						4
Buckwheat												Grapefruit		2	WHL		2						4
Other cereal grains												Lime		2	WHL		2						4
Soybeans (dry)												Other Citrus fruits		2	WHL		2						4
Beans (dry) *												Apple		2	WHL		2						4
Peas												Japanese pear		2	WHL		2						4
Broad beans												Pear		2	WHL		2						4
Peanuts (dry)												Quince		2	WHL		2						4
Other Legumes/pulses												Loquat		2	WHL		2						4
Potato		0.5	WHL		0.5						4	Peach		2	WHL		2						4
Taro		0.5	WHL		0.5						4	Nectarine		2	WHL		2						4
Sweet potato		0.5	WHL		0.5						4	Apricot		2	WHL		2						4
Yam		0.5	WHL		0.5						4	Japanese plum (including Prunes)		2	WHL		2						4
Konjac		0.5	WHL		0.5						4	Mume plum		2	WHL		2						4
Other Potatoes		0.5	WHL		0.5						4	Cherry		2	WHL		2						4
Suger beet		0.1	WHL		0.1						4	Strawberry		2	WHL		2						4
Sugercane												Raspberry		2	WHL		2						4
Japanese radish (including Radish) (root)		0.1	WHL		0.1						4	Blackberry		2	WHL		2						4
Japanese radish (including Radish) (leaf)		0.1	WHL		0.1						4	Blueberry		2	WHL		2						4
Turnip (including Rutabaga) (root)		0.1	WHL		0.1						4	Cranberry		2	WHL		2						4
Turnip (including Rutabaga) (leaf)		0.1	WHL		0.1						4	Other berries		2	WHL		2						4
Horseradish		0.1	WHL		0.1						4												
Watercress		0.1	WHL		0.1						4	Grape		2	WHL		2						4
Chinese cabbage		0.1	WHL		0.1						4	Japanese persimon		2	WHL		2						4
Cabbage		0.1	WHL		0.1						4												
Brussels sprouts		0.1	WHL		0.1						4	Banana		2	WHL		2						4
Kale		0.1	WHL		0.1																		

ALANYCARB

[illegible]

22. ALBENDAZOLE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Buckwheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
												Other citrus fruits											
Soybeans (dry)												Apple											
Beans (dry)												Japanese pear											
Peas												Pear											
Broad beans												Quince											
Peanuts (dry)												Loquat											
Other legumes/pulses																							
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
												Strawberry											
Sugar beet												Raspberry											
Sugarcane												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Crabapple											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Jing-jing-cal												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock												Other fruits											
Salsify																							
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Flaxseed											
SHINGIKU												Sunflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Peanut seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shalott)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle	0.1	MRL	0.1								
												Pig, muscle	0.1	MRL	0.1								
Tomato												Sheep, muscle	0.1	MRL	0.1								
Pimento (Sweet pepper)												Horse, muscle	0.1	MRL	0.1								
Egg plant												Deer, muscle	0.1	Codex				0.1					2
Other solanaceous vegetables												Goat, muscle	0.1	Codex				0.1					2
												Rabbit, muscle	0.1	Codex				0.1					2
Cucumber (including Gherkin)												Reindeer, muscle	0.1	Codex				0.1					2
Pumpkin (including Squash)												Other terrestrial mammals, muscle	0.1	Codex				0.1					2
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat	0.1	MRL	0.1								
Melons												Pig, fat	0.1	MRL	0.1								
MAKUWAURI												Sheep, fat	0.1	MRL	0.1								
Other cucurbitaceous vegetables												Horse, fat	0.1	MRL	0.1								
												Deer, fat	0.1	Codex				0.1					2
Spinach												Goat, fat	0.1	Codex				0.1					2
Bamboo shoots												Rabbit, fat	0.1	Codex				0.1					2
Okra												Reindeer, fat	0.1	Codex				0.1					2
Ginger												Other terrestrial mammals, fat	0.1	Codex				0.1					2
Peas (with pods, immature)																							
Kidney beans (with pods, immature)												Cattle, liver	5	MRL	5								
Soybeans												Pig, liver	5	MRL	5								
												Sheep, liver	5	MRL	5								
Button mushroom												Horse, liver	5	MRL	5								
SHIITAKE												Deer, liver	5	Codex				5					2
Other mushrooms												Reindeer, liver	5	Codex				5					2
												Cablot, liver	5	Codex				5					2
Other vegetables												Reindeer, liver	5	Codex				5					2
												Other terrestrial mammals, liver	5	Codex				5					2

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Cattle, kidney		5	MRL	5								Catfish	0.1	Codex			0.1						2	
Pig, kidney		5	MRL	5								Other freshwater fish	0.1	Codex			0.1						2	
Sheep, kidney		5	MRL	5																				
Horse, kidney		5	MRL	5								Salmon	0.1	Codex			0.1						2	
Deer, kidney		5	Codex		5						2	Trout	0.1	Codex			0.1						2	
Goat, kidney		5	Codex		5						2	Other salmonidae	0.1	Codex			0.1						2	
Rabbit, kidney		5	Codex		5						2	Other diadromous fish	0.1	Codex			0.1						2	
Reindeer, kidney		5	Codex		5						2													
Other terrestrial mammals, kidney		5	Codex		5						2	Marine fish	0.1	Codex			0.1						2	
Cattle, edible offal excluding liver and kidney												Shrimps or prawns	0.1	Codex			0.1						2	
Pig, edible offal excluding liver and kidney												Lobster	0.1	Codex			0.1						2	
Sheep, edible offal excluding liver and kidney		3	FC					3			5-7	Crayfish	0.1	Codex			0.1						2	
Horse, edible offal excluding liver and kidney												Other crustaceans	0.1	Codex			0.1						2	
Deer, edible offal excluding liver and kidney																								
Goat, edible offal excluding liver and kidney												Oyster	0.1	Codex			0.1						2	
Rabbit, edible offal excluding liver and kidney												Abalone	0.1	Codex			0.1						2	
Reindeer, edible offal excluding liver and kidney												Other shellfish	0.1	Codex			0.1						2	
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals	0.1	Codex			0.1						2	
Cattle, milk		0.1	MRL	0.1								Other animals												
Sheep, milk		0.1	MRL	0.1																				
Goat, milk		0.1	MRL	0.1								Honey												
Other terrestrial mammals, milk		0.1	Codex		0.1						2													
Chicken, muscle		0.1	MRL	0.1																				
Duck, muscle		0.1	MRL	0.1																				
Turkey, muscle		0.1	MRL	0.1																				
Quail, muscle		0.1	Codex		0.1						2													
Goose, muscle		0.1	Codex		0.1						2													
Pheasant, muscle		0.1	Codex		0.1						2					</								

[illegible]

ALBENDAZOLE OXIDE

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		0.5	FC						0.5		5-1	Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney		0.5	FC						0.5		5-1												
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk		0.1	FC						0.1		5-1	Other animals											
Sheep, milk		0.1	FC						0.1		5-1	Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)	0.02	MRL	0.02									UNSHU Orange	0.2	Codex			0.2		0.05		0.2		2
Beans (dry) *												NATSUDAIDAI (flesh)											
Wheat	0.02	MRL	0.02									NATSUDAIDAI (peel)	0.2	Codex			0.2		0.05		0.2		2
Barley	0.02	MRL	0.02									Other citrus fruits	0.2	Codex			0.2		0.05		0.2		2
Rye	0.02	MRL	0.02									Lemon	0.3	MRL	0.3								
Corn (including Maize, Sweet corn)	0.05	MRL	0.05									Orange (including Navel)	0.3	MRL	0.3								
Buckwheat	0.02	MRL	0.02									Grapefruit	0.3	MRL	0.3								
Other cereal grains	0.2	MRL	0.2									Lime	0.3	MRL	0.3								
Soybeans (dry)	0.02	MRL	0.02									Other Citrus fruits	0.2	Codex			0.2		0.05		0.2		2
Beans (dry) *	0.1	MRL	0.1									Apple											
Peas												Japanese pear											
Broad beans	0.1	Codex			0.1						2	Pear											
Peanuts (dry)	0.05	MRL	0.05									Quince											
Other Legumes/pulses	0.1	Codex			0.1						2	Loquat											
Potato	0.5	MRL	0.5									Peach											
Taro												NATSUDAIDAI (whole)											
Sweet potato	0.1	MRL	0.1									Mexican lime											
Yam												Apricot											
Konjac												Japanese plum (including Prunes)											
Other Potatoes												Mume plum											
												Cherry											
Suger beet	0.05	MRL	0.05									Strawberry	0.2	MRL	0.2								
Sugercane	0.02	MRL	0.02									Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Other berries											
Turnip (including Rutabaga) (leaf)																							
Horseradish																							
Watercress												Grape	0.05	MRL	0.05								
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts	0.1	Codex																					

[illegible]

25. ALDOXYCARB

[illegible]

ALDOXYCARB

[illegible]

26. ALIPHATIC ALCOHOL ETHOXYLATES

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)																							UNSHU orange
Wheat																							NATSUDAIDAI (flesh)
Barley																							NATSUDAIDAI (peel)
Rye																							NATSUDAIDAI (whole)
Corn (including Maize Sweet corn)																							Lemon
Buckwheat																							Orange (including Navel)
Other cereal grains																							Grapefruit
Soybeans (dry)																							Other citrus fruits
Beans (dry)																							Apple
Peas																							Japanese pear
Broad beans																							Pear
Peanuts (dry)																							Quince
Other legumes/pulses																							Loquat
Potato																							Peach
Taro																							Nectarine
Sweet potato																							Apricot
Yam																							Japanese plum (including Prunes)
Konjac																							Mume plum
Other potatoes																							Cherry
Sugar beet																							Strawberry
Sugarcane																							Raspberry
Japanese radish (including Radish) (root)																							Blackberry
Japanese radish (including Radish) (leaf)																							Blueberry
Turnip (including Rutabaga) (root)																							Cranberry
Turnip (including Rutabaga) (leaf)																							Huckleberry
Horseradish																							Other berries
Watercress																							Grape
Chinese cabbage																							Japanese persimon
Cabbage																							Banana
Brussels sprouts																							Kiwifruit
Kale																							Papaya
KOMATSUNA																							Avocado
KYONA																							Pineapple
Jing-jeng-cal																							Guava
Cauliflower																							Mango
Broccoli																							Passion fruit
Other cruciferous vegetables																							Date
Burdock																							Other fruits
Salsify																							Sunflower seeds
Artichoke																							Sesam seeds
Chicory																							Sunflower seeds
Endive																							Pistachio seeds
SHINGIKU																							Safflower seeds
Lettuce (Cos lettuce, Leaf lettuce)																							Cotton seeds
Other composite vegetables																							Rape seeds
Onion																							Other oil seeds
Welsh (including Leek)																							Ginkgo nut
Garlic																							Chestnut
NIRA																							Pecan
Asparagus																							Almond
Multiplying onion (including Shallot)																							Walnut
Other liliaceous vegetables																							Other nuts
Carrot																							Tea (Green, Black, Oolong, Wulong tea)
Parsnip																							Coffee beans
Parsley																							Cacao beans
Celery																							Hop
mitsuba																							
Other umbelliferous vegetables																							Cattle, muscle
Tomato																							Pig, muscle
Pimento (Sweet pepper)																							Sheep, muscle
Egg plant																							Horse, muscle
Other solanaceous vegetables																							Deer, muscle
Cucumber (including Gherkin)																							Goat, muscle
Pumpkin (including Squash)																							Rabbit, muscle
Oriental pickling melon (vegetable)																							Reindeer, muscle
Water melon																							Other terrestrial mammals, muscle
Melons																							Cattle, fat
MAKUWAURI																							Pig, fat
Other cucurbitaceous vegetables																							Sheep, fat
Spinach																							Horse, fat
Bamboo shoots																							Deer, fat
Okra																							Goat, fat
Ginger																							Rabbit, fat
Peas (with pods, immature)																							Reindeer, fat
Kidney beans (with pods, immature)																							Other terrestrial mammals, fat
Soybeans																							Cattle, liver
Button mushroom																							Pig, liver
SHITAKE																							Sheep, liver
Other mushrooms																							Horse, liver
Other vegetables																							Deer, liver
																							Goat, liver
																							Rabbit, liver
																							Reindeer, liver
																							Other terrestrial mammals, liver

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk		1-FC					1				S-f	Other animals											
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Cattle, edible offal excluding liver and kidney																							

27. ALLETHRIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU Orange											
Wheat		2FC					2				5-1	NATSUDAIDAI (flesh)											
Barley		2FC					2				5-1	NATSUDAIDAI (peel)											
Rye		2FC					2				5-1	NATSUDAIDAI (whole)											
Corn (including Maize, Sweet corn)		2FC					2				5-1	Lemon						4					5-1
Buckwheat												Orange (including Navel)	4FC										
Other cereal grains		2FC					2				5-1	Grapefruit											
Soybeans (dry)												Other Citrus fruits											
Beans (dry)												Apple	4FC					4					5-1
Peas												Japanese pear											
Broad beans												Pear	4FC					4					5-1
Peanuts (dry)												Quince											
Other Legumes/pulses												Loquat											
Potato												Peach	4FC					4					5-1
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)	4FC					4					5-1
Konjac												Mume plum											
Other Potatoes												Cherry	4FC					4					5-1
Sugar beet												Strawberry											
Sugercane												Raspberry	4FC					4					5-1
Japanese radish (including Radish) (root)												Blackberry	4FC					4					5-1
Japanese radish (including Radish) (leaf)												Blueberry	4FC					4					5-1
Turnip (including Rutabaga) (root)												Cranberry						4					5-1
Turnip (including Rutabaga) (leaf)												Other berries	4FC					4					5-1
Horseradish												Grape	4FC					4					5-1
Watercress												Japanese persimon											
Chinese cabbage												Banana											
Cabbage												Kiwifruit											
Brussels sprouts												Papaya											
Kale												Avocado											
KOMATSUNA												Pineapple	4FC					4					5-1
KYONA												Guava	4FC					4					5-1
Qing-geng-cai												Mango	4FC					4					5-1
Cauliflower												Passion fruit											
Broccoli												Date											
Other cruciferous vegetables												Other fruits	4FC					4					5-1
Burdock												Sunflower seeds											
Salsify												Sesam seed											
Artichoke												Safflower seeds											
Chicory												Cotton seeds											
Endive												Rape seeds											
SHUNGIKU												Other oil seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Ginkgo nut											
Other Composite vegetables												Chestnut											
Onion												Pecan											
Welsh (including Leek)												Almond											
Garlic												Walnut											
NIRA												Other nuts											
Asparagus												Tea (Green, Black, Oolong, Wulong tea)											
Multiplying onion (including Shallot)												Coffee beans											
Other Liliaceous vegetables												Cacao beans											
Carrot												Hop											
Parsnip												Cattle, muscle											
Parsley												Pig, muscle	0.04	WHL		0.04							4
Celery												Sheep, muscle											
MITSUBA												Horse, muscle											
Other Umbelliferous vegetables												Deer, muscle											
Tomato		4FC					4				5-1	Goat, muscle											
Pimento (Sweet pepper)												Rabbit, muscle											
Egg plant												Reindeer, muscle											
Other Solanaceous vegetables												Other terrestrial mammals, muscle											
Cucumber (including Gherkin)												Cattle, fat											
Pumpkin (including Squash)												Pig, fat	0.04	WHL		0.04							4
Oriental pickling melon (vegetable)												Sheep, fat											
Water melon												Horse, fat											
Melons		4FC					4				5-1	Deer, fat											
MAKUWAURI												Goat, fat											
Other cucurbitaceous vegetables												Rabbit, fat											
Spinach												Reindeer, fat											
Bamboo shoots												Other terrestrial mammals, fat											
Okra												Cattle, liver											
Ginger												Pig, liver	0.04	WHL		0.04							4
Peas (with pods, immature)												Sheep, liver											
Kidney beans (with pods, immature)												Horse, liver											
Soybeans												Deer, liver											
Button mushrooms												Goat, liver											
SHIITAKE												Rabbit, liver											
Other mushrooms												Reindeer, liver											
Other vegetables												Other terrestrial mammals, liver											

"WHL" for the stock farm and aquatic products, show the 'Limit of detection' or 'Limit of determination' under the Pharmaceutical Affairs Law.

ALLETHRIN

	P R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f.	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney	0.04	WHL		0.04							4	Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney	0.04	WHL		0.04							4	Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk	0.01	WHL		0.01							4	Other animals											
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle	0.04	WHL		0.04							4												
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat	0.04	WHL		0.04							4												

28. ALLIDOCHLOR

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)												
Rye												Simon												
Corn (including Maize, Sweet corn)	0.05	IFC				0.05					5-7	Orange (including Navel)												
Buckwheat												Grapefruit												
Other cereal grains												Lime												
												Other citrus fruits												
Soybeans (dry)																								
Beans (dry)												Apple												
Peas												Japanese pear												
Broad beans												Pear												
Peanuts (dry)												Quince												
Other legumes/pulses												Loquat												
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Strawberry												
Sugarcane												Raspberry												
												Blackberry												
Japanese radish (including Radish) (root)												Blueberry												
Japanese radish (including Radish) (leaf)												Cranberry												
Turnip (including Rutabaga) (root)												Huckleberry												
Turnip (including Rutabaga) (leaf)												Other berries												
Horseradish																								
Watercress												Grape												
Chinese cabbage												Japanese persimmon												
Cabbage																								
Brussels sprouts												Banana												
Kale												Kiwifruit												
KOMATSUNA												Papaya												
KYONA												Avocado												
Qing-geng-cai												Pineapple												
Cauliflower												Guava												
Broccoli												Mango												
Other cruciferous vegetables												Passion fruit												
												Date												
Burdock																								
Salsify												Other fruits												
Artichoke																								
Chicory												Sunflower seeds												
Endive												Sesam seeds												
SHUNGIKU												Safflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds												
Other composite vegetables												Rape seeds												
												Other oil seeds												
Onion																								
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan												
Asparagus												Almond												
Multiplication onion (including Shiitake)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)												
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop												
Other umbelliferous vegetables																								
												Cattle, muscle												
Tomato												Pig, muscle												
Pimento (Sweet pepper)												Sheep, muscle												
Egg plant												Horse, muscle												
Other Solanaceous vegetables												Deer, muscle												
												Goat, muscle												
Cucumber (including Gherkin)												Rabbit, muscle												
Pumpkin (including Squash)												Reindeer, muscle												
Oriental pickling melon (vegetable)												Other terrestrial mammals, muscle												
Water melon																								
Melons												Cattle, fat												
MAKUJAUJUI												Pig, fat												
Other cucurbitaceous vegetables												Sheep, fat												
												Horse, fat												
Spinach												Deer, fat												
Bamboo shoots												Goat, fat												
Okra												Rabbit, fat												
Ginger												Reindeer, fat												
Peas (with pods, immature)												Other terrestrial mammals, fat												
Kidney beans (with pods, immature)												Cattle, liver												
Soybeans												Pig, liver												
												Sheep, liver												
Button mushroom												Horse, liver												
SHIITAKE												Deer, liver												
Other mushrooms												Goat, liver												
Other vegetables												Rabbit, liver												
												Reindeer, liver												
												Other terrestrial mammals, liver												

29. ALLOXYDIM

[illegible]

ALLOXYDIM

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
Wheat												NATSUDAIDAI (flesh)											
Barley												NATSUDAIDAI (peel)											
Rye												NATSUDAIDAI (whole)											
Corn (including Maize Sweet corn)												Lemon											
Suckewheat												Orange (including Navel)											
Other cereal grains												Grapefruit											
Soybeans (dry)												Other citrus fruits											
Beans (dry)												Apple											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Orange											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Jing-Jing-cal												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock												Other fruits											
Salsify																							
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Sunflower seeds											
SHINGIKU												Cotton seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Rape seeds											
Other composite vegetables												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shallot)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables												Cattle, muscle											
												Pig, muscle											
Tomato												Sheep, muscle											
Pimento (Sweet pepper)												Horse, muscle											
Egg plant												Deer, muscle											
Other solanaceous vegetables												Goat, muscle											
												Rabbit, muscle											
Cucumber (including Gherkin)												Reindeer, muscle											
Pumpkin (including Squash)												Other terrestrial mammals, muscle											
Oriental pickling melon (vegetable)																							
Water melon												Cattle, fat											
Melons												Pig, fat	0.003	FC						0.003			5-1
MAKUWAURI												Sheep, fat											
Other cucurbitaceous vegetables												Horse, fat	0.003	FC						0.003			5-1
Spinach												Deer, fat											
Bamboo shoots												Goat, fat											
Okra												Rabbit, fat											
Ginger												Reindeer, fat											
Peas (with pods, immature)												Other terrestrial mammals, fat											
Kidney beans (with pods, immature)												Cattle, liver											
Soybeans												Pig, liver	0.004	FC						0.005		0.003	5-1
												Sheep, liver											
Button mushroom												Horse, liver	0.003	FC							0.003		
SHIITAKE												Deer, liver											
Other mushrooms												Goat, liver											
Other vegetables												Rabbit, liver											
												Reindeer, liver											
												Other terrestrial mammals, liver											

ALTRENOGEST

[illegible]