

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU Orange	0.4	WHL		0.4								4
												NATSUDAIDAI (flesh)												
Wheat												NATSUDAIDAI (peel)												
Barley												NATSUDAIDAI (whole)	0.4	WHL		0.4								4
Oats												Other cereals	0.4	WHL		0.4								4
Corn (including Maize, Sweet corn)	0.3	FC				0.25					5-1	Orange (including Navel)	0.4	WHL		0.4								4
Buckwheat												Grapefruit	0.4	WHL		0.4								4
Other cereal grains												Lime	0.4	WHL		0.4								4
Soybeans (dry)												Other Citrus fruits	0.4	WHL		0.4								4
Beans (dry) *												Apple	0.4	WHL		0.4			0.1					3-
Peas												Japanese pear	0.4	WHL		0.4			0.1					3-
Broad beans												Pear	0.4	WHL		0.4			0.1					3-1
Peanuts (dry)												Quince	0.4	WHL		0.4			0.1					3-1
Other Legumes/pulses												Loquat	0.4	WHL		0.4			0.1					3-1
Potato												Peach	0.4	WHL		0.4								4
Taro	0.3	FC				0.25					5-1	Nectarine	0.4	WHL		0.4								4
Sweet potato												Apricot	0.4	WHL		0.4								4
Yam	0.3	FC				0.25					5-1	Japanese plum (including Prunes)	0.4	WHL		0.4								4
Konjac												Mume plum	0.4	WHL		0.4								4
Other Potatoes												Cherry	0.4	WHL		0.4								4
Sugar beet												Strawberry	0.4	WHL		0.4								4
Sugarcane	0.2	FC				0.25	0.05				5-1	Raspberry	0.4	WHL		0.4								4
Japanese radish (including Radish) (root)												Blackberry	0.4	WHL		0.4								4
Japanese radish (including Radish) (leaf)												Blueberry	0.4	WHL		0.4								4
Turnip (including Rutabaga) (root)												Cranberry	0.4	WHL		0.4								4
Turnip (including Rutabaga) (leaf)												Huckleberry	0.4	WHL		0.4								4
Horseradish												Other berries	0.4	WHL		0.4								4
Watercress												Grape	0.4	WHL		0.4								4
Chinese cabbage												Japanese persimon	0.4	WHL		0.4								4
Cabbage												Banana	0.4	WHL		0.4			0.25					

# AMETRYN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

## 32. AMINOETHOXYVINYLGLYCINE

[illegible]

# AMINOETHOXYVINYLGLYCINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

### 33. AMITRAZ

[illegible]

## AMITRAZ

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.3	FC				0.3	0.5	0.2	0.2		5-1	Catfish											
Pig, kidney	0.3	FC				0.2	0.5	0.2	0.2		5-1	Other freshwater fish											
Sheep, kidney	0.4	FC					0.5		0.2		5-1												
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney	0.4	FC				0.3	0.5				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney	0.4	FC				0.3	0.5				5-1	Lobster											
Sheep, edible offal excluding liver and kidney	0.5	FC					0.5				5-1	Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney												Oyster											
Goat, edible offal excluding liver and kidney												Abalone											
Rabbit, edible offal excluding liver and kidney												Other aquatic animals											
Reindeer, edible offal excluding liver and kidney																							
Other terrestrial mammals, edible offal excluding liver and kidn												Other animals											
Cattle, milk	0.01	Codex				0.01	0.03	0.1	0.01		2												
Sheep, milk	0.01	Codex				0.01	0.03	0.1	0.01		2	Honey											
Goat, milk	0.01	Codex				0.01	0.03	0.1			2												
Other terrestrial mammals, milk	0.01	Codex				0.01	0.03	0.1			2												
Chicken, muscle	0.02	FC				0.01			0.02		5-1												
Duck, muscle	0.02	FC				0.01			0.02		5-1												
Turkey, muscle	0.02	FC				0.01			0.02		5-1												
Quail, muscle	0.02	FC				0.01			0.02		5-1												
Goose, muscle	0.02	FC				0.01			0.02		5-1												
Pheasant, muscle	0.02	FC				0.01			0.02		5-1												
Chukar partridge, muscle	0.02	FC				0.01			0.02		5-1												
Other poultry, muscle	0.02	FC				0.01			0.02		5-1												
Chicken, fat	0.01	FC				0.01					5-1												
Duck, fat	0.01	FC				0.01					5-1												
Turkey, fat	0.01	FC				0.01					5-1												
Quail, fat	0.01	FC				0.01					5-1												
Goose, fat	0.01	FC				0.01					5-1												
Pheasant, fat	0.01	FC				0.01					5-1												
Chukar partridge, fat	0.01	FC				0.01					5-1												
Other poultry, fat	0.01	FC				0.01					5-1												
Chicken, liver	0.04	FC				0.05			0.02		5-1												
Duck, liver	0.04	FC				0.05			0.02		5-1												
Turkey, liver	0.04	FC				0.05			0.02		5-1												
Quail, liver	0.04	FC				0.05			0.02		5-1												
Goose, liver	0.04	FC				0.05			0.02		5-1												
Pheasant, liver	0.04	FC				0.05			0.02		5-1												
Chukar partridge, liver	0.04	FC				0.05			0.02		5-1												
Other poultry, liver	0.04	FC				0.05			0.02		5-1												
Chicken, kidney	0.04	FC				0.05			0.02		5-1												
Duck, kidney	0.04	FC				0.05			0.02		5-1												
Turkey, kidney	0.04	FC				0.05			0.02		5-1												
Quail, kidney	0.04	FC				0.05			0.02		5-1												
Goose, kidney	0.04	FC				0.05			0.02		5-1												
Pheasant, kidney	0.04	FC				0.05			0.02		5-1												
Chukar partridge, kidney	0.04	FC				0.05			0.02		5-1												
Other poultry, kidney	0.04	FC				0.05			0.02		5-1												
Chicken, edible offal excluding liver and kidney	0.04	FC				0.05			0.02		5-1												
Duck, edible offal excluding liver and kidney	0.04	FC				0.05			0.02		5-1												
Turkey, edible offal excluding liver and kidney	0.04	FC				0.05			0.02		5-1												
Quail, edible offal excluding liver and kidney	0.04	FC				0.05			0.02		5-1												
Goose, edible offal excluding liver and kidney	0.04	FC				0.05			0.02		5-1												
Pheasant, edible offal excluding liver and kidney	0.04	FC				0.05			0.02		5-1												
Chukar partridge, edible offal excluding liver and kidn	0.04	FC				0.05			0.02		5-1												
Other poultry, edible offal excluding liver and kidney	0.04	FC				0.05			0.02		5-1												
Chicken, eggs	0.02	FC				0.01			0.02		5-1												
Turkey, eggs	0.02	FC				0.01			0.02		5-1												
Other poultry, eggs	0.02	FC				0.01			0.02		5-1												

## 34. AMOXICYLLIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU orange												
Wheat												NATSUDAIDAI (flesh)												
Barley												NATSUDAIDAI (peel)												
Rye												NATSUDAIDAI (whole)												
Corn (including Maize Sweet corn)												Lemon												
Buckwheat												Orange (including Navel)												
Other cereal grains												Grapefruit												
												Other citrus fruits												
Soybeans (dry)												Apple												
Beans (dry)												Japanese pear												
Peas												Pear												
Broad beans												Quince												
Peanuts (dry)												Loquat												
Other legumes/pulses																								
Potato												Peach												
Taro												Nectarine												
Sweet potato												Apricot												
Yam												Japanese plum (including Prunes)												
Konjac												Mume plum												
Other potatoes												Cherry												
Sugar beet												Raspberry												
Sugarcane												Blackberry												
Japanese radish (including Radish) (root)												Blueberry												
Japanese radish (including Radish) (leaf)												Cranberry												
Turnip (including Rutabaga) (root)												Huckleberry												
Turnip (including Rutabaga) (leaf)												Other berries												
Horseradish																								
Watercress																								
Chinese cabbage												Japanese persimon												
Cabbage																								
Brussels sprouts												Banana												
Kale												Kiwifruit												
KOMATSUNA												Papaya												
KYONA												Avocado												
Jing-jing-cal												Pineapple												
Cauliflower												Guava												
Broccoli												Mango												
Other cruciferous vegetables												Passion fruit												
												Dale												
Burdock												Other fruits												
Salsify																								
Artichoke												Sunflower seeds												
Chicory												Sesam seeds												
Endive												Soybean seeds												
SHINGIKU												Sunflower seeds												
Lettuce (Cos lettuce, Leaf lettuce)												Other oil seeds												
Other composite vegetables																								
Onion																								
Welsh (including Leek)												Ginkgo nut												
Garlic												Chestnut												
NIRA												Pecan												
Asparagus												Almond												
Multiplying onion (including Shalott)												Walnut												
Other liliaceous vegetables												Other nuts												
Carrot												Tea (Green, Black, Oolong, Wulong tea)												
Parsnip												Coffee beans												
Parsley												Cacao beans												
Celery												Hop												
MITSUBA																								
Other umbelliferous vegetables																								
Tomato												Cattle, muscle	0.04	PAL		0.04		0.01	0.01		0.05	0.05	3-1	
Pimento (Sweet pepper)												Pig, muscle	0.04	PAL		0.04		0.01	0.01		0.05	0.05	3-1	
Egg plant												Sheep, muscle	0.04	FC				0.01	0.01		0.05	0.05	5-1	
Other solanaceous vegetables												Horse, muscle	0.04	FC				0.01	0.01		0.05	0.05	5-1	
												Deer, muscle	0.04	FC				0.01	0.01		0.05	0.05	5-1	
												Goat, muscle	0.04	FC				0.01	0.01		0.05	0.05	5-1	
												Rabbit, muscle	0.04	FC				0.01	0.01		0.05	0.05	5-1	
Cucumber (including Gherkin)												Reindeer, muscle	0.04	FC				0.01	0.01		0.05	0.05	5-1	
Pumpkin (including Squash)												Other terrestrial mammals, muscle	0.04	FC				0.01	0.01		0.05	0.05	5-1	
Oriental pickling melon (vegetable)																								
Water melon												Cattle, fat	0.04	PAL		0.04		0.01	0.01		0.05	0.05	3-1	
Melons												Pig, fat	0.04	PAL		0.04					0.05	0.05	3-1	
MAKUWAURI												Sheep, fat	0.05	FC							0.05	0.05	5-1	
Other cucurbitaceous vegetables												Horse, fat	0.05	FC							0.05	0.05	5-1	
												Deer, fat	0.05	FC							0.05	0.05	5-1	
Spinach												Goat, fat	0.05	FC							0.05	0.05	5-1	
Bamboo shoots												Rabbit, fat	0.05	FC							0.05	0.05	5-1	
Okra												Reindeer, fat	0.05	FC							0.05	0.05	5-1	
Ginger												Other terrestrial mammals, fat	0.05	FC							0.05	0.05	5-1	
Peas (with pods, immature)																								
Kidney beans (with pods, immature)												Cattle, liver	0.04	PAL		0.04		0.01	0.01		0.05	0.05	3-1	
Soybeans												Pig, liver	0.04	PAL		0.04		0.01	0.01		0.05	0.05	3-1	
Button mushroom												Sheep, liver	0.04	FC				0.01	0.01		0.05	0.05	5-1	
SHITAKE												Horse, liver	0.04	FC				0.01	0.01		0.05	0.05	5-1	
Other mushrooms												Deer, liver	0.04	FC				0.01	0.01		0.05	0.05	5-1	
Other vegetables												Rabbit, liver	0.04	FC				0.01	0.01		0.05	0.05	5-1	
												Reindeer, liver	0.04	FC				0.01	0.01		0.05	0.05	5-1	
												Other terrestrial mammals, liver	0.04	FC				0.01	0.01		0.05	0.05	5-1	

## AMOXICYLLIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.04	PAL		0.04		0.01	0.01		0.05	0.05	3-1	Catfish	0.05	FC								0.05	5-1
Pig, kidney	0.04	PAL		0.04			0.01		0.05	0.05	3-1	Other freshwater fish	0.05	FC								0.05	5-1
Sheep, kidney	0.04	FC					0.01		0.05	0.05	5-1												
Horse, kidney	0.04	FC					0.01		0.05	0.05	5-1	Salmon	0.05	FC								0.05	5-1
Deer, kidney	0.04	FC					0.01		0.05	0.05	5-1	Trout	0.05	FC								0.05	5-1
Goat, kidney	0.04	FC					0.01		0.05	0.05	5-1	Other salmonidae	0.05	FC								0.05	5-1
Rabbit, kidney	0.04	FC					0.01		0.05	0.05	5-1	Other diadromous fish	0.05	FC								0.05	5-1
Other terrestrial mammals, kidney	0.04	FC					0.01		0.05	0.05	5-1	Oyster											3-1
												Other marine fish	0.05	FC								0.05	5-1
Cattle, edible offal excluding liver and kidney	0.04	PAL		0.04		0.01	0.01			0.05	3-1	Shrimps or prawns	0.05	FC								0.05	5-1
Pig, edible offal excluding liver and kidney	0.04	PAL		0.04			0.01			0.05	3-1	Lobster	0.05	FC								0.05	5-1
Sheep, edible offal excluding liver and kidney	0.03	FC					0.01			0.05	5-1	Crayfish	0.05	FC								0.05	5-1
Horse, edible offal excluding liver and kidney	0.03	FC					0.01			0.05	5-1	Other crustaceans	0.05	FC								0.05	5-1
Deer, edible offal excluding liver and kidney	0.03	FC					0.01			0.05	5-1												
Goat, edible offal excluding liver and kidney	0.03	FC					0.01			0.05	5-1	Abalone	0.05	FC									5-1
Rabbit, edible offal excluding liver and kidney	0.03	FC					0.01			0.05	5-1	Other aquatic animals	0.05	FC								0.05	5-1
Reindeer, edible offal excluding liver and kidney	0.03	FC					0.01			0.05	5-1												
Other terrestrial mammals, edible offal excluding liver and kidney	0.03	FC					0.01			0.05	5-1	Other animals											
Cattle, milk	0.008	FC				0.01	0.01		0.004		5-1	Monkey											
Sheep, milk	0.007	FC					0.01		0.004		5-1												
Goat, milk	0.006	FC							0.004		5-1												
Other terrestrial mammals, milk	0.004	FC							0.004		5-1												
Chicken, muscle	0.02	PAL		0.015			0.01		0.05	0.05	3-1												
Duck, muscle	0.04	FC					0.01		0.05	0.05	5-1												
Turkey, muscle	0.04	FC																					



## 35. AMPICILLIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Rice (brown rice)												UNSHU orange											
												NATSUDAIDAI (flesh)											
Wheat												NATSUDAIDAI (peel)											
Barley												NATSUDAIDAI (whole)											
Rye												Lemon											
Corn (including Maize Sweet corn)												Orange (including Navel)											
Buckwheat												Grapefruit											
Other cereal grains												Lime											
												Other citrus fruits											
Soybeans (dry)												Apple											
Beans (dry)												Pear											
Peas												Japanese pear											
Broad beans												Pear											
Peanuts (dry)												Quince											
Other legumes/pulses												Loquat											
Potato												Peach											
Taro												Nectarine											
Sweet potato												Apricot											
Yam												Japanese plum (including Prunes)											
Konjac												Mume plum											
Other potatoes												Cherry											
Sugar beet												Strawberry											
Sugarcane												Raspberry											
												Blackberry											
Japanese radish (including Radish) (root)												Blueberry											
Japanese radish (including Radish) (leaf)												Cranberry											
Turnip (including Rutabaga) (root)												Huckleberry											
Turnip (including Rutabaga) (leaf)												Other berries											
Horseradish																							
Watercress												Orange											
Chinese cabbage												Japanese persimon											
Cabbage																							
Brussels sprouts												Banana											
Kale												Kiwifruit											
KOMATSUNA												Papaya											
KYONA												Avocado											
Ching-geng-cai												Pineapple											
Cauliflower												Guava											
Broccoli												Mango											
Other cruciferous vegetables												Passion fruit											
												Date											
Burdock												Other fruits											
Salsify																							
Artichoke												Sunflower seeds											
Chicory												Sesam seeds											
Endive												Soybean seeds											
SHINGIKU												Sunflower seeds											
Lettuce (Cos lettuce, Leaf lettuce)												Cotton seeds											
Other composite vegetables												Rape seeds											
												Other oil seeds											
Onion																							
Welsh (including Leek)												Ginkgo nut											
Garlic												Chestnut											
NIRA												Pecan											
Asparagus												Almond											
Multiplying onion (including Shalott)												Walnut											
Other liliaceous vegetables												Other nuts											
Carrot												Tea (Green, Black, Oolong, Wulong tea)											
Parsnip												Coffee beans											
Parsley												Cacao beans											
Celery												Hop											
MITSUBA																							
Other umbelliferous vegetables																							
Tomato												Cattle, muscle	0.03	PAL		0.03		0.01	0.01	0.05	0.05	3-1	
Pimento (Sweet pepper)												Pig, muscle	0.06	PAL		0.06		0.01	0.01	0.05	0.05	3-1	
Egg plant												Sheep, muscle	0.05	FC					0.05	0.05	0.05	5-1	
Other solanaceous vegetables												Horse, muscle	0.05					0.01	0.05	0.05	0.05	6	
												Deer, muscle	0.05	FC						0.05	0.05	5-1	
												Goat, muscle	0.05	FC						0.05	0.05	5-1	
												Rabbit, muscle	0.05	FC						0.05	0.05	5-1	
												Reindeer, muscle	0.05	FC						0.05	0.05	5-1	
												Other terrestrial mammals, muscle	0.05	FC						0.05	0.05	5-1	
Cucumber (including Gherkin)												Cattle, fat	0.03	PAL		0.03		0.01	0.01	0.05	0.05	3-1	
Pumpkin (including Squash)												Pig, fat	0.06	PAL		0.06		0.01	0.01	0.05	0.05	3-1	
Oriental pickling melon (vegetable)												Sheep, fat	0.05	FC						0.05	0.05	5-1	
Water melon												Horse, fat	0.05	FC						0.05	0.05	5-1	
Melons												Deer, fat	0.05	FC						0.05	0.05	5-1	
MAKUJAUURI												Goat, fat	0.05	FC						0.05	0.05	5-1	
Other cucurbitaceous vegetables												Rabbit, fat	0.05	FC						0.05	0.05	5-1	
Spinach												Reindeer, fat	0.05	FC						0.05	0.05	5-1	
Bamboo shoots												Other terrestrial mammals, fat	0.05	FC						0.05	0.05	5-1	
Okra												Cattle, liver	0.04	PAL		0.035		0.01	0.01	0.05	0.05	3-1	
Ginger												Pig, liver	0.06	PAL		0.06		0.01	0.01	0.05	0.05	3-1	
Peas (with pods, immature)												Sheep, liver	0.05	FC					0.05	0.05	0.05	5-1	
Kidney beans (with pods, immature)												Horse, liver	0.05					0.01	0.05	0.05	0.05	6	
Soybeans												Deer, liver	0.05	FC						0.05	0.05	5-1	
Button mushroom												Goat, liver	0.05	FC						0.05	0.05	5-1	
SHITAKE												Reindeer, liver	0.05	FC						0.05	0.05	5-1	
Other mushrooms												Rabbit, liver	0.05	FC						0.05	0.05	5-1	
Other vegetables												Reindeer, liver	0.05	FC						0.05	0.05	5-1	
												Other terrestrial mammals, liver	0.05	FC						0.05	0.05	5-1	

AMPICILLIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney	0.03	PAL		0.03		0.01		0.01	0.05	0.05	3-1	Catfish	0.05	FC							0.05		5-1
Pig, kidney	0.009	PAL		0.009		0.01		0.01	0.05	0.05	3-1	Other freshwater fish	0.05	FC							0.05		5-1
Sheep, kidney	0.05	FC							0.05	0.05	5-1												
Horse, kidney	0.05						0.01		0.05	0.05	6	Salmon	0.05	FC							0.05		5-1
Deer, kidney	0.05	FC							0.05	0.05	5-1	Trout	0.05	FC							0.05		5-1
Goat, kidney	0.05	FC							0.05	0.05	5-1	Other salmonidae	0.05	FC							0.05		5-1
Rabbit, kidney	0.05	FC							0.05	0.05	5-1	Other diadromous fish	0.05	FC							0.05		5-1
Reindeer, kidney	0.05	FC							0.05	0.05	5-1												
Other terrestrial mammals, kidney	0.05	FC							0.05	0.05	5-1	Other marine fish	0.05	FC							0.05		5-1
Cattle, edible offal excluding liver and kidney	0.04	PAL		0.035		0.01		0.01		0.05	3-1	order Perciformes	0.06	PAL									3-1
Pig, edible offal excluding liver and kidney	0.01	PAL		0.01		0.01		0.01		0.05	3-1	Shrimps or prawns	0.05	FC								0.05	5-1
Sheep, edible offal excluding liver and kidney	0.05	FC							0.05	0.05	5-1	Lobster	0.05	FC							0.05		5-1
Horse, edible offal excluding liver and kidney	0.05						0.01		0.05	0.05	6	Crayfish	0.05	FC							0.05		5-1
Deer, edible offal excluding liver and kidney	0.05	FC							0.05	0.05	5-1	Other crustaceans	0.05	FC							0.05		5-1
Goat, edible offal excluding liver and kidney	0.05	FC							0.05	0.05	5-1												
Rabbit, edible offal excluding liver and kidney	0.05	FC							0.05	0.05	5-1	Oyster	0.05	FC							0.05		5-1
Reindeer, edible offal excluding liver and kidney	0.05	FC							0.05	0.05	5-1	Abalone	0.05	FC							0.05		5-1
Other terrestrial mammals, edible offal excluding liver and kidney	0.05	FC							0.05	0.05	5-1	Other aquatic animals	0.05	FC							0.05		5-1
Cattle, milk	0.02	PAL		0.015		0.01	0.01	0.01	0.004		3-1	Other animals											
Sheep, milk	0.008	FC				0.01		0.01	0.004		5-1												
Goat, milk	0.008	FC				0.01		0.01	0.004		5-1	Honey											
Other terrestrial mammals, milk	0.008	FC				0.01		0.01	0.004		5-1												
Chicken, muscle	0.02	PAL		0.02					0.05	0.05	3-1												
Duck, muscle	0.05	FC							0.05	0.05	5-1												
Turkey, muscle	0.05	FC							0.05	0.05	5-1												
Quail, muscle	0.05	FC							0.05	0.05	5-1												
Goose, muscle	0.05	FC							0.05	0.05	5-1												
Pheasant, muscle	0.05	FC							0.05	0.05	5-1												
Chukar partridge, muscle	0.05	FC							0.05	0.05	5-1												
Other poultry, muscle	0.05	FC							0.05	0.05	5-1												
Chicken, fat	0.02	PAL		0.02					0.05	0.05	3-1												
Duck, fat	0.05	FC							0.05	0.05	5-1												
Turkey, fat	0.05	FC							0.05	0.05	5-1												
Quail, fat	0.05	FC							0.05	0.05	5-1												
Goose, fat	0.05	FC							0.05	0.05	5-1												
Pheasant, fat	0.05	FC							0.05	0.05	5-1												
Chukar partridge, fat	0.05	FC							0.05	0.05	5-1												
Other poultry, fat	0.05	FC							0.05	0.05	5-1												
Chicken, liver	0.03	PAL		0.03					0.05	0.05	3-1												
Duck, liver	0.05	FC							0.05	0.05	5-1												
Turkey, liver	0.05	FC							0.05	0.05	5-1												
Quail, liver	0.05	FC							0.05	0.05	5-1												
Goose, liver	0.05	FC							0.05	0.05	5-1												
Pheasant, liver	0.05	FC							0.05	0.05	5-1												
Chukar partridge, liver	0.05	FC							0.05	0.05	5-1												
Other poultry, liver	0.05	FC							0.05	0.05	5-1												
Chicken, kidney	0.02	PAL		0.02					0.05	0.05	3-1												
Duck, kidney	0.05	FC							0.05	0.05	5-1												
Turkey, kidney	0.05	FC							0.05	0.05	5-1												
Quail, kidney	0.05	FC							0.05	0.05	5-1												
Goose, kidney	0.05	FC							0.05	0.05	5-1												
Pheasant, kidney	0.05	FC							0.05	0.05	5-1												
Chukar partridge, kidney	0.05	FC							0.05	0.05	5-1												
Other poultry, kidney	0.05	FC							0.05	0.05	5-1												
Chicken, edible offal excluding liver and kidney	0.02	PAL		0.02						0.05	3-1												
Duck, edible offal excluding liver and kidney	0.05	FC								0.05	5-1												
Turkey, edible offal excluding liver and kidney	0.05	FC								0.05	5-1												
Quail, edible offal excluding liver and kidney	0.05	FC								0.05	5-1												
Goose, edible offal excluding liver and kidney	0.05	FC								0.05	5-1												
Pheasant, edible offal excluding liver and kidney	0.05	FC								0.05	5-1												
Chukar partridge, edible offal excluding liver and kidney	0.05	FC								0.05	5-1												
Other poultry, edible offal excluding liver and kidney	0.05	FC								0.05	5-1												
Chicken eggs	0.01	PAL		0.014							4												
Turkey eggs	0.05	FC									5-1												
Other poultry eggs																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

For horses (muscle, livers, kidneys, and other edible offal), the PR-MRLs were harmonized with the corresponding PR-MRLs for other animal species.

[illegible]

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		0.5	FC				0.5				5-1	Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney																							
Pig, edible offal excluding liver and kidney												Shrimps or prawns											
Sheep, edible offal excluding liver and kidney												Lobster											
Horse, edible offal excluding liver and kidney												Crayfish											
Deer, edible offal excluding liver and kidney												Other crustaceans											
Goat, edible offal excluding liver and kidney																							
Rabbit, edible offal excluding liver and kidney												Oyster											
Reindeer, edible offal excluding liver and kidney												Abalone											
Other terrestrial mammals, edible offal excluding liver and kidney												Other aquatic animals											
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle		0.03	PAL		0.03		0.5	0.5	0.5		3-1												
Duck, muscle		0.5	FC				0.5	0.5			5-1												
Turkey, muscle		0.5	FC				0.5	0.5	0.5		5-1												
Quail, muscle		0.5	FC								5-1												
Goose, muscle		0.5	FC								5-1												
Pheasant, muscle		0.5	FC				0.5	0.5			5-1												
Chukar partridge, muscle		0.5	FC					0.5			5-1												
Other poultry, muscle		0.5	FC					0.5			5-1												
Chicken, fat		0.03	PAL		0.03						4												
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver		0.03	PAL		0.03		1	1	1	1	3-1												
Duck, liver		1	FC				1	1			5-1												
Turkey, liver		1	FC				1	1	1		5-1												
Quail, liver		1	FC					1			5-1												
Goose, liver		1	FC					1			5-1												
Pheasant, liver		1	FC				1	1			5-1												
Chukar partridge, liver		1	FC					1			5-1												
Other poultry, liver		1	FC					1			5-1												
Chicken, kidney		0.03	PAL		0.03		1	1	1	1	3-1												
Duck, kidney		1	FC				1	1			5-1												
Turkey, kidney		1	FC				1	1	1		5-1												
Quail, kidney		1	FC					1			5-1												
Goose, kidney		1	FC					1			5-1												
Pheasant, kidney		1	FC					1			5-1												
Chukar partridge, kidney		1	FC					1			5-1												
Other poultry, kidney		1	FC					1			5-1												
Chicken, edible offal excluding liver and kidney		0.03	PAL		0.03				1		3-1												
Duck, edible offal excluding liver and kidney		1	FC						1		5-1												
Turkey, edible offal excluding liver and kidney		1	FC						1		5-1												
Quail, edible offal excluding liver and kidney		1	FC						1		5-1												
Goose, edible offal excluding liver and kidney		1	FC						1		5-1												
Pheasant, edible offal excluding liver and kidney		1	FC						1		5-1												
Chukar partridge, edible offal excluding liver and kidney		1	FC						1		5-1												
Other poultry, edible offal excluding liver and kidney		1	FC						1		5-1												
Chicken, eggs		4	FC				4	4	7		5-1												
Turkey, eggs		5	FC				4	4	7		5-1												
Other poultry, eggs		6	FC					4	7		5-1												

### 37. ANILOFOS

[illegible]

# ANILOFOS

[illegible]



## ANIRAZINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																	</						



[illegible]

## APRAMYCIN

	P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	P A L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney		10FC					2		20		5-1	Catfish											
Pig, kidney		0.06PAL		0.0625		0.1	2	0.1			3-1	Other freshwater fish											
Sheep, kidney		2FC					2				5-1												
Horse, kidney		2FC					2				5-1	Salmon											
Deer, kidney		2FC					2				5-1	Trout											
Goat, kidney		2FC					2				5-1	Other salmonidae											
Rabbit, kidney		2FC					2				5-1	Other diadromous fish											
Reindeer, kidney		2FC					2				5-1												
Other terrestrial mammals, kidney		2FC					2				5-1	Marine fish											
Cattle, edible offal excluding liver and kidney		2FC					2				5-1	Shrimps or prawns											
Pig, edible offal excluding liver and kidney		0.06PAL		0.0625			2				3-1	Lobster											
Sheep, edible offal excluding liver and kidney		2FC					2				5-1	Crayfish											
Horse, edible offal excluding liver and kidney		2FC					2				5-1	Other crustaceans											
Deer, edible offal excluding liver and kidney		2FC					2				5-1												
Goat, edible offal excluding liver and kidney		2FC					2				5-1	Oyster											
Rabbit, edible offal excluding liver and kidney		2FC					2				5-1	Abalone											
Reindeer, edible offal excluding liver and kidney		2FC					2				5-1	Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney		2FC					2				5-1												
Cattle, milk												Other animals											
Sheep, milk												Honey											
Goat, milk																							
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle		0.2FC					0.05	0.5		0.05	5-1												
Duck, muscle		0.05FC					0.05			0.05	5-1												
Turkey, muscle		0.2FC					0.05	0.5		0.05	5-1												
Quail, muscle		0.05FC					0.05			0.05	5-1												
Goose, muscle		0.05FC					0.05			0.05	5-1												
Pheasant, muscle		0.05FC					0.05			0.05	5-1												
Chukar partridge, muscle		0.05FC					0.05			0.05	5-1												
Other poultry, muscle		0.05FC					0.05			0.05	5-1												
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver		0.8FC					1			0.5	5-1												
Duck, liver		0.8FC					1			0.5	5-1												
Turkey, liver		0.8FC					1			0.5	5-1												
Quail, liver		0.8FC					1			0.5	5-1												
Goose, liver		0.8FC					1			0.5	5-1												
Pheasant, liver		0.8FC					1			0.5	5-1												
Chukar partridge, liver		0.8FC					1			0.5	5-1												
Other poultry, liver		0.8FC					1			0.5	5-1												
Chicken, kidney		0.8FC					1			0.5	5-1												
Duck, kidney		0.8FC					1			0.5	5-1												
Turkey, kidney		0.8FC					1			0.5	5-1												
Quail, kidney		0.8FC					1			0.5	5-1												
Goose, kidney		0.8FC					1			0.5	5-1												
Pheasant, kidney		0.8FC					1			0.5	5-1												
Chukar partridge, kidney		0.8FC					1			0.5	5-1												
Other poultry, kidney		0.8FC					1			0.5	5-1												
Chicken, edible offal excluding liver and kidney		0.8FC					1			0.5	5-1												
Duck, edible offal excluding liver and kidney		0.8FC					1			0.5	5-1												
Turkey, edible offal excluding liver and kidney		0.8FC					1			0.5	5-1												
Quail, edible offal excluding liver and kidney		0.8FC					1			0.5	5-1												
Goose, edible offal excluding liver and kidney		0.8FC					1			0.5	5-1												
Pheasant, edible offal excluding liver and kidney		0.8FC					1			0.5	5-1												
Chukar partridge, edible offal excluding liver and kidney		0.8FC					1			0.5	5-1												
Other poultry, edible offal excluding liver and kidney		0.8FC					1			0.5	5-1												
Chicken eggs																							
Turkey eggs																							
Other poultry eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

[illegible]

## ASPOXICILLIN

[illegible]

[illegible]

## ASULAM

[illegible]

## 42. ATRAZINE

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e	
Rice (brown rice)												UNSHU Orange	0.02	WHL		0.02								4
Wheat	0.3	FC		0.02		0.25					3-2-1	NATSUDAIDAI (flesh)												
Barley	0.02	WHL		0.02							4	NATSUDAIDAI (peel)				0.02	WHL							4
Rye	0.02	WHL		0.02							4	NATSUDAIDAI (whole)				0.02	WHL							4
Corn (including Maize, Sweet corn)	0.02	WHL		0.02		0.25	0.1		0.1		3-1	Lemon				0.02	WHL							4
Buckwheat	0.02	WHL		0.02							4	Orange (including Navel)				0.02	WHL							4
Other cereal grains	0.02	WHL		0.02		0.25	0.1				3-1	Grapefruit				0.02	WHL							4
Soybeans (dry)												Lime				0.02	WHL							4
Beans (dry)												Other Citrus fruits				0.02	WHL							4
Peas												Apple				0.02	WHL							4
Broad beans												Japanese pear				0.02	WHL							4
Peanuts (dry)												Pear				0.02	WHL							4
Other Legumes/pulses												Quince				0.02	WHL							4
												Loquat				0.02	WHL							4
Potato												Peach				0.02	WHL							4
Taro												Nectarine				0.02	WHL							4
Sweet potato												Apricot				0.02	WHL							4
Yam												Japanese plum (including Prunes)				0.02	WHL							4
Konjac												Mume plum				0.02	WHL							4
Other Potatoes												Cherry				0.02	WHL							4
Sugar beet												Strawberry				0.02	WHL							4
Sugarcane	0.02	WHL		0.02		0.25	0.1				4	Raspberry				0.02	WHL							4
Japanese radish (including Radish) (root)	0.02	WHL		0.02							4	Blackberry				0.02	WHL							4
Japanese radish (including Radish) (leaf)	0.02	WHL		0.02							4	Blueberry				0.02	WHL							4
Turnip (including Rutabaga) (root)	0.02	WHL		0.02							4	Cranberry				0.02	WHL							4
Turnip (including Rutabaga) (leaf)	0.02	WHL		0.02							4	Huckleberry				0.02	WHL							4
Horseradish	0.02	WHL		0.02							4	Other berries				0.02	WHL							4
Watercress	0.02	WHL		0.02							4	Grape				0.02	WHL							4
Chinese cabbage	0.02	WHL		0.02							4	Japanese persimon				0.02	WHL							4
Cabbage	0.02	WHL		0.02							4	Banana				0.02	WHL							4
Brussels sprouts	0.02	WHL		0.02							4	Kiwifruit				0.02	WHL							4
Kale	0.02	WHL		0.02							4	Papaya				0.02	WHL							4
KOMATSUNA	0.02	WHL		0.02							4	Avocado				0.02	WHL							4
KYONA	0.02	WHL		0.02							4	Pineapple				0.02	WHL							4
Qing-geng-cai	0.02	WHL		0.02							4	Guava				0.02	WHL				0.05		0.1	3-1
Cauliflower	0.02	WHL		0.02							4	Mango				0.02	WHL							4
Broccoli	0.02	WHL		0.02							4	Passion fruit				0.02	WHL							4
Other cruciferous vegetables	0.02	WHL		0.02							4	Date				0.02	WHL							4
Burdock	0.02	WHL		0.02							4	Other fruits				0.02	WHL							4
Salsify	0.02	WHL		0.02							4	Sunflower seeds				0.02	WHL							4
Artichoke	0.02	WHL		0.02							4	Sesam seed				0.02	WHL							4
Chicory	0.02	WHL		0.02							4	Safflower seeds				0.02	WHL							4
Endive	0.02	WHL		0.02							4	Cotton seeds				0.02	WHL							4
SHUNGKU	0.02	WHL		0.02							4	Rape seeds				0.02	WHL							4
Lettuce (Cos lettuce, Leaf lettuce)	0.02	WHL		0.02							4	Other oil seeds				0.02	WHL							4
Other Composite vegetables	0.02	WHL		0.02							4	Ginkgo nut				0.02	WHL							4
Onion	0.02	WHL		0.02							4	Chestnut				0.02	WHL							4
Welsh (including Leek)	0.02	WHL		0.02							4	Pecan				0.02	WHL							4
Garlic	0.02	WHL		0.02							4	Almond				0.02	WHL							4
NIRA	0.02	WHL		0.02							4	Walnut				0.02	WHL							4
Asparagus	0.02	WHL		0.02							4	Other nuts				0.02	WHL				0.25		0.1	3-1
Multiplying onion (including Shallot)	0.02	WHL		0.02							4	Tea (Green, Black, Oolong, Wulong tea)												
Other Liliaceous vegetables	0.02	WHL		0.02							4	Coffee beans												
Carrot	0.02	WHL		0.02							4	Cacao beans												
Parsnip	0.02	WHL		0.02							4	Hop												
Parsley	0.02	WHL		0.02							4	Cattle, muscle	0.02	FC				0.02	0.01					5-1
Celery	0.02	WHL		0.02							4	Pig, muscle	0.02	FC				0.02	0.01					5-1
WITSUBA	0.02	WHL		0.02							4	Sheep, muscle	0.02	FC				0.02	0.01					5-1
Other Umbelliferous vegetables	0.02	WHL		0.02							4	Horse, muscle	0.02	FC				0.02	0.01					5-1
Tomato	0.02	WHL		0.02							4	Deer, muscle						0.02	0.01					
Pimento (Sweet pepper)	0.02	WHL		0.02							4	Goat, muscle	0.02	FC				0.02	0.01					5-1
Egg plant	0.02	WHL		0.02							4	Rabbit, muscle												
Other Solanaceous vegetables	0.02	WHL		0.02							4	Reindeer, muscle												
Cucumber (including Gherkin)	0.02	WHL		0.02							4	Other terrestrial mammals, muscle												
Pumpkin (including Squash)	0.02	WHL		0.02							4	Cattle, fat	0.02	FC				0.02						5-1
Oriental pickling melon (vegetable)	0.02	WHL		0.02							4	Pig, fat	0.02	FC				0.02						5-1
Water melon	0.02	WHL		0.02							4	Sheep, fat	0.02	FC				0.02						5-1
Melons	0.02	WHL		0.02							4	Horse, fat	0.02	FC				0.02						5-1
MAKUWAURI	0.02	WHL		0.02							4	Deer, fat						0.02						
Other cucurbitaceous vegetables	0.02	WHL		0.02							4	Goat, fat	0.02	FC				0.02						5-1
Spinach	0.02	WHL		0.02							4	Rabbit, fat												
Bamboo shoots	0.02	WHL		0.02																				

# The FC MRL is applied for Wheat, because its importation from the reference countries shares a majority of them.

## ATRAZINE

[illegible]



### 43. AZACONAZOLE

[illegible]

## AZACONAZOLE

[illegible]

[illegible]

## AZAFENIDIN

	P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e		P R - M R L	R e f .	M R L	W H L	C o d e x	U S	A U	C A	E U	N Z	T y p e
Cattle, kidney												Catfish											
Pig, kidney												Other freshwater fish											
Sheep, kidney																							
Horse, kidney												Salmon											
Deer, kidney												Trout											
Goat, kidney												Other salmonidae											
Rabbit, kidney												Other diadromous fish											
Reindeer, kidney																							
Other terrestrial mammals, kidney												Marine fish											
Cattle, edible offal excluding liver and kidney												Shrimps or prawns											
Pig, edible offal excluding liver and kidney												Lobster											
Sheep, edible offal excluding liver and kidney												Crayfish											
Horse, edible offal excluding liver and kidney												Other crustaceans											
Deer, edible offal excluding liver and kidney																							
Goat, edible offal excluding liver and kidney												Oyster											
Rabbit, edible offal excluding liver and kidney												Abalone											
Reindeer, edible offal excluding liver and kidney												Other aquatic animals											
Other terrestrial mammals, edible offal excluding liver and kidney																							
Cattle, milk												Other animals											
Sheep, milk																							
Goat, milk												Honey											
Other terrestrial mammals, milk																							
Cattle, milk fat																							
Sheep, milk fat																							
Goat, milk fat																							
Other terrestrial mammals, milk fat																							
Chicken, muscle																							
Duck, muscle																							
Turkey, muscle																							
Quail, muscle																							
Goose, muscle																							
Pheasant, muscle																							
Chukar partridge, muscle																							
Other poultry, muscle																							
Chicken, fat																							
Duck, fat																							
Turkey, fat																							
Quail, fat																							
Goose, fat																							
Pheasant, fat																							
Chukar partridge, fat																							
Other poultry, fat																							
Chicken, liver																							
Duck, liver																							
Turkey, liver																							
Quail, liver																							
Goose, liver																							
Pheasant, liver																							
Chukar partridge, liver																							
Other poultry, liver																							
Chicken, kidney																							
Duck, kidney																							
Turkey, kidney																							
Quail, kidney																							
Goose, kidney																							
Pheasant, kidney																							
Chukar partridge, kidney																							
Other poultry, kidney																							
Chicken, edible offal excluding liver and kidney																							
Duck, edible offal excluding liver and kidney																							
Turkey, edible offal excluding liver and kidney																							
Quail, edible offal excluding liver and kidney																							
Goose, edible offal excluding liver and kidney																							
Pheasant, edible offal excluding liver and kidney																							
Chukar partridge, edible offal excluding liver and kidney																							
Other poultry, edible offal excluding liver and kidney																							
Chicken, eggs																							
Turkey, eggs																							
Other poultry, eggs																							
Chicken, egg yolk																							
Turkey, egg yolk																							
Other poultry, egg yolk																							

[illegible]

# AZAMETHIPHOS

[illegible]